FYP-1 Mid-Term Evaluation Guidelines & Rubrics

Comprehensive Assessment Guide and Rubrics for Form 2 (Presentation & Demo.) and Form 3 (Report Evaluation) of the FYP Handbook

Executive Overview & Supervisory Evaluation Protocol

The FYP-1 Mid Evaluation is a formative, supervisor-only assessment worth 20% of the overall FYP-1 grade. Conducted around Week 8 of the semester, its primary objective is developmental: acting as a diagnostic checkpoint where supervisors provide constructive coaching, verify implementation momentum, and ensure required proposal corrections are fully addressed prior to the summative FYP-1 Final panel defense.

Key Evaluation Directives for Supervisors:

• Form 2 (Presentation & Demo - 100% scaled to Form 2 score): Evaluates implementation progress, requirements precision, design evolution, repository hygiene, testing checks, and student ownership defense.

• Form 3 (Report Evaluation - 100% scaled to Form 3 score): Evaluates the FYP-1 mid report across 8 core CLO-mapped criteria, checking report formatting, R&D depth, scope consistency, SRS requirements, architecture/design models, implementation reproducibility, and responsible tool disclosure.
• Supervisory Action Gates: Enforces specific score caps and required action items (e.g., Panel Action Register Form 10, Individual Contribution Adjustment Form 11, or mandatory rewrites) whenever weak or missing evidence is detected.

Form 2 Rubric: Presentation and Demo Evaluation

Form 2 is used during the supervisory meeting to assess implementation state, design reasoning, and progress. The table below details evaluation criteria with CLO alignment and mandatory gate actions.

Criterion, CLO & Max Marks	What to Ask or Observe (Evidence)	Exemplary (85–100%)	Good (70–84%)	Developing (50–69%)	Marginal (30–49%)	Unsatisfactory (0–29%)	Action if No / Weak Evidence
1. Previous Proposal Actions Addressed (FYP1-CLO6 | 10 Marks)	Panel action register shows each required change, status, and live evidence link.	9–10 Marks: All proposal actions fully addressed with verifiable live evidence.	7–8 Marks: Mostly addressed with minor documentation gaps.	5–6 Marks: Partially addressed; actions noted but lack complete proof.	3–4 Marks: One or two addressed superficially; directives remain.	0–2 Marks: Actions ignored, unknown, or completely unaddressed.	**If No/ Weak: Cap progress/ process marks and issue mandatory action.**
2. Iteration Plan & Work Breakdown Progress (FYP1-CLO2 | 10 Marks)	Planned milestone completed or delay is justified with owner-assigned recovery plan.	9–10 Marks: On or ahead of plan with justified delays and realistic buffers.	7–8 Marks: Minor schedule slip with clear recovery plan and updated dates.	5–6 Marks: Behind schedule but aware and tracking tasks.	3–4 Marks: Significantly behind schedule with no credible recovery plan.	0–2 Marks: No task tracking or milestone log exists.	**If Weak: Require revised iteration plan with task owners.**
3. Live Prototype with Core Module Demo (FYP1-CLO4 | 25 Marks)	Meaningful core module works live (not UI screenshots/ video); edge/ failure cases shown.	21–25 Marks: Meaningful core module working live with edge/ failure cases shown.	16–20 Marks: Working live module, but demonstration limited to happy path.	11–15 Marks: Partial working functionality with noticeable hardcoded scaffolding.	6–10 Marks: Prototype barely goes beyond proposal POC-lite state.	0–5 Marks: No working live module demonstrated.	**If No: Cap implementation and live demo marks.**
4. Requirements & Acceptance Criteria Quality (FYP1-CLO2 | 10 Marks)	User interactions, FRs/ NFRs, and acceptance checks are technically correct and aligned.	9–10 Marks: Precise, testable FRs/ NFRs connected directly to implementation.	7–8 Marks: Good requirements structure with minor testability gaps.	5–6 Marks: Requirements present but static or vaguely specified.	3–4 Marks: Generic, copied, or poorly structured requirements.	0–2 Marks: Requirements missing or disconnected from system.	**If Weak: Cap SRS component marks and require correction.**

5. Design Artefacts & Design Evolution (FYP1-CLO3 | 15 Marks)	Architecture plus data/ process/ behavior artefacts match code; changes justified.	13–15 Marks: Artefacts match current code; architectural changes explained.	10–12 Marks: Mostly updated design models with minor notation gaps.	7–9 Marks: Original proposal design presented with little implementation evolution.	4–6 Marks: Design diagrams conflict with actual codebase implementation.	0–3 Marks: Diagrams are purely decorative or generated without understanding.	**If Diagrams Only: Cap design marks at 50%.**
6. Repository, Milestone & Member Evidence (FYP1-CLO6 | 10 Marks)	Tagged code, commit timeline, task log, and member ownership visible in repo.	9–10 Marks: Regular, incremental commits from all members with meaningful messages.	7–8 Marks: Mostly regular version control commits with minor gaps.	5–6 Marks: Uneven commit history but all members contributed.	3–4 Marks: Sparse commits or repo. history dominated by a single member.	0–2 Marks: No evidence of version control or collaborative repo. practice.	**If No: Cap process evidence at 40% maximum.**
7. Testing & Early Validation (FYP1-CLO4 | 10 Marks)	Tests/validation checks exist for current module; failure or edge case discussed.	9–10 Marks: Systematic unit/module tests executed; failure case actively discussed.	7–8 Marks: Basic test cases executed with limited edge case coverage.	5–6 Marks: High-level test plan mentioned; execution results sparse.	3–4 Marks: Testing mentioned verbally but not demonstrated or logged.	0–2 Marks: Zero evidence of testing or empirical validation.	**If No: Mark testing low even if live demo works.**
8. Presentation, Q&A, Team & Tool Ownership (FYP1-CLO5 | 10 Marks)	Team coordination clear; tool-assisted outputs defended and thoroughly understood.	9–10 Marks: Confident, balanced team defense; tool usage fully owned and explained.	7–8 Marks: Solid presentation with minor participation imbalance.	5–6 Marks: One member carries defense; tool awareness is vague.	3–4 Marks: Significant team imbalance; poor technical tool awareness.	0–2 Marks: Student cannot explain or defend tool-generated output.	**If One Member Weak: Trigger Form 11 contribution adjustment.**

Form 3 Rubric: Report Evaluation

Form 3 is used by supervisors to evaluate the written FYP-1 Mid Report. It maps directly to CLO1 through CLO5 and assesses structural completeness, research depth, requirements precision, design models, implementation reproducibility, and responsible tool disclosure.

Criterion, CLO & Max Marks	What to Ask or Observe (Evidence)	Exemplary (85–100%)	Good (70–84%)	Developing (50–69%)	Marginal (30–49%)	Unsatisfactory (0–29%)	Supervisor Gate Action
1. Report Format & Artefacts Present (FYP1-CLO2 | 5 Marks)	Prescribed template followed; required sections, signatures, and artefacts included.	4.5–5.0 Marks: Strictly adheres to template; all mandatory sections and artefacts present.	3.5–4.0 Marks: Follows template well with minor formatting flaws; required artefacts present.	2.5–3.0 Marks: Structure followed, but 1–2 minor sections or appendices are incomplete.	1.5–2.0 Marks: Noticeable formatting deviations; key structural components missing.	0–1.0 Marks: Fails prescribed template or lacks multiple core required sections.	**Compliance Gate: Cap relevant report section marks if formatting fails.**
2. Problem Formulation, R&D & Gap Analysis (FYP1-CLO1 | 15 Marks)	Report shows what was studied, research gap, and complex challenge addressed.	13.0–15.0 Marks: Rigorous literature synthesis; clearly isolates gap and complex computing challenge.	10.5–12.5 Marks: Solid domain review; gap and challenge defined with minor depth gaps.	7.5–10.0 Marks: Descriptive literature review; gap implied but lacks critical analysis.	4.5–7.0 Marks: Generic or GenAI-summarized text; fails to isolate technical gap.	0–4.0 Marks: Superficial, off-topic, or unoriginal R&D; cannot defend sources.	**Red Flag Gate: Require mandatory R&D rewrite if review is weak/AI-slop.**
3. Project Vision, Scope & Success Criteria (FYP1-CLO2 | 10 Marks)	Scope, modules, success criteria, and feasibility are clear and consistent with proposal.	9.0–10.0 Marks: Crystal-clear scope, modular breakdown, and testable	7.0–8.5 Marks: Well-defined scope/ modules; minor vagueness in	5.0–6.5 Marks: High-level vision present, but module boundaries	3.0–4.5 Marks: Ambiguous scope or unrealistic boundaries;	0–2.5 Marks: Vague, contradictory, or unfeasible scope with no metrics.	**Red Flag Gate: Require mandatory Scope Table submission if scope is vague.**

		success metrics.	feasibility bounds.	are loosely defined.	conflicts with proposal.		
4. Requirements & Acceptance Criteria (FYP1-CLO2 | 15 Marks)	User interactions, FRs/ NFRs, and SRS acceptance checks are precise and testable.	13.0–15.0 Marks: Precise, numbered FRs/ NFRs with verifiable acceptance test checks.	10.5–12.5 Marks: Well-structured requirements; acceptance checks testable with minor gaps.	7.5–10.0 Marks: Basic FRs/NFRs documented, but acceptance criteria are generic.	4.5–7.0 Marks: Incomplete requirements; user interactions and acceptance checks missing.	0–4.0 Marks: Weak, ambiguous, or copied requirements that cannot be tested.	**SRS Gate: Cap SRS marks if requirements are weak or non-testable.**
5. Architecture & Component/ Interface Design (FYP1-CLO3 | 15 Marks)	Architecture, components, dependencies, and interfaces are clear and justified.	13.0–15.0 Marks: Detailed architecture diagrams with layer separation and interface contracts.	10.5–12.5 Marks: Clear architectural layout; component interfaces documented.	7.5–10.0 Marks: Standard architectural diagram included, but interface definitions high-level.	4.5–7.0 Marks: Superficial architecture; component dependencies and interfaces unclear.	0–4.0 Marks: Missing architecture or purely AI-generated decorative diagrams.	**Design Gate: Cap design marks if diagrams are purely auto-generated/ unjustified.**
6. Data / Process / Behavior Design (FYP1-CLO3 | 10 Marks)	Appropriate ERD/ schema/ data flow/ activity/ sequence/ state diagram included and explained.	9.0–10.0 Marks: Flawless, project-specific design models thoroughly explained in text.	7.0–8.5 Marks: Accurate ERD/ UML diagrams with minor notation errors; clearly explained.	5.0–6.5 Marks: Standard diagrams present, but text explanations are brief/ generic.	3.0–4.5 Marks: Incomplete or generic diagrams (e.g. template ERD) with weak domain connection.	0–2.5 Marks: Irrelevant, broken, or missing data/ process/ behavior diagrams.	**Artefact Gate: Require project-specific artefact re-submission if irrelevant.**
7. Implementation Documentation (FYP1-CLO4 | 15 Marks)	Completed module described with setup, main files/ classes/ functions, and technical decisions.	13.0–15.0 Marks: Comprehensive documentation; setup, classes, algorithms, and trade-offs clear.	10.5–12.5 Marks: Solid technical description of core files/ classes; setup steps clear.	7.5–10.0 Marks: Module functionality described, but code structure/ decisions lack detail.	4.5–7.0 Marks: High-level code summary without technical setup or decision rationale.	0–4.0 Marks: Implementation description is non-reproducible or progress is flat.	**Reproducibility Gate: Cap implementation docs if setup is not reproducible.**
8. Testing Plan & Tool / Risk Disclosure (FYP1-CLO5 | 15 Marks)	Test plan, early results, external dependency/ tool disclosure, and risks documented.	13.0–15.0 Marks: Thorough test plan; full disclosure of external/ GenAI tools, risks, and privacy.	10.5–12.5 Marks: Clear test plan and early validation; transparent tool disclosure.	7.5–10.0 Marks: Basic test plan present; disclosure or risk analysis is high-level.	4.5–7.0 Marks: Minimal test plan; missing risk analysis or incomplete tool disclosure.	0–4.0 Marks: Missing test plan, zero validation, or undisclosed GenAI tool usage.	**Tool Disclosure Gate: Tool-use item = 0 until full disclosure submitted.**

Red Flags and Supervisory Action

FYP-1 Mid is the supervisor's primary window to detect critical project risks and enforce corrective measures before students face the panel at FYP-1 Final. Supervisors should actively probe these red flags during meetings and execute the required administrative actions below.

Red Flag Indicator	Meeting Probing Protocol	Possible Supervisory Action
Sudden Code Volumes: Large code volume appears between meetings with no matching increase in student understanding.	Ask student to walk through new code live at line/ function level. Ask what changed, why, and what happens if a core function is removed.	If unable to explain: cap implementation marks on Form 2. Issue a mandatory re-demo at a dedicated session before FYP-1 Final. Record in meeting log.

Stagnant Prototype Momentum: Prototype shown at Mid is barely more advanced than proposal POC-lite.	Compare current demo against proposal notes. Ask: 'What new core business logic has been added since proposal defense?'	If momentum flat: set 3 specific, weekly demonstrable milestones. Warn student of significant FYP-1 Final risk if recovery plan fails.
Generic/ GenAI R&D Text: Report sections grammatically polished but factually generic without project-specific depth.	Select one R&D paragraph during evaluation and ask student to explain concepts in own words without reading page.	If paraphrased poorly: classify as GenAI research synthesis without understanding. Enforce mandatory report rewrite backed by project evidence.
Uneven Team Contribution: One member explains everything while another stays silent or defers continuously.	Schedule brief 1-on-1 check-in with quieter member. Ask them to independently explain their owned module architecture.	If unable to defend: trigger Individual Contribution Adjustment Form (Form 11 of the FYP handbook). Assign individual 2-week milestone and record in log.
Dishonest Milestone Logging: Milestone log shows tasks as 'done', but demo state is identical to 4 weeks ago.	Require live demonstration of output for every claimed milestone before accepting status. Verbal confirmation is insufficient.	If demo fails: note dishonest milestone reporting in meeting log. Issue Panel Action Register (Form 10 of the FYP handbook) entry requiring proof before FYP-1 Final.
Ignored Proposal Panel Actions: Proposal panel actions missing from Panel Action Register or lack evidence links.	Open Panel Action Register during session and verify each item against meeting observations and report evidence.	If ignored: cap progress marks on Form 2 Criterion 1. Issue missing actions formally and require live evidence at next weekly meeting.