Day 003 — Year-One Success Criteria

Assistive Systems for Trusted Robotic Operations

Controlled register export · 10 records

Record 1: ASTRO-R-002

Field	Controlled value
Requirement ID	ASTRO-R-002
Success metric	Overall height
Target rule	nominal target
Target value	1.829
Unit or count	m
Measurement method	At the applicable inspection stage, measure vertical sole-to-crown height in the approved supported reference configuration. Compare the actual dimension with the target and separately approved tolerance.
Evidence needed	Configuration and drawing revision; dated dimension record in m; instrument identification/calibration; setup photograph; reviewer disposition.
Required conditions	Panels installed as specified for the measured configuration. Record posture, support and reference surface.
Target status	PROVISIONAL TARGET
Tested result	NOT MEASURED / NOT TESTED
Actual test evidence	NONE - NOT EXECUTED
Unresolved limitations	No measured assembly or instrument evidence supplied. R0.1 band 1.809-1.849 m remains provisional and conflicts with older local +/-0.010 m wording. No tolerance selected today.
Verification ID	ASTRO-V-02
Source references	requirements.csv#ASTRO-R-002 (R0.1, 2026-10-23); ../tests/verification_matrix.csv#ASTRO-V-02 (R0.1, 2026-10-23); ../requirements/Project_ASTRO_Mission_R0_1.pdf (R0.1); ../requirements/day_002_folder_index.md (R0.2, 2026-10-25)
Revision	R0.2
Actual date	2026-10-27
Accountable owner	Faisal Farouq
Actual preparer role	Project documentation record; no qualified physical review claimed
Day 3 document result	PASS - checklist coverage only
Actual time spent hours	2
Time basis	User reported 2 hrs for Day 3 in this chat. Session total repeated as metadata, not hours per requirement. Planned 150 minutes not used as actual time.

Record 2: ASTRO-R-003

Field	Controlled value
Requirement ID	ASTRO-R-003
Success metric	Operating robot mass
Target rule	at most
Target value	55
Unit or count	kg
Measurement method	At the applicable inspection stage, weigh each permitted operating configuration using a calibrated scale. Reconcile the measurement with the component mass register for the same configuration.
Evidence needed	Dated scale reading in kg; scale identification/calibration; complete configuration inventory; component mass register; photographs and reviewer disposition.
Required conditions	Include battery, panels and attached handling module. Identify external supports separately. The separate 2 kg handling test object is not walking cargo.
Target status	PROVISIONAL TARGET
Tested result	NOT MEASURED / NOT TESTED
Actual test evidence	NONE - NOT EXECUTED
Unresolved limitations	No measured mass or completed configuration supplied. Mass allocations are planning values. Facility and qualified inspection roles remain unconfirmed.
Verification ID	ASTRO-V-02
Source references	requirements.csv#ASTRO-R-003 (R0.1, 2026-10-23); ../tests/verification_matrix.csv#ASTRO-V-02 (R0.1, 2026-10-23); ../requirements/Project_ASTRO_Mission_R0_1.pdf (R0.1); ../requirements/day_002_folder_index.md (R0.2, 2026-10-25)
Revision	R0.2
Actual date	2026-10-27
Accountable owner	Faisal Farouq
Actual preparer role	Project documentation record; no qualified physical review claimed
Day 3 document result	PASS - checklist coverage only
Actual time spent hours	2
Time basis	User reported 2 hrs for Day 3 in this chat. Session total repeated as metadata, not hours per requirement. Planned 150 minutes not used as actual time.

Record 3: ASTRO-R-004

Field	Controlled value
Requirement ID	ASTRO-R-004
Success metric	Projected mass rework trigger
Target rule	greater than
Target value	55
Unit or count	kg
Measurement method	Compare the current dated configuration-specific mass projection with 55 kg. Record the source masses and whether the rework trigger is crossed.
Evidence needed	Revision-controlled mass projection in kg; source component masses and uncertainty; actual comparison; dated rework decision if triggered.
Required conditions	This is an escalation threshold, not permission to operate above the 55 kg target.
Target status	DEFINED REVIEW TRIGGER - NOT EVALUATED
Tested result	NOT MEASURED / NOT TESTED
Actual test evidence	NONE - NOT EXECUTED
Unresolved limitations	No accepted current whole-robot mass projection supplied. Do not substitute 55 kg allocation for a predicted or measured result.
Verification ID	ASTRO-V-03
Source references	requirements.csv#ASTRO-R-004 (R0.1, 2026-10-23); ../tests/verification_matrix.csv#ASTRO-V-03 (R0.1, 2026-10-23); ../requirements/Project_ASTRO_Mission_R0_1.pdf (R0.1); ../requirements/day_002_folder_index.md (R0.2, 2026-10-25)
Revision	R0.2
Actual date	2026-10-27
Accountable owner	Faisal Farouq
Actual preparer role	Project documentation record; no qualified physical review claimed
Day 3 document result	PASS - checklist coverage only
Actual time spent hours	2
Time basis	User reported 2 hrs for Day 3 in this chat. Session total repeated as metadata, not hours per requirement. Planned 150 minutes not used as actual time.

Record 4: ASTRO-R-004

Field	Controlled value
Requirement ID	ASTRO-R-004
Success metric	Projected mass major-review trigger
Target rule	greater than
Target value	65
Unit or count	kg
Measurement method	Compare the current dated configuration-specific mass projection with 65 kg. If exceeded, record a major design review and suspension of affected purchases and motion releases.
Evidence needed	Same-configuration mass projection in kg; threshold comparison; recorded holds and major-review disposition if triggered.
Required conditions	Above 65 kg also exceeds the 55 kg rework threshold. The higher review threshold is not an allowable operating mass.
Target status	DEFINED REVIEW TRIGGER - NOT EVALUATED
Tested result	NOT MEASURED / NOT TESTED
Actual test evidence	NONE - NOT EXECUTED
Unresolved limitations	No accepted current mass projection or major-review disposition supplied. No affected release is authorized by this checklist.
Verification ID	ASTRO-V-03
Source references	requirements.csv#ASTRO-R-004 (R0.1, 2026-10-23); ../tests/verification_matrix.csv#ASTRO-V-03 (R0.1, 2026-10-23); ../requirements/Project_ASTRO_Mission_R0_1.pdf (R0.1); ../requirements/day_002_folder_index.md (R0.2, 2026-10-25)
Revision	R0.2
Actual date	2026-10-27
Accountable owner	Faisal Farouq
Actual preparer role	Project documentation record; no qualified physical review claimed
Day 3 document result	PASS - checklist coverage only
Actual time spent hours	2
Time basis	User reported 2 hrs for Day 3 in this chat. Session total repeated as metadata, not hours per requirement. Planned 150 minutes not used as actual time.

Record 5: ASTRO-R-005

Field	Controlled value
Requirement ID	ASTRO-R-005
Success metric	Active lower-body joint count
Target rule	exactly
Target value	10
Unit or count	joints
Measurement method	Cross-check the independently commanded active-joint register against the released CAD tree, simulation joint tree, controller mapping and later as-built inspection. Count passive joints separately.
Evidence needed	Same-revision joint register; CAD and simulation tree exports; controller mapping; as-built inspection record; independent reviewer disposition.
Required conditions	Names, axes and units must agree across the configuration. Ten means active lower-body joints, not all robot joints.
Target status	PROVISIONAL TARGET
Tested result	NOT MEASURED / NOT TESTED
Actual test evidence	NONE - NOT EXECUTED
Unresolved limitations	Final topology is open under D-03. Five joints per leg without hip yaw is a proposal. No released CAD, controller mapping or as-built count supplied.
Verification ID	ASTRO-V-04
Source references	requirements.csv#ASTRO-R-005 (R0.1, 2026-10-23); ../tests/verification_matrix.csv#ASTRO-V-04 (R0.1, 2026-10-23); ../requirements/Project_ASTRO_Mission_R0_1.pdf (R0.1); ../requirements/day_002_folder_index.md (R0.2, 2026-10-25)
Revision	R0.2
Actual date	2026-10-27
Accountable owner	Faisal Farouq
Actual preparer role	Project documentation record; no qualified physical review claimed
Day 3 document result	PASS - checklist coverage only
Actual time spent hours	2
Time basis	User reported 2 hrs for Day 3 in this chat. Session total repeated as metadata, not hours per requirement. Planned 150 minutes not used as actual time.

Record 6: ASTRO-R-007

Field	Controlled value
Requirement ID	ASTRO-R-007
Success metric	Mean walking speed in each trial
Target rule	inclusive range
Target value	0.1
Target maximum	0.15
Unit or count	m/s
Measurement method	For each of the two trials, calculate mean pelvis displacement in m divided by elapsed time in s over the defined three-step interval, using synchronized position, foot-contact and video timing.
Evidence needed	Separate trial IDs; interval definition; raw position/contact/timestamp logs; synchronized video; distance in m and elapsed time in s; calculation and uncertainty; reviewer disposition.
Required conditions	Approved cleared test area, inspected rated robot fall protection, exclusion zone and applicable prior motion releases. Report tether loads, assistance and stops.
Target status	PROVISIONAL TARGET
Tested result	NOT MEASURED / NOT TESTED
Actual test evidence	NONE - NOT EXECUTED
Unresolved limitations	No trial data, timing calibration, interval acceptance or approved assistance criterion supplied. Neither commands nor a midpoint speed establish measured performance.
Verification ID	ASTRO-V-05
Source references	requirements.csv#ASTRO-R-007 (R0.1, 2026-10-23); ../tests/verification_matrix.csv#ASTRO-V-05 (R0.1, 2026-10-23); ../requirements/Project_ASTRO_Mission_R0_1.pdf (R0.1); ../requirements/day_002_folder_index.md (R0.2, 2026-10-25)
Revision	R0.2
Actual date	2026-10-27
Accountable owner	Faisal Farouq
Actual preparer role	Project documentation record; no qualified physical review claimed
Day 3 document result	PASS - checklist coverage only
Actual time spent hours	2
Time basis	User reported 2 hrs for Day 3 in this chat. Session total repeated as metadata, not hours per requirement. Planned 150 minutes not used as actual time.

Record 7: ASTRO-R-006

Field	Controlled value
Requirement ID	ASTRO-R-006
Success metric	Alternating consecutive steps per trial
Target rule	exactly required demonstration count
Target value	3
Unit or count	steps/trial
Measurement method	Review synchronized video and foot-contact logs to count three distinct swing/landing steps alternating L-R-L or R-L-R within each separate trial.
Evidence needed	Trial-specific contact/event sequence; synchronized video and telemetry; continuity and stop records; support-load record; qualified reviewer disposition.
Required conditions	Three alternating consecutive steps must occur in each of two separate supervised tethered trials. No arrest catch, external propulsion or operator stabilization accepted as successful gait.
Target status	PROVISIONAL TARGET
Tested result	NOT MEASURED / NOT TESTED
Actual test evidence	NONE - NOT EXECUTED
Unresolved limitations	No gait test executed. Step/landing and support-assistance criteria require an approved test protocol. Six combined steps do not substitute for two three-step trials.
Verification ID	ASTRO-V-05
Source references	requirements.csv#ASTRO-R-006 (R0.1, 2026-10-23); ../tests/verification_matrix.csv#ASTRO-V-05 (R0.1, 2026-10-23); ../requirements/Project_ASTRO_Mission_R0_1.pdf (R0.1); ../requirements/day_002_folder_index.md (R0.2, 2026-10-25)
Revision	R0.2
Actual date	2026-10-27
Accountable owner	Faisal Farouq
Actual preparer role	Project documentation record; no qualified physical review claimed
Day 3 document result	PASS - checklist coverage only
Actual time spent hours	2
Time basis	User reported 2 hrs for Day 3 in this chat. Session total repeated as metadata, not hours per requirement. Planned 150 minutes not used as actual time.

Record 8: ASTRO-R-006

Field	Controlled value
Requirement ID	ASTRO-R-006
Success metric	Separate successful three-step trials
Target rule	required count
Target value	2
Unit or count	trials
Measurement method	Review two separately identified trial records. Confirm that each independently meets the three-alternating-step condition and reports its own measured speed, support assistance and stop outcomes.
Evidence needed	Two distinct trial IDs, configuration and dates; complete raw logs/video per trial; separate result/disposition records. Retain failed attempts and limitations.
Required conditions	Each trial contains three alternating consecutive steps. A reset between trials does not permit a reset within the required consecutive sequence.
Target status	PROVISIONAL TARGET
Tested result	NOT MEASURED / NOT TESTED
Actual test evidence	NONE - NOT EXECUTED
Unresolved limitations	No trial records or reviewer dispositions supplied. Counting 2 x 3 = 6 planned steps is arithmetic only, not executed gait evidence.
Verification ID	ASTRO-V-05
Source references	requirements.csv#ASTRO-R-006 (R0.1, 2026-10-23); ../tests/verification_matrix.csv#ASTRO-V-05 (R0.1, 2026-10-23); ../requirements/Project_ASTRO_Mission_R0_1.pdf (R0.1); ../requirements/day_002_folder_index.md (R0.2, 2026-10-25)
Revision	R0.2
Actual date	2026-10-27
Accountable owner	Faisal Farouq
Actual preparer role	Project documentation record; no qualified physical review claimed
Day 3 document result	PASS - checklist coverage only
Actual time spent hours	2
Time basis	User reported 2 hrs for Day 3 in this chat. Session total repeated as metadata, not hours per requirement. Planned 150 minutes not used as actual time.

Record 9: ASTRO-R-040

Field	Controlled value
Requirement ID	ASTRO-R-040
Success metric	Stationary inert test-object mass
Target rule	nominal target
Target value	2
Unit or count	kg
Measurement method	Before the separately authorized handling stage, measure and identify the inert object using a calibrated scale. Compare with 2 kg and the approved payload tolerance.
Evidence needed	Payload ID; actual mass in kg; scale identification/calibration; approved tolerance; object retention and fixture review; signed test configuration.
Required conditions	Handling is stationary and mechanically secured, with a 2 kg inert object. No walking with the test payload and no person lifting or support. See ASTRO-R-041 and ASTRO-R-042.
Target status	PROVISIONAL TARGET
Tested result	NOT MEASURED / NOT TESTED
Actual test evidence	NONE - NOT EXECUTED
Unresolved limitations	No payload measurement, approved mass tolerance, handling module, fixture or retention acceptance supplied. Reach and trajectory remain open under D-04.
Verification ID	ASTRO-V-22
Source references	requirements.csv#ASTRO-R-040 (R0.1, 2026-10-23); ../tests/verification_matrix.csv#ASTRO-V-22 (R0.1, 2026-10-23); ../requirements/Project_ASTRO_Mission_R0_1.pdf (R0.1); ../requirements/day_002_folder_index.md (R0.2, 2026-10-25)
Revision	R0.2
Actual date	2026-10-27
Accountable owner	Faisal Farouq
Actual preparer role	Project documentation record; no qualified physical review claimed
Day 3 document result	PASS - checklist coverage only
Actual time spent hours	2
Time basis	User reported 2 hrs for Day 3 in this chat. Session total repeated as metadata, not hours per requirement. Planned 150 minutes not used as actual time.

Record 10: ASTRO-R-040

Field	Controlled value
Requirement ID	ASTRO-R-040
Success metric	Supported handling repetitions
Target rule	required count
Target value	10
Unit or count	supervised repetitions
Measurement method	During the separately authorized handling stage, count ten complete repetitions through the approved trajectory while stationary and mechanically secured. Review each repetition against approved limits and retain failures/stops.
Evidence needed	Repetition IDs 1-10; 2 kg payload record; support/retention and permit references; synchronized position, current, temperature, relevant force and stop logs; calibrated instrument references; reviewer disposition.
Required conditions	Ten supervised repetitions with the 2 kg inert object. Define start/end and a complete repetition in the approved protocol. Respect all approved limits. See ASTRO-R-041 and ASTRO-R-042.
Target status	PROVISIONAL TARGET
Tested result	NOT MEASURED / NOT TESTED
Actual test evidence	NONE - NOT EXECUTED
Unresolved limitations	No handling repetitions executed. Qualified supervisor, approved trajectory, support system, instrumentation and limits are unconfirmed. No lift height or reach adopted today.
Verification ID	ASTRO-V-22
Source references	requirements.csv#ASTRO-R-040 (R0.1, 2026-10-23); ../tests/verification_matrix.csv#ASTRO-V-22 (R0.1, 2026-10-23); ../requirements/Project_ASTRO_Mission_R0_1.pdf (R0.1); ../requirements/day_002_folder_index.md (R0.2, 2026-10-25)
Revision	R0.2
Actual date	2026-10-27
Accountable owner	Faisal Farouq
Actual preparer role	Project documentation record; no qualified physical review claimed
Day 3 document result	PASS - checklist coverage only
Actual time spent hours	2
Time basis	User reported 2 hrs for Day 3 in this chat. Session total repeated as metadata, not hours per requirement. Planned 150 minutes not used as actual time.