```
{
  "auth": {
    "audit_log_entries": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "instance_id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "audit_logs_instance_id_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX audit_logs_instance_id_idx ON
auth.audit_log_entries USING btree (instance_id)"
            }
          ]
        },
        {
          "name": "id",
          "position": 2,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "audit_log_entries_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX audit_log_entries_pkey ON
auth.audit_log_entries USING btree (id)"
            }
          ]
        },
        {
          "name": "payload",
          "position": 3,
          "type": "json",
          "udt_name": "json",
```

```
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "created_at",
      "position": 4,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "ip_address",
      "position": 5,
      "type": "character varying",
      "udt_name": "varchar",
      "nullable": false,
      "default": "''::character varying",
      "character_maximum_length": 64,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    }
  ],
  "primary_keys": [
    "id"
  ],
  "foreign_keys": [],
  "constraints": [
    {
      "table_schema": "auth",
      "table_name": "audit_log_entries",
      "constraint_name": "16498_16529_2_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "audit_log_entries",
      "constraint_name": "16498_16529_5_not_null",
      "constraint_type": "CHECK"
```

```
        },
        {
          "table_schema": "auth",
          "table_name": "audit_log_entries",
          "constraint_name": "audit_log_entries_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "instance_id",
          "index_name": "audit_logs_instance_id_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX audit_logs_instance_id_idx ON
auth.audit_log_entries USING btree (instance_id)"
        },
        {
          "column": "id",
          "index_name": "audit_log_entries_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX audit_log_entries_pkey ON
auth.audit_log_entries USING btree (id)"
        }
      ],
      "views": []
    },
    "custom_oauth_providers": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": "gen_random_uuid()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "custom_oauth_providers_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX
custom_oauth_providers_pkey ON auth.custom_oauth_providers USING btree (id)"
            }
          ]
        },
        {
```

```
          "name": "provider_type",
          "position": 2,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "custom_oauth_providers_provider_type_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX
custom_oauth_providers_provider_type_idx ON auth.custom_oauth_providers USING
btree (provider_type)"
            }
          ]
        },
        {
          "name": "identifier",
          "position": 3,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "custom_oauth_providers_identifier_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX
custom_oauth_providers_identifier_idx ON auth.custom_oauth_providers USING btree
(identifier)"
            },
            {
              "index_name": "custom_oauth_providers_identifier_key",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
custom_oauth_providers_identifier_key ON auth.custom_oauth_providers USING btree
(identifier)"
            }
          ]
        },
        {
```

```
    "name": "name",
    "position": 4,
    "type": "text",
    "udt_name": "text",
    "nullable": false,
    "default": null,
    "character_maximum_length": null,
    "numeric_precision": null,
    "numeric_scale": null,
    "is_primary_key": false,
    "foreign_key": null,
    "indices": []
  },
  {
    "name": "client_id",
    "position": 5,
    "type": "text",
    "udt_name": "text",
    "nullable": false,
    "default": null,
    "character_maximum_length": null,
    "numeric_precision": null,
    "numeric_scale": null,
    "is_primary_key": false,
    "foreign_key": null,
    "indices": []
  },
  {
    "name": "client_secret",
    "position": 6,
    "type": "text",
    "udt_name": "text",
    "nullable": false,
    "default": null,
    "character_maximum_length": null,
    "numeric_precision": null,
    "numeric_scale": null,
    "is_primary_key": false,
    "foreign_key": null,
    "indices": []
  },
  {
    "name": "acceptable_client_ids",
    "position": 7,
    "type": "ARRAY",
    "udt_name": "_text",
    "nullable": false,
    "default": "'{}'::text[]",
    "character_maximum_length": null,
    "numeric_precision": null,
    "numeric_scale": null,
    "is_primary_key": false,
    "foreign_key": null,
    "indices": []
```

```
    },
    {
      "name": "scopes",
      "position": 8,
      "type": "ARRAY",
      "udt_name": "_text",
      "nullable": false,
      "default": "'{}'::text[]",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "pkce_enabled",
      "position": 9,
      "type": "boolean",
      "udt_name": "bool",
      "nullable": false,
      "default": "true",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "attribute_mapping",
      "position": 10,
      "type": "jsonb",
      "udt_name": "jsonb",
      "nullable": false,
      "default": "'{}'::jsonb",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "authorization_params",
      "position": 11,
      "type": "jsonb",
      "udt_name": "jsonb",
      "nullable": false,
      "default": "'{}'::jsonb",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
```

```
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "enabled",
          "position": 12,
          "type": "boolean",
          "udt_name": "bool",
          "nullable": false,
          "default": "true",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "custom_oauth_providers_enabled_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX
custom_oauth_providers_enabled_idx ON auth.custom_oauth_providers USING btree
(enabled)"
            }
          ]
        },
        {
          "name": "email_optional",
          "position": 13,
          "type": "boolean",
          "udt_name": "bool",
          "nullable": false,
          "default": "false",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "issuer",
          "position": 14,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
```

```
    {
      "name": "discovery_url",
      "position": 15,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "skip_nonce_check",
      "position": 16,
      "type": "boolean",
      "udt_name": "bool",
      "nullable": false,
      "default": "false",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "cached_discovery",
      "position": 17,
      "type": "jsonb",
      "udt_name": "jsonb",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "discovery_cached_at",
      "position": 18,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
```

```
      "indices": []
    },
    {
      "name": "authorization_url",
      "position": 19,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "token_url",
      "position": 20,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "userinfo_url",
      "position": 21,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "jwks_uri",
      "position": 22,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
```

```
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "created_at",
          "position": 23,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": false,
          "default": "now()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "custom_oauth_providers_created_at_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX
custom_oauth_providers_created_at_idx ON auth.custom_oauth_providers USING btree
(created_at)"
            }
          ]
        },
        {
          "name": "updated_at",
          "position": 24,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": false,
          "default": "now()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        }
      ],
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "auth",
          "table_name": "custom_oauth_providers",
          "constraint_name": "16498_17078_10_not_null",
          "constraint_type": "CHECK"
        },
        {
```

```
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "16498_17078_11_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "16498_17078_12_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "16498_17078_13_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "16498_17078_16_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "16498_17078_1_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "16498_17078_23_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "16498_17078_24_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "16498_17078_2_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "16498_17078_3_not_null",
    "constraint_type": "CHECK"
  },
  {
```

```
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "16498_17078_4_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "16498_17078_5_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "16498_17078_6_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "16498_17078_7_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "16498_17078_8_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "16498_17078_9_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "custom_oauth_providers_authorization_url_https",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "custom_oauth_providers_authorization_url_length",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "custom_oauth_providers_client_id_length",
    "constraint_type": "CHECK"
  },
  {
```

```
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "custom_oauth_providers_discovery_url_length",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "custom_oauth_providers_identifier_format",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "custom_oauth_providers_issuer_length",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "custom_oauth_providers_jwks_uri_https",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "custom_oauth_providers_jwks_uri_length",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "custom_oauth_providers_name_length",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "custom_oauth_providers_oauth2_requires_endpoints",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "custom_oauth_providers_oidc_discovery_url_https",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "custom_oauth_providers",
    "constraint_name": "custom_oauth_providers_oidc_issuer_https",
    "constraint_type": "CHECK"
  },
  {
```

```
      "table_schema": "auth",
      "table_name": "custom_oauth_providers",
      "constraint_name": "custom_oauth_providers_oidc_requires_issuer",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "custom_oauth_providers",
      "constraint_name": "custom_oauth_providers_provider_type_check",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "custom_oauth_providers",
      "constraint_name": "custom_oauth_providers_token_url_https",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "custom_oauth_providers",
      "constraint_name": "custom_oauth_providers_token_url_length",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "custom_oauth_providers",
      "constraint_name": "custom_oauth_providers_userinfo_url_https",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "custom_oauth_providers",
      "constraint_name": "custom_oauth_providers_userinfo_url_length",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "custom_oauth_providers",
      "constraint_name": "custom_oauth_providers_pkey",
      "constraint_type": "PRIMARY KEY"
    },
    {
      "table_schema": "auth",
      "table_name": "custom_oauth_providers",
      "constraint_name": "custom_oauth_providers_identifier_key",
      "constraint_type": "UNIQUE"
    }
  ],
  "indices": [
    {
      "column": "id",
      "index_name": "custom_oauth_providers_pkey",
      "is_unique": true,
      "is_primary": true,
```

```
          "index_definition": "CREATE UNIQUE INDEX custom_oauth_providers_pkey
ON auth.custom_oauth_providers USING btree (id)"
        },
        {
          "column": "provider_type",
          "index_name": "custom_oauth_providers_provider_type_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX
custom_oauth_providers_provider_type_idx ON auth.custom_oauth_providers USING
btree (provider_type)"
        },
        {
          "column": "identifier",
          "index_name": "custom_oauth_providers_identifier_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX
custom_oauth_providers_identifier_idx ON auth.custom_oauth_providers USING btree
(identifier)"
        },
        {
          "column": "identifier",
          "index_name": "custom_oauth_providers_identifier_key",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
custom_oauth_providers_identifier_key ON auth.custom_oauth_providers USING btree
(identifier)"
        },
        {
          "column": "enabled",
          "index_name": "custom_oauth_providers_enabled_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX custom_oauth_providers_enabled_idx
ON auth.custom_oauth_providers USING btree (enabled)"
        },
        {
          "column": "created_at",
          "index_name": "custom_oauth_providers_created_at_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX
custom_oauth_providers_created_at_idx ON auth.custom_oauth_providers USING btree
(created_at)"
        }
      ],
      "views": []
    },
    "flow_state": {
      "table_type": "BASE TABLE",
      "columns": [
        {
```

```
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "flow_state_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX flow_state_pkey ON
auth.flow_state USING btree (id)"
            }
          ]
        },
        {
          "name": "user_id",
          "position": 2,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "idx_user_id_auth_method",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX idx_user_id_auth_method ON
auth.flow_state USING btree (user_id, authentication_method)"
            }
          ]
        },
        {
          "name": "auth_code",
          "position": 3,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
```

```
          "foreign_key": null,
          "indices": [
            {
              "index_name": "idx_auth_code",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX idx_auth_code ON auth.flow_state
USING btree (auth_code)"
            }
          ]
        },
        {
          "name": "code_challenge_method",
          "position": 4,
          "type": "USER-DEFINED",
          "udt_name": "code_challenge_method",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "code_challenge",
          "position": 5,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "provider_type",
          "position": 6,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
```

```
          "name": "provider_access_token",
          "position": 7,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "provider_refresh_token",
          "position": 8,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "created_at",
          "position": 9,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "flow_state_created_at_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX flow_state_created_at_idx ON
auth.flow_state USING btree (created_at DESC)"
            }
          ]
        },
        {
          "name": "updated_at",
          "position": 10,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
```

```
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "authentication_method",
          "position": 11,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "idx_user_id_auth_method",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX idx_user_id_auth_method ON
auth.flow_state USING btree (user_id, authentication_method)"
            }
          ]
        },
        {
          "name": "auth_code_issued_at",
          "position": 12,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "invite_token",
          "position": 13,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
```

```
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "referrer",
      "position": 14,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "oauth_client_state_id",
      "position": 15,
      "type": "uuid",
      "udt_name": "uuid",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "linking_target_id",
      "position": 16,
      "type": "uuid",
      "udt_name": "uuid",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "email_optional",
      "position": 17,
      "type": "boolean",
      "udt_name": "bool",
      "nullable": false,
      "default": "false",
```

```
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        }
      ],
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "auth",
          "table_name": "flow_state",
          "constraint_name": "16498_16883_11_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "flow_state",
          "constraint_name": "16498_16883_17_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "flow_state",
          "constraint_name": "16498_16883_1_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "flow_state",
          "constraint_name": "16498_16883_6_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "flow_state",
          "constraint_name": "flow_state_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "flow_state_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX flow_state_pkey ON
auth.flow_state USING btree (id)"
        },
        {
```

```
          "column": "user_id",
          "index_name": "idx_user_id_auth_method",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX idx_user_id_auth_method ON
auth.flow_state USING btree (user_id, authentication_method)"
        },
        {
          "column": "auth_code",
          "index_name": "idx_auth_code",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX idx_auth_code ON auth.flow_state
USING btree (auth_code)"
        },
        {
          "column": "created_at",
          "index_name": "flow_state_created_at_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX flow_state_created_at_idx ON
auth.flow_state USING btree (created_at DESC)"
        },
        {
          "column": "authentication_method",
          "index_name": "idx_user_id_auth_method",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX idx_user_id_auth_method ON
auth.flow_state USING btree (user_id, authentication_method)"
        }
      ],
      "views": []
    },
    "identities": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "provider_id",
          "position": 1,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "identities_provider_id_provider_unique",
              "is_unique": true,
              "is_primary": false,
```

```
              "index_definition": "CREATE UNIQUE INDEX
identities_provider_id_provider_unique ON auth.identities USING btree
(provider_id, provider)"
            }
          ]
        },
        {
          "name": "user_id",
          "position": 2,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "identities_user_id_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX identities_user_id_idx ON
auth.identities USING btree (user_id)"
            }
          ]
        },
        {
          "name": "identity_data",
          "position": 3,
          "type": "jsonb",
          "udt_name": "jsonb",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "provider",
          "position": 4,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
```

```
          "indices": [
            {
              "index_name": "identities_provider_id_provider_unique",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
identities_provider_id_provider_unique ON auth.identities USING btree
(provider_id, provider)"
            }
          ]
        },
        {
          "name": "last_sign_in_at",
          "position": 5,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "created_at",
          "position": 6,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "updated_at",
          "position": 7,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
```

```
          "name": "email",
          "position": 8,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "identities_email_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX identities_email_idx ON
auth.identities USING btree (email text_pattern_ops)"
            }
          ]
        },
        {
          "name": "id",
          "position": 9,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": "gen_random_uuid()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "identities_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX identities_pkey ON
auth.identities USING btree (id)"
            }
          ]
        }
      ],
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "auth",
          "table_name": "identities",
          "constraint_name": "16498_16681_1_not_null",
          "constraint_type": "CHECK"
```

```
        },
        {
          "table_schema": "auth",
          "table_name": "identities",
          "constraint_name": "16498_16681_2_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "identities",
          "constraint_name": "16498_16681_3_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "identities",
          "constraint_name": "16498_16681_4_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "identities",
          "constraint_name": "16498_16681_9_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "identities",
          "constraint_name": "identities_user_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "identities",
          "constraint_name": "identities_pkey",
          "constraint_type": "PRIMARY KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "identities",
          "constraint_name": "identities_provider_id_provider_unique",
          "constraint_type": "UNIQUE"
        }
      ],
      "indices": [
        {
          "column": "provider_id",
          "index_name": "identities_provider_id_provider_unique",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
identities_provider_id_provider_unique ON auth.identities USING btree
(provider_id, provider)"
        },
```

```
        {
          "column": "user_id",
          "index_name": "identities_user_id_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX identities_user_id_idx ON
auth.identities USING btree (user_id)"
        },
        {
          "column": "provider",
          "index_name": "identities_provider_id_provider_unique",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
identities_provider_id_provider_unique ON auth.identities USING btree
(provider_id, provider)"
        },
        {
          "column": "email",
          "index_name": "identities_email_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX identities_email_idx ON
auth.identities USING btree (email text_pattern_ops)"
        },
        {
          "column": "id",
          "index_name": "identities_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX identities_pkey ON
auth.identities USING btree (id)"
        }
      ],
      "views": []
    },
    "instances": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "instances_pkey",
```

```
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX instances_pkey ON
auth.instances USING btree (id)"
            }
          ]
        },
        {
          "name": "uuid",
          "position": 2,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "raw_base_config",
          "position": 3,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "created_at",
          "position": 4,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "updated_at",
          "position": 5,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
```

```
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        }
      ],
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "auth",
          "table_name": "instances",
          "constraint_name": "16498_16522_1_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "instances",
          "constraint_name": "instances_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "instances_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX instances_pkey ON
auth.instances USING btree (id)"
        }
      ],
      "views": []
    },
    "mfa_amr_claims": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "session_id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
```

```
          "foreign_key": null,
          "indices": [
            {
              "index_name":
"mfa_amr_claims_session_id_authentication_method_pkey",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
mfa_amr_claims_session_id_authentication_method_pkey ON auth.mfa_amr_claims
USING btree (session_id, authentication_method)"
            }
          ]
        },
        {
          "name": "created_at",
          "position": 2,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "updated_at",
          "position": 3,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "authentication_method",
          "position": 4,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
```

```
            {
              "index_name":
"mfa_amr_claims_session_id_authentication_method_pkey",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
mfa_amr_claims_session_id_authentication_method_pkey ON auth.mfa_amr_claims
USING btree (session_id, authentication_method)"
            }
          ]
        },
        {
          "name": "id",
          "position": 5,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "amr_id_pk",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX amr_id_pk ON
auth.mfa_amr_claims USING btree (id)"
            }
          ]
        }
      ],
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "auth",
          "table_name": "mfa_amr_claims",
          "constraint_name": "16498_16770_1_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "mfa_amr_claims",
          "constraint_name": "16498_16770_2_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "mfa_amr_claims",
```

```
          "constraint_name": "16498_16770_3_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "mfa_amr_claims",
          "constraint_name": "16498_16770_4_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "mfa_amr_claims",
          "constraint_name": "16498_16770_5_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "mfa_amr_claims",
          "constraint_name": "mfa_amr_claims_session_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "mfa_amr_claims",
          "constraint_name": "amr_id_pk",
          "constraint_type": "PRIMARY KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "mfa_amr_claims",
          "constraint_name":
"mfa_amr_claims_session_id_authentication_method_pkey",
          "constraint_type": "UNIQUE"
        }
      ],
      "indices": [
        {
          "column": "session_id",
          "index_name": "mfa_amr_claims_session_id_authentication_method_pkey",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
mfa_amr_claims_session_id_authentication_method_pkey ON auth.mfa_amr_claims
USING btree (session_id, authentication_method)"
        },
        {
          "column": "authentication_method",
          "index_name": "mfa_amr_claims_session_id_authentication_method_pkey",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
mfa_amr_claims_session_id_authentication_method_pkey ON auth.mfa_amr_claims
USING btree (session_id, authentication_method)"
        },
```

```
        {
          "column": "id",
          "index_name": "amr_id_pk",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX amr_id_pk ON
auth.mfa_amr_claims USING btree (id)"
        }
      ],
      "views": []
    },
    "mfa_challenges": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "mfa_challenges_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX mfa_challenges_pkey ON
auth.mfa_challenges USING btree (id)"
            }
          ]
        },
        {
          "name": "factor_id",
          "position": 2,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "created_at",
          "position": 3,
          "type": "timestamp with time zone",
```

```
          "udt_name": "timestamptz",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "mfa_challenge_created_at_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX mfa_challenge_created_at_idx ON
auth.mfa_challenges USING btree (created_at DESC)"
            }
          ]
        },
        {
          "name": "verified_at",
          "position": 4,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "ip_address",
          "position": 5,
          "type": "inet",
          "udt_name": "inet",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "otp_code",
          "position": 6,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
```

```
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "web_authn_session_data",
      "position": 7,
      "type": "jsonb",
      "udt_name": "jsonb",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    }
  ],
  "primary_keys": [
    "id"
  ],
  "foreign_keys": [],
  "constraints": [
    {
      "table_schema": "auth",
      "table_name": "mfa_challenges",
      "constraint_name": "16498_16758_1_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "mfa_challenges",
      "constraint_name": "16498_16758_2_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "mfa_challenges",
      "constraint_name": "16498_16758_3_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "mfa_challenges",
      "constraint_name": "16498_16758_5_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "mfa_challenges",
      "constraint_name": "mfa_challenges_auth_factor_id_fkey",
```

```
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "mfa_challenges",
          "constraint_name": "mfa_challenges_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "mfa_challenges_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX mfa_challenges_pkey ON
auth.mfa_challenges USING btree (id)"
        },
        {
          "column": "created_at",
          "index_name": "mfa_challenge_created_at_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX mfa_challenge_created_at_idx ON
auth.mfa_challenges USING btree (created_at DESC)"
        }
      ],
      "views": []
    },
    "mfa_factors": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "mfa_factors_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX mfa_factors_pkey ON
auth.mfa_factors USING btree (id)"
            }
          ]
        },
```

```
        {
          "name": "user_id",
          "position": 2,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "factor_id_created_at_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX factor_id_created_at_idx ON
auth.mfa_factors USING btree (user_id, created_at)"
            },
            {
              "index_name": "mfa_factors_user_friendly_name_unique",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
mfa_factors_user_friendly_name_unique ON auth.mfa_factors USING btree
(friendly_name, user_id) WHERE (TRIM(BOTH FROM friendly_name) <> ''::text)"
            },
            {
              "index_name": "mfa_factors_user_id_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX mfa_factors_user_id_idx ON
auth.mfa_factors USING btree (user_id)"
            },
            {
              "index_name": "unique_phone_factor_per_user",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
unique_phone_factor_per_user ON auth.mfa_factors USING btree (user_id, phone)"
            }
          ]
        },
        {
          "name": "friendly_name",
          "position": 3,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
```

```
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "mfa_factors_user_friendly_name_unique",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
mfa_factors_user_friendly_name_unique ON auth.mfa_factors USING btree
(friendly_name, user_id) WHERE (TRIM(BOTH FROM friendly_name) <> ''::text)"
            }
          ]
        },
        {
          "name": "factor_type",
          "position": 4,
          "type": "USER-DEFINED",
          "udt_name": "factor_type",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "status",
          "position": 5,
          "type": "USER-DEFINED",
          "udt_name": "factor_status",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "created_at",
          "position": 6,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
```

```
            {
              "index_name": "factor_id_created_at_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX factor_id_created_at_idx ON
auth.mfa_factors USING btree (user_id, created_at)"
            }
          ]
        },
        {
          "name": "updated_at",
          "position": 7,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "secret",
          "position": 8,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "phone",
          "position": 9,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "unique_phone_factor_per_user",
              "is_unique": true,
              "is_primary": false,
```

```
              "index_definition": "CREATE UNIQUE INDEX
unique_phone_factor_per_user ON auth.mfa_factors USING btree (user_id, phone)"
            }
          ]
        },
        {
          "name": "last_challenged_at",
          "position": 10,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "mfa_factors_last_challenged_at_key",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
mfa_factors_last_challenged_at_key ON auth.mfa_factors USING btree
(last_challenged_at)"
            }
          ]
        },
        {
          "name": "web_authn_credential",
          "position": 11,
          "type": "jsonb",
          "udt_name": "jsonb",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "web_authn_aaguid",
          "position": 12,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
```

```
      "indices": []
    },
    {
      "name": "last_webauthn_challenge_data",
      "position": 13,
      "type": "jsonb",
      "udt_name": "jsonb",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    }
  ],
  "primary_keys": [
    "id"
  ],
  "foreign_keys": [],
  "constraints": [
    {
      "table_schema": "auth",
      "table_name": "mfa_factors",
      "constraint_name": "16498_16745_1_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "mfa_factors",
      "constraint_name": "16498_16745_2_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "mfa_factors",
      "constraint_name": "16498_16745_4_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "mfa_factors",
      "constraint_name": "16498_16745_5_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "mfa_factors",
      "constraint_name": "16498_16745_6_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
```

```
          "table_name": "mfa_factors",
          "constraint_name": "16498_16745_7_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "mfa_factors",
          "constraint_name": "mfa_factors_user_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "mfa_factors",
          "constraint_name": "mfa_factors_pkey",
          "constraint_type": "PRIMARY KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "mfa_factors",
          "constraint_name": "mfa_factors_last_challenged_at_key",
          "constraint_type": "UNIQUE"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "mfa_factors_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX mfa_factors_pkey ON
auth.mfa_factors USING btree (id)"
        },
        {
          "column": "user_id",
          "index_name": "factor_id_created_at_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX factor_id_created_at_idx ON
auth.mfa_factors USING btree (user_id, created_at)"
        },
        {
          "column": "user_id",
          "index_name": "mfa_factors_user_friendly_name_unique",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
mfa_factors_user_friendly_name_unique ON auth.mfa_factors USING btree
(friendly_name, user_id) WHERE (TRIM(BOTH FROM friendly_name) <> ''::text)"
        },
        {
          "column": "user_id",
          "index_name": "mfa_factors_user_id_idx",
          "is_unique": false,
          "is_primary": false,
```

```
          "index_definition": "CREATE INDEX mfa_factors_user_id_idx ON
auth.mfa_factors USING btree (user_id)"
        },
        {
          "column": "user_id",
          "index_name": "unique_phone_factor_per_user",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX unique_phone_factor_per_user
ON auth.mfa_factors USING btree (user_id, phone)"
        },
        {
          "column": "friendly_name",
          "index_name": "mfa_factors_user_friendly_name_unique",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
mfa_factors_user_friendly_name_unique ON auth.mfa_factors USING btree
(friendly_name, user_id) WHERE (TRIM(BOTH FROM friendly_name) <> ''::text)"
        },
        {
          "column": "created_at",
          "index_name": "factor_id_created_at_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX factor_id_created_at_idx ON
auth.mfa_factors USING btree (user_id, created_at)"
        },
        {
          "column": "phone",
          "index_name": "unique_phone_factor_per_user",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX unique_phone_factor_per_user
ON auth.mfa_factors USING btree (user_id, phone)"
        },
        {
          "column": "last_challenged_at",
          "index_name": "mfa_factors_last_challenged_at_key",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
mfa_factors_last_challenged_at_key ON auth.mfa_factors USING btree
(last_challenged_at)"
        }
      ],
      "views": []
    },
    "oauth_authorizations": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
```

```
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "oauth_authorizations_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX oauth_authorizations_pkey
ON auth.oauth_authorizations USING btree (id)"
            }
          ]
        },
        {
          "name": "authorization_id",
          "position": 2,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "oauth_authorizations_authorization_id_key",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
oauth_authorizations_authorization_id_key ON auth.oauth_authorizations USING
btree (authorization_id)"
            }
          ]
        },
        {
          "name": "client_id",
          "position": 3,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
```

```
      "indices": []
    },
    {
      "name": "user_id",
      "position": 4,
      "type": "uuid",
      "udt_name": "uuid",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "redirect_uri",
      "position": 5,
      "type": "text",
      "udt_name": "text",
      "nullable": false,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "scope",
      "position": 6,
      "type": "text",
      "udt_name": "text",
      "nullable": false,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "state",
      "position": 7,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
```

```
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "resource",
      "position": 8,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "code_challenge",
      "position": 9,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "code_challenge_method",
      "position": 10,
      "type": "USER-DEFINED",
      "udt_name": "code_challenge_method",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "response_type",
      "position": 11,
      "type": "USER-DEFINED",
      "udt_name": "oauth_response_type",
      "nullable": false,
      "default": "'code'::auth.oauth_response_type",
      "character_maximum_length": null,
```

```
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "status",
          "position": 12,
          "type": "USER-DEFINED",
          "udt_name": "oauth_authorization_status",
          "nullable": false,
          "default": "'pending'::auth.oauth_authorization_status",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "authorization_code",
          "position": 13,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "oauth_authorizations_authorization_code_key",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
oauth_authorizations_authorization_code_key ON auth.oauth_authorizations USING
btree (authorization_code)"
            }
          ]
        },
        {
          "name": "created_at",
          "position": 14,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": false,
          "default": "now()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
```

```
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "expires_at",
          "position": 15,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": false,
          "default": "(now() + '00:03:00'::interval)",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "oauth_auth_pending_exp_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX oauth_auth_pending_exp_idx ON
auth.oauth_authorizations USING btree (expires_at) WHERE (status =
'pending'::auth.oauth_authorization_status)"
            }
          ]
        },
        {
          "name": "approved_at",
          "position": 16,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "nonce",
          "position": 17,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        }
```

```
],
"primary_keys": [
  "id"
],
"foreign_keys": [],
"constraints": [
  {
    "table_schema": "auth",
    "table_name": "oauth_authorizations",
    "constraint_name": "16498_16995_11_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "oauth_authorizations",
    "constraint_name": "16498_16995_12_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "oauth_authorizations",
    "constraint_name": "16498_16995_14_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "oauth_authorizations",
    "constraint_name": "16498_16995_15_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "oauth_authorizations",
    "constraint_name": "16498_16995_1_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "oauth_authorizations",
    "constraint_name": "16498_16995_2_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "oauth_authorizations",
    "constraint_name": "16498_16995_3_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "auth",
    "table_name": "oauth_authorizations",
    "constraint_name": "16498_16995_5_not_null",
    "constraint_type": "CHECK"
  },
```

```
{
  "table_schema": "auth",
  "table_name": "oauth_authorizations",
  "constraint_name": "16498_16995_6_not_null",
  "constraint_type": "CHECK"
},
{
  "table_schema": "auth",
  "table_name": "oauth_authorizations",
  "constraint_name": "oauth_authorizations_authorization_code_length",
  "constraint_type": "CHECK"
},
{
  "table_schema": "auth",
  "table_name": "oauth_authorizations",
  "constraint_name": "oauth_authorizations_code_challenge_length",
  "constraint_type": "CHECK"
},
{
  "table_schema": "auth",
  "table_name": "oauth_authorizations",
  "constraint_name": "oauth_authorizations_expires_at_future",
  "constraint_type": "CHECK"
},
{
  "table_schema": "auth",
  "table_name": "oauth_authorizations",
  "constraint_name": "oauth_authorizations_nonce_length",
  "constraint_type": "CHECK"
},
{
  "table_schema": "auth",
  "table_name": "oauth_authorizations",
  "constraint_name": "oauth_authorizations_redirect_uri_length",
  "constraint_type": "CHECK"
},
{
  "table_schema": "auth",
  "table_name": "oauth_authorizations",
  "constraint_name": "oauth_authorizations_resource_length",
  "constraint_type": "CHECK"
},
{
  "table_schema": "auth",
  "table_name": "oauth_authorizations",
  "constraint_name": "oauth_authorizations_scope_length",
  "constraint_type": "CHECK"
},
{
  "table_schema": "auth",
  "table_name": "oauth_authorizations",
  "constraint_name": "oauth_authorizations_state_length",
  "constraint_type": "CHECK"
},
```

```
        {
          "table_schema": "auth",
          "table_name": "oauth_authorizations",
          "constraint_name": "oauth_authorizations_client_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "oauth_authorizations",
          "constraint_name": "oauth_authorizations_user_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "oauth_authorizations",
          "constraint_name": "oauth_authorizations_pkey",
          "constraint_type": "PRIMARY KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "oauth_authorizations",
          "constraint_name": "oauth_authorizations_authorization_code_key",
          "constraint_type": "UNIQUE"
        },
        {
          "table_schema": "auth",
          "table_name": "oauth_authorizations",
          "constraint_name": "oauth_authorizations_authorization_id_key",
          "constraint_type": "UNIQUE"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "oauth_authorizations_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX oauth_authorizations_pkey ON
auth.oauth_authorizations USING btree (id)"
        },
        {
          "column": "authorization_id",
          "index_name": "oauth_authorizations_authorization_id_key",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
oauth_authorizations_authorization_id_key ON auth.oauth_authorizations USING
btree (authorization_id)"
        },
        {
          "column": "authorization_code",
          "index_name": "oauth_authorizations_authorization_code_key",
          "is_unique": true,
          "is_primary": false,
```

```
          "index_definition": "CREATE UNIQUE INDEX
oauth_authorizations_authorization_code_key ON auth.oauth_authorizations USING
btree (authorization_code)"
        },
        {
          "column": "expires_at",
          "index_name": "oauth_auth_pending_exp_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX oauth_auth_pending_exp_idx ON
auth.oauth_authorizations USING btree (expires_at) WHERE (status =
'pending'::auth.oauth_authorization_status)"
        }
      ],
      "views": []
    },
    "oauth_client_states": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "oauth_client_states_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX oauth_client_states_pkey
ON auth.oauth_client_states USING btree (id)"
            }
          ]
        },
        {
          "name": "provider_type",
          "position": 2,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
```

```
        },
        {
          "name": "code_verifier",
          "position": 3,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "created_at",
          "position": 4,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "idx_oauth_client_states_created_at",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX
idx_oauth_client_states_created_at ON auth.oauth_client_states USING btree
(created_at)"
            }
          ]
        }
      ],
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "auth",
          "table_name": "oauth_client_states",
          "constraint_name": "16498_17068_1_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "oauth_client_states",
          "constraint_name": "16498_17068_2_not_null",
```

```
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "oauth_client_states",
          "constraint_name": "16498_17068_4_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "oauth_client_states",
          "constraint_name": "oauth_client_states_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "oauth_client_states_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX oauth_client_states_pkey ON
auth.oauth_client_states USING btree (id)"
        },
        {
          "column": "created_at",
          "index_name": "idx_oauth_client_states_created_at",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX idx_oauth_client_states_created_at
ON auth.oauth_client_states USING btree (created_at)"
        }
      ],
      "views": []
    },
    "oauth_clients": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "oauth_clients_pkey",
              "is_unique": true,
```

```
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX oauth_clients_pkey ON
auth.oauth_clients USING btree (id)"
            }
          ]
        },
        {
          "name": "client_secret_hash",
          "position": 3,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "registration_type",
          "position": 4,
          "type": "USER-DEFINED",
          "udt_name": "oauth_registration_type",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "redirect_uris",
          "position": 5,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "grant_types",
          "position": 6,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
```

```
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "client_name",
      "position": 7,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "client_uri",
      "position": 8,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "logo_uri",
      "position": 9,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "created_at",
      "position": 10,
      "type": "timestamp with time zone",
```

```
          "udt_name": "timestamptz",
          "nullable": false,
          "default": "now()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "updated_at",
          "position": 11,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": false,
          "default": "now()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "deleted_at",
          "position": 12,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "oauth_clients_deleted_at_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX oauth_clients_deleted_at_idx ON
auth.oauth_clients USING btree (deleted_at)"
            }
          ]
        },
        {
          "name": "client_type",
          "position": 13,
          "type": "USER-DEFINED",
          "udt_name": "oauth_client_type",
          "nullable": false,
          "default": "'confidential'::auth.oauth_client_type",
          "character_maximum_length": null,
```

```
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "token_endpoint_auth_method",
      "position": 14,
      "type": "text",
      "udt_name": "text",
      "nullable": false,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    }
  ],
  "primary_keys": [
    "id"
  ],
  "foreign_keys": [],
  "constraints": [
    {
      "table_schema": "auth",
      "table_name": "oauth_clients",
      "constraint_name": "16498_16965_10_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_clients",
      "constraint_name": "16498_16965_11_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_clients",
      "constraint_name": "16498_16965_13_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_clients",
      "constraint_name": "16498_16965_14_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_clients",
      "constraint_name": "16498_16965_1_not_null",
```

```
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_clients",
      "constraint_name": "16498_16965_4_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_clients",
      "constraint_name": "16498_16965_5_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_clients",
      "constraint_name": "16498_16965_6_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_clients",
      "constraint_name": "oauth_clients_client_name_length",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_clients",
      "constraint_name": "oauth_clients_client_uri_length",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_clients",
      "constraint_name": "oauth_clients_logo_uri_length",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_clients",
      "constraint_name": "oauth_clients_token_endpoint_auth_method_check",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_clients",
      "constraint_name": "oauth_clients_pkey",
      "constraint_type": "PRIMARY KEY"
    }
  ],
  "indices": [
    {
      "column": "id",
```

```
          "index_name": "oauth_clients_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX oauth_clients_pkey ON
auth.oauth_clients USING btree (id)"
        },
        {
          "column": "deleted_at",
          "index_name": "oauth_clients_deleted_at_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX oauth_clients_deleted_at_idx ON
auth.oauth_clients USING btree (deleted_at)"
        }
      ],
      "views": []
    },
    "oauth_consents": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "oauth_consents_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX oauth_consents_pkey ON
auth.oauth_consents USING btree (id)"
            }
          ]
        },
        {
          "name": "user_id",
          "position": 2,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
```

```
          "indices": [
            {
              "index_name": "oauth_consents_active_user_client_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX
oauth_consents_active_user_client_idx ON auth.oauth_consents USING btree
(user_id, client_id) WHERE (revoked_at IS NULL)"
            },
            {
              "index_name": "oauth_consents_user_client_unique",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
oauth_consents_user_client_unique ON auth.oauth_consents USING btree (user_id,
client_id)"
            },
            {
              "index_name": "oauth_consents_user_order_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX oauth_consents_user_order_idx ON
auth.oauth_consents USING btree (user_id, granted_at DESC)"
            }
          ]
        },
        {
          "name": "client_id",
          "position": 3,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "oauth_consents_active_client_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX oauth_consents_active_client_idx
ON auth.oauth_consents USING btree (client_id) WHERE (revoked_at IS NULL)"
            },
            {
              "index_name": "oauth_consents_active_user_client_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX
oauth_consents_active_user_client_idx ON auth.oauth_consents USING btree
(user_id, client_id) WHERE (revoked_at IS NULL)"
            },
```

```
            {
              "index_name": "oauth_consents_user_client_unique",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
oauth_consents_user_client_unique ON auth.oauth_consents USING btree (user_id,
client_id)"
            }
          ]
        },
        {
          "name": "scopes",
          "position": 4,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "granted_at",
          "position": 5,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": false,
          "default": "now()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "oauth_consents_user_order_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX oauth_consents_user_order_idx ON
auth.oauth_consents USING btree (user_id, granted_at DESC)"
            }
          ]
        },
        {
          "name": "revoked_at",
          "position": 6,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
```

```
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    }
  ],
  "primary_keys": [
    "id"
  ],
  "foreign_keys": [],
  "constraints": [
    {
      "table_schema": "auth",
      "table_name": "oauth_consents",
      "constraint_name": "16498_17028_1_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_consents",
      "constraint_name": "16498_17028_2_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_consents",
      "constraint_name": "16498_17028_3_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_consents",
      "constraint_name": "16498_17028_4_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_consents",
      "constraint_name": "16498_17028_5_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_consents",
      "constraint_name": "oauth_consents_revoked_after_granted",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "oauth_consents",
      "constraint_name": "oauth_consents_scopes_length",
      "constraint_type": "CHECK"
    },
```

```
        {
          "table_schema": "auth",
          "table_name": "oauth_consents",
          "constraint_name": "oauth_consents_scopes_not_empty",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "oauth_consents",
          "constraint_name": "oauth_consents_client_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "oauth_consents",
          "constraint_name": "oauth_consents_user_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "oauth_consents",
          "constraint_name": "oauth_consents_pkey",
          "constraint_type": "PRIMARY KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "oauth_consents",
          "constraint_name": "oauth_consents_user_client_unique",
          "constraint_type": "UNIQUE"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "oauth_consents_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX oauth_consents_pkey ON
auth.oauth_consents USING btree (id)"
        },
        {
          "column": "user_id",
          "index_name": "oauth_consents_active_user_client_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX
oauth_consents_active_user_client_idx ON auth.oauth_consents USING btree
(user_id, client_id) WHERE (revoked_at IS NULL)"
        },
        {
          "column": "user_id",
          "index_name": "oauth_consents_user_client_unique",
          "is_unique": true,
          "is_primary": false,
```

```
          "index_definition": "CREATE UNIQUE INDEX
oauth_consents_user_client_unique ON auth.oauth_consents USING btree (user_id,
client_id)"
        },
        {
          "column": "user_id",
          "index_name": "oauth_consents_user_order_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX oauth_consents_user_order_idx ON
auth.oauth_consents USING btree (user_id, granted_at DESC)"
        },
        {
          "column": "client_id",
          "index_name": "oauth_consents_active_client_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX oauth_consents_active_client_idx ON
auth.oauth_consents USING btree (client_id) WHERE (revoked_at IS NULL)"
        },
        {
          "column": "client_id",
          "index_name": "oauth_consents_active_user_client_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX
oauth_consents_active_user_client_idx ON auth.oauth_consents USING btree
(user_id, client_id) WHERE (revoked_at IS NULL)"
        },
        {
          "column": "client_id",
          "index_name": "oauth_consents_user_client_unique",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
oauth_consents_user_client_unique ON auth.oauth_consents USING btree (user_id,
client_id)"
        },
        {
          "column": "granted_at",
          "index_name": "oauth_consents_user_order_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX oauth_consents_user_order_idx ON
auth.oauth_consents USING btree (user_id, granted_at DESC)"
        }
      ],
      "views": []
    },
    "one_time_tokens": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
```

```
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "one_time_tokens_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX one_time_tokens_pkey ON
auth.one_time_tokens USING btree (id)"
            }
          ]
        },
        {
          "name": "user_id",
          "position": 2,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "one_time_tokens_user_id_token_type_key",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
one_time_tokens_user_id_token_type_key ON auth.one_time_tokens USING btree
(user_id, token_type)"
            }
          ]
        },
        {
          "name": "token_type",
          "position": 3,
          "type": "USER-DEFINED",
          "udt_name": "one_time_token_type",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
```

```
          "foreign_key": null,
          "indices": [
            {
              "index_name": "one_time_tokens_user_id_token_type_key",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
one_time_tokens_user_id_token_type_key ON auth.one_time_tokens USING btree
(user_id, token_type)"
            }
          ]
        },
        {
          "name": "token_hash",
          "position": 4,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "one_time_tokens_token_hash_hash_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX
one_time_tokens_token_hash_hash_idx ON auth.one_time_tokens USING hash
(token_hash)"
            }
          ]
        },
        {
          "name": "relates_to",
          "position": 5,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "one_time_tokens_relates_to_hash_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX
one_time_tokens_relates_to_hash_idx ON auth.one_time_tokens USING hash
```

(relates_to)"
            }
          ]
        },
        {
          "name": "created_at",
          "position": 6,
          "type": "timestamp without time zone",
          "udt_name": "timestamp",
          "nullable": false,
          "default": "now()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "updated_at",
          "position": 7,
          "type": "timestamp without time zone",
          "udt_name": "timestamp",
          "nullable": false,
          "default": "now()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        }
      ],
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "auth",
          "table_name": "one_time_tokens",
          "constraint_name": "16498_16933_1_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "one_time_tokens",
          "constraint_name": "16498_16933_2_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "one_time_tokens",
          "constraint_name": "16498_16933_3_not_null",

```
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "one_time_tokens",
          "constraint_name": "16498_16933_4_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "one_time_tokens",
          "constraint_name": "16498_16933_5_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "one_time_tokens",
          "constraint_name": "16498_16933_6_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "one_time_tokens",
          "constraint_name": "16498_16933_7_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "one_time_tokens",
          "constraint_name": "one_time_tokens_token_hash_check",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "one_time_tokens",
          "constraint_name": "one_time_tokens_user_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "one_time_tokens",
          "constraint_name": "one_time_tokens_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "one_time_tokens_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX one_time_tokens_pkey ON
auth.one_time_tokens USING btree (id)"
        },
```

```
        {
          "column": "user_id",
          "index_name": "one_time_tokens_user_id_token_type_key",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
one_time_tokens_user_id_token_type_key ON auth.one_time_tokens USING btree
(user_id, token_type)"
        },
        {
          "column": "token_type",
          "index_name": "one_time_tokens_user_id_token_type_key",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
one_time_tokens_user_id_token_type_key ON auth.one_time_tokens USING btree
(user_id, token_type)"
        },
        {
          "column": "token_hash",
          "index_name": "one_time_tokens_token_hash_hash_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX one_time_tokens_token_hash_hash_idx
ON auth.one_time_tokens USING hash (token_hash)"
        },
        {
          "column": "relates_to",
          "index_name": "one_time_tokens_relates_to_hash_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX one_time_tokens_relates_to_hash_idx
ON auth.one_time_tokens USING hash (relates_to)"
        }
      ],
      "views": []
    },
    "refresh_tokens": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "instance_id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
```

```
              "index_name": "refresh_tokens_instance_id_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX refresh_tokens_instance_id_idx
ON auth.refresh_tokens USING btree (instance_id)"
            },
            {
              "index_name": "refresh_tokens_instance_id_user_id_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX
refresh_tokens_instance_id_user_id_idx ON auth.refresh_tokens USING btree
(instance_id, user_id)"
            }
          ]
        },
        {
          "name": "id",
          "position": 2,
          "type": "bigint",
          "udt_name": "int8",
          "nullable": false,
          "default": "nextval('auth.refresh_tokens_id_seq'::regclass)",
          "character_maximum_length": null,
          "numeric_precision": 64,
          "numeric_scale": 0,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "refresh_tokens_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX refresh_tokens_pkey ON
auth.refresh_tokens USING btree (id)"
            }
          ]
        },
        {
          "name": "token",
          "position": 3,
          "type": "character varying",
          "udt_name": "varchar",
          "nullable": true,
          "default": null,
          "character_maximum_length": 255,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "refresh_tokens_token_unique",
              "is_unique": true,
```

```
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
refresh_tokens_token_unique ON auth.refresh_tokens USING btree (token)"
            }
          ]
        },
        {
          "name": "user_id",
          "position": 4,
          "type": "character varying",
          "udt_name": "varchar",
          "nullable": true,
          "default": null,
          "character_maximum_length": 255,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "refresh_tokens_instance_id_user_id_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX
refresh_tokens_instance_id_user_id_idx ON auth.refresh_tokens USING btree
(instance_id, user_id)"
            }
          ]
        },
        {
          "name": "revoked",
          "position": 5,
          "type": "boolean",
          "udt_name": "bool",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "refresh_tokens_session_id_revoked_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX
refresh_tokens_session_id_revoked_idx ON auth.refresh_tokens USING btree
(session_id, revoked)"
            }
          ]
        },
        {
          "name": "created_at",
```

```
          "position": 6,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "updated_at",
          "position": 7,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "refresh_tokens_updated_at_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX refresh_tokens_updated_at_idx ON
auth.refresh_tokens USING btree (updated_at DESC)"
            }
          ]
        },
        {
          "name": "parent",
          "position": 8,
          "type": "character varying",
          "udt_name": "varchar",
          "nullable": true,
          "default": null,
          "character_maximum_length": 255,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "refresh_tokens_parent_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX refresh_tokens_parent_idx ON
auth.refresh_tokens USING btree (parent)"
            }
```

```
          ]
        },
        {
          "name": "session_id",
          "position": 9,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "refresh_tokens_session_id_revoked_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX
refresh_tokens_session_id_revoked_idx ON auth.refresh_tokens USING btree
(session_id, revoked)"
            }
          ]
        }
      ],
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "auth",
          "table_name": "refresh_tokens",
          "constraint_name": "16498_16511_2_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "refresh_tokens",
          "constraint_name": "refresh_tokens_session_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "refresh_tokens",
          "constraint_name": "refresh_tokens_pkey",
          "constraint_type": "PRIMARY KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "refresh_tokens",
          "constraint_name": "refresh_tokens_token_unique",
          "constraint_type": "UNIQUE"
```

```
        }
      ],
      "indices": [
        {
          "column": "instance_id",
          "index_name": "refresh_tokens_instance_id_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX refresh_tokens_instance_id_idx ON
auth.refresh_tokens USING btree (instance_id)"
        },
        {
          "column": "instance_id",
          "index_name": "refresh_tokens_instance_id_user_id_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX
refresh_tokens_instance_id_user_id_idx ON auth.refresh_tokens USING btree
(instance_id, user_id)"
        },
        {
          "column": "id",
          "index_name": "refresh_tokens_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX refresh_tokens_pkey ON
auth.refresh_tokens USING btree (id)"
        },
        {
          "column": "token",
          "index_name": "refresh_tokens_token_unique",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX refresh_tokens_token_unique
ON auth.refresh_tokens USING btree (token)"
        },
        {
          "column": "user_id",
          "index_name": "refresh_tokens_instance_id_user_id_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX
refresh_tokens_instance_id_user_id_idx ON auth.refresh_tokens USING btree
(instance_id, user_id)"
        },
        {
          "column": "revoked",
          "index_name": "refresh_tokens_session_id_revoked_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX
refresh_tokens_session_id_revoked_idx ON auth.refresh_tokens USING btree
(session_id, revoked)"
        },
```

```
        {
          "column": "updated_at",
          "index_name": "refresh_tokens_updated_at_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX refresh_tokens_updated_at_idx ON
auth.refresh_tokens USING btree (updated_at DESC)"
        },
        {
          "column": "parent",
          "index_name": "refresh_tokens_parent_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX refresh_tokens_parent_idx ON
auth.refresh_tokens USING btree (parent)"
        },
        {
          "column": "session_id",
          "index_name": "refresh_tokens_session_id_revoked_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX
refresh_tokens_session_id_revoked_idx ON auth.refresh_tokens USING btree
(session_id, revoked)"
        }
      ],
      "views": []
    },
    "saml_providers": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "saml_providers_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX saml_providers_pkey ON
auth.saml_providers USING btree (id)"
            }
          ]
        },
        {
```

```
          "name": "sso_provider_id",
          "position": 2,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "saml_providers_sso_provider_id_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX
saml_providers_sso_provider_id_idx ON auth.saml_providers USING btree
(sso_provider_id)"
            }
          ]
        },
        {
          "name": "entity_id",
          "position": 3,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "saml_providers_entity_id_key",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
saml_providers_entity_id_key ON auth.saml_providers USING btree (entity_id)"
            }
          ]
        },
        {
          "name": "metadata_xml",
          "position": 4,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
```

```
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "metadata_url",
      "position": 5,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "attribute_mapping",
      "position": 6,
      "type": "jsonb",
      "udt_name": "jsonb",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "created_at",
      "position": 7,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "updated_at",
      "position": 8,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
```

```
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "name_id_format",
      "position": 9,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    }
  ],
  "primary_keys": [
    "id"
  ],
  "foreign_keys": [],
  "constraints": [
    {
      "table_schema": "auth",
      "table_name": "saml_providers",
      "constraint_name": "16498_16812_1_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "saml_providers",
      "constraint_name": "16498_16812_2_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "saml_providers",
      "constraint_name": "16498_16812_3_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "saml_providers",
      "constraint_name": "16498_16812_4_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "saml_providers",
      "constraint_name": "entity_id not empty",
```

```
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "saml_providers",
          "constraint_name": "metadata_url not empty",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "saml_providers",
          "constraint_name": "metadata_xml not empty",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "saml_providers",
          "constraint_name": "saml_providers_sso_provider_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "saml_providers",
          "constraint_name": "saml_providers_pkey",
          "constraint_type": "PRIMARY KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "saml_providers",
          "constraint_name": "saml_providers_entity_id_key",
          "constraint_type": "UNIQUE"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "saml_providers_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX saml_providers_pkey ON
auth.saml_providers USING btree (id)"
        },
        {
          "column": "sso_provider_id",
          "index_name": "saml_providers_sso_provider_id_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX saml_providers_sso_provider_id_idx
ON auth.saml_providers USING btree (sso_provider_id)"
        },
        {
          "column": "entity_id",
          "index_name": "saml_providers_entity_id_key",
          "is_unique": true,
```

```
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX saml_providers_entity_id_key
ON auth.saml_providers USING btree (entity_id)"
        }
      ],
      "views": []
    },
    "saml_relay_states": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "saml_relay_states_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX saml_relay_states_pkey ON
auth.saml_relay_states USING btree (id)"
            }
          ]
        },
        {
          "name": "sso_provider_id",
          "position": 2,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "saml_relay_states_sso_provider_id_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX
saml_relay_states_sso_provider_id_idx ON auth.saml_relay_states USING btree
(sso_provider_id)"
            }
          ]
```

```
        },
        {
          "name": "request_id",
          "position": 3,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "for_email",
          "position": 4,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "saml_relay_states_for_email_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX saml_relay_states_for_email_idx
ON auth.saml_relay_states USING btree (for_email)"
            }
          ]
        },
        {
          "name": "redirect_to",
          "position": 5,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "created_at",
          "position": 7,
```

```
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "saml_relay_states_created_at_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX saml_relay_states_created_at_idx
ON auth.saml_relay_states USING btree (created_at DESC)"
            }
          ]
        },
        {
          "name": "updated_at",
          "position": 8,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "flow_state_id",
          "position": 9,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        }
      ],
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
```

```
          "table_schema": "auth",
          "table_name": "saml_relay_states",
          "constraint_name": "16498_16830_1_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "saml_relay_states",
          "constraint_name": "16498_16830_2_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "saml_relay_states",
          "constraint_name": "16498_16830_3_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "saml_relay_states",
          "constraint_name": "request_id not empty",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "saml_relay_states",
          "constraint_name": "saml_relay_states_flow_state_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "saml_relay_states",
          "constraint_name": "saml_relay_states_sso_provider_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "saml_relay_states",
          "constraint_name": "saml_relay_states_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "saml_relay_states_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX saml_relay_states_pkey ON
auth.saml_relay_states USING btree (id)"
        },
        {
          "column": "sso_provider_id",
          "index_name": "saml_relay_states_sso_provider_id_idx",
```

```
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX
saml_relay_states_sso_provider_id_idx ON auth.saml_relay_states USING btree
(sso_provider_id)"
        },
        {
          "column": "for_email",
          "index_name": "saml_relay_states_for_email_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX saml_relay_states_for_email_idx ON
auth.saml_relay_states USING btree (for_email)"
        },
        {
          "column": "created_at",
          "index_name": "saml_relay_states_created_at_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX saml_relay_states_created_at_idx ON
auth.saml_relay_states USING btree (created_at DESC)"
        }
      ],
      "views": []
    },
    "schema_migrations": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "version",
          "position": 1,
          "type": "character varying",
          "udt_name": "varchar",
          "nullable": false,
          "default": null,
          "character_maximum_length": 255,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "schema_migrations_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX schema_migrations_pkey ON
auth.schema_migrations USING btree (version)"
            }
          ]
        }
      ],
      "primary_keys": [],
      "foreign_keys": [],
      "constraints": [],
```

```
      "indices": [
        {
          "column": "version",
          "index_name": "schema_migrations_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX schema_migrations_pkey ON
auth.schema_migrations USING btree (version)"
        }
      ],
      "views": []
    },
    "sessions": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "sessions_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX sessions_pkey ON
auth.sessions USING btree (id)"
            }
          ]
        },
        {
          "name": "user_id",
          "position": 2,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "sessions_user_id_idx",
              "is_unique": false,
              "is_primary": false,
```

```
              "index_definition": "CREATE INDEX sessions_user_id_idx ON
auth.sessions USING btree (user_id)"
            },
            {
              "index_name": "user_id_created_at_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX user_id_created_at_idx ON
auth.sessions USING btree (user_id, created_at)"
            }
          ]
        },
        {
          "name": "created_at",
          "position": 3,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "user_id_created_at_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX user_id_created_at_idx ON
auth.sessions USING btree (user_id, created_at)"
            }
          ]
        },
        {
          "name": "updated_at",
          "position": 4,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "factor_id",
          "position": 5,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": true,
```

```
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "aal",
          "position": 6,
          "type": "USER-DEFINED",
          "udt_name": "aal_level",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "not_after",
          "position": 7,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "sessions_not_after_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX sessions_not_after_idx ON
auth.sessions USING btree (not_after DESC)"
            }
          ]
        },
        {
          "name": "refreshed_at",
          "position": 8,
          "type": "timestamp without time zone",
          "udt_name": "timestamp",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
```

```
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "user_agent",
      "position": 9,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "ip",
      "position": 10,
      "type": "inet",
      "udt_name": "inet",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "tag",
      "position": 11,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "oauth_client_id",
      "position": 12,
      "type": "uuid",
      "udt_name": "uuid",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
```

```
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "sessions_oauth_client_id_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX sessions_oauth_client_id_idx ON
auth.sessions USING btree (oauth_client_id)"
            }
          ]
        },
        {
          "name": "refresh_token_hmac_key",
          "position": 13,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "refresh_token_counter",
          "position": 14,
          "type": "bigint",
          "udt_name": "int8",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": 64,
          "numeric_scale": 0,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "scopes",
          "position": 15,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
```

```
          "indices": []
        }
      ],
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "auth",
          "table_name": "sessions",
          "constraint_name": "16498_16711_1_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "sessions",
          "constraint_name": "16498_16711_2_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "sessions",
          "constraint_name": "sessions_scopes_length",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "sessions",
          "constraint_name": "sessions_oauth_client_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "sessions",
          "constraint_name": "sessions_user_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "sessions",
          "constraint_name": "sessions_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "sessions_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX sessions_pkey ON
auth.sessions USING btree (id)"
        },
```

```
        {
          "column": "user_id",
          "index_name": "sessions_user_id_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX sessions_user_id_idx ON
auth.sessions USING btree (user_id)"
        },
        {
          "column": "user_id",
          "index_name": "user_id_created_at_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX user_id_created_at_idx ON
auth.sessions USING btree (user_id, created_at)"
        },
        {
          "column": "created_at",
          "index_name": "user_id_created_at_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX user_id_created_at_idx ON
auth.sessions USING btree (user_id, created_at)"
        },
        {
          "column": "not_after",
          "index_name": "sessions_not_after_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX sessions_not_after_idx ON
auth.sessions USING btree (not_after DESC)"
        },
        {
          "column": "oauth_client_id",
          "index_name": "sessions_oauth_client_id_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX sessions_oauth_client_id_idx ON
auth.sessions USING btree (oauth_client_id)"
        }
      ],
      "views": []
    },
    "sso_domains": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
```

"numeric_precision": null,
"numeric_scale": null,
"is_primary_key": true,
"foreign_key": null,
"indices": [
{
"index_name": "sso_domains_pkey",
"is_unique": true,
"is_primary": true,
"index_definition": "CREATE UNIQUE INDEX sso_domains_pkey ON auth.sso_domains USING btree (id)"
}
]
},
{
"name": "sso_provider_id",
"position": 2,
"type": "uuid",
"udt_name": "uuid",
"nullable": false,
"default": null,
"character_maximum_length": null,
"numeric_precision": null,
"numeric_scale": null,
"is_primary_key": false,
"foreign_key": null,
"indices": [
{
"index_name": "sso_domains_sso_provider_id_idx",
"is_unique": false,
"is_primary": false,
"index_definition": "CREATE INDEX sso_domains_sso_provider_id_idx ON auth.sso_domains USING btree (sso_provider_id)"
}
]
},
{
"name": "domain",
"position": 3,
"type": "text",
"udt_name": "text",
"nullable": false,
"default": null,
"character_maximum_length": null,
"numeric_precision": null,
"numeric_scale": null,
"is_primary_key": false,
"foreign_key": null,
"indices": []
},
{
"name": "created_at",
"position": 4,
"type": "timestamp with time zone",

```
      "udt_name": "timestamptz",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "updated_at",
      "position": 5,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    }
  ],
  "primary_keys": [
    "id"
  ],
  "foreign_keys": [],
  "constraints": [
    {
      "table_schema": "auth",
      "table_name": "sso_domains",
      "constraint_name": "16498_16797_1_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "sso_domains",
      "constraint_name": "16498_16797_2_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "sso_domains",
      "constraint_name": "16498_16797_3_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "sso_domains",
      "constraint_name": "domain not empty",
      "constraint_type": "CHECK"
    },
```

```
        {
          "table_schema": "auth",
          "table_name": "sso_domains",
          "constraint_name": "sso_domains_sso_provider_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "sso_domains",
          "constraint_name": "sso_domains_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "sso_domains_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX sso_domains_pkey ON
auth.sso_domains USING btree (id)"
        },
        {
          "column": "sso_provider_id",
          "index_name": "sso_domains_sso_provider_id_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX sso_domains_sso_provider_id_idx ON
auth.sso_domains USING btree (sso_provider_id)"
        }
      ],
      "views": []
    },
    "sso_providers": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "sso_providers_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX sso_providers_pkey ON
```

auth.sso_providers USING btree (id)"
            }
          ]
        },
        {
          "name": "resource_id",
          "position": 2,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "sso_providers_resource_id_pattern_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX
sso_providers_resource_id_pattern_idx ON auth.sso_providers USING btree
(resource_id text_pattern_ops)"
            }
          ]
        },
        {
          "name": "created_at",
          "position": 3,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "updated_at",
          "position": 4,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []

```
        },
        {
          "name": "disabled",
          "position": 5,
          "type": "boolean",
          "udt_name": "bool",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        }
      ],
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "auth",
          "table_name": "sso_providers",
          "constraint_name": "16498_16788_1_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "sso_providers",
          "constraint_name": "resource_id not empty",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "sso_providers",
          "constraint_name": "sso_providers_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "sso_providers_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX sso_providers_pkey ON
auth.sso_providers USING btree (id)"
        },
        {
          "column": "resource_id",
          "index_name": "sso_providers_resource_id_pattern_idx",
          "is_unique": false,
          "is_primary": false,
```

```
          "index_definition": "CREATE INDEX
sso_providers_resource_id_pattern_idx ON auth.sso_providers USING btree
(resource_id text_pattern_ops)"
        }
      ],
      "views": []
    },
    "users": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "instance_id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "users_instance_id_email_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX users_instance_id_email_idx ON
auth.users USING btree (instance_id, lower((email)::text))"
            },
            {
              "index_name": "users_instance_id_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX users_instance_id_idx ON
auth.users USING btree (instance_id)"
            }
          ]
        },
        {
          "name": "id",
          "position": 2,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "users_pkey",
```

```
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX users_pkey ON auth.users
USING btree (id)"
            }
          ]
        },
        {
          "name": "aud",
          "position": 3,
          "type": "character varying",
          "udt_name": "varchar",
          "nullable": true,
          "default": null,
          "character_maximum_length": 255,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "role",
          "position": 4,
          "type": "character varying",
          "udt_name": "varchar",
          "nullable": true,
          "default": null,
          "character_maximum_length": 255,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "email",
          "position": 5,
          "type": "character varying",
          "udt_name": "varchar",
          "nullable": true,
          "default": null,
          "character_maximum_length": 255,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "users_email_partial_key",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX users_email_partial_key
ON auth.users USING btree (email) WHERE (is_sso_user = false)"
```

```
      }
    ]
  },
  {
    "name": "encrypted_password",
    "position": 6,
    "type": "character varying",
    "udt_name": "varchar",
    "nullable": true,
    "default": null,
    "character_maximum_length": 255,
    "numeric_precision": null,
    "numeric_scale": null,
    "is_primary_key": false,
    "foreign_key": null,
    "indices": []
  },
  {
    "name": "email_confirmed_at",
    "position": 7,
    "type": "timestamp with time zone",
    "udt_name": "timestamptz",
    "nullable": true,
    "default": null,
    "character_maximum_length": null,
    "numeric_precision": null,
    "numeric_scale": null,
    "is_primary_key": false,
    "foreign_key": null,
    "indices": []
  },
  {
    "name": "invited_at",
    "position": 8,
    "type": "timestamp with time zone",
    "udt_name": "timestamptz",
    "nullable": true,
    "default": null,
    "character_maximum_length": null,
    "numeric_precision": null,
    "numeric_scale": null,
    "is_primary_key": false,
    "foreign_key": null,
    "indices": []
  },
  {
    "name": "confirmation_token",
    "position": 9,
    "type": "character varying",
    "udt_name": "varchar",
    "nullable": true,
    "default": null,
    "character_maximum_length": 255,
    "numeric_precision": null,
```

```
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "confirmation_token_idx",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX confirmation_token_idx ON
auth.users USING btree (confirmation_token) WHERE ((confirmation_token)::text !~
'^[0-9 ]*$'::text)"
            }
          ]
        },
        {
          "name": "confirmation_sent_at",
          "position": 10,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "recovery_token",
          "position": 11,
          "type": "character varying",
          "udt_name": "varchar",
          "nullable": true,
          "default": null,
          "character_maximum_length": 255,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "recovery_token_idx",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX recovery_token_idx ON
auth.users USING btree (recovery_token) WHERE ((recovery_token)::text !~ '^[0-9
]*$'::text)"
            }
          ]
        },
        {
          "name": "recovery_sent_at",
          "position": 12,
```

```
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "email_change_token_new",
          "position": 13,
          "type": "character varying",
          "udt_name": "varchar",
          "nullable": true,
          "default": null,
          "character_maximum_length": 255,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "email_change_token_new_idx",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
email_change_token_new_idx ON auth.users USING btree (email_change_token_new)
WHERE ((email_change_token_new)::text !~ '^[0-9 ]*$'::text)"
            }
          ]
        },
        {
          "name": "email_change",
          "position": 14,
          "type": "character varying",
          "udt_name": "varchar",
          "nullable": true,
          "default": null,
          "character_maximum_length": 255,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "email_change_sent_at",
          "position": 15,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
```

```
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "last_sign_in_at",
      "position": 16,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "raw_app_meta_data",
      "position": 17,
      "type": "jsonb",
      "udt_name": "jsonb",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "raw_user_meta_data",
      "position": 18,
      "type": "jsonb",
      "udt_name": "jsonb",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "is_super_admin",
      "position": 19,
      "type": "boolean",
```

```
      "udt_name": "bool",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "created_at",
      "position": 20,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "updated_at",
      "position": 21,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "phone",
      "position": 22,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": "NULL::character varying",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": [
        {
          "index_name": "users_phone_key",
          "is_unique": true,
```

"is_primary": false,
"index_definition": "CREATE UNIQUE INDEX users_phone_key ON auth.users USING btree (phone)"
}
]
},
{
"name": "phone_confirmed_at",
"position": 23,
"type": "timestamp with time zone",
"udt_name": "timestamptz",
"nullable": true,
"default": null,
"character_maximum_length": null,
"numeric_precision": null,
"numeric_scale": null,
"is_primary_key": false,
"foreign_key": null,
"indices": []
},
{
"name": "phone_change",
"position": 24,
"type": "text",
"udt_name": "text",
"nullable": true,
"default": "''::character varying",
"character_maximum_length": null,
"numeric_precision": null,
"numeric_scale": null,
"is_primary_key": false,
"foreign_key": null,
"indices": []
},
{
"name": "phone_change_token",
"position": 25,
"type": "character varying",
"udt_name": "varchar",
"nullable": true,
"default": "''::character varying",
"character_maximum_length": 255,
"numeric_precision": null,
"numeric_scale": null,
"is_primary_key": false,
"foreign_key": null,
"indices": []
},
{
"name": "phone_change_sent_at",
"position": 26,
"type": "timestamp with time zone",
"udt_name": "timestamptz",
"nullable": true,

```
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "confirmed_at",
          "position": 27,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "email_change_token_current",
          "position": 28,
          "type": "character varying",
          "udt_name": "varchar",
          "nullable": true,
          "default": "''::character varying",
          "character_maximum_length": 255,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "email_change_token_current_idx",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
email_change_token_current_idx ON auth.users USING btree
(email_change_token_current) WHERE ((email_change_token_current)::text !~ '^[0-9
]*$'::text)"
            }
          ]
        },
        {
          "name": "email_change_confirm_status",
          "position": 29,
          "type": "smallint",
          "udt_name": "int2",
          "nullable": true,
          "default": "0",
          "character_maximum_length": null,
```

```
          "numeric_precision": 16,
          "numeric_scale": 0,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "banned_until",
          "position": 30,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "reauthentication_token",
          "position": 31,
          "type": "character varying",
          "udt_name": "varchar",
          "nullable": true,
          "default": "''::character varying",
          "character_maximum_length": 255,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "reauthentication_token_idx",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
reauthentication_token_idx ON auth.users USING btree (reauthentication_token)
WHERE ((reauthentication_token)::text !~ '^[0-9 ]*$'::text)"
            }
          ]
        },
        {
          "name": "reauthentication_sent_at",
          "position": 32,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
```

```
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "is_sso_user",
          "position": 33,
          "type": "boolean",
          "udt_name": "bool",
          "nullable": false,
          "default": "false",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "deleted_at",
          "position": 34,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "is_anonymous",
          "position": 35,
          "type": "boolean",
          "udt_name": "bool",
          "nullable": false,
          "default": "false",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "users_is_anonymous_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX users_is_anonymous_idx ON
auth.users USING btree (is_anonymous)"
            }
          ]
        }
      ],
```

```
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "auth",
          "table_name": "users",
          "constraint_name": "16498_16499_2_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "users",
          "constraint_name": "16498_16499_33_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "users",
          "constraint_name": "16498_16499_35_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "users",
          "constraint_name": "users_email_change_confirm_status_check",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "users",
          "constraint_name": "users_pkey",
          "constraint_type": "PRIMARY KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "users",
          "constraint_name": "users_phone_key",
          "constraint_type": "UNIQUE"
        }
      ],
      "indices": [
        {
          "column": "instance_id",
          "index_name": "users_instance_id_email_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX users_instance_id_email_idx ON
auth.users USING btree (instance_id, lower((email)::text))"
        },
        {
          "column": "instance_id",
          "index_name": "users_instance_id_idx",
```

```
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX users_instance_id_idx ON auth.users
USING btree (instance_id)"
        },
        {
          "column": "id",
          "index_name": "users_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX users_pkey ON auth.users
USING btree (id)"
        },
        {
          "column": "email",
          "index_name": "users_email_partial_key",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX users_email_partial_key ON
auth.users USING btree (email) WHERE (is_sso_user = false)"
        },
        {
          "column": "confirmation_token",
          "index_name": "confirmation_token_idx",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX confirmation_token_idx ON
auth.users USING btree (confirmation_token) WHERE ((confirmation_token)::text !~
'^[0-9 ]*$'::text)"
        },
        {
          "column": "recovery_token",
          "index_name": "recovery_token_idx",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX recovery_token_idx ON
auth.users USING btree (recovery_token) WHERE ((recovery_token)::text !~ '^[0-9
]*$'::text)"
        },
        {
          "column": "email_change_token_new",
          "index_name": "email_change_token_new_idx",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX email_change_token_new_idx ON
auth.users USING btree (email_change_token_new) WHERE
((email_change_token_new)::text !~ '^[0-9 ]*$'::text)"
        },
        {
          "column": "phone",
          "index_name": "users_phone_key",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX users_phone_key ON auth.users
```

USING btree (phone)"
        },
        {
          "column": "email_change_token_current",
          "index_name": "email_change_token_current_idx",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
email_change_token_current_idx ON auth.users USING btree
(email_change_token_current) WHERE ((email_change_token_current)::text !~ '^[0-9
]*$'::text)"
        },
        {
          "column": "reauthentication_token",
          "index_name": "reauthentication_token_idx",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX reauthentication_token_idx ON
auth.users USING btree (reauthentication_token) WHERE
((reauthentication_token)::text !~ '^[0-9]*$'::text)"
        },
        {
          "column": "is_anonymous",
          "index_name": "users_is_anonymous_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX users_is_anonymous_idx ON auth.users
USING btree (is_anonymous)"
        }
      ],
      "views": []
    },
    "webauthn_challenges": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": "gen_random_uuid()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "webauthn_challenges_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX webauthn_challenges_pkey
ON auth.webauthn_challenges USING btree (id)"

```
            }
          ]
        },
        {
          "name": "user_id",
          "position": 2,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "webauthn_challenges_user_id_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX webauthn_challenges_user_id_idx
ON auth.webauthn_challenges USING btree (user_id)"
            }
          ]
        },
        {
          "name": "challenge_type",
          "position": 3,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "session_data",
          "position": 4,
          "type": "jsonb",
          "udt_name": "jsonb",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
```

```
          "name": "created_at",
          "position": 5,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": false,
          "default": "now()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "expires_at",
          "position": 6,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "webauthn_challenges_expires_at_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX
webauthn_challenges_expires_at_idx ON auth.webauthn_challenges USING btree
(expires_at)"
            }
          ]
        }
      ],
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "auth",
          "table_name": "webauthn_challenges",
          "constraint_name": "16498_17143_1_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "webauthn_challenges",
          "constraint_name": "16498_17143_3_not_null",
          "constraint_type": "CHECK"
        },
```

```
        {
          "table_schema": "auth",
          "table_name": "webauthn_challenges",
          "constraint_name": "16498_17143_4_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "webauthn_challenges",
          "constraint_name": "16498_17143_5_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "webauthn_challenges",
          "constraint_name": "16498_17143_6_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "webauthn_challenges",
          "constraint_name": "webauthn_challenges_challenge_type_check",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "auth",
          "table_name": "webauthn_challenges",
          "constraint_name": "webauthn_challenges_user_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "auth",
          "table_name": "webauthn_challenges",
          "constraint_name": "webauthn_challenges_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "webauthn_challenges_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX webauthn_challenges_pkey ON
auth.webauthn_challenges USING btree (id)"
        },
        {
          "column": "user_id",
          "index_name": "webauthn_challenges_user_id_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX webauthn_challenges_user_id_idx ON
auth.webauthn_challenges USING btree (user_id)"
        },
```

```
        {
          "column": "expires_at",
          "index_name": "webauthn_challenges_expires_at_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX webauthn_challenges_expires_at_idx
ON auth.webauthn_challenges USING btree (expires_at)"
        }
      ],
      "views": []
    },
    "webauthn_credentials": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": "gen_random_uuid()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "webauthn_credentials_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX webauthn_credentials_pkey
ON auth.webauthn_credentials USING btree (id)"
            }
          ]
        },
        {
          "name": "user_id",
          "position": 2,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "webauthn_credentials_user_id_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX webauthn_credentials_user_id_idx
```

ON auth.webauthn_credentials USING btree (user_id)"
            }
          ]
        },
        {
          "name": "credential_id",
          "position": 3,
          "type": "bytea",
          "udt_name": "bytea",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "webauthn_credentials_credential_id_key",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
webauthn_credentials_credential_id_key ON auth.webauthn_credentials USING btree
(credential_id)"
            }
          ]
        },
        {
          "name": "public_key",
          "position": 4,
          "type": "bytea",
          "udt_name": "bytea",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "attestation_type",
          "position": 5,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": "''::text",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []

```
    },
    {
      "name": "aaguid",
      "position": 6,
      "type": "uuid",
      "udt_name": "uuid",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "sign_count",
      "position": 7,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": false,
      "default": "0",
      "character_maximum_length": null,
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "transports",
      "position": 8,
      "type": "jsonb",
      "udt_name": "jsonb",
      "nullable": false,
      "default": "'[]'::jsonb",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "backup_eligible",
      "position": 9,
      "type": "boolean",
      "udt_name": "bool",
      "nullable": false,
      "default": "false",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
```

```
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "backed_up",
      "position": 10,
      "type": "boolean",
      "udt_name": "bool",
      "nullable": false,
      "default": "false",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "friendly_name",
      "position": 11,
      "type": "text",
      "udt_name": "text",
      "nullable": false,
      "default": "''::text",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "created_at",
      "position": 12,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": false,
      "default": "now()",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "updated_at",
      "position": 13,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": false,
      "default": "now()",
      "character_maximum_length": null,
      "numeric_precision": null,
```

```
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "last_used_at",
      "position": 14,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    }
  ],
  "primary_keys": [
    "id"
  ],
  "foreign_keys": [],
  "constraints": [
    {
      "table_schema": "auth",
      "table_name": "webauthn_credentials",
      "constraint_name": "16498_17120_10_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "webauthn_credentials",
      "constraint_name": "16498_17120_11_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "webauthn_credentials",
      "constraint_name": "16498_17120_12_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "webauthn_credentials",
      "constraint_name": "16498_17120_13_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "auth",
      "table_name": "webauthn_credentials",
      "constraint_name": "16498_17120_1_not_null",
      "constraint_type": "CHECK"
```

```
},
{
  "table_schema": "auth",
  "table_name": "webauthn_credentials",
  "constraint_name": "16498_17120_2_not_null",
  "constraint_type": "CHECK"
},
{
  "table_schema": "auth",
  "table_name": "webauthn_credentials",
  "constraint_name": "16498_17120_3_not_null",
  "constraint_type": "CHECK"
},
{
  "table_schema": "auth",
  "table_name": "webauthn_credentials",
  "constraint_name": "16498_17120_4_not_null",
  "constraint_type": "CHECK"
},
{
  "table_schema": "auth",
  "table_name": "webauthn_credentials",
  "constraint_name": "16498_17120_5_not_null",
  "constraint_type": "CHECK"
},
{
  "table_schema": "auth",
  "table_name": "webauthn_credentials",
  "constraint_name": "16498_17120_7_not_null",
  "constraint_type": "CHECK"
},
{
  "table_schema": "auth",
  "table_name": "webauthn_credentials",
  "constraint_name": "16498_17120_8_not_null",
  "constraint_type": "CHECK"
},
{
  "table_schema": "auth",
  "table_name": "webauthn_credentials",
  "constraint_name": "16498_17120_9_not_null",
  "constraint_type": "CHECK"
},
{
  "table_schema": "auth",
  "table_name": "webauthn_credentials",
  "constraint_name": "webauthn_credentials_user_id_fkey",
  "constraint_type": "FOREIGN KEY"
},
{
  "table_schema": "auth",
  "table_name": "webauthn_credentials",
  "constraint_name": "webauthn_credentials_pkey",
  "constraint_type": "PRIMARY KEY"
```

```
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "webauthn_credentials_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX webauthn_credentials_pkey ON
auth.webauthn_credentials USING btree (id)"
        },
        {
          "column": "user_id",
          "index_name": "webauthn_credentials_user_id_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX webauthn_credentials_user_id_idx ON
auth.webauthn_credentials USING btree (user_id)"
        },
        {
          "column": "credential_id",
          "index_name": "webauthn_credentials_credential_id_key",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
webauthn_credentials_credential_id_key ON auth.webauthn_credentials USING btree
(credential_id)"
        }
      ],
      "views": []
    }
  },
  "extensions": {
    "pg_stat_statements": {
      "table_type": "VIEW",
      "columns": [
        {
          "name": "userid",
          "position": 1,
          "type": "oid",
          "udt_name": "oid",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "dbid",
          "position": 2,
          "type": "oid",
```

```
      "udt_name": "oid",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "toplevel",
      "position": 3,
      "type": "boolean",
      "udt_name": "bool",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "queryid",
      "position": 4,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "query",
      "position": 5,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "plans",
```

```
      "position": 6,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "total_plan_time",
      "position": 7,
      "type": "double precision",
      "udt_name": "float8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 53,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "min_plan_time",
      "position": 8,
      "type": "double precision",
      "udt_name": "float8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 53,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "max_plan_time",
      "position": 9,
      "type": "double precision",
      "udt_name": "float8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 53,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
```

```
{
  "name": "mean_plan_time",
  "position": 10,
  "type": "double precision",
  "udt_name": "float8",
  "nullable": true,
  "default": null,
  "character_maximum_length": null,
  "numeric_precision": 53,
  "numeric_scale": null,
  "is_primary_key": false,
  "foreign_key": null,
  "indices": []
},
{
  "name": "stddev_plan_time",
  "position": 11,
  "type": "double precision",
  "udt_name": "float8",
  "nullable": true,
  "default": null,
  "character_maximum_length": null,
  "numeric_precision": 53,
  "numeric_scale": null,
  "is_primary_key": false,
  "foreign_key": null,
  "indices": []
},
{
  "name": "calls",
  "position": 12,
  "type": "bigint",
  "udt_name": "int8",
  "nullable": true,
  "default": null,
  "character_maximum_length": null,
  "numeric_precision": 64,
  "numeric_scale": 0,
  "is_primary_key": false,
  "foreign_key": null,
  "indices": []
},
{
  "name": "total_exec_time",
  "position": 13,
  "type": "double precision",
  "udt_name": "float8",
  "nullable": true,
  "default": null,
  "character_maximum_length": null,
  "numeric_precision": 53,
  "numeric_scale": null,
  "is_primary_key": false,
  "foreign_key": null,
```

```
      "indices": []
    },
    {
      "name": "min_exec_time",
      "position": 14,
      "type": "double precision",
      "udt_name": "float8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 53,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "max_exec_time",
      "position": 15,
      "type": "double precision",
      "udt_name": "float8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 53,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "mean_exec_time",
      "position": 16,
      "type": "double precision",
      "udt_name": "float8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 53,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "stddev_exec_time",
      "position": 17,
      "type": "double precision",
      "udt_name": "float8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 53,
      "numeric_scale": null,
```

```
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "rows",
      "position": 18,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "shared_blks_hit",
      "position": 19,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "shared_blks_read",
      "position": 20,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "shared_blks_dirtied",
      "position": 21,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
```

```
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "shared_blks_written",
      "position": 22,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "local_blks_hit",
      "position": 23,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "local_blks_read",
      "position": 24,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "local_blks_dirtied",
      "position": 25,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": true,
```

```
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "local_blks_written",
      "position": 26,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "temp_blks_read",
      "position": 27,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "temp_blks_written",
      "position": 28,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "shared_blk_read_time",
      "position": 29,
      "type": "double precision",
```

```
      "udt_name": "float8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 53,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "shared_blk_write_time",
      "position": 30,
      "type": "double precision",
      "udt_name": "float8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 53,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "local_blk_read_time",
      "position": 31,
      "type": "double precision",
      "udt_name": "float8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 53,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "local_blk_write_time",
      "position": 32,
      "type": "double precision",
      "udt_name": "float8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 53,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "temp_blk_read_time",
```

```
      "position": 33,
      "type": "double precision",
      "udt_name": "float8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 53,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "temp_blk_write_time",
      "position": 34,
      "type": "double precision",
      "udt_name": "float8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 53,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "wal_records",
      "position": 35,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "wal_fpi",
      "position": 36,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
```

```
{
  "name": "wal_bytes",
  "position": 37,
  "type": "numeric",
  "udt_name": "numeric",
  "nullable": true,
  "default": null,
  "character_maximum_length": null,
  "numeric_precision": null,
  "numeric_scale": null,
  "is_primary_key": false,
  "foreign_key": null,
  "indices": []
},
{
  "name": "jit_functions",
  "position": 38,
  "type": "bigint",
  "udt_name": "int8",
  "nullable": true,
  "default": null,
  "character_maximum_length": null,
  "numeric_precision": 64,
  "numeric_scale": 0,
  "is_primary_key": false,
  "foreign_key": null,
  "indices": []
},
{
  "name": "jit_generation_time",
  "position": 39,
  "type": "double precision",
  "udt_name": "float8",
  "nullable": true,
  "default": null,
  "character_maximum_length": null,
  "numeric_precision": 53,
  "numeric_scale": null,
  "is_primary_key": false,
  "foreign_key": null,
  "indices": []
},
{
  "name": "jit_inlining_count",
  "position": 40,
  "type": "bigint",
  "udt_name": "int8",
  "nullable": true,
  "default": null,
  "character_maximum_length": null,
  "numeric_precision": 64,
  "numeric_scale": 0,
  "is_primary_key": false,
  "foreign_key": null,
```

```
    "indices": []
  },
  {
    "name": "jit_inlining_time",
    "position": 41,
    "type": "double precision",
    "udt_name": "float8",
    "nullable": true,
    "default": null,
    "character_maximum_length": null,
    "numeric_precision": 53,
    "numeric_scale": null,
    "is_primary_key": false,
    "foreign_key": null,
    "indices": []
  },
  {
    "name": "jit_optimization_count",
    "position": 42,
    "type": "bigint",
    "udt_name": "int8",
    "nullable": true,
    "default": null,
    "character_maximum_length": null,
    "numeric_precision": 64,
    "numeric_scale": 0,
    "is_primary_key": false,
    "foreign_key": null,
    "indices": []
  },
  {
    "name": "jit_optimization_time",
    "position": 43,
    "type": "double precision",
    "udt_name": "float8",
    "nullable": true,
    "default": null,
    "character_maximum_length": null,
    "numeric_precision": 53,
    "numeric_scale": null,
    "is_primary_key": false,
    "foreign_key": null,
    "indices": []
  },
  {
    "name": "jit_emission_count",
    "position": 44,
    "type": "bigint",
    "udt_name": "int8",
    "nullable": true,
    "default": null,
    "character_maximum_length": null,
    "numeric_precision": 64,
    "numeric_scale": 0,
```

```
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "jit_emission_time",
      "position": 45,
      "type": "double precision",
      "udt_name": "float8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 53,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "jit_deform_count",
      "position": 46,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "jit_deform_time",
      "position": 47,
      "type": "double precision",
      "udt_name": "float8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 53,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "stats_since",
      "position": 48,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
```

```
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "minmax_stats_since",
          "position": 49,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        }
      ],
      "primary_keys": [],
      "foreign_keys": [],
      "constraints": [],
      "indices": [],
      "views": [
        {
          "view_definition": " SELECT userid,\n    dbid,\n    toplevel,\n
queryid,\n    query,\n    plans,\n    total_plan_time,\n    min_plan_time,\n
max_plan_time,\n    mean_plan_time,\n    stddev_plan_time,\n    calls,\n
total_exec_time,\n    min_exec_time,\n    max_exec_time,\n    mean_exec_time,\n
  stddev_exec_time,\n    rows,\n    shared_blks_hit,\n    shared_blks_read,\n
shared_blks_dirtied,\n    shared_blks_written,\n    local_blks_hit,\n
local_blks_read,\n    local_blks_dirtied,\n    local_blks_written,\n
temp_blks_read,\n    temp_blks_written,\n    shared_blk_read_time,\n
shared_blk_write_time,\n    local_blk_read_time,\n    local_blk_write_time,\n
temp_blk_read_time,\n    temp_blk_write_time,\n    wal_records,\n    wal_fpi,\n
  wal_bytes,\n    jit_functions,\n    jit_generation_time,\n
jit_inlining_count,\n    jit_inlining_time,\n    jit_optimization_count,\n
jit_optimization_time,\n    jit_emission_count,\n    jit_emission_time,\n
jit_deform_count,\n    jit_deform_time,\n    stats_since,\n
minmax_stats_since\n   FROM pg_stat_statements(true) pg_stat_statements(userid,
dbid, toplevel, queryid, query, plans, total_plan_time, min_plan_time,
max_plan_time, mean_plan_time, stddev_plan_time, calls, total_exec_time,
min_exec_time, max_exec_time, mean_exec_time, stddev_exec_time, rows,
shared_blks_hit, shared_blks_read, shared_blks_dirtied, shared_blks_written,
local_blks_hit, local_blks_read, local_blks_dirtied, local_blks_written,
temp_blks_read, temp_blks_written, shared_blk_read_time, shared_blk_write_time,
local_blk_read_time, local_blk_write_time, temp_blk_read_time,
temp_blk_write_time, wal_records, wal_fpi, wal_bytes, jit_functions,
jit_generation_time, jit_inlining_count, jit_inlining_time,
jit_optimization_count, jit_optimization_time, jit_emission_count,
jit_emission_time, jit_deform_count, jit_deform_time, stats_since,
minmax_stats_since);"
```

```
        }
      ]
    },
    "pg_stat_statements_info": {
      "table_type": "VIEW",
      "columns": [
        {
          "name": "dealloc",
          "position": 1,
          "type": "bigint",
          "udt_name": "int8",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": 64,
          "numeric_scale": 0,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "stats_reset",
          "position": 2,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        }
      ],
      "primary_keys": [],
      "foreign_keys": [],
      "constraints": [],
      "indices": [],
      "views": [
        {
          "view_definition": " SELECT dealloc,\n    stats_reset\n   FROM
pg_stat_statements_info() pg_stat_statements_info(dealloc, stats_reset);"
        }
      ]
    }
  },
  "public": {
    "documents": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
```

```
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": "gen_random_uuid()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "documents_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX documents_pkey ON
public.documents USING btree (id)"
            }
          ]
        },
        {
          "name": "content",
          "position": 2,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "metadata",
          "position": 3,
          "type": "jsonb",
          "udt_name": "jsonb",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "embedding",
          "position": 4,
          "type": "USER-DEFINED",
          "udt_name": "vector",
          "nullable": true,
          "default": null,
```

```
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "documents_embedding_idx",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX documents_embedding_idx ON
public.documents USING hnsw (embedding vector_cosine_ops)"
            }
          ]
        },
        {
          "name": "created_at",
          "position": 5,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": "timezone('utc'::text, now())",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        }
      ],
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "public",
          "table_name": "documents",
          "constraint_name": "2200_26931_1_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "public",
          "table_name": "documents",
          "constraint_name": "documents_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "documents_pkey",
          "is_unique": true,
          "is_primary": true,
```

```
          "index_definition": "CREATE UNIQUE INDEX documents_pkey ON
public.documents USING btree (id)"
        },
        {
          "column": "embedding",
          "index_name": "documents_embedding_idx",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX documents_embedding_idx ON
public.documents USING hnsw (embedding vector_cosine_ops)"
        }
      ],
      "views": []
    },
    "users": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": "uuid_generate_v4()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "users_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX users_pkey ON
public.users USING btree (id)"
            }
          ]
        },
        {
          "name": "email",
          "position": 2,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "users_email_key",
```

```
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX users_email_key ON
public.users USING btree (email)"
            }
          ]
        },
        {
          "name": "hashed_password",
          "position": 3,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "full_name",
          "position": 4,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "role",
          "position": 5,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": "'user'::text",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "created_at",
          "position": 6,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
```

```
      "nullable": true,
      "default": "CURRENT_TIMESTAMP",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "preferences",
      "position": 7,
      "type": "jsonb",
      "udt_name": "jsonb",
      "nullable": true,
      "default": "'{}'::jsonb",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "consultas_realizadas",
      "position": 8,
      "type": "integer",
      "udt_name": "int4",
      "nullable": true,
      "default": "0",
      "character_maximum_length": null,
      "numeric_precision": 32,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "historico_conversas",
      "position": 9,
      "type": "jsonb",
      "udt_name": "jsonb",
      "nullable": true,
      "default": "'[]'::jsonb",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    }
  ],
  "primary_keys": [
    "id"
```

```
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "public",
          "table_name": "users",
          "constraint_name": "2200_17533_1_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "public",
          "table_name": "users",
          "constraint_name": "2200_17533_2_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "public",
          "table_name": "users",
          "constraint_name": "2200_17533_3_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "public",
          "table_name": "users",
          "constraint_name": "users_pkey",
          "constraint_type": "PRIMARY KEY"
        },
        {
          "table_schema": "public",
          "table_name": "users",
          "constraint_name": "users_email_key",
          "constraint_type": "UNIQUE"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "users_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX users_pkey ON public.users
USING btree (id)"
        },
        {
          "column": "email",
          "index_name": "users_email_key",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX users_email_key ON
public.users USING btree (email)"
        }
      ],
      "views": []
    }
```

```
  },
  "realtime": {
    "messages": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "topic",
          "position": 3,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "messages_inserted_at_topic_index",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX messages_inserted_at_topic_index
ON ONLY realtime.messages USING btree (inserted_at DESC, topic) WHERE
((extension = 'broadcast'::text) AND (private IS TRUE))"
            }
          ]
        },
        {
          "name": "extension",
          "position": 4,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "payload",
          "position": 5,
          "type": "jsonb",
          "udt_name": "jsonb",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
```

```
      "indices": []
    },
    {
      "name": "event",
      "position": 6,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "private",
      "position": 7,
      "type": "boolean",
      "udt_name": "bool",
      "nullable": true,
      "default": "false",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "updated_at",
      "position": 8,
      "type": "timestamp without time zone",
      "udt_name": "timestamp",
      "nullable": false,
      "default": "now()",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "inserted_at",
      "position": 9,
      "type": "timestamp without time zone",
      "udt_name": "timestamp",
      "nullable": false,
      "default": "now()",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
```

```
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "messages_inserted_at_topic_index",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX messages_inserted_at_topic_index
ON ONLY realtime.messages USING btree (inserted_at DESC, topic) WHERE
((extension = 'broadcast'::text) AND (private IS TRUE))"
            },
            {
              "index_name": "messages_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX messages_pkey ON ONLY
realtime.messages USING btree (id, inserted_at)"
            }
          ]
        },
        {
          "name": "id",
          "position": 10,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": "gen_random_uuid()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "messages_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX messages_pkey ON ONLY
realtime.messages USING btree (id, inserted_at)"
            }
          ]
        }
      ],
      "primary_keys": [
        "inserted_at",
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "realtime",
          "table_name": "messages",
          "constraint_name": "16559_17509_10_not_null",
          "constraint_type": "CHECK"
```

```
        },
        {
          "table_schema": "realtime",
          "table_name": "messages",
          "constraint_name": "16559_17509_3_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "realtime",
          "table_name": "messages",
          "constraint_name": "16559_17509_4_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "realtime",
          "table_name": "messages",
          "constraint_name": "16559_17509_8_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "realtime",
          "table_name": "messages",
          "constraint_name": "16559_17509_9_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "realtime",
          "table_name": "messages",
          "constraint_name": "messages_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "topic",
          "index_name": "messages_inserted_at_topic_index",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX messages_inserted_at_topic_index ON
ONLY realtime.messages USING btree (inserted_at DESC, topic) WHERE ((extension =
'broadcast'::text) AND (private IS TRUE))"
        },
        {
          "column": "inserted_at",
          "index_name": "messages_inserted_at_topic_index",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX messages_inserted_at_topic_index ON
ONLY realtime.messages USING btree (inserted_at DESC, topic) WHERE ((extension =
'broadcast'::text) AND (private IS TRUE))"
        },
        {
          "column": "inserted_at",
          "index_name": "messages_pkey",
```

```
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX messages_pkey ON ONLY
realtime.messages USING btree (id, inserted_at)"
        },
        {
          "column": "id",
          "index_name": "messages_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX messages_pkey ON ONLY
realtime.messages USING btree (id, inserted_at)"
        }
      ],
      "views": []
    },
    "schema_migrations": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "version",
          "position": 1,
          "type": "bigint",
          "udt_name": "int8",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": 64,
          "numeric_scale": 0,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "schema_migrations_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX schema_migrations_pkey ON
realtime.schema_migrations USING btree (version)"
            }
          ]
        },
        {
          "name": "inserted_at",
          "position": 2,
          "type": "timestamp without time zone",
          "udt_name": "timestamp",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
```

```
        }
      ],
      "primary_keys": [
        "version"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "realtime",
          "table_name": "schema_migrations",
          "constraint_name": "16559_17347_1_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "realtime",
          "table_name": "schema_migrations",
          "constraint_name": "schema_migrations_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "version",
          "index_name": "schema_migrations_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX schema_migrations_pkey ON
realtime.schema_migrations USING btree (version)"
        }
      ],
      "views": []
    },
    "subscription": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "bigint",
          "udt_name": "int8",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": 64,
          "numeric_scale": 0,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "pk_subscription",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX pk_subscription ON
realtime.subscription USING btree (id)"
```

```
            }
          ]
        },
        {
          "name": "subscription_id",
          "position": 2,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name":
"subscription_subscription_id_entity_filters_action_filter_key",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
subscription_subscription_id_entity_filters_action_filter_key ON
realtime.subscription USING btree (subscription_id, entity, filters,
action_filter)"
            }
          ]
        },
        {
          "name": "entity",
          "position": 4,
          "type": "regclass",
          "udt_name": "regclass",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "ix_realtime_subscription_entity",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX ix_realtime_subscription_entity
ON realtime.subscription USING btree (entity)"
            },
            {
              "index_name":
"subscription_subscription_id_entity_filters_action_filter_key",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
```

subscription_subscription_id_entity_filters_action_filter_key ON
realtime.subscription USING btree (subscription_id, entity, filters,
action_filter)"
            }
          ]
        },
        {
          "name": "filters",
          "position": 5,
          "type": "ARRAY",
          "udt_name": "_user_defined_filter",
          "nullable": false,
          "default": "'{}'::realtime.user_defined_filter[]",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name":
"subscription_subscription_id_entity_filters_action_filter_key",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
subscription_subscription_id_entity_filters_action_filter_key ON
realtime.subscription USING btree (subscription_id, entity, filters,
action_filter)"
            }
          ]
        },
        {
          "name": "claims",
          "position": 7,
          "type": "jsonb",
          "udt_name": "jsonb",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "claims_role",
          "position": 8,
          "type": "regrole",
          "udt_name": "regrole",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,

```
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "created_at",
          "position": 9,
          "type": "timestamp without time zone",
          "udt_name": "timestamp",
          "nullable": false,
          "default": "timezone('utc'::text, now())",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "action_filter",
          "position": 10,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": "'*'::text",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name":
"subscription_subscription_id_entity_filters_action_filter_key",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
subscription_subscription_id_entity_filters_action_filter_key ON
realtime.subscription USING btree (subscription_id, entity, filters,
action_filter)"
            }
          ]
        }
      ],
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "realtime",
          "table_name": "subscription",
          "constraint_name": "16559_17369_1_not_null",
```

```
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "realtime",
      "table_name": "subscription",
      "constraint_name": "16559_17369_2_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "realtime",
      "table_name": "subscription",
      "constraint_name": "16559_17369_4_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "realtime",
      "table_name": "subscription",
      "constraint_name": "16559_17369_5_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "realtime",
      "table_name": "subscription",
      "constraint_name": "16559_17369_7_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "realtime",
      "table_name": "subscription",
      "constraint_name": "16559_17369_8_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "realtime",
      "table_name": "subscription",
      "constraint_name": "16559_17369_9_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "realtime",
      "table_name": "subscription",
      "constraint_name": "subscription_action_filter_check",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "realtime",
      "table_name": "subscription",
      "constraint_name": "pk_subscription",
      "constraint_type": "PRIMARY KEY"
    }
  ],
  "indices": [
    {
      "column": "id",
```

```
          "index_name": "pk_subscription",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX pk_subscription ON
realtime.subscription USING btree (id)"
        },
        {
          "column": "subscription_id",
          "index_name":
"subscription_subscription_id_entity_filters_action_filter_key",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
subscription_subscription_id_entity_filters_action_filter_key ON
realtime.subscription USING btree (subscription_id, entity, filters,
action_filter)"
        },
        {
          "column": "entity",
          "index_name": "ix_realtime_subscription_entity",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX ix_realtime_subscription_entity ON
realtime.subscription USING btree (entity)"
        },
        {
          "column": "entity",
          "index_name":
"subscription_subscription_id_entity_filters_action_filter_key",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
subscription_subscription_id_entity_filters_action_filter_key ON
realtime.subscription USING btree (subscription_id, entity, filters,
action_filter)"
        },
        {
          "column": "filters",
          "index_name":
"subscription_subscription_id_entity_filters_action_filter_key",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
subscription_subscription_id_entity_filters_action_filter_key ON
realtime.subscription USING btree (subscription_id, entity, filters,
action_filter)"
        },
        {
          "column": "action_filter",
          "index_name":
"subscription_subscription_id_entity_filters_action_filter_key",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
```

subscription_subscription_id_entity_filters_action_filter_key ON
realtime.subscription USING btree (subscription_id, entity, filters,
action_filter)"
        }
      ],
      "views": []
    }
  },
  "storage": {
    "buckets": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "buckets_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX buckets_pkey ON
storage.buckets USING btree (id)"
            }
          ]
        },
        {
          "name": "name",
          "position": 2,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "bname",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX bname ON storage.buckets
USING btree (name)"
            }

```
      ]
    },
    {
      "name": "owner",
      "position": 3,
      "type": "uuid",
      "udt_name": "uuid",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "created_at",
      "position": 4,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": true,
      "default": "now()",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "updated_at",
      "position": 5,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": true,
      "default": "now()",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "public",
      "position": 6,
      "type": "boolean",
      "udt_name": "bool",
      "nullable": true,
      "default": "false",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
```

```
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "avif_autodetection",
      "position": 7,
      "type": "boolean",
      "udt_name": "bool",
      "nullable": true,
      "default": "false",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "file_size_limit",
      "position": 8,
      "type": "bigint",
      "udt_name": "int8",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 64,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "allowed_mime_types",
      "position": 9,
      "type": "ARRAY",
      "udt_name": "_text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "owner_id",
      "position": 10,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
```

```
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "type",
      "position": 11,
      "type": "USER-DEFINED",
      "udt_name": "buckettype",
      "nullable": false,
      "default": "'STANDARD'::storage.buckettype",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    }
  ],
  "primary_keys": [
    "id"
  ],
  "foreign_keys": [],
  "constraints": [
    {
      "table_schema": "storage",
      "table_name": "buckets",
      "constraint_name": "16546_17168_11_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "storage",
      "table_name": "buckets",
      "constraint_name": "16546_17168_1_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "storage",
      "table_name": "buckets",
      "constraint_name": "16546_17168_2_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "storage",
      "table_name": "buckets",
      "constraint_name": "buckets_pkey",
      "constraint_type": "PRIMARY KEY"
    }
  ],
  "indices": [
    {
      "column": "id",
```

```
          "index_name": "buckets_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX buckets_pkey ON
storage.buckets USING btree (id)"
        },
        {
          "column": "name",
          "index_name": "bname",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX bname ON storage.buckets
USING btree (name)"
        }
      ],
      "views": []
    },
    "buckets_analytics": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "name",
          "position": 1,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "buckets_analytics_unique_name_idx",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
buckets_analytics_unique_name_idx ON storage.buckets_analytics USING btree
(name) WHERE (deleted_at IS NULL)"
            }
          ]
        },
        {
          "name": "type",
          "position": 2,
          "type": "USER-DEFINED",
          "udt_name": "buckettype",
          "nullable": false,
          "default": "'ANALYTICS'::storage.buckettype",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
```

```
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "format",
      "position": 3,
      "type": "text",
      "udt_name": "text",
      "nullable": false,
      "default": "'ICEBERG'::text",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "created_at",
      "position": 4,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": false,
      "default": "now()",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "updated_at",
      "position": 5,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": false,
      "default": "now()",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "id",
      "position": 6,
      "type": "uuid",
      "udt_name": "uuid",
      "nullable": false,
      "default": "gen_random_uuid()",
      "character_maximum_length": null,
      "numeric_precision": null,
```

```
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "buckets_analytics_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX buckets_analytics_pkey ON
storage.buckets_analytics USING btree (id)"
            }
          ]
        },
        {
          "name": "deleted_at",
          "position": 7,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        }
      ],
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "storage",
          "table_name": "buckets_analytics",
          "constraint_name": "16546_17288_1_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "storage",
          "table_name": "buckets_analytics",
          "constraint_name": "16546_17288_2_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "storage",
          "table_name": "buckets_analytics",
          "constraint_name": "16546_17288_3_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "storage",
          "table_name": "buckets_analytics",
```

```
          "constraint_name": "16546_17288_4_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "storage",
          "table_name": "buckets_analytics",
          "constraint_name": "16546_17288_5_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "storage",
          "table_name": "buckets_analytics",
          "constraint_name": "16546_17288_6_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "storage",
          "table_name": "buckets_analytics",
          "constraint_name": "buckets_analytics_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "name",
          "index_name": "buckets_analytics_unique_name_idx",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
buckets_analytics_unique_name_idx ON storage.buckets_analytics USING btree
(name) WHERE (deleted_at IS NULL)"
        },
        {
          "column": "id",
          "index_name": "buckets_analytics_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX buckets_analytics_pkey ON
storage.buckets_analytics USING btree (id)"
        }
      ],
      "views": []
    },
    "buckets_vectors": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
```

```
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "buckets_vectors_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX buckets_vectors_pkey ON
storage.buckets_vectors USING btree (id)"
            }
          ]
        },
        {
          "name": "type",
          "position": 2,
          "type": "USER-DEFINED",
          "udt_name": "buckettype",
          "nullable": false,
          "default": "'VECTOR'::storage.buckettype",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "created_at",
          "position": 3,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": false,
          "default": "now()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "updated_at",
          "position": 4,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": false,
          "default": "now()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
```

```
          "indices": []
        }
      ],
      "primary_keys": [],
      "foreign_keys": [],
      "constraints": [],
      "indices": [
        {
          "column": "id",
          "index_name": "buckets_vectors_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX buckets_vectors_pkey ON
storage.buckets_vectors USING btree (id)"
        }
      ],
      "views": []
    },
    "migrations": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "integer",
          "udt_name": "int4",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": 32,
          "numeric_scale": 0,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "migrations_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX migrations_pkey ON
storage.migrations USING btree (id)"
            }
          ]
        },
        {
          "name": "name",
          "position": 2,
          "type": "character varying",
          "udt_name": "varchar",
          "nullable": false,
          "default": null,
          "character_maximum_length": 100,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
```

```
          "foreign_key": null,
          "indices": [
            {
              "index_name": "migrations_name_key",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX migrations_name_key ON
storage.migrations USING btree (name)"
            }
          ]
        },
        {
          "name": "hash",
          "position": 3,
          "type": "character varying",
          "udt_name": "varchar",
          "nullable": false,
          "default": null,
          "character_maximum_length": 40,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "executed_at",
          "position": 4,
          "type": "timestamp without time zone",
          "udt_name": "timestamp",
          "nullable": true,
          "default": "CURRENT_TIMESTAMP",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        }
      ],
      "primary_keys": [],
      "foreign_keys": [],
      "constraints": [],
      "indices": [
        {
          "column": "id",
          "index_name": "migrations_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX migrations_pkey ON
storage.migrations USING btree (id)"
        },
        {
          "column": "name",
```

```
          "index_name": "migrations_name_key",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX migrations_name_key ON
storage.migrations USING btree (name)"
        }
      ],
      "views": []
    },
    "objects": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": "gen_random_uuid()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "objects_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX objects_pkey ON
storage.objects USING btree (id)"
            }
          ]
        },
        {
          "name": "bucket_id",
          "position": 2,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "bucketid_objname",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX bucketid_objname ON
storage.objects USING btree (bucket_id, name)"
            },
```

```
            {
              "index_name": "idx_objects_bucket_id_name",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX idx_objects_bucket_id_name ON
storage.objects USING btree (bucket_id, name COLLATE \"C\")"
            },
            {
              "index_name": "idx_objects_bucket_id_name_lower",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX idx_objects_bucket_id_name_lower
ON storage.objects USING btree (bucket_id, lower(name) COLLATE \"C\")"
            }
          ]
        },
        {
          "name": "name",
          "position": 3,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "bucketid_objname",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX bucketid_objname ON
storage.objects USING btree (bucket_id, name)"
            },
            {
              "index_name": "idx_objects_bucket_id_name",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX idx_objects_bucket_id_name ON
storage.objects USING btree (bucket_id, name COLLATE \"C\")"
            },
            {
              "index_name": "name_prefix_search",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX name_prefix_search ON
storage.objects USING btree (name text_pattern_ops)"
            }
          ]
        },
        {
          "name": "owner",
```

```
      "position": 4,
      "type": "uuid",
      "udt_name": "uuid",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "created_at",
      "position": 5,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": true,
      "default": "now()",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "updated_at",
      "position": 6,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": true,
      "default": "now()",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "last_accessed_at",
      "position": 7,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": true,
      "default": "now()",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
```

```
{
  "name": "metadata",
  "position": 8,
  "type": "jsonb",
  "udt_name": "jsonb",
  "nullable": true,
  "default": null,
  "character_maximum_length": null,
  "numeric_precision": null,
  "numeric_scale": null,
  "is_primary_key": false,
  "foreign_key": null,
  "indices": []
},
{
  "name": "path_tokens",
  "position": 9,
  "type": "ARRAY",
  "udt_name": "_text",
  "nullable": true,
  "default": null,
  "character_maximum_length": null,
  "numeric_precision": null,
  "numeric_scale": null,
  "is_primary_key": false,
  "foreign_key": null,
  "indices": []
},
{
  "name": "version",
  "position": 10,
  "type": "text",
  "udt_name": "text",
  "nullable": true,
  "default": null,
  "character_maximum_length": null,
  "numeric_precision": null,
  "numeric_scale": null,
  "is_primary_key": false,
  "foreign_key": null,
  "indices": []
},
{
  "name": "owner_id",
  "position": 11,
  "type": "text",
  "udt_name": "text",
  "nullable": true,
  "default": null,
  "character_maximum_length": null,
  "numeric_precision": null,
  "numeric_scale": null,
  "is_primary_key": false,
  "foreign_key": null,
```

```
          "indices": []
        },
        {
          "name": "user_metadata",
          "position": 12,
          "type": "jsonb",
          "udt_name": "jsonb",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        }
      ],
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "storage",
          "table_name": "objects",
          "constraint_name": "16546_17178_1_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "storage",
          "table_name": "objects",
          "constraint_name": "objects_bucketId_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "storage",
          "table_name": "objects",
          "constraint_name": "objects_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "objects_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX objects_pkey ON
storage.objects USING btree (id)"
        },
        {
          "column": "bucket_id",
          "index_name": "bucketid_objname",
          "is_unique": true,
```

```
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX bucketid_objname ON
storage.objects USING btree (bucket_id, name)"
        },
        {
          "column": "bucket_id",
          "index_name": "idx_objects_bucket_id_name",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX idx_objects_bucket_id_name ON
storage.objects USING btree (bucket_id, name COLLATE \"C\")"
        },
        {
          "column": "bucket_id",
          "index_name": "idx_objects_bucket_id_name_lower",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX idx_objects_bucket_id_name_lower ON
storage.objects USING btree (bucket_id, lower(name) COLLATE \"C\")"
        },
        {
          "column": "name",
          "index_name": "bucketid_objname",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX bucketid_objname ON
storage.objects USING btree (bucket_id, name)"
        },
        {
          "column": "name",
          "index_name": "idx_objects_bucket_id_name",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX idx_objects_bucket_id_name ON
storage.objects USING btree (bucket_id, name COLLATE \"C\")"
        },
        {
          "column": "name",
          "index_name": "name_prefix_search",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX name_prefix_search ON
storage.objects USING btree (name text_pattern_ops)"
        }
      ],
      "views": []
    },
    "s3_multipart_uploads": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "text",
```

```
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "s3_multipart_uploads_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX s3_multipart_uploads_pkey
ON storage.s3_multipart_uploads USING btree (id)"
            }
          ]
        },
        {
          "name": "in_progress_size",
          "position": 2,
          "type": "bigint",
          "udt_name": "int8",
          "nullable": false,
          "default": "0",
          "character_maximum_length": null,
          "numeric_precision": 64,
          "numeric_scale": 0,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "upload_signature",
          "position": 3,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "bucket_id",
          "position": 4,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
```

```
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "idx_multipart_uploads_list",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX idx_multipart_uploads_list ON
storage.s3_multipart_uploads USING btree (bucket_id, key, created_at)"
            }
          ]
        },
        {
          "name": "key",
          "position": 5,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "idx_multipart_uploads_list",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX idx_multipart_uploads_list ON
storage.s3_multipart_uploads USING btree (bucket_id, key, created_at)"
            }
          ]
        },
        {
          "name": "version",
          "position": 6,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "owner_id",
          "position": 7,
          "type": "text",
```

```
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "created_at",
          "position": 8,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": false,
          "default": "now()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "idx_multipart_uploads_list",
              "is_unique": false,
              "is_primary": false,
              "index_definition": "CREATE INDEX idx_multipart_uploads_list ON
storage.s3_multipart_uploads USING btree (bucket_id, key, created_at)"
            }
          ]
        },
        {
          "name": "user_metadata",
          "position": 9,
          "type": "jsonb",
          "udt_name": "jsonb",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "metadata",
          "position": 10,
          "type": "jsonb",
          "udt_name": "jsonb",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
```

```
    "numeric_precision": null,
    "numeric_scale": null,
    "is_primary_key": false,
    "foreign_key": null,
    "indices": []
  }
],
"primary_keys": [
  "id"
],
"foreign_keys": [],
"constraints": [
  {
    "table_schema": "storage",
    "table_name": "s3_multipart_uploads",
    "constraint_name": "16546_17227_1_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "storage",
    "table_name": "s3_multipart_uploads",
    "constraint_name": "16546_17227_2_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "storage",
    "table_name": "s3_multipart_uploads",
    "constraint_name": "16546_17227_3_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "storage",
    "table_name": "s3_multipart_uploads",
    "constraint_name": "16546_17227_4_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "storage",
    "table_name": "s3_multipart_uploads",
    "constraint_name": "16546_17227_5_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "storage",
    "table_name": "s3_multipart_uploads",
    "constraint_name": "16546_17227_6_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "storage",
    "table_name": "s3_multipart_uploads",
    "constraint_name": "16546_17227_8_not_null",
    "constraint_type": "CHECK"
  },
```

```
        {
          "table_schema": "storage",
          "table_name": "s3_multipart_uploads",
          "constraint_name": "s3_multipart_uploads_bucket_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "storage",
          "table_name": "s3_multipart_uploads",
          "constraint_name": "s3_multipart_uploads_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "s3_multipart_uploads_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX s3_multipart_uploads_pkey ON
storage.s3_multipart_uploads USING btree (id)"
        },
        {
          "column": "bucket_id",
          "index_name": "idx_multipart_uploads_list",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX idx_multipart_uploads_list ON
storage.s3_multipart_uploads USING btree (bucket_id, key, created_at)"
        },
        {
          "column": "key",
          "index_name": "idx_multipart_uploads_list",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX idx_multipart_uploads_list ON
storage.s3_multipart_uploads USING btree (bucket_id, key, created_at)"
        },
        {
          "column": "created_at",
          "index_name": "idx_multipart_uploads_list",
          "is_unique": false,
          "is_primary": false,
          "index_definition": "CREATE INDEX idx_multipart_uploads_list ON
storage.s3_multipart_uploads USING btree (bucket_id, key, created_at)"
        }
      ],
      "views": []
    },
    "s3_multipart_uploads_parts": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
```

```
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": "gen_random_uuid()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "s3_multipart_uploads_parts_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX
s3_multipart_uploads_parts_pkey ON storage.s3_multipart_uploads_parts USING
btree (id)"
            }
          ]
        },
        {
          "name": "upload_id",
          "position": 2,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "size",
          "position": 3,
          "type": "bigint",
          "udt_name": "int8",
          "nullable": false,
          "default": "0",
          "character_maximum_length": null,
          "numeric_precision": 64,
          "numeric_scale": 0,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "part_number",
          "position": 4,
          "type": "integer",
          "udt_name": "int4",
```

```
      "nullable": false,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": 32,
      "numeric_scale": 0,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "bucket_id",
      "position": 5,
      "type": "text",
      "udt_name": "text",
      "nullable": false,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "key",
      "position": 6,
      "type": "text",
      "udt_name": "text",
      "nullable": false,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "etag",
      "position": 7,
      "type": "text",
      "udt_name": "text",
      "nullable": false,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "owner_id",
      "position": 8,
```

```
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "version",
      "position": 9,
      "type": "text",
      "udt_name": "text",
      "nullable": false,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "created_at",
      "position": 10,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": false,
      "default": "now()",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    }
  ],
  "primary_keys": [
    "id"
  ],
  "foreign_keys": [],
  "constraints": [
    {
      "table_schema": "storage",
      "table_name": "s3_multipart_uploads_parts",
      "constraint_name": "16546_17241_10_not_null",
      "constraint_type": "CHECK"
    },
    {
      "table_schema": "storage",
      "table_name": "s3_multipart_uploads_parts",
```

```
    "constraint_name": "16546_17241_1_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "storage",
    "table_name": "s3_multipart_uploads_parts",
    "constraint_name": "16546_17241_2_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "storage",
    "table_name": "s3_multipart_uploads_parts",
    "constraint_name": "16546_17241_3_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "storage",
    "table_name": "s3_multipart_uploads_parts",
    "constraint_name": "16546_17241_4_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "storage",
    "table_name": "s3_multipart_uploads_parts",
    "constraint_name": "16546_17241_5_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "storage",
    "table_name": "s3_multipart_uploads_parts",
    "constraint_name": "16546_17241_6_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "storage",
    "table_name": "s3_multipart_uploads_parts",
    "constraint_name": "16546_17241_7_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "storage",
    "table_name": "s3_multipart_uploads_parts",
    "constraint_name": "16546_17241_9_not_null",
    "constraint_type": "CHECK"
  },
  {
    "table_schema": "storage",
    "table_name": "s3_multipart_uploads_parts",
    "constraint_name": "s3_multipart_uploads_parts_bucket_id_fkey",
    "constraint_type": "FOREIGN KEY"
  },
  {
    "table_schema": "storage",
    "table_name": "s3_multipart_uploads_parts",
```

```
          "constraint_name": "s3_multipart_uploads_parts_upload_id_fkey",
          "constraint_type": "FOREIGN KEY"
        },
        {
          "table_schema": "storage",
          "table_name": "s3_multipart_uploads_parts",
          "constraint_name": "s3_multipart_uploads_parts_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "s3_multipart_uploads_parts_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX
s3_multipart_uploads_parts_pkey ON storage.s3_multipart_uploads_parts USING
btree (id)"
        }
      ],
      "views": []
    },
    "vector_indexes": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": "gen_random_uuid()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "vector_indexes_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX vector_indexes_pkey ON
storage.vector_indexes USING btree (id)"
            }
          ]
        },
        {
          "name": "name",
          "position": 2,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
```

```
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "vector_indexes_name_bucket_id_idx",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
vector_indexes_name_bucket_id_idx ON storage.vector_indexes USING btree (name,
bucket_id)"
            }
          ]
        },
        {
          "name": "bucket_id",
          "position": 3,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "vector_indexes_name_bucket_id_idx",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX
vector_indexes_name_bucket_id_idx ON storage.vector_indexes USING btree (name,
bucket_id)"
            }
          ]
        },
        {
          "name": "data_type",
          "position": 4,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
```

```
{
  "name": "dimension",
  "position": 5,
  "type": "integer",
  "udt_name": "int4",
  "nullable": false,
  "default": null,
  "character_maximum_length": null,
  "numeric_precision": 32,
  "numeric_scale": 0,
  "is_primary_key": false,
  "foreign_key": null,
  "indices": []
},
{
  "name": "distance_metric",
  "position": 6,
  "type": "text",
  "udt_name": "text",
  "nullable": false,
  "default": null,
  "character_maximum_length": null,
  "numeric_precision": null,
  "numeric_scale": null,
  "is_primary_key": false,
  "foreign_key": null,
  "indices": []
},
{
  "name": "metadata_configuration",
  "position": 7,
  "type": "jsonb",
  "udt_name": "jsonb",
  "nullable": true,
  "default": null,
  "character_maximum_length": null,
  "numeric_precision": null,
  "numeric_scale": null,
  "is_primary_key": false,
  "foreign_key": null,
  "indices": []
},
{
  "name": "created_at",
  "position": 8,
  "type": "timestamp with time zone",
  "udt_name": "timestamptz",
  "nullable": false,
  "default": "now()",
  "character_maximum_length": null,
  "numeric_precision": null,
  "numeric_scale": null,
  "is_primary_key": false,
  "foreign_key": null,
```

```
          "indices": []
        },
        {
          "name": "updated_at",
          "position": 9,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": false,
          "default": "now()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        }
      ],
      "primary_keys": [],
      "foreign_keys": [],
      "constraints": [],
      "indices": [
        {
          "column": "id",
          "index_name": "vector_indexes_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX vector_indexes_pkey ON
storage.vector_indexes USING btree (id)"
        },
        {
          "column": "name",
          "index_name": "vector_indexes_name_bucket_id_idx",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
vector_indexes_name_bucket_id_idx ON storage.vector_indexes USING btree (name,
bucket_id)"
        },
        {
          "column": "bucket_id",
          "index_name": "vector_indexes_name_bucket_id_idx",
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX
vector_indexes_name_bucket_id_idx ON storage.vector_indexes USING btree (name,
bucket_id)"
        }
      ],
      "views": []
    }
  },
  "vault": {
    "decrypted_secrets": {
      "table_type": "VIEW",
```

```
"columns": [
  {
    "name": "id",
    "position": 1,
    "type": "uuid",
    "udt_name": "uuid",
    "nullable": true,
    "default": null,
    "character_maximum_length": null,
    "numeric_precision": null,
    "numeric_scale": null,
    "is_primary_key": false,
    "foreign_key": null,
    "indices": []
  },
  {
    "name": "name",
    "position": 2,
    "type": "text",
    "udt_name": "text",
    "nullable": true,
    "default": null,
    "character_maximum_length": null,
    "numeric_precision": null,
    "numeric_scale": null,
    "is_primary_key": false,
    "foreign_key": null,
    "indices": []
  },
  {
    "name": "description",
    "position": 3,
    "type": "text",
    "udt_name": "text",
    "nullable": true,
    "default": null,
    "character_maximum_length": null,
    "numeric_precision": null,
    "numeric_scale": null,
    "is_primary_key": false,
    "foreign_key": null,
    "indices": []
  },
  {
    "name": "secret",
    "position": 4,
    "type": "text",
    "udt_name": "text",
    "nullable": true,
    "default": null,
    "character_maximum_length": null,
    "numeric_precision": null,
    "numeric_scale": null,
    "is_primary_key": false,
```

```
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "decrypted_secret",
      "position": 5,
      "type": "text",
      "udt_name": "text",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "key_id",
      "position": 6,
      "type": "uuid",
      "udt_name": "uuid",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "nonce",
      "position": 7,
      "type": "bytea",
      "udt_name": "bytea",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "created_at",
      "position": 8,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
```

```
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "updated_at",
          "position": 9,
          "type": "timestamp with time zone",
          "udt_name": "timestamptz",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        }
      ],
      "primary_keys": [],
      "foreign_keys": [],
      "constraints": [],
      "indices": [],
      "views": [
        {
          "view_definition": null
        }
      ]
    },
    "secrets": {
      "table_type": "BASE TABLE",
      "columns": [
        {
          "name": "id",
          "position": 1,
          "type": "uuid",
          "udt_name": "uuid",
          "nullable": false,
          "default": "gen_random_uuid()",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": true,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "secrets_pkey",
              "is_unique": true,
              "is_primary": true,
              "index_definition": "CREATE UNIQUE INDEX secrets_pkey ON
vault.secrets USING btree (id)"
            }
          ]
```

```
        },
        {
          "name": "name",
          "position": 2,
          "type": "text",
          "udt_name": "text",
          "nullable": true,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": [
            {
              "index_name": "secrets_name_idx",
              "is_unique": true,
              "is_primary": false,
              "index_definition": "CREATE UNIQUE INDEX secrets_name_idx ON
vault.secrets USING btree (name) WHERE (name IS NOT NULL)"
            }
          ]
        },
        {
          "name": "description",
          "position": 3,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": "''::text",
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "secret",
          "position": 4,
          "type": "text",
          "udt_name": "text",
          "nullable": false,
          "default": null,
          "character_maximum_length": null,
          "numeric_precision": null,
          "numeric_scale": null,
          "is_primary_key": false,
          "foreign_key": null,
          "indices": []
        },
        {
          "name": "key_id",
          "position": 5,
```

```
      "type": "uuid",
      "udt_name": "uuid",
      "nullable": true,
      "default": null,
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "nonce",
      "position": 6,
      "type": "bytea",
      "udt_name": "bytea",
      "nullable": true,
      "default": "vault._crypto_aead_det_noncegen()",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "created_at",
      "position": 7,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": false,
      "default": "CURRENT_TIMESTAMP",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    },
    {
      "name": "updated_at",
      "position": 8,
      "type": "timestamp with time zone",
      "udt_name": "timestamptz",
      "nullable": false,
      "default": "CURRENT_TIMESTAMP",
      "character_maximum_length": null,
      "numeric_precision": null,
      "numeric_scale": null,
      "is_primary_key": false,
      "foreign_key": null,
      "indices": []
    }
  ],
```

```
      "primary_keys": [
        "id"
      ],
      "foreign_keys": [],
      "constraints": [
        {
          "table_schema": "vault",
          "table_name": "secrets",
          "constraint_name": "16607_16612_1_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "vault",
          "table_name": "secrets",
          "constraint_name": "16607_16612_3_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "vault",
          "table_name": "secrets",
          "constraint_name": "16607_16612_4_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "vault",
          "table_name": "secrets",
          "constraint_name": "16607_16612_7_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "vault",
          "table_name": "secrets",
          "constraint_name": "16607_16612_8_not_null",
          "constraint_type": "CHECK"
        },
        {
          "table_schema": "vault",
          "table_name": "secrets",
          "constraint_name": "secrets_pkey",
          "constraint_type": "PRIMARY KEY"
        }
      ],
      "indices": [
        {
          "column": "id",
          "index_name": "secrets_pkey",
          "is_unique": true,
          "is_primary": true,
          "index_definition": "CREATE UNIQUE INDEX secrets_pkey ON vault.secrets
USING btree (id)"
        },
        {
          "column": "name",
          "index_name": "secrets_name_idx",
```

```
          "is_unique": true,
          "is_primary": false,
          "index_definition": "CREATE UNIQUE INDEX secrets_name_idx ON
vault.secrets USING btree (name) WHERE (name IS NOT NULL)"
        }
      ],
      "views": []
    }
  }
}
```