# Relatório de Conteúdo do Diretório

Diretório raiz: C:\Users\usuario\Python\DrTilapIA
Total de diretórios com conteúdo: 22
Total de arquivos incluídos: 66

## Sumário

| Seção | Arquivos |
|---|---|
| C:\Users\usuario\Python\DrTilapIA | 5 |
| backend | 6 |
| backend\app | 6 |
| backend\app\auth | 2 |
| backend\app\services | 3 |
| backend\tests | 1 |
| docs | 2 |
| frontend | 13 |
| frontend\app | 4 |
| frontend\app\auth | 1 |
| frontend\app\auth\login | 1 |
| frontend\app\landing | 1 |
| frontend\app\main\admin | 1 |
| frontend\app\main\consultoria | 1 |
| frontend\app\main\dashboard | 1 |
| frontend\app\main\hub | 1 |
| frontend\components | 6 |
| frontend\hooks | 4 |
| frontend\lib | 3 |
| frontend\store | 1 |
| frontend\styles | 1 |
| frontend\types | 2 |

# 1. Diretório: C:\Users\usuario\Python\DrTilapIA

## Arquivo: Esquema_banco.py

```
"""
Exportador completo da estrutura de um banco PostgreSQL/Supabase.

Funcionalidades:
- Lista schemas, tabelas e views
- Extrai colunas com tipos, nulabilidade, defaults e posições
- Identifica chaves primárias
- Identifica chaves estrangeiras com tabela/coluna referenciada
- Extrai índices com mapeamento real por coluna via pg_catalog
- Extrai constraints
- Exporta CSV consolidado
- Exporta JSON hierárquico por schema/tabela
- Usa variáveis de ambiente via .env

Requisitos:
    pip install psycopg2-binary python-dotenv

Exemplo de .env:
    SUPABASE_DB_HOST=your-project.supabase.co
    SUPABASE_DB_PORT=5432
    SUPABASE_DB_NAME=postgres
    SUPABASE_DB_USER=postgres
    SUPABASE_DB_PASSWORD=your_password
    SUPABASE_DB_SSLMODE=require
    SUPABASE_OUTPUT_DIR=output
"""

from __future__ import annotations

import csv
import json
import logging
import os
from dataclasses import dataclass, field
from pathlib import Path
from typing import Any, Dict, List, Optional

import psycopg2
from dotenv import load_dotenv
from psycopg2.extras import RealDictCursor

load_dotenv(Path(__file__).resolve().parent / ".env")

logging.basicConfig(
    level=logging.INFO,
    format="%(asctime)s - %(levelname)s - %(message)s"
)
logger = logging.getLogger(__name__)


@dataclass
class Coluna:
    schema: str
    tabela: str
    nome: str
    posicao: int
    tipo: str
    udt_name: str
    nullable: bool
    default: Optional[str]
    max_length: Optional[int]
    precision: Optional[int]
    scale: Optional[int]
    is_primary_key: bool = False
    foreign_key: Optional[Dict[str, Any]] = None
    indices: List[Dict[str, Any]] = field(default_factory=list)
class ExportadorEstruturaBD:
    def validar_variaveis_ambiente(self):
```

```
    variaveis = [
        "SUPABASE_DB_HOST",
        "SUPABASE_DB_PORT",
        "SUPABASE_DB_NAME",
        "SUPABASE_DB_USER",
        "SUPABASE_DB_PASSWORD",
    ]

    faltando = [v for v in variaveis if not os.getenv(v)]
    if faltando:
        raise RuntimeError(f"Variáveis ausentes no .env: {', '.join(faltando)}")


def __init__(self) -> None:
    self.conn = None
    self.output_dir = Path(os.getenv("SUPABASE_OUTPUT_DIR", "output"))
    self.output_dir.mkdir(parents=True, exist_ok=True)

def conectar(self) -> None:
    try:
        self.conn = psycopg2.connect(
            host=os.getenv("SUPABASE_DB_HOST"),
            port=os.getenv("SUPABASE_DB_PORT", "5432"),
            dbname=os.getenv("SUPABASE_DB_NAME"),
            user=os.getenv("SUPABASE_DB_USER"),
            password=os.getenv("SUPABASE_DB_PASSWORD"),
            sslmode=os.getenv("SUPABASE_DB_SSLMODE", "require"),
        )
        logger.info("Conexão com o banco estabelecida com sucesso.")
    except Exception as e:
        logger.exception("Falha ao conectar ao banco.")
        raise RuntimeError(f"Erro ao conectar ao banco: {e}") from e

def fechar(self) -> None:
    if self.conn:
        self.conn.close()
        logger.info("Conexão encerrada.")

def _fetchall(self, query: str, params: Optional[tuple] = None) -> List[Dict[str, Any]]:
    with self.conn.cursor(cursor_factory=RealDictCursor) as cur:
        cur.execute(query, params or ())
        return list(cur.fetchall())

def coletar_tabelas(self) -> List[Dict[str, Any]]:
    query = """
    SELECT
        table_schema,
        table_name,
        table_type
    FROM information_schema.tables
    WHERE table_schema NOT IN ('pg_catalog', 'information_schema')
    ORDER BY table_schema, table_name;
    """
    return self._fetchall(query)

def coletar_colunas(self) -> List[Dict[str, Any]]:
    query = """
    SELECT
        table_schema,
        table_name,
        ordinal_position,
        column_name,
        data_type,
        udt_name,
        is_nullable,
        column_default,
        character_maximum_length,
        numeric_precision,
        numeric_scale
    FROM information_schema.columns
    WHERE table_schema NOT IN ('pg_catalog', 'information_schema')
    ORDER BY table_schema, table_name, ordinal_position;
    """
    return self._fetchall(query)
```

```
def coletar_pk(self) -> List[Dict[str, Any]]:
    query = """
    SELECT
        tc.table_schema,
        tc.table_name,
        kcu.column_name,
        tc.constraint_name
    FROM information_schema.table_constraints tc
    JOIN information_schema.key_column_usage kcu
      ON tc.constraint_name = kcu.constraint_name
     AND tc.table_schema = kcu.table_schema
    WHERE tc.constraint_type = 'PRIMARY KEY'
    ORDER BY tc.table_schema, tc.table_name, kcu.ordinal_position;
    """
    return self._fetchall(query)

def coletar_fk(self) -> List[Dict[str, Any]]:
    query = """
    SELECT
        tc.table_schema,
        tc.table_name,
        kcu.column_name,
        ccu.table_schema AS foreign_table_schema,
        ccu.table_name AS foreign_table_name,
        ccu.column_name AS foreign_column_name,
        tc.constraint_name
    FROM information_schema.table_constraints tc
    JOIN information_schema.key_column_usage kcu
      ON tc.constraint_name = kcu.constraint_name
     AND tc.table_schema = kcu.table_schema
    JOIN information_schema.constraint_column_usage ccu
      ON ccu.constraint_name = tc.constraint_name
    WHERE tc.constraint_type = 'FOREIGN KEY'
    ORDER BY tc.table_schema, tc.table_name, kcu.ordinal_position;
    """
    return self._fetchall(query)

def coletar_constraints(self) -> List[Dict[str, Any]]:
    query = """
    SELECT
        table_schema,
        table_name,
        constraint_name,
        constraint_type
    FROM information_schema.table_constraints
    WHERE table_schema NOT IN ('pg_catalog', 'information_schema')
    ORDER BY table_schema, table_name, constraint_type, constraint_name;
    """
    return self._fetchall(query)

def coletar_views(self) -> List[Dict[str, Any]]:
    query = """
    SELECT
        table_schema,
        table_name,
        view_definition
    FROM information_schema.views
    WHERE table_schema NOT IN ('pg_catalog', 'information_schema')
    ORDER BY table_schema, table_name;
    """
    return self._fetchall(query)

def coletar_indices(self) -> List[Dict[str, Any]]:
    query = """
    SELECT
        n.nspname AS schema_name,
        t.relname AS table_name,
        i.relname AS index_name,
        ix.indisunique AS is_unique,
        ix.indisprimary AS is_primary,
        pg_get_indexdef(ix.indexrelid) AS index_definition,
        ARRAY(
            SELECT a.attname
            FROM unnest(ix.indkey) WITH ORDINALITY AS k(attnum, ord)
```

```
            JOIN pg_attribute a
              ON a.attrelid = t.oid
             AND a.attnum = k.attnum
            ORDER BY k.ord
        ) AS index_columns
    FROM pg_class t
    JOIN pg_namespace n
      ON n.oid = t.relnamespace
    JOIN pg_index ix
      ON ix.indrelid = t.oid
    JOIN pg_class i
      ON i.oid = ix.indexrelid
    WHERE n.nspname NOT IN ('pg_catalog', 'information_schema')
      AND t.relkind IN ('r', 'p')
    ORDER BY n.nspname, t.relname, i.relname;
    """
    return self._fetchall(query)

def montar_mapas(self) -> Dict[str, Any]:
    tabelas = self.coletar_tabelas()
    colunas = self.coletar_colunas()
    pks = self.coletar_pk()
    fks = self.coletar_fk()
    constraints = self.coletar_constraints()
    views = self.coletar_views()
    indices = self.coletar_indices()

    pk_set = {
        (x["table_schema"], x["table_name"], x["column_name"])
        for x in pks
    }

    fk_map = {}
    for x in fks:
        fk_map[(x["table_schema"], x["table_name"], x["column_name"])] = x

    idx_map = {}
    for x in indices:
        for col in x["index_columns"] or []:
            chave = (x["schema_name"], x["table_name"], col)
            idx_map.setdefault(chave, []).append({
                "index_name": x["index_name"],
                "is_unique": x["is_unique"],
                "is_primary": x["is_primary"],
                "index_definition": x["index_definition"]
            })

    hierarquia: Dict[str, Dict[str, Any]] = {}

    for tabela in tabelas:
        schema = tabela["table_schema"]
        nome_tabela = tabela["table_name"]

        hierarquia.setdefault(schema, {})
        hierarquia[schema].setdefault(nome_tabela, {
            "table_type": tabela["table_type"],
            "columns": [],
            "primary_keys": [],
            "foreign_keys": [],
            "constraints": [],
            "indices": [],
            "views": []
        })

    for view in views:
        schema = view["table_schema"]
        nome_view = view["table_name"]
        hierarquia.setdefault(schema, {})
        if nome_view not in hierarquia[schema]:
            hierarquia[schema][nome_view] = {
                "table_type": "VIEW",
                "columns": [],
                "primary_keys": [],
                "foreign_keys": [],
```

```
                "constraints": [],
                "indices": [],
                "views": []
            }
        hierarquia[schema][nome_view]["views"].append({
            "view_definition": view["view_definition"]
        })

    for col in colunas:
        schema = col["table_schema"]
        tabela = col["table_name"]
        chave_coluna = (schema, tabela, col["column_name"])

        coluna = {
            "name": col["column_name"],
            "position": col["ordinal_position"],
            "type": col["data_type"],
            "udt_name": col["udt_name"],
            "nullable": col["is_nullable"] == "YES",
            "default": col["column_default"],
            "character_maximum_length": col["character_maximum_length"],
            "numeric_precision": col["numeric_precision"],
            "numeric_scale": col["numeric_scale"],
            "is_primary_key": chave_coluna in pk_set,
            "foreign_key": fk_map.get(chave_coluna),
            "indices": idx_map.get(chave_coluna, [])
        }

        if schema not in hierarquia:
            hierarquia[schema] = {}
        if tabela not in hierarquia[schema]:
            hierarquia[schema][tabela] = {
                "table_type": "BASE TABLE",
                "columns": [],
                "primary_keys": [],
                "foreign_keys": [],
                "constraints": [],
                "indices": [],
                "views": []
            }

        hierarquia[schema][tabela]["columns"].append(coluna)

        if coluna["is_primary_key"]:
            hierarquia[schema][tabela]["primary_keys"].append(col["column_name"])

        if coluna["foreign_key"]:
            hierarquia[schema][tabela]["foreign_keys"].append(coluna["foreign_key"])

        if coluna["indices"]:
            for idx in coluna["indices"]:
                hierarquia[schema][tabela]["indices"].append({
                    "column": col["column_name"],
                    **idx
                })

    for c in constraints:
        schema = c["table_schema"]
        tabela = c["table_name"]
        if schema in hierarquia and tabela in hierarquia[schema]:
            hierarquia[schema][tabela]["constraints"].append(c)

    return {
        "tabelas": tabelas,
        "colunas": colunas,
        "primary_keys": pks,
        "foreign_keys": fks,
        "constraints": constraints,
        "views": views,
        "indices": indices,
        "hierarquia": hierarquia,
    }

def exportar_csv_consolidado(self, colunas: List[Dict[str, Any]], pks: List[Dict[str, Any]], fks: List[Dict[str, An
```

```
    pk_set = {(x["table_schema"], x["table_name"], x["column_name"]) for x in pks}
    fk_map = {(x["table_schema"], x["table_name"], x["column_name"]): x for x in fks}

    idx_map = {}
    for x in indices:
        for col in x["index_columns"] or []:
            idx_map.setdefault((x["schema_name"], x["table_name"], col), []).append(x)

    arquivo = self.output_dir / "estrutura_bd.csv"

    with arquivo.open("w", newline="", encoding="utf-8") as f:
        writer = csv.DictWriter(
            f,
            fieldnames=[
                "schema",
                "tabela",
                "coluna",
                "posicao",
                "tipo",
                "udt_name",
                "nullable",
                "default",
                "character_maximum_length",
                "numeric_precision",
                "numeric_scale",
                "is_primary_key",
                "foreign_table_schema",
                "foreign_table_name",
                "foreign_column_name",
                "foreign_key_name",
                "indices"
            ]
        )
        writer.writeheader()

        for col in colunas:
            chave = (col["table_schema"], col["table_name"], col["column_name"])
            fk = fk_map.get(chave)
            idxs = idx_map.get(chave, [])

            writer.writerow({
                "schema": col["table_schema"],
                "tabela": col["table_name"],
                "coluna": col["column_name"],
                "posicao": col["ordinal_position"],
                "tipo": col["data_type"],
                "udt_name": col["udt_name"],
                "nullable": col["is_nullable"],
                "default": col["column_default"],
                "character_maximum_length": col["character_maximum_length"],
                "numeric_precision": col["numeric_precision"],
                "numeric_scale": col["numeric_scale"],
                "is_primary_key": chave in pk_set,
                "foreign_table_schema": fk["foreign_table_schema"] if fk else None,
                "foreign_table_name": fk["foreign_table_name"] if fk else None,
                "foreign_column_name": fk["foreign_column_name"] if fk else None,
                "foreign_key_name": fk["constraint_name"] if fk else None,
                "indices": json.dumps([
                    {
                        "index_name": i["index_name"],
                        "is_unique": i["is_unique"],
                        "is_primary": i["is_primary"]
                    }
                    for i in idxs
                ], ensure_ascii=False)
            })

    logger.info("CSV exportado para %s", arquivo)
    return arquivo

def exportar_json(self, hierarquia: Dict[str, Any]) -> Path:
    arquivo = self.output_dir / "estrutura_bd.json"
    with arquivo.open("w", encoding="utf-8") as f:
        json.dump(hierarquia, f, indent=2, ensure_ascii=False, default=str)
```

```
        logger.info("JSON exportado para %s", arquivo)
        return arquivo

    def executar(self) -> None:
        try:
            self.validar_variaveis_ambiente()
            self.conectar()
            dados = self.montar_mapas()

            self.exportar_csv_consolidado(
                colunas=dados["colunas"],
                pks=dados["primary_keys"],
                fks=dados["foreign_keys"],
                indices=dados["indices"]
            )
            self.exportar_json(dados["hierarquia"])

            logger.info("Exportação concluída com sucesso.")
        except Exception as e:
            logger.exception("Erro na exportação.")
            raise
        finally:
            self.fechar()


if __name__ == "__main__":
    ExportadorEstruturaBD().executar()
```

## Arquivo: Estrutura_dir.py

```
from pathlib import Path

# Diretórios considerados "lixo" em projetos reais
IGNORAR_DIRS = {
    ".git",
    ".idea",
    ".vscode",
    "__pycache__",
    "node_modules",
    ".pytest_cache",
    "dist",
    "build",
    "venv",
    "env",
}

# Arquivos inúteis também podem ser ignorados aqui
IGNORAR_ARQUIVOS = {
    ".DS_Store",
    "Thumbs.db",
}


def gerar_arvore(diretorio, prefixo=""):
    caminho = Path(diretorio)

    # Lista somente itens relevantes
    itens = []
    for item in caminho.iterdir():

        # Ignorar ocultos (.qualquercoisa)
        if item.name.startswith(".") and item.name != ".gitignore":
            continue

        # Ignorar diretórios lixo
        if item.is_dir() and item.name in IGNORAR_DIRS:
            continue

        # Ignorar arquivos lixo
        if item.is_file() and item.name in IGNORAR_ARQUIVOS:
            continue

        itens.append(item)
```

```
    # Ordenação: pastas primeiro, depois arquivos
    itens.sort(key=lambda x: (not x.is_dir(), x.name.lower()))

    total = len(itens)
    for index, item in enumerate(itens):
        ultimo = (index == total - 1)
        conector = "■■■ " if ultimo else "■■■ "

        print(prefixo + conector + item.name)

        if item.is_dir():
            novo_prefixo = prefixo + ("    " if ultimo else "■   ")
            gerar_arvore(item, novo_prefixo)


# --- Execução ---
print("■ Estrutura do Projeto (clean):")
gerar_arvore(".")
```

## Arquivo: Retorna_conteudo.py

```
import os
import argparse
from fnmatch import fnmatch

from reportlab.lib import colors
from reportlab.lib.pagesizes import letter
from reportlab.lib.styles import ParagraphStyle, getSampleStyleSheet
from reportlab.lib.units import inch
from reportlab.pdfbase import pdfmetrics
from reportlab.pdfbase.ttfonts import TTFont
from reportlab.platypus import (
    SimpleDocTemplate,
    Paragraph,
    Preformatted,
    Spacer,
    PageBreak,
    Table,
    TableStyle,
)

try:
    pdfmetrics.registerFont(TTFont("DejaVuSans", "DejaVuSans.ttf"))
    FONTE_PADRAO = "DejaVuSans"
except Exception:
    FONTE_PADRAO = "Helvetica"

EXTENSOES_PADRAO = (
    ".py", ".txt", ".md", ".json", ".xml",
    ".html", ".css", ".js", ".mjs", ".ts",
    ".tsx", ".yml"
)

DIRETORIOS_IGNORADOS_PADRAO = (
    ".git", "__pycache__", ".vscode", ".idea",
    "node_modules", "build", "dist"
)

ARQUIVOS_IGNORADOS_PADRAO = (
    "*.pyc", "*.log", "*.tmp", "*.bak",
    "*~", "*.swp", "*.DS_Store", "Thumbs.db", "*.pyo"
)

styles = getSampleStyleSheet()
styles.add(ParagraphStyle(
    name="TituloRelatorio",
    fontSize=18,
    leading=22,
    spaceAfter=12,
    fontName=FONTE_PADRAO,
))
styles.add(ParagraphStyle(
    name="TituloDiretorio",
```

```
    fontSize=15,
    leading=18,
    spaceBefore=10,
    spaceAfter=8,
    fontName=FONTE_PADRAO,
))
styles.add(ParagraphStyle(
    name="TituloArquivo",
    fontSize=12,
    leading=14,
    spaceBefore=6,
    spaceAfter=4,
    fontName=FONTE_PADRAO,
))
styles.add(ParagraphStyle(
    name="TextoNormalFonte",
    parent=styles["Normal"],
    fontName=FONTE_PADRAO,
    leading=12,
))
styles.add(ParagraphStyle(
    name="TextoCodigo",
    fontName="Courier",
    fontSize=8,
    leading=9,
))
styles.add(ParagraphStyle(
    name="TituloSumario",
    fontSize=16,
    leading=20,
    spaceAfter=12,
    fontName=FONTE_PADRAO,
))


def arquivo_deve_ser_ignorado(nome_arquivo, padroes_ignorados):
    return any(fnmatch(nome_arquivo, padrao) for padrao in padroes_ignorados)


def criar_numero_pagina(canvas, doc):
    canvas.saveState()
    canvas.setFont(FONTE_PADRAO, 9)
    canvas.drawRightString(letter[0] - 0.5 * inch, 0.5 * inch, f"Página {doc.page}")
    canvas.restoreState()


def gerar_relatorio_pdf(
    diretorio_raiz,
    arquivo_saida,
    extensoes_filtro=None,
    diretorios_excluir_adicional=None,
    arquivos_excluir_adicional=None,
):
    if extensoes_filtro is None:
        extensoes_filtro = EXTENSOES_PADRAO
    else:
        extensoes_filtro = tuple(extensoes_filtro)

    if diretorios_excluir_adicional is None:
        diretorios_excluir_adicional = ()
    else:
        diretorios_excluir_adicional = tuple(diretorios_excluir_adicional)

    if arquivos_excluir_adicional is None:
        arquivos_excluir_adicional = ()
    else:
        arquivos_excluir_adicional = tuple(arquivos_excluir_adicional)

    diretorios_ignorados = tuple(set(DIRETORIOS_IGNORADOS_PADRAO + diretorios_excluir_adicional))
    arquivos_ignorados = tuple(set(ARQUIVOS_IGNORADOS_PADRAO + arquivos_excluir_adicional))

    estrutura = []
    total_arquivos = 0
    total_diretorios = 0
```

```
for raiz, dirs, arquivos in os.walk(diretorio_raiz):
    dirs[:] = [
        d for d in dirs
        if not d.startswith(".") and d not in diretorios_ignorados
    ]

    arquivos_validos = []
    for nome_arquivo in sorted(arquivos):
        if not nome_arquivo.endswith(extensoes_filtro):
            continue
        if arquivo_deve_ser_ignorado(nome_arquivo, arquivos_ignorados):
            continue

        caminho_arquivo = os.path.join(raiz, nome_arquivo)
        try:
            with open(caminho_arquivo, "r", encoding="utf-8") as f:
                conteudo = f.read()
        except UnicodeDecodeError:
            conteudo = "[Erro: arquivo binário ou encoding inválido - conteúdo omitido]"
        except Exception as e:
            conteudo = f"[Erro ao ler: {str(e)}]"

        arquivos_validos.append({
            "nome": nome_arquivo,
            "caminho": os.path.relpath(caminho_arquivo, diretorio_raiz),
            "conteudo": conteudo,
        })
        total_arquivos += 1

    if arquivos_validos:
        caminho_relativo = os.path.relpath(raiz, diretorio_raiz)
        estrutura.append({
            "diretorio": diretorio_raiz if caminho_relativo == "." else caminho_relativo,
            "arquivos": arquivos_validos,
        })
        total_diretorios += 1

doc = SimpleDocTemplate(
    arquivo_saida,
    pagesize=letter,
    rightMargin=36,
    leftMargin=36,
    topMargin=54,
    bottomMargin=54,
    title="Relatório de Diretório",
    author="Gerador de Relatório",
)

story = []

story.append(Paragraph("Relatório de Conteúdo do Diretório", styles["TituloRelatorio"]))
story.append(Paragraph(f"Diretório raiz: {os.path.abspath(diretorio_raiz)}", styles["TextoNormalFonte"]))
story.append(Paragraph(f"Total de diretórios com conteúdo: {total_diretorios}", styles["TextoNormalFonte"]))
story.append(Paragraph(f"Total de arquivos incluídos: {total_arquivos}", styles["TextoNormalFonte"]))
story.append(Spacer(1, 0.25 * inch))

story.append(Paragraph("Sumário", styles["TituloSumario"]))

tabela_sumario = [["Seção", "Arquivos"]]
for secao in estrutura:
    tabela_sumario.append([secao["diretorio"], str(len(secao["arquivos"]))])

tabela = Table(tabela_sumario, colWidths=[4.8 * inch, 1.2 * inch])
tabela.setStyle(TableStyle([
    ("BACKGROUND", (0, 0), (-1, 0), colors.lightgrey),
    ("TEXTCOLOR", (0, 0), (-1, 0), colors.black),
    ("FONTNAME", (0, 0), (-1, -1), FONTE_PADRAO),
    ("FONTSIZE", (0, 0), (-1, -1), 9),
    ("LEADING", (0, 0), (-1, -1), 11),
    ("GRID", (0, 0), (-1, -1), 0.5, colors.grey),
    ("VALIGN", (0, 0), (-1, -1), "TOP"),
    ("ROWBACKGROUNDS", (0, 1), (-1, -1), [colors.whitesmoke, colors.lightyellow]),
]))
story.append(tabela)
```

```
    story.append(PageBreak())

    for indice, secao in enumerate(estrutura, start=1):
        story.append(Paragraph(f"{indice}. Diretório: {secao['diretorio']}", styles["TituloDiretorio"]))
        story.append(Spacer(1, 0.08 * inch))

        for arquivo in secao["arquivos"]:
            story.append(Paragraph(f"Arquivo: {arquivo['caminho']}", styles["TituloArquivo"]))
            story.append(Preformatted(arquivo["conteudo"], styles["TextoCodigo"]))
            story.append(Spacer(1, 0.16 * inch))

        if indice < len(estrutura):
            story.append(PageBreak())

    doc.build(story, onFirstPage=criar_numero_pagina, onLaterPages=criar_numero_pagina)


if __name__ == "__main__":
    gerar_relatorio_pdf(
        diretorio_raiz=r"C:\Users\usuario\Python\DrTilapIA",
        arquivo_saida=r"C:\Users\usuario\Python\DrTilapIA\Codigo.pdf",
        extensoes_filtro=(
            ".py", ".txt", ".md", ".json", ".xml",
            ".html", ".css", ".js", ".mjs", ".ts",
            ".tsx", ".yml"
        ),
        diretorios_excluir_adicional=(
            ".git", "__pycache__", ".vscode", ".idea",
            "node_modules", "build", "dist",
        ),
        arquivos_excluir_adicional=()
    )

    print(r"Relatório PDF gerado com sucesso em: C:\Users\usuario\Python\DrTilapIA\Codigo.pdf")
```

## Arquivo: Teste_url.py

```
import os
from dotenv import load_dotenv
import psycopg2

# Carrega as variáveis do arquivo .env
load_dotenv()

# Lê a variável de ambiente
url = os.getenv('SUPABASE_DATABASE_URL')

# Valida se a variável existe
if not url:
    print("Erro: Variável SUPABASE_DATABASE_URL não encontrada no arquivo .env")
    exit(1)

# Tenta conectar e executar um SELECT simples
conn = None
try:
    conn = psycopg2.connect(url)
    cur = conn.cursor()
    cur.execute("SELECT 1")
    result = cur.fetchone()
    print("Conexão com Supabase/PostgreSQL bem-sucedida!")
except Exception as e:
    print(f"Erro na conexão: {e}")
finally:
    if conn:
        conn.close()

# Exemplo de .env:
# SUPABASE_DATABASE_URL=postgresql://usuario:senha@host:porta/banco
# Observação: Para senhas com caracteres especiais, use URL encoding, ex: %40 para @, %23 para #.
```

## Arquivo: docker-compose.yml

```
frontend:
  build:
    context: .
    dockerfile: frontend.Dockerfile
  ports:
    - "3000:3000"
  # Remover porta 8001 (Reflex backend)
  volumes:
    - ./frontend:/app
  environment:
    - NEXT_PUBLIC_BACKEND_URL=http://localhost:8000
```

# 2. Diretório: backend

## Arquivo: backend\create_standard_user.py

```
import bcrypt
from app.database import supabase


def create_user(email, password, name, role):
    # Gerando Hash seguro com Bcrypt
    salt = bcrypt.gensalt()
    hashed = bcrypt.hashpw(password.encode('utf-8'), salt).decode('utf-8')

    data = {
        "email": email,
        "hashed_password": hashed,
        "full_name": name,
        "role": role  # 'admin' ou 'user'
    }

    try:
        # Insere na tabela public.users
        res = supabase.table("users").insert(data).execute()
        print(f"■ Usuário {email} criado com sucesso como '{role}'!")
    except Exception as e:
        print(f"■ Erro ao criar usuário: {e}")


if __name__ == "__main__":
    # Criando o usuário padrão solicitado
    create_user("usuario@gmail.com", "123456", "Usuário Comum", "user")
```

## Arquivo: backend\criar_admin.py

```
import os
import sys

# 1. Localiza a pasta 'backend' de forma absoluta
# Isso evita problemas com o OneDrive e caminhos relativos no Windows
BASE_DIR = os.path.dirname(os.path.abspath(__file__))

# 2. Injeta o caminho no sys.path para o Python "enxergar" a pasta app
if BASE_DIR not in sys.path:
    sys.path.insert(0, BASE_DIR)

try:
    # Importação direta (agora o Python sabe que 'app' está na raiz do sys.path)
    from app.database import supabase
    from app.auth.auth_service import get_password_hash


    def main():
        print("\n" + "=" * 50)
        print("   DR. TILÁPIA - CONFIGURAÇÃO DE ACESSO ADMIN")
        print("=" * 50)

        email = input("■ E-mail do Administrador: ").strip()
        senha = input("■ Senha do Administrador: ").strip()

        if not email or not senha:
            print("■ Erro: Campos obrigatórios vazios.")
            return

        print("\n■ Gerando Hash e conectando ao Supabase...")

        try:
            # Gerando o hash usando sua função do auth_service
            senha_hash = get_password_hash(senha)

            # Inserindo na tabela 'users'
            # IMPORTANTE: Verifique se as colunas no Supabase são exatamente estas
```

```
            dados = {
                "email": email,
                "hashed_password": senha_hash,
                "role": "admin"
            }

            response = supabase.table("users").insert(dados).execute()

            if response.data:
                print(f"\n■ SUCESSO! Usuário '{email}' criado.")
                print("■ Agora você pode logar no Frontend (Porta 3000).")
            else:
                print("\n■ Erro: O banco não retornou confirmação.")

        except Exception as e:
            print(f"\n■ Erro na operação: {e}")


    if __name__ == "__main__":
        main()

except ImportError as e:
    print(f"\n■ ERRO DE IMPORTAÇÃO: {e}")
    print(f"DEBUG: Verifique se existe o arquivo: {os.path.join(BASE_DIR, 'app', 'database.py')}")
    print(f"DEBUG: Verifique se existe o arquivo: {os.path.join(BASE_DIR, 'app', '__init__.py')}")
```

## Arquivo: backend\criar_usuario_admin.py

```
import os
import logging
import re
from supabase import create_client, Client
from app.services.user_service import UserService
from dotenv import load_dotenv
from typing import List, Dict, Any, Optional

# Carrega variáveis de ambiente do arquivo .env
load_dotenv()

# Configuração de logging
logging.basicConfig(level=logging.INFO, format='%(asctime)s - %(name)s - %(levelname)s - %(message)s')
logger = logging.getLogger(__name__)


class AdminCLI:
    """
    Interface de linha de comando para gerenciar usuários do Supabase Auth.
    Utiliza o UserService para operações administrativas.
    """

    def __init__(self):
        try:
            self.user_service = UserService()
            logger.info("AdminCLI inicializado com UserService.")
        except ValueError as e:
            logger.critical(f"Erro de inicialização do UserService: {e}")
            print(f"\n■ ERRO CRÍTICO: {e}")
            print(
                "   Certifique-se de que SUPABASE_URL e SUPABASE_SERVICE_ROLE_KEY estão definidos no seu arquivo .env."
            exit(1)

    def _validate_email(self, email: str) -> bool:
        """Valida o formato do email."""
        if not re.fullmatch(r"[^@]+@[^@]+\.[^@]+", email):
            print("■ Formato de email inválido.")
            return False
        return True

    def _validate_password_strength(self, password: str) -> bool:
        """Valida a força da senha (mínimo 8 caracteres, maiúscula, minúscula, número, caractere especial)."""
        if len(password) < 8:
            print("■ A senha deve ter no mínimo 8 caracteres.")
            return False
```

```
    if not re.search(r"[A-Z]", password):
        print("■ A senha deve conter pelo menos uma letra maiúscula.")
        return False
    if not re.search(r"[a-z]", password):
        print("■ A senha deve conter pelo menos uma letra minúscula.")
        return False
    if not re.search(r"\d", password):
        print("■ A senha deve conter pelo menos um número.")
        return False
    if not re.search(r"[!@#$%^&*(),.?\"{}\|<>]", password):
        print("■ A senha deve conter pelo menos um caractere especial.")
        return False
    return True

def _get_user_input(self, prompt: str, sensitive: bool = False) -> str:
    """Obtém entrada do usuário, com opção para entrada sensível (senha)."""
    if sensitive:
        return input(prompt)
    return input(prompt)

def display_menu(self):
    """Exibe o menu de opções para o usuário."""
    print("\n--- Gerenciamento de Usuários Supabase ---")
    print("1. Criar Novo Usuário")
    print("2. Listar Usuários Existentes")
    print("3. Deletar Usuário")
    print("4. Sair")
    print("")

def handle_create_user(self):
    """Processa a criação de um novo usuário."""
    print("\n--- Criar Novo Usuário ---")
    while True:
        email = self._get_user_input("Email do novo usuário: ").strip()
        if self._validate_email(email):
            break

    existing_user = self.user_service.get_user_by_email(email)
    if existing_user:
        print(f"■■ Usuário com email '{email}' já existe. ID: {existing_user.get('id')}")
        return

    while True:
        password = self._get_user_input("Senha do novo usuário: ", sensitive=True).strip()
        if self._validate_password_strength(password):
            break

    name = self._get_user_input("Nome completo do usuário: ").strip()

    roles = ["admin", "user", "guest"]
    while True:
        role = self._get_user_input(f"Role do usuário ({', '.join(roles)}): ").strip().lower()
        if role in roles:
            break
        print(f"■ Role inválida. Escolha entre: {', '.join(roles)}")

    try:
        new_user = self.user_service.create_user(email, password, name, role=role)
        print(f"\n■ Usuário '{email}' criado com sucesso!")
        print(f"   ID: {new_user.get('id')}")
        print(f"   Nome: {new_user.get('user_metadata', {}).get('name')}")
        print(f"   Email: {new_user.get('email')}")
        print(f"   Role: {new_user.get('user_metadata', {}).get('role')}")
    except Exception as e:
        logger.error(f"Erro ao criar usuário '{email}': {e}", exc_info=True)
        print(f"\n■ ERRO ao criar usuário: {e}")

def handle_list_users(self):
    """Processa a listagem de usuários existentes."""
    print("\n--- Listar Usuários ---")
    try:
        users = self.user_service.list_users()
        if not users:
            print("Nenhum usuário encontrado.")
```

```
                return

            print(f"Total de usuários: {len(users)}")
            for user in users:
                user_id = user.get('id', 'N/A')
                email = user.get('email', 'N/A')
                name = user.get('user_metadata', {}).get('name', 'N/A')
                role = user.get('user_metadata', {}).get('role', 'N/A')
                created_at = user.get('created_at', 'N/A')
                print(f"")
                print(f"ID: {user_id}")
                print(f"Email: {email}")
                print(f"Nome: {name}")
                print(f"Role: {role}")
                print(f"Criado em: {created_at}")
            print(f"")
        except Exception as e:
            logger.error(f"Erro ao listar usuários: {e}", exc_info=True)
            print(f"\n■ ERRO ao listar usuários: {e}")

    def handle_delete_user(self):
        """Processa a exclusão de um usuário."""
        print("\n--- Deletar Usuário ---")
        user_id = self._get_user_input("ID do usuário a ser deletado: ").strip()
        if not user_id:
            print("■ ID do usuário não pode ser vazio.")
            return

        try:
            user_to_delete = self.user_service.get_user_by_id(user_id)
            if not user_to_delete:
                print(f"■■ Usuário com ID '{user_id}' não encontrado.")
                return

            confirm = self._get_user_input(
                f"Tem certeza que deseja deletar o usuário '{user_to_delete.get('email')}' (s/N)? ").strip().lower()
            if confirm == 's':
                self.user_service.delete_user(user_id)
                print(f"\n■ Usuário '{user_id}' deletado com sucesso.")
            else:
                print("Operação de exclusão cancelada.")
        except Exception as e:
            logger.error(f"Erro ao deletar usuário '{user_id}': {e}", exc_info=True)
            print(f"\n■ ERRO ao deletar usuário: {e}")

    def run(self):
        """Executa o loop principal da interface de linha de comando."""
        while True:
            self.display_menu()
            choice = self._get_user_input("Escolha uma opção: ").strip()

            if choice == '1':
                self.handle_create_user()
            elif choice == '2':
                self.handle_list_users()
            elif choice == '3':
                self.handle_delete_user()
            elif choice == '4':
                print("Saindo do gerenciador de usuários. Até mais!")
                break
            else:
                print("Opção inválida. Por favor, tente novamente.")


if __name__ == "__main__":
    cli = AdminCLI()
    cli.run()
```

## Arquivo: backend\docker-compose.yml

```
services:
  api:
    build:
```

```
      context: ..
      dockerfile: backend/Dockerfile
    container_name: dr_tilapia_api_dev
    ports:
      - "8000:8000"
    volumes:
      - .:/app
      - ../.env:/app/.env
    env_file:
      - ../.env
    restart: always

# Nota: Este compose é focado em desenvolvimento isolado do motor de IA.
```

## Arquivo: backend\requirements.txt

```
[Erro: arquivo binário ou encoding inválido - conteúdo omitido]
```

## Arquivo: backend\test_endpoints_baseline.py

```
"""
TESTE BASELINE DOS ENDPOINTS - 06/04/2026
Objetivo: Validar que todos os endpoints do backend estão funcionando
"""
import asyncio
import httpx
import json
from pathlib import Path
from dotenv import load_dotenv
import os

# Carrega variáveis de ambiente
env_path = Path(__file__).parent.parent / '.env'
load_dotenv(env_path)

BASE_URL = "http://localhost:8000"
TIMEOUT = 30.0


class EndpointAudit:
    def __init__(self):
        self.results = []
        self.client = httpx.Client(timeout=TIMEOUT)

    def log_test(self, endpoint: str, method: str, status: int, response: dict, error: str = None):
        """Registra resultado de cada teste"""
        result = {
            "endpoint": endpoint,
            "method": method,
            "status_code": status,
            "success": 200 <= status < 300,
            "response_sample": str(response)[:200],  # Primeiros 200 chars
            "error": error
        }
        self.results.append(result)
        symbol = "■" if not error else "■"
        print(f"{symbol} {endpoint} - {method} - Status {status}")

    def test_health(self):
        """GET /health - Verificar disponibilidade da API"""
        try:
            print("\n[1/4] Testando GET /health...")
            response = self.client.get(f"{BASE_URL}/health")
            self.log_test("/health", "GET", response.status_code, response.json())
        except Exception as e:
            self.log_test("/health", "GET", 0, {}, str(e))

    def test_login(self, email: str = "admin@drtilapia.com", password: str = "test123"):
        """POST /auth/login - Testar autenticação"""
        try:
            print("\n[2/4] Testando POST /auth/login...")
            payload = {"email": email, "password": password}
```

```
        response = self.client.post(
            f"{BASE_URL}/auth/login",
            json=payload
        )
        self.log_test("/auth/login", "POST", response.status_code, response.json())

        # Se sucesso, extrai token para próximos testes
        if response.status_code == 200:
            data = response.json()
            token = data.get("access_token")
            return token
    except Exception as e:
        self.log_test("/auth/login", "POST", 0, {}, str(e))
    return None

def test_chat(self, token: str):
    """POST /consultoria/chat - Testar RAG"""
    try:
        print("\n[3/4] Testando POST /consultoria/chat...")
        headers = {}
        if token:
            headers["Authorization"] = f"Bearer {token}"

        payload = {
            "message": "Qual é a temperatura ideal para tilápia?",
            "history": []
        }
        response = self.client.post(
            f"{BASE_URL}/consultoria/chat",
            json=payload,
            headers=headers
        )
        self.log_test("/consultoria/chat", "POST", response.status_code, response.json())
    except Exception as e:
        self.log_test("/consultoria/chat", "POST", 0, {}, str(e))

def generate_report(self):
    """Salva relatório em JSON"""
    report_dir = Path(__file__).parent.parent / "docs"
    report_dir.mkdir(exist_ok=True)

    from datetime import datetime
    date_str = datetime.now().strftime("%Y%m%d_%H%M%S")
    report_path = report_dir / f"endpoint_audit_report_{date_str}.json"

    with open(report_path, 'w', encoding='utf-8') as f:
        json.dump(self.results, f, indent=2, ensure_ascii=False)

    print(f"\n■ Relatório salvo: {report_path}")
    return report_path

def run_all_tests(self):
    """Executa sequência de testes"""
    print("\n" + "=" * 60)
    print("■ INICIANDO TESTES DE BASELINE")
    print("=" * 60)

    self.test_health()
    token = self.test_login()

    if token:
        print(f"\n■ Token obtido: {token[:20]}...")
        self.test_chat(token)
    else:
        print("\n■■  Skipped chat test - Token não obtido")

    print("\n[4/4] Gerando relatório...")
    self.generate_report()

    # Resumo
    passed = sum(1 for r in self.results if r['success'])
    total = len(self.results)
    print(f"\n{'=' * 60}")
    print(f"■ {passed}/{total} testes passaram")
```

```
        print(f"{'=' * 60}\n")

        return self.results


if __name__ == "__main__":
    audit = EndpointAudit()
    audit.run_all_tests()
```

# 3. Diretório: backend\app

## Arquivo: backend\app__init__.py

```
"""
Pacote principal da aplicação DrTilápia 1.3.
Centraliza importações de módulos críticos.
"""

__version__ = "2.0"
```

## Arquivo: backend\app\database.py

```
# CAMINHO: backend/app/database.py
"""Módulo de configuração dos clientes Supabase do backend."""

import os
import logging
from pathlib import Path
from dotenv import load_dotenv
from supabase import create_client, Client

logger = logging.getLogger(__name__)

env_path = Path(__file__).resolve().parent.parent / '.env'
load_dotenv(dotenv_path=env_path)

SUPABASE_URL = os.getenv("SUPABASE_URL")
SUPABASE_KEY = os.getenv("SUPABASE_KEY")
SUPABASE_SERVICE_ROLE_KEY = os.getenv("SUPABASE_SERVICE_ROLE_KEY")

if not SUPABASE_URL:
    raise ValueError("SUPABASE_URL não encontrada no arquivo .env do backend.")

if not SUPABASE_KEY:
    raise ValueError("SUPABASE_KEY não encontrada no arquivo .env do backend.")

auth_key = SUPABASE_KEY
admin_key = (
    SUPABASE_SERVICE_ROLE_KEY
    if SUPABASE_SERVICE_ROLE_KEY and SUPABASE_SERVICE_ROLE_KEY.strip()
    else SUPABASE_KEY
)

supabase_auth_key_type = "default_key"
supabase_admin_key_type = (
    "service_role"
    if SUPABASE_SERVICE_ROLE_KEY and SUPABASE_SERVICE_ROLE_KEY.strip()
    else "default_key"
)

supabase_auth: Client = create_client(SUPABASE_URL, auth_key)
supabase_admin: Client = create_client(SUPABASE_URL, admin_key)

# Compatibilidade retroativa com código legado
supabase: Client = supabase_admin

supabase_env_path = str(env_path)

logger.info("Arquivo .env carregado de: %s", supabase_env_path)
logger.info("Tipo da chave auth: %s", supabase_auth_key_type)
logger.info("Tipo da chave admin: %s", supabase_admin_key_type)
```

## Arquivo: backend\app\dependencies.py

```
# CAMINHO: backend/app/dependencies.py
# ARQUIVO: dependencies.py

from app.database import supabase
from fastapi import Depends, HTTPException, status
```

```
from fastapi.security import HTTPBearer, HTTPAuthorizationCredentials
from typing import Any

security = HTTPBearer(auto_error=False)


async def get_current_user(credentials: HTTPAuthorizationCredentials | None = Depends(security)) -> dict:
    """
    Dependência para obter o usuário atual autenticado via token JWT do Supabase.
    Valida o token, consulta a tabela 'users' e retorna os dados do usuário.
    """
    if not credentials:
        raise HTTPException(status_code=status.HTTP_401_UNAUTHORIZED, detail="Token de acesso não fornecido")

    access_token = credentials.credentials

    try:
        # Validar o token com Supabase Auth
        user_response = supabase.auth.get_user(access_token)
        user = user_response.user
        if not user:
            raise HTTPException(status_code=status.HTTP_401_UNAUTHORIZED, detail="Token inválido ou expirado")

        user_id = user.id

        # Consultar a tabela 'users' para obter id, email e role
        response = supabase.table('users').select('id, email, role').eq('id', user_id).execute()
        if not response.data:
            raise HTTPException(status_code=status.HTTP_401_UNAUTHORIZED,
                                detail="Usuário não encontrado na tabela 'users'")

        user_data = response.data[0]

        # Retornar dicionário com os dados necessários
        return {
            'id': user_data['id'],
            'email': user_data['email'],
            'role': user_data['role'],
            'access_token': access_token
        }

    except HTTPException:
        # Repropagar exceções HTTP
        raise
    except Exception as e:
        # Para erros inesperados, retornar 500
        raise HTTPException(status_code=status.HTTP_500_INTERNAL_SERVER_ERROR, detail="Erro interno do servidor")


async def get_current_admin_user(current_user: dict = Depends(get_current_user)) -> dict:
    """
    Dependência para verificar se o usuário atual é administrador.
    Retorna o usuário se for admin, caso contrário lança 403.
    """
    if current_user['role'] != 'admin':
        raise HTTPException(status_code=status.HTTP_403_FORBIDDEN,
                            detail="Acesso negado: apenas administradores podem acessar este recurso")

    return current_user
```

## Arquivo: backend\app\main.py

```
# CAMINHO: backend/app/main.py

from pathlib import Path
import logging
import shutil
from typing import Any, Dict, List, Tuple
import uvicorn
from fastapi import Depends, FastAPI, File, HTTPException, UploadFile
from fastapi.security import HTTPAuthorizationCredentials, HTTPBearer
from pydantic import BaseModel
from app.auth.auth_service import auth_service
```

```
from app.database import supabase_auth, supabase_admin
from app.services.rag_service import rag_service
from app.services.vector_admin_service import vector_admin_service
from app.vector_admin_schemas import (
    VectorFileSummary,
    VectorFileDetail,
    DeleteFileRequest,
    DeleteFileResponse,
    CleanupVectorBaseRequest,
    CleanupVectorBaseResponse,
    ReindexFileRequest,
    ReindexFileResponse,
    VectorChunksResponse,
    RecoverFileContentResponse,
    RecoveryDiagnosisResponse,
)

# Configuração do logger
logging.basicConfig(level=logging.INFO)
logger = logging.getLogger(__name__)

# Inicialização da aplicação FastAPI
app = FastAPI(title="Dr. Tilápia API", version="2.2.0")

# Diretório para uploads temporários
UPLOAD_DIR = Path("uploads")
UPLOAD_DIR.mkdir(exist_ok=True)

# Segurança para autenticação Bearer
security = HTTPBearer()


class LoginRequest(BaseModel):
    """
    Modelo para requisição de login.
    """
    email: str
    password: str


class ChatRequest(BaseModel):
    """
    Modelo para requisição de chat.
    """
    message: str
    history: List[List[str]]


def get_current_admin_user(credentials: HTTPAuthorizationCredentials = Depends(security)) -> Dict[str, Any]:
    """
    Dependência para obter o usuário admin atual a partir do token Bearer.

    Args:
        credentials: Credenciais de autorização HTTP.

    Returns:
        Dict[str, Any]: Dados do usuário admin (id, email, role).

    Raises:
        HTTPException: Se o token for inválido ou o usuário não for admin.
    """
    token = credentials.credentials
    try:
        user = supabase_auth.auth.get_user(token)
        if not user or not user.user:
            raise HTTPException(status_code=401, detail="Token inválido")
        user_id = user.user.id
        result = supabase_admin.table("users").select("id, email, role").eq("id", user_id).execute()
        if not result.data or result.data[0]["role"] != "admin":
            raise HTTPException(status_code=403, detail="Acesso negado: usuário não é admin")
        return result.data[0]
    except Exception as e:
        logger.error(f"Erro ao validar usuário admin: {e}")
        raise HTTPException(status_code=401, detail="Erro na autenticação")
```

```
@app.get("/health")
def health_check():
    """
    Endpoint para verificação de saúde da API.

    Returns:
        Dict[str, str]: Status da API.
    """
    return {"status": "ok"}


@app.post("/auth/login")
async def login(request: LoginRequest):
    """
    Endpoint para login de usuário.

    Args:
        request: Dados de login (email e senha).

    Returns:
        Dict: Resultado do login.

    Raises:
        HTTPException: Se as credenciais forem inválidas.
    """
    result = await auth_service.login(request.email, request.password)
    if not result:
        raise HTTPException(status_code=401, detail="Credenciais inválidas")
    return result


@app.post("/consultoria/upload")
async def upload_file(file: UploadFile = File(...)):
    """
    Endpoint para upload de arquivos PDF para ingestão no RAG.

    Args:
        file: Arquivo PDF a ser enviado.

    Returns:
        Dict[str, str]: Mensagem de sucesso.

    Raises:
        HTTPException: Se o arquivo não for PDF.
    """
    if file.content_type != "application/pdf":
        raise HTTPException(status_code=400, detail="Apenas arquivos PDF são aceitos")
    temp_file = UPLOAD_DIR / file.filename
    try:
        with open(temp_file, "wb") as buffer:
            shutil.copyfileobj(file.file, buffer)
        await rag_service.ingest_pdf(str(temp_file), file.filename)
        logger.info(f"Arquivo {file.filename} processado com sucesso")
    finally:
        if temp_file.exists():
            temp_file.unlink()
    return {"message": "Arquivo processado com sucesso"}


@app.post("/consultoria/chat")
async def chat(request: ChatRequest):
    """
    Endpoint para interação de chat com o RAG.

    Args:
        request: Mensagem e histórico do chat.

    Returns:
        Dict[str, str]: Resposta do RAG.
    """
    formatted_history: List[Tuple[str, str]] = [tuple(item) for item in request.history]
    answer = await rag_service.get_answer(request.message, formatted_history)
    return {"answer": answer}
@app.get("/admin/vector-base/files", response_model=List[VectorFileSummary], dependencies=[Depends(get_current_admin_us
```

```
def list_files():
    """
    Endpoint para listar arquivos na base vetorial (apenas admin).

    Returns:
        List[VectorFileSummary]: Lista de resumos dos arquivos.
    """
    return vector_admin_service.list_files()


@app.get("/admin/vector-base/files/{original_file_id}", response_model=VectorFileDetail, dependencies=[Depends(get_curr
def get_file(original_file_id: str):
    """
    Endpoint para obter detalhes de um arquivo na base vetorial (apenas admin).

    Args:
        original_file_id: ID do arquivo original.

    Returns:
        VectorFileDetail: Detalhes do arquivo.
    """
    return vector_admin_service.get_file(original_file_id)


@app.post("/admin/vector-base/files/{original_file_id}/delete", response_model=DeleteFileResponse, dependencies=[Depend
def delete_file(original_file_id: str, request: DeleteFileRequest):
    """
    Endpoint para deletar um arquivo da base vetorial (apenas admin).

    Args:
        original_file_id: ID do arquivo original.
        request: Dados da requisição de deleção.

    Returns:
        DeleteFileResponse: Resposta da deleção.
    """
    return vector_admin_service.delete_file(original_file_id, request.confirmation_phrase, request.reason, request.hard


@app.post("/admin/vector-base/cleanup", response_model=CleanupVectorBaseResponse, dependencies=[Depends(get_current_adm
def cleanup_vector_base(request: CleanupVectorBaseRequest):
    """
    Endpoint para limpeza da base vetorial (apenas admin).

    Args:
        request: Dados da requisição de limpeza.

    Returns:
        CleanupVectorBaseResponse: Resposta da limpeza.
    """
    return vector_admin_service.cleanup_vector_base(request.confirmation_phrase)


@app.post("/admin/vector-base/reindex", response_model=ReindexFileResponse, dependencies=[Depends(get_current_admin_use
async def reindex_files(request: ReindexFileRequest):
    """
    Endpoint para reindexar arquivos na base vetorial (apenas admin).

    Args:
        request: Dados da requisição de reindexação.

    Returns:
        ReindexFileResponse: Resposta da reindexação.
    """
    return await vector_admin_service.reindex_files(request.confirmation_phrase, request.original_file_ids)


@app.get("/admin/vector-base/files/{original_file_id}/chunks", response_model=VectorChunksResponse, dependencies=[Depen
def get_file_chunks(original_file_id: str):
    """
    Endpoint para obter chunks de um arquivo na base vetorial (apenas admin).

    Args:
        original_file_id: ID do arquivo original.
```

```
    Returns:
        VectorChunksResponse: Chunks do arquivo.
    """
    return vector_admin_service.get_file_chunks(original_file_id)


@app.get("/admin/vector-base/files/{original_file_id}/content", response_model=RecoverFileContentResponse, dependencies
def recover_file_content(original_file_id: str):
    """
    Endpoint para recuperar conteúdo de um arquivo na base vetorial (apenas admin).

    Args:
        original_file_id: ID do arquivo original.

    Returns:
        RecoverFileContentResponse: Conteúdo recuperado.
    """
    return vector_admin_service.recover_file_content(original_file_id)


@app.get("/admin/vector-base/files/{original_file_id}/diagnosis", response_model=RecoveryDiagnosisResponse, dependencie
def diagnose_file_recovery(original_file_id: str):
    """
    Endpoint para diagnóstico de recuperação de um arquivo na base vetorial (apenas admin).

    Args:
        original_file_id: ID do arquivo original.

    Returns:
        RecoveryDiagnosisResponse: Diagnóstico de recuperação.
    """
    return vector_admin_service.diagnose_file_recovery(original_file_id)


if __name__ == "__main__":
    uvicorn.run(app, host="0.0.0.0", port=8000)
```

## Arquivo: backend\app\vector_admin_repository.py

```
# CAMINHO: backend/app/vector_admin_repository.py

from app.database import supabase_admin
from typing import List, Dict, Any, Optional
from datetime import datetime


class VectorAdminRepository:
    """
    Repositório para administração de vetores no Supabase.
    """

    def __init__(self):
        self.supabase = supabase_admin

    def list_files(self) -> List[Dict[str, Any]]:
        """
        Lista todos os arquivos agregados por original_file_id.
        """
        rows = self._fetch_documents_rows()
        return self._aggregate_rows(rows)

    def get_file(self, original_file_id: str) -> Optional[Dict[str, Any]]:
        """
        Obtém os detalhes de um arquivo específico.
        """
        files = self.list_files()
        for file in files:
            if file['original_file_id'] == original_file_id:
                return file
        return None

    def purge_file(self, original_file_id: str) -> Dict[str, Any]:
        """
```

```
    Remove completamente um arquivo do sistema.
    """
    file_info = self.get_file(original_file_id)
    if not file_info:
        return {
            'original_file_id': original_file_id,
            'original_file_name': None,
            'documents_deleted': 0,
            'ingestion_logs_deleted': 0,
            'storage_deleted': False,
            'storage_bucket': None,
            'storage_path': None,
            'status': 'error',
            'message': 'Arquivo não encontrado.'
        }

    documents_deleted = self._delete_documents_by_original_file_id(original_file_id)
    ingestion_logs_deleted = self._delete_ingestion_logs_best_effort(original_file_id)
    storage_deleted = self._delete_storage_object(file_info.get('storage_bucket'), file_info.get('storage_path'))

    return {
        'original_file_id': original_file_id,
        'original_file_name': file_info.get('original_file_name'),
        'documents_deleted': documents_deleted,
        'ingestion_logs_deleted': ingestion_logs_deleted,
        'storage_deleted': storage_deleted,
        'storage_bucket': file_info.get('storage_bucket'),
        'storage_path': file_info.get('storage_path'),
        'status': 'success',
        'message': 'Arquivo removido com sucesso.'
    }

def cleanup_vector_base(self) -> Dict[str, Any]:
    """
    Limpa a base de vetores removendo arquivos deletados.
    """
    files = self.list_files()
    total_files_processed = 0
    total_documents_deleted = 0
    total_ingestion_logs_deleted = 0
    total_storage_deleted = 0

    for file in files:
        if file.get('deleted_at'):
            result = self.purge_file(file['original_file_id'])
            total_files_processed += 1
            total_documents_deleted += result['documents_deleted']
            total_ingestion_logs_deleted += result['ingestion_logs_deleted']
            if result['storage_deleted']:
                total_storage_deleted += 1

    return {
        'total_files_processed': total_files_processed,
        'total_documents_deleted': total_documents_deleted,
        'total_ingestion_logs_deleted': total_ingestion_logs_deleted,
        'total_storage_deleted': total_storage_deleted,
        'status': 'success',
        'message': 'Limpeza concluída.'
    }

def list_reindexable_files(self, original_file_ids: Optional[List[str]] = None) -> List[Dict[str, Any]]:
    """
    Lista arquivos que podem ser reindexados.
    """
    files = self.list_files()
    if original_file_ids:
        files = [f for f in files if f['original_file_id'] in original_file_ids]
    return [f for f in files if f.get('status') == 'active']

def get_document_chunks(self, original_file_id: str, include_deleted: bool = False) -> List[Dict[str, Any]]:
    """
    Obtém os chunks de um documento.
    """
    response = self.supabase.table('documents').select('*').eq('original_file_id', original_file_id)
```

```
    if not include_deleted:
        response = response.is_('deleted_at', None)
    rows = response.execute().data
    chunks = [self._normalize_document_row(row) for row in rows]
    return self._sort_chunks(chunks)

def get_active_document_chunks(self, original_file_id: str) -> List[Dict[str, Any]]:
    """
    Obtém os chunks ativos de um documento.
    """
    return self.get_document_chunks(original_file_id, include_deleted=False)

def rebuild_document_content(self, original_file_id: str, include_deleted: bool = False) -> Dict[str, Any]:
    """
    Reconstrói o conteúdo do documento a partir dos chunks.
    """
    chunks = self.get_document_chunks(original_file_id, include_deleted)
    content = ''.join([chunk.get('content', '') for chunk in chunks])
    return {
        'original_file_id': original_file_id,
        'content': content,
        'chunks': chunks
    }

def get_file_recovery_diagnosis(self, original_file_id: str) -> Dict[str, Any]:
    """
    Diagnóstico de recuperação para um arquivo.
    """
    file_info = self.get_file(original_file_id)
    if not file_info:
        return {
            'original_file_id': original_file_id,
            'original_file_name': None,
            'total_chunks': 0,
            'active_chunks': 0,
            'deleted_chunks': 0,
            'has_table_data': False,
            'has_storage': False,
            'recoverable_from_table': False,
            'recoverable_from_storage': False,
            'recoverable_from_both': False,
            'recoverable_from_none': True,
            'status': 'error',
            'message': 'Arquivo não encontrado.'
        }

    total_chunks = file_info.get('total_chunks', 0)
    active_chunks = file_info.get('active_chunks', 0)
    deleted_chunks = file_info.get('deleted_chunks', 0)
    has_table_data = total_chunks > 0
    has_storage = self._check_storage_object_exists(file_info.get('storage_bucket'), file_info.get('storage_path'))
    recoverable_from_table = has_table_data
    recoverable_from_storage = has_storage
    recoverable_from_both = has_table_data and has_storage
    recoverable_from_none = not has_table_data and not has_storage

    return {
        'original_file_id': original_file_id,
        'original_file_name': file_info.get('original_file_name'),
        'total_chunks': total_chunks,
        'active_chunks': active_chunks,
        'deleted_chunks': deleted_chunks,
        'has_table_data': has_table_data,
        'has_storage': has_storage,
        'recoverable_from_table': recoverable_from_table,
        'recoverable_from_storage': recoverable_from_storage,
        'recoverable_from_both': recoverable_from_both,
        'recoverable_from_none': recoverable_from_none,
        'status': 'success',
        'message': 'Diagnóstico concluído.'
    }

def _fetch_documents_rows(self) -> List[Dict[str, Any]]:
    """
```

```
    Busca todas as linhas da tabela documents.
    """
    return self.supabase.table('documents').select('*').execute().data

def _aggregate_rows(self, rows: List[Dict[str, Any]]) -> List[Dict[str, Any]]:
    """
    Agrega as linhas por original_file_id.
    """
    aggregated = {}
    for row in rows:
        oid = row.get('original_file_id')
        if oid not in aggregated:
            aggregated[oid] = {
                'original_file_id': oid,
                'original_file_name': row.get('original_file_name'),
                'storage_bucket': row.get('storage_bucket'),
                'storage_path': row.get('storage_path'),
                'total_chunks': 0,
                'active_chunks': 0,
                'deleted_chunks': 0,
                'deleted_at': None,
                'last_ingested_at': None,
                'status': 'active',
                'metadata': {}
            }
        agg = aggregated[oid]
        agg['total_chunks'] += 1
        if row.get('deleted_at'):
            agg['deleted_chunks'] += 1
            agg['deleted_at'] = self._parse_datetime(row.get('deleted_at'))
        else:
            agg['active_chunks'] += 1
        ingested_at = self._parse_datetime(row.get('ingested_at'))
        if ingested_at and (not agg['last_ingested_at'] or ingested_at > agg['last_ingested_at']):
            agg['last_ingested_at'] = ingested_at
        agg['metadata'] = self._normalize_metadata(row.get('metadata'))
    return list(aggregated.values())

def _delete_storage_object(self, bucket: Optional[str], path: Optional[str]) -> bool:
    """
    Deleta um objeto do storage.
    """
    if not bucket or not path:
        return False
    try:
        self.supabase.storage.from_(bucket).remove([path])
        return True
    except:
        return False

def _delete_ingestion_logs_best_effort(self, original_file_id: str) -> int:
    """
    Deleta logs de ingestão.
    """
    try:
        response = self.supabase.table('ingestion_logs').delete().eq('original_file_id', original_file_id).execute(
        return len(response.data)
    except:
        return 0

def _delete_documents_by_original_file_id(self, original_file_id: str) -> int:
    """
    Deleta documentos por original_file_id.
    """
    response = self.supabase.table('documents').delete().eq('original_file_id', original_file_id).execute()
    return len(response.data)

def _parse_datetime(self, dt_str: Optional[str]) -> Optional[datetime]:
    """
    Converte string para datetime.
    """
    if not dt_str:
        return None
    try:
```

```
            return datetime.fromisoformat(dt_str.replace('Z', '+00:00'))
        except:
            return None

    def _normalize_metadata(self, metadata: Any) -> Dict[str, Any]:
        """
        Normaliza metadata.
        """
        if isinstance(metadata, dict):
            return metadata
        return {}

    def _normalize_document_row(self, row: Dict[str, Any]) -> Dict[str, Any]:
        """
        Normaliza uma linha de documento.
        """
        return {
            'id': row.get('id'),
            'original_file_id': row.get('original_file_id'),
            'content': row.get('content', ''),
            'metadata': self._normalize_metadata(row.get('metadata')),
            'deleted_at': row.get('deleted_at'),
            'ingested_at': row.get('ingested_at')
        }

    def _extract_page(self, metadata: Dict[str, Any]) -> int:
        """
        Extrai o número da página.
        """
        return metadata.get('page', 0)

    def _extract_chunk_index(self, metadata: Dict[str, Any]) -> int:
        """
        Extrai o índice do chunk.
        """
        return metadata.get('chunk_index', 0)

    def _sort_chunks(self, chunks: List[Dict[str, Any]]) -> List[Dict[str, Any]]:
        """
        Ordena os chunks por página e índice.
        """
        return sorted(chunks, key=lambda c: (self._extract_page(c.get('metadata', {})), self._extract_chunk_index(c.get

    def _check_storage_object_exists(self, bucket: Optional[str], path: Optional[str]) -> bool:
        """
        Verifica se um objeto existe no storage.
        """
        if not bucket or not path:
            return False
        try:
            self.supabase.storage.from_(bucket).list(path=path)
            return True
        except:
            return False
```

## Arquivo: backend\app\vector_admin_schemas.py

```
# CAMINHO: backend/app/vector_admin_schemas.py

from datetime import datetime
from typing import Optional, List, Dict, Any
from pydantic import BaseModel, Field


class VectorFileSummary(BaseModel):
    """
    Resumo de um arquivo vetorial, contendo informações básicas sobre o arquivo e seus chunks.
    """
    original_file_id: str
    original_file_name: str
    storage_bucket: Optional[str] = None
    storage_path: Optional[str] = None
    total_chunks: int
```

```
    active_chunks: int
    deleted_chunks: int
    deleted_at: Optional[datetime] = None
    last_ingested_at: Optional[datetime] = None
    status: str
    metadata: Dict[str, Any] = Field(default_factory=dict)


class VectorFileDetail(BaseModel):
    """
    Detalhes completos de um arquivo vetorial, incluindo metadados e estatísticas de chunks.
    """
    original_file_id: str
    original_file_name: str
    storage_bucket: Optional[str] = None
    storage_path: Optional[str] = None
    total_chunks: int
    active_chunks: int
    deleted_chunks: int
    deleted_at: Optional[datetime] = None
    last_ingested_at: Optional[datetime] = None
    status: str
    metadata: Dict[str, Any] = Field(default_factory=dict)


class DeleteFileRequest(BaseModel):
    """
    Solicitação para deletar um arquivo vetorial, com confirmação e opções.
    """
    confirmation_phrase: str
    reason: Optional[str] = None
    hard_delete: bool = True


class DeleteFileResponse(BaseModel):
    """
    Resposta da operação de deletar um arquivo vetorial, com estatísticas da exclusão.
    """
    original_file_id: str
    original_file_name: str
    documents_deleted: int
    ingestion_logs_deleted: int
    storage_deleted: bool
    storage_bucket: Optional[str] = None
    storage_path: Optional[str] = None
    status: str
    message: str


class CleanupVectorBaseRequest(BaseModel):
    """
    Solicitação para limpeza da base vetorial, com confirmação obrigatória.
    """
    confirmation_phrase: str


class CleanupVectorBaseResponse(BaseModel):
    """
    Resposta da operação de limpeza da base vetorial, com estatísticas da limpeza.
    """
    total_files_processed: int
    total_documents_deleted: int
    total_ingestion_logs_deleted: int
    total_storage_deleted: int
    status: str
    message: str


class ReindexFileRequest(BaseModel):
    """
    Solicitação para reindexar arquivos vetoriais, com confirmação e lista opcional de IDs.
    """
    confirmation_phrase: str
    original_file_ids: Optional[List[str]] = None
```

```
class ReindexFileResponse(BaseModel):
    """
    Resposta da operação de reindexação de arquivos vetoriais, com estatísticas do processamento.
    """
    processed_files: int
    failed_files: int
    total_chunks_created: int
    status: str
    message: str


class VectorChunk(BaseModel):
    """
    Representa um chunk vetorial, com conteúdo, metadados e informações do arquivo original.
    """
    id: Optional[str] = None
    content: str
    metadata: Dict[str, Any] = Field(default_factory=dict)
    original_file_id: str
    original_file_name: str
    storage_bucket: Optional[str] = None
    storage_path: Optional[str] = None
    deleted_at: Optional[datetime] = None
    created_at: Optional[datetime] = None
    updated_at: Optional[datetime] = None
    page: int = 0
    chunk_index: int = 0


class VectorChunksResponse(BaseModel):
    """
    Resposta contendo a lista de chunks vetoriais de um arquivo, com estatísticas.
    """
    original_file_id: str
    original_file_name: str
    total_chunks: int
    active_chunks: int
    deleted_chunks: int
    chunks: List[VectorChunk]
    status: str
    message: str


class RecoverFileContentResponse(BaseModel):
    """
    Resposta da recuperação de conteúdo de um arquivo vetorial, incluindo chunks e conteúdo reconstruído.
    """
    original_file_id: str
    original_file_name: str
    storage_bucket: Optional[str] = None
    storage_path: Optional[str] = None
    total_chunks: int
    active_chunks: int
    deleted_chunks: int
    content: str
    chunks: List[VectorChunk]
    status: str
    message: str


class RecoveryDiagnosisResponse(BaseModel):
    """
    Resposta do diagnóstico de recuperação de um arquivo vetorial, indicando possibilidades de recuperação.
    """
    original_file_id: str
    original_file_name: str
    total_chunks: int
    active_chunks: int
    deleted_chunks: int
    has_table_data: bool
    has_storage: bool
    recoverable_from_table: bool
    recoverable_from_storage: bool
    recoverable_from_both: bool
```

```
recoverable_from_none: bool
status: str
message: str
```

# 4. Diretório: backend\app\auth

## Arquivo: backend\app\auth__init__.py

```
"""
Módulo de autenticação do DrTilápia 2.0.
"""
```

## Arquivo: backend\app\auth\auth_service.py

```
# CAMINHO: backend/app/auth/auth_service.py
"""Módulo de autenticação do DrTilápia."""

import logging
from typing import Optional, Dict, Any
from app.database import supabase_auth, supabase_admin

logger = logging.getLogger("AuthService")


class AuthService:
    @staticmethod
    async def login(email: str, password: str) -> Optional[Dict[str, Any]]:
        try:
            auth_response = supabase_auth.auth.sign_in_with_password(
                {
                    "email": email,
                    "password": password,
                }
            )

            if not auth_response.user:
                logger.warning("Login falhou para: %s", email)
                return None

            user_id = auth_response.user.id
            users_response = (
                supabase_admin.table("users")
                .select("id, email, role")
                .eq("id", user_id)
                .execute()
            )

            role = "user"
            user_email = auth_response.user.email or email

            if users_response.data and len(users_response.data) > 0:
                role = users_response.data[0].get("role", "user")
                user_email = users_response.data[0].get("email", user_email)

            return {
                "access_token": auth_response.session.access_token,
                "token_type": "bearer",
                "user": {
                    "id": user_id,
                    "email": user_email,
                    "role": role,
                },
            }
        except Exception as e:
            logger.error("Erro durante login para %s: %s", email, str(e))
            return None


auth_service = AuthService()
```

# 5. Diretório: backend\app\services

## Arquivo: backend\app\services__init__.py

## Arquivo: backend\app\services\rag_service.py

```
# CAMINHO: backend/app/services/rag_service.py

import uuid
import logging
from pathlib import Path
from tempfile import gettempdir
from typing import List, Tuple, Dict, Any, Optional
from langchain_openai import ChatOpenAI, OpenAIEmbeddings
from langchain_community.document_loaders import PyPDFLoader
from langchain_text_splitters import RecursiveCharacterTextSplitter
from app.database import supabase_admin


class RAGService:
    """
    Serviço para processamento de documentos PDF usando RAG (Retrieval-Augmented Generation).
    """

    def __init__(self):
        """
        Inicializa o serviço RAG com embeddings, LLM e conexão com Supabase.
        """
        self.embeddings = OpenAIEmbeddings(model="text-embedding-3-small")
        self.llm = ChatOpenAI(model="gpt-4o", temperature=0)
        self.supabase = supabase_admin
        self.storage_bucket = "rag-documents"
        self.embedding_batch_size = 20
        self.insert_batch_size = 20

    async def ingest_pdf(self, file_path: str, filename: str, original_file_id: Optional[str] = None, cleanup_existing:
        """
        Ingere um PDF, processa em chunks, gera embeddings e armazena no Supabase.

        Args:
            file_path: Caminho local do arquivo PDF.
            filename: Nome do arquivo.
            original_file_id: ID único do arquivo (gerado se não informado).
            cleanup_existing: Se True, remove chunks existentes para o original_file_id.

        Returns:
            Dicionário com informações do processamento.
        """
        if not original_file_id:
            original_file_id = str(uuid.uuid4())

        logging.info(f"Iniciando ingestão do PDF: {filename} com ID {original_file_id}")

        # Carregar o PDF
        loader = PyPDFLoader(file_path)
        documents = loader.load()

        # Dividir em chunks
        text_splitter = RecursiveCharacterTextSplitter(
            chunk_size=1000,
            chunk_overlap=200,
            separators=["\n\n", "\n", ".", " ", ""]
        )
        chunks = text_splitter.split_documents(documents)

        # Upload do PDF original para o storage
        storage_path = f"uploads/{original_file_id}/{filename}"
        with open(file_path, "rb") as f:
            self.supabase.storage.from_(self.storage_bucket).upload(storage_path, f)
        # Limpar chunks existentes se solicitado
```

```
    if cleanup_existing:
        await self._delete_existing_document_chunks(original_file_id)

    # Montar payloads
    payloads = self._build_chunk_payloads(chunks, original_file_id, filename, self.storage_bucket, storage_path)

    # Gerar embeddings em lotes
    await self._generate_embeddings_in_payloads(payloads)

    # Inserir na tabela em lotes
    await self._insert_payload_batches(payloads)

    logging.info(f"Ingestão concluída para {filename}")
    return {
        "message": "PDF ingerido com sucesso",
        "original_file_id": original_file_id,
        "original_file_name": filename,
        "chunks_criados": len(chunks),
        "storage_bucket": self.storage_bucket,
        "storage_path": storage_path
    }

async def get_answer(self, question: str, chat_history: List[Tuple[str, str]]) -> Dict[str, Any]:
    """
    Gera uma resposta para a pergunta usando RAG.

    Args:
        question: Pergunta do usuário.
        chat_history: Histórico do chat.

    Returns:
        Dicionário com resposta e fontes.
    """
    logging.info(f"Gerando resposta para pergunta: {question}")

    # Gerar embedding da pergunta
    query_embedding = self.embeddings.embed_query(question)

    # Buscar documentos similares via RPC
    response = self.supabase.rpc("match_documents", {
        "query_embedding": query_embedding,
        "match_count": 5,
        "similarity_threshold": 0.7
    }).execute()

    docs = response.data if response.data else []
    docs = [self._normalize_match_doc(doc) for doc in docs if doc]

    # Fallback se não houver conteúdo suficiente
    if not docs or not any(self._safe_content(doc) for doc in docs):
        logging.warning("RPC não retornou conteúdo suficiente, usando fallback")
        docs = await self._fetch_document_chunks_by_original_file_id(None)  # Ajustar se necessário

    # Montar contexto
    context = self._build_context_from_docs(docs)

    # Gerar resposta com LLM
    prompt = f"Histórico: {chat_history}\nContexto: {context}\nPergunta: {question}\nResponda baseado no contexto."
    answer = self.llm.invoke(prompt).content

    sources = [{
        "original_file_name": doc.get("original_file_name", ""),
        "page": self._safe_page_from_metadata(doc.get("metadata", {})),
        "content": self._safe_content(doc)
    } for doc in docs]

    return {
        "answer": answer,
        "sources": sources
    }

async def reindex_file_from_storage(self, file_info: Dict[str, Any]) -> Dict[str, Any]:
    """
    Reindexa um arquivo do storage.
```

```
    Args:
        file_info: Dicionário com storage_bucket, storage_path, original_file_name.

    Returns:
        Resultado da reingestão.
    """
    storage_bucket = file_info["storage_bucket"]
    storage_path = file_info["storage_path"]
    original_file_name = file_info["original_file_name"]
    original_file_id = file_info.get("original_file_id")

    logging.info(f"Reindexando arquivo: {original_file_name}")

    # Baixar para temporário
    temp_dir = gettempdir()
    temp_path = Path(temp_dir) / f"temp_{uuid.uuid4()}.pdf"
    with open(temp_path, "wb") as f:
        res = self.supabase.storage.from_(storage_bucket).download(storage_path)
        f.write(res)

    # Reingerir
    result = await self.ingest_pdf(str(temp_path), original_file_name, original_file_id, cleanup_existing=True)

    # Limpar temporário
    temp_path.unlink()

    return result

def _build_chunk_payloads(self, chunks, original_file_id, original_file_name, storage_bucket, storage_path):
    """
    Monta payloads para os chunks.
    """
    payloads = []
    for chunk in chunks:
        payloads.append({
            "content": chunk.page_content,
            "metadata": chunk.metadata,
            "original_file_id": original_file_id,
            "original_file_name": original_file_name,
            "storage_bucket": storage_bucket,
            "storage_path": storage_path
        })
    return payloads

def _chunk_list(self, lst, n):
    """
    Divide uma lista em chunks de tamanho n.
    """
    for i in range(0, len(lst), n):
        yield lst[i:i + n]

async def _generate_embeddings_in_payloads(self, payloads):
    """
    Gera embeddings para os payloads em lotes.
    """
    for batch in self._chunk_list(payloads, self.embedding_batch_size):
        contents = [p["content"] for p in batch]
        embeddings = self.embeddings.embed_documents(contents)
        for p, emb in zip(batch, embeddings):
            p["embedding"] = emb

async def _insert_payload_batches(self, payloads):
    """
    Insere payloads na tabela em lotes.
    """
    for batch in self._chunk_list(payloads, self.insert_batch_size):
        self.supabase.table("documents").insert(batch).execute()

async def _fetch_document_chunks_by_original_file_id(self, original_file_id):
    """
    Busca chunks por original_file_id.
    """
    response = self.supabase.table("documents").select("*").eq("original_file_id", original_file_id).execute()
    return response.data
```

```
    def _normalize_match_doc(self, doc):
        """
        Normaliza documento retornado pela RPC.
        """
        return doc

    def _build_context_from_docs(self, docs):
        """
        Monta contexto a partir dos documentos.
        """
        context = ""
        for doc in docs:
            context += f"Arquivo: {doc.get('original_file_name', '')}, Página: {self._safe_page_from_metadata(doc.get('
        return context

    async def _delete_existing_document_chunks(self, original_file_id):
        """
        Remove chunks existentes para o original_file_id.
        """
        self.supabase.table("documents").delete().eq("original_file_id", original_file_id).execute()

    def _safe_page_from_metadata(self, metadata):
        """
        Extrai página de forma segura.
        """
        return metadata.get("page", 0)

    def _safe_content(self, doc):
        """
        Extrai conteúdo de forma segura.
        """
        return doc.get("content", "")


# Exportar instância do serviço
rag_service = RAGService()
```

## Arquivo: backend\app\services\vector_admin_service.py

```
# CAMINHO: backend/app/services/vector_admin_service.py

import logging
from typing import Optional, Dict, Any, List
from app.vector_admin_repository import VectorAdminRepository
from app.services.rag_service import rag_service


class VectorAdminService:
    """
    Serviço para administração de vetores, incluindo operações de listagem, exclusão,
    limpeza e reindexação de arquivos no sistema de RAG.
    """

    DELETE_CONFIRMATION = "CONFIRMAR_EXCLUSAO"
    CLEANUP_CONFIRMATION = "CONFIRMAR_LIMPEZA_TOTAL"
    REINDEX_CONFIRMATION = "CONFIRMAR_REINDEXACAO"

    def __init__(self):
        """
        Inicializa o serviço com o repositório e o logger.
        """
        self.repository = VectorAdminRepository()
        self.logger = logging.getLogger(__name__)

    def list_files(self) -> List[Dict[str, Any]]:
        """
        Lista todos os arquivos disponíveis no repositório.

        Returns:
            List[Dict[str, Any]]: Lista de dicionários representando os arquivos.
        """
        self.logger.info("Listando arquivos.")
        return self.repository.list_files()
```

```
def get_file(self, original_file_id: str) -> Dict[str, Any]:
    """
    Obtém informações de um arquivo específico.

    Args:
        original_file_id (str): ID do arquivo original.

    Returns:
        Dict[str, Any]: Dicionário com informações do arquivo.

    Raises:
        ValueError: Se o arquivo não existir.
    """
    self.logger.info(f"Obtendo arquivo com ID: {original_file_id}.")
    file_info = self.repository.get_file(original_file_id)
    if not file_info:
        raise ValueError(f"Arquivo com ID {original_file_id} não encontrado.")
    return file_info

def delete_file(self, original_file_id: str, confirmation_phrase: str, reason: Optional[str] = None, hard_delete: b
    """
    Exclui um arquivo após validação da frase de confirmação.

    Args:
        original_file_id (str): ID do arquivo original.
        confirmation_phrase (str): Frase de confirmação.
        reason (Optional[str]): Motivo da exclusão.
        hard_delete (bool): Se deve fazer exclusão física.

    Returns:
        Dict[str, Any]: Resultado da operação de exclusão.

    Raises:
        ValueError: Se a frase de confirmação for inválida.
    """
    if confirmation_phrase != self.DELETE_CONFIRMATION:
        raise ValueError("Frase de confirmação inválida para exclusão.")
    self.logger.info(f"Excluindo arquivo {original_file_id} com motivo: {reason}.")
    return self.repository.purge_file(original_file_id)

def cleanup_vector_base(self, confirmation_phrase: str) -> Dict[str, Any]:
    """
    Limpa a base de vetores após validação da frase de confirmação.

    Args:
        confirmation_phrase (str): Frase de confirmação.

    Returns:
        Dict[str, Any]: Resultado da operação de limpeza.

    Raises:
        ValueError: Se a frase de confirmação for inválida.
    """
    if confirmation_phrase != self.CLEANUP_CONFIRMATION:
        raise ValueError("Frase de confirmação inválida para limpeza total.")
    self.logger.info("Iniciando limpeza total da base de vetores.")
    return self.repository.cleanup_vector_base()

async def reindex_files(self, confirmation_phrase: str, original_file_ids: Optional[List[str]] = None) -> Dict[str,
    """
    Reindexa arquivos específicos ou todos após validação da frase de confirmação.

    Args:
        confirmation_phrase (str): Frase de confirmação.
        original_file_ids (Optional[List[str]]): IDs dos arquivos a reindexar.

    Returns:
        Dict[str, Any]: Resultado da reindexação com contadores e status.

    Raises:
        ValueError: Se a frase de confirmação for inválida.
    """
    if confirmation_phrase != self.REINDEX_CONFIRMATION:
        raise ValueError("Frase de confirmação inválida para reindexação.")
```

```
    self.logger.info(f"Iniciando reindexação para IDs: {original_file_ids}.")
    files_to_reindex = self.repository.list_reindexable_files(original_file_ids)
    processed_files = 0
    failed_files = 0
    total_chunks_created = 0
    for file_info in files_to_reindex:
        try:
            result = await rag_service.reindex_file_from_storage(file_info)
            if isinstance(result, int):
                total_chunks_created += result
            elif isinstance(result, dict):
                total_chunks_created += result.get('chunks_created', 0)
            processed_files += 1
        except Exception as e:
            self.logger.error(f"Falha ao reindexar arquivo {file_info.get('original_file_id')}: {str(e)}")
            failed_files += 1
    status = "success" if failed_files == 0 else "partial_success"
    message = f"Reindexação concluída: {processed_files} processados, {failed_files} falharam, {total_chunks_create
    self.logger.info(message)
    return {
        "processed_files": processed_files,
        "failed_files": failed_files,
        "total_chunks_created": total_chunks_created,
        "status": status,
        "message": message
    }

def get_file_chunks(self, original_file_id: str, include_deleted: bool = False) -> Dict[str, Any]:
    """
    Obtém os chunks de um arquivo.

    Args:
        original_file_id (str): ID do arquivo original.
        include_deleted (bool): Se deve incluir chunks deletados.

    Returns:
        Dict[str, Any]: Payload com informações dos chunks.
    """
    self.logger.info(f"Obtendo chunks do arquivo {original_file_id}.")
    chunks_data = self.repository.get_document_chunks(original_file_id, include_deleted)
    return {
        "original_file_id": original_file_id,
        "original_file_name": chunks_data.get("original_file_name", ""),
        "total_chunks": chunks_data.get("total_chunks", 0),
        "active_chunks": chunks_data.get("active_chunks", 0),
        "deleted_chunks": chunks_data.get("deleted_chunks", 0),
        "chunks": chunks_data.get("chunks", []),
        "status": chunks_data.get("status", "success"),
        "message": chunks_data.get("message", "Chunks obtidos com sucesso.")
    }

def recover_file_content(self, original_file_id: str, include_deleted: bool = False) -> Dict[str, Any]:
    """
    Recupera o conteúdo de um arquivo.

    Args:
        original_file_id (str): ID do arquivo original.
        include_deleted (bool): Se deve incluir conteúdo deletado.

    Returns:
        Dict[str, Any]: Conteúdo recuperado do arquivo.
    """
    self.logger.info(f"Recuperando conteúdo do arquivo {original_file_id}.")
    content_data = self.repository.rebuild_document_content(original_file_id, include_deleted)
    if "message" not in content_data:
        content_data["message"] = "Conteúdo recuperado com sucesso."
    return content_data

def diagnose_file_recovery(self, original_file_id: str) -> Dict[str, Any]:
    """
    Diagnóstica a recuperação de um arquivo.

    Args:
        original_file_id (str): ID do arquivo original.
```

```
        Returns:
            Dict[str, Any]: Diagnóstico da recuperação.
        """
        self.logger.info(f"Diagnosticando recuperação do arquivo {original_file_id}.")
        return self.repository.get_file_recovery_diagnosis(original_file_id)


# Instância global do serviço
vector_admin_service = VectorAdminService()
```

# 6. Diretório: backend\tests

## Arquivo: backend\tests\test_backend_api.py

```
# CAMINHO: backend/tests/test_backend_api.py

import pytest
from fastapi.testclient import TestClient
from io import BytesIO
import app.main as main_module
from app.main import app


# Fixture para o cliente de teste
@pytest.fixture
def client():
    """Fornece um cliente de teste para a aplicação FastAPI."""
    return TestClient(app)


# Fixture para limpar overrides de dependências após cada teste
@pytest.fixture(autouse=True)
def clear_overrides():
    """Limpa os overrides de dependências após cada teste."""
    yield
    app.dependency_overrides.clear()


# Helper para determinar a rota de upload de PDF
def get_upload_route(client):
    """Tenta determinar a rota correta para upload de PDF.

    Primeiro tenta /consultoria/upload, depois /admin/upload.
    """
    if client.get("/consultoria/upload").status_code != 405:  # 405 indica método não permitido, mas rota existe
        return "/consultoria/upload"
    return "/admin/upload"


# Teste para o endpoint de saúde
def test_health_endpoint(client):
    """Testa o endpoint GET /health."""
    response = client.get("/health")
    assert response.status_code == 200
    assert response.json() == {"status": "ok"}


# Teste para login com sucesso
def test_login_success(client, monkeypatch):
    """Testa o endpoint POST /auth/login com credenciais válidas."""

    def mock_login(email, password):
        return {"access_token": "fake_token", "token_type": "bearer", "user": {"id": 1, "email": email}}

    monkeypatch.setattr(main_module.auth_service, "login", mock_login)

    response = client.post("/auth/login", json={"email": "admin@example.com", "password": "password"})
    assert response.status_code == 200
    data = response.json()
    assert "access_token" in data
    assert "token_type" in data
    assert "user" in data


# Teste para login com credenciais inválidas
def test_login_invalid_credentials(client, monkeypatch):
    """Testa o endpoint POST /auth/login com credenciais inválidas."""

    def mock_login(email, password):
        raise Exception("Invalid credentials")

    monkeypatch.setattr(main_module.auth_service, "login", mock_login)
```

```
    response = client.post("/auth/login", json={"email": "admin@example.com", "password": "wrong"})
    assert response.status_code == 401
    assert "detail" in response.json()


# Teste para chat com sucesso
def test_chat_success(client, monkeypatch):
    """Testa o endpoint POST /consultoria/chat com sucesso."""

    def mock_get_answer(message, history):
        return {"answer": "Resposta simulada", "sources": []}

    monkeypatch.setattr(main_module.rag_service, "get_answer", mock_get_answer)

    response = client.post("/consultoria/chat", json={"message": "Olá", "history": []})
    assert response.status_code == 200
    data = response.json()
    assert "answer" in data
    assert "sources" in data


# Teste para chat com erro interno
def test_chat_internal_error(client, monkeypatch):
    """Testa o endpoint POST /consultoria/chat com erro interno."""

    def mock_get_answer(message, history):
        raise Exception("Internal error")

    monkeypatch.setattr(main_module.rag_service, "get_answer", mock_get_answer)

    response = client.post("/consultoria/chat", json={"message": "Olá", "history": []})
    assert response.status_code == 500
    assert "detail" in response.json()


# Teste para upload de PDF com sucesso
def test_upload_pdf_success(client, monkeypatch):
    """Testa o upload de PDF com sucesso."""

    def mock_ingest_pdf(file, filename):
        return {"original_file_id": "123", "status": "success"}

    monkeypatch.setattr(main_module.rag_service, "ingest_pdf", mock_ingest_pdf)

    upload_route = get_upload_route(client)
    fake_pdf = BytesIO(
        b"%PDF-1.4\n1 0 obj\n<<\n/Type /Catalog\n/Pages 2 0 R\n>>\nendobj\n2 0 obj\n<<\n/Type /Pages\n/Kids [3 0 R]\n/C
    fake_pdf.name = "test.pdf"

    response = client.post(upload_route, files={"file": ("test.pdf", fake_pdf, "application/pdf")})
    assert response.status_code == 200
    data = response.json()
    assert "original_file_id" in data
    assert "status" in data


# Teste para upload rejeitando não-PDF
def test_upload_rejects_non_pdf(client):
    """Testa o upload rejeitando arquivos que não são PDF."""
    upload_route = get_upload_route(client)
    fake_txt = BytesIO(b"This is not a PDF")
    fake_txt.name = "test.txt"

    response = client.post(upload_route, files={"file": ("test.txt", fake_txt, "text/plain")})
    assert response.status_code == 400
    assert "detail" in response.json()


# Teste para listar arquivos da base vetorial
def test_list_vector_files_success(client, monkeypatch):
    """Testa o endpoint GET /admin/vector-base/files."""

    def mock_get_current_admin_user():
        return {"id": 1, "email": "admin@example.com"}
```

```
    app.dependency_overrides[main_module.get_current_admin_user] = mock_get_current_admin_user

    def mock_list_files():
        return [{"original_file_id": "123", "filename": "test.pdf", "upload_date": "2023-01-01"}]

    monkeypatch.setattr(main_module.vector_admin_service, "list_files", mock_list_files)

    response = client.get("/admin/vector-base/files")
    assert response.status_code == 200
    data = response.json()
    assert isinstance(data, list)
    if data:
        assert "original_file_id" in data[0]


# Teste para obter detalhes de um arquivo da base vetorial
def test_get_vector_file_success(client, monkeypatch):
    """Testa o endpoint GET /admin/vector-base/files/{original_file_id}."""

    def mock_get_current_admin_user():
        return {"id": 1, "email": "admin@example.com"}

    app.dependency_overrides[main_module.get_current_admin_user] = mock_get_current_admin_user

    def mock_get_file_details(original_file_id):
        return {"original_file_id": original_file_id, "filename": "test.pdf", "upload_date": "2023-01-01", "size": 1024

    monkeypatch.setattr(main_module.vector_admin_service, "get_file_details", mock_get_file_details)

    response = client.get("/admin/vector-base/files/123")
    assert response.status_code == 200
    data = response.json()
    assert "original_file_id" in data
    assert data["original_file_id"] == "123"


# Teste para deletar um arquivo da base vetorial
def test_delete_vector_file_success(client, monkeypatch):
    """Testa o endpoint POST /admin/vector-base/files/{original_file_id}/delete."""

    def mock_get_current_admin_user():
        return {"id": 1, "email": "admin@example.com"}

    app.dependency_overrides[main_module.get_current_admin_user] = mock_get_current_admin_user

    def mock_delete_file(original_file_id):
        return {"message": "File deleted successfully", "original_file_id": original_file_id}

    monkeypatch.setattr(main_module.vector_admin_service, "delete_file", mock_delete_file)

    response = client.post("/admin/vector-base/files/123/delete")
    assert response.status_code == 200
    data = response.json()
    assert "message" in data
    assert "original_file_id" in data


# Teste para limpeza da base vetorial
def test_cleanup_vector_base_success(client, monkeypatch):
    """Testa o endpoint POST /admin/vector-base/cleanup."""

    def mock_get_current_admin_user():
        return {"id": 1, "email": "admin@example.com"}

    app.dependency_overrides[main_module.get_current_admin_user] = mock_get_current_admin_user

    def mock_cleanup():
        return {"message": "Cleanup completed", "deleted_files": 5}

    monkeypatch.setattr(main_module.vector_admin_service, "cleanup", mock_cleanup)

    response = client.post("/admin/vector-base/cleanup")
    assert response.status_code == 200
    data = response.json()
```

```
    assert "message" in data
    assert "deleted_files" in data


# Teste para reindexação de arquivos da base vetorial
def test_reindex_vector_files_success(client, monkeypatch):
    """Testa o endpoint POST /admin/vector-base/reindex."""

    def mock_get_current_admin_user():
        return {"id": 1, "email": "admin@example.com"}

    app.dependency_overrides[main_module.get_current_admin_user] = mock_get_current_admin_user

    def mock_reindex():
        return {"message": "Reindex completed", "reindexed_files": 3}

    monkeypatch.setattr(main_module.vector_admin_service, "reindex", mock_reindex)

    response = client.post("/admin/vector-base/reindex")
    assert response.status_code == 200
    data = response.json()
    assert "message" in data
    assert "reindexed_files" in data


# Teste para obter chunks de um arquivo da base vetorial
def test_get_vector_file_chunks_success(client, monkeypatch):
    """Testa o endpoint GET /admin/vector-base/files/{original_file_id}/chunks."""

    def mock_get_current_admin_user():
        return {"id": 1, "email": "admin@example.com"}

    app.dependency_overrides[main_module.get_current_admin_user] = mock_get_current_admin_user

    def mock_get_file_chunks(original_file_id):
        return {"original_file_id": original_file_id, "chunks": [{"id": 1, "content": "Chunk 1"}]}

    monkeypatch.setattr(main_module.vector_admin_service, "get_file_chunks", mock_get_file_chunks)

    response = client.get("/admin/vector-base/files/123/chunks")
    assert response.status_code == 200
    data = response.json()
    assert "original_file_id" in data
    assert "chunks" in data


# Teste para recuperar conteúdo de um arquivo da base vetorial
def test_recover_vector_file_content_success(client, monkeypatch):
    """Testa o endpoint GET /admin/vector-base/files/{original_file_id}/content."""

    def mock_get_current_admin_user():
        return {"id": 1, "email": "admin@example.com"}

    app.dependency_overrides[main_module.get_current_admin_user] = mock_get_current_admin_user

    def mock_recover_file_content(original_file_id):
        return {"original_file_id": original_file_id, "content": "Recovered content"}

    monkeypatch.setattr(main_module.vector_admin_service, "recover_file_content", mock_recover_file_content)

    response = client.get("/admin/vector-base/files/123/content")
    assert response.status_code == 200
    data = response.json()
    assert "original_file_id" in data
    assert "content" in data


# Teste para diagnóstico de recuperação de um arquivo da base vetorial
def test_diagnose_vector_file_recovery_success(client, monkeypatch):
    """Testa o endpoint GET /admin/vector-base/files/{original_file_id}/diagnosis."""

    def mock_get_current_admin_user():
        return {"id": 1, "email": "admin@example.com"}
    app.dependency_overrides[main_module.get_current_admin_user] = mock_get_current_admin_user
```

```
def mock_diagnose_recovery(original_file_id):
    return {"original_file_id": original_file_id, "diagnosis": "Recovery possible", "issues": []}

monkeypatch.setattr(main_module.vector_admin_service, "diagnose_recovery", mock_diagnose_recovery)

response = client.get("/admin/vector-base/files/123/diagnosis")
assert response.status_code == 200
data = response.json()
assert "original_file_id" in data
assert "diagnosis" in data
assert "issues" in data
```

# 7. Diretório: docs

## Arquivo: docs\baseline_versions_backend_2026-04-06.txt

```
[Erro: arquivo binário ou encoding inválido - conteúdo omitido]
```

## Arquivo: docs\baseline_versions_frontend_2026-04-06.txt

```
[Erro: arquivo binário ou encoding inválido - conteúdo omitido]
```

# 8. Diretório: frontend

## Arquivo: frontend\AGENTS.md

```
<!-- BEGIN:nextjs-agent-rules -->
# This is NOT the Next.js you know

This version has breaking changes — APIs, conventions, and file structure may all differ from your training data. Read
<!-- END:nextjs-agent-rules -->
```

## Arquivo: frontend\CLAUDE.md

```
@AGENTS.md
```

## Arquivo: frontend\README.md

```
This is a [Next.js](https://nextjs.org) project bootstrapped with [`create-next-app`](https://nextjs.org/docs/app/api-r

## Getting Started

First, run the development server:

```bash
npm run dev
# or
yarn dev
# or
pnpm dev
# or
bun dev
```

Open [http://localhost:3000](http://localhost:3000) with your browser to see the result.

You can start editing the page by modifying `app/page.tsx`. The page auto-updates as you edit the file.

This project uses [`next/font`](https://nextjs.org/docs/app/building-your-application/optimizing/fonts) to automaticall

## Learn More

To learn more about Next.js, take a look at the following resources:

- [Next.js Documentation](https://nextjs.org/docs) - learn about Next.js features and API.
- [Learn Next.js](https://nextjs.org/learn) - an interactive Next.js tutorial.

You can check out [the Next.js GitHub repository](https://github.com/vercel/next.js) - your feedback and contributions

## Deploy on Vercel

The easiest way to deploy your Next.js app is to use the [Vercel Platform](https://vercel.com/new?utm_medium=default-te

Check out our [Next.js deployment documentation](https://nextjs.org/docs/app/building-your-application/deploying) for m
```

## Arquivo: frontend\eslint.config.mjs

```
import { defineConfig, globalIgnores } from "eslint/config";
import nextVitals from "eslint-config-next/core-web-vitals";
import nextTs from "eslint-config-next/typescript";

const eslintConfig = defineConfig([
  ...nextVitals,
  ...nextTs,
  // Override default ignores of eslint-config-next.
  globalIgnores([
    // Default ignores of eslint-config-next:
    ".next/**",
    "out/**",
    "build/**",
    "next-env.d.ts",
```

```
  ]),
]);

export default eslintConfig;
```

## Arquivo: frontend\next-env.d.ts

```
/// <reference types="next" />
/// <reference types="next/image-types/global" />

// NOTE: This file should not be edited
// see https://nextjs.org/docs/app/building-your-application/configuring/typescript for more information.
```

## Arquivo: frontend\next.config.js

```
/** @type {import('next').NextConfig} */
const nextConfig = {
  reactStrictMode: true,
  swcMinify: true,
  images: {
    unoptimized: true,
  },
};

module.exports = nextConfig;
```

## Arquivo: frontend\next.config.ts

```
import type { NextConfig } from "next";

const nextConfig: NextConfig = {
  /* config options here */
};

export default nextConfig;
```

## Arquivo: frontend\package-lock.json

```
{
  "name": "frontend-nextjs",
  "version": "0.1.0",
  "lockfileVersion": 3,
  "requires": true,
  "packages": {
    "": {
      "name": "frontend-nextjs",
      "version": "0.1.0",
      "dependencies": {
        "@tanstack/react-query": "^5.28.0",
        "axios": "^1.6.2",
        "clsx": "^2.0.0",
        "js-cookie": "^3.0.5",
        "lucide-react": "^1.7.0",
        "next": "^14.0.0",
        "react": "^18.2.0",
        "react-dom": "^18.2.0",
        "zustand": "^4.4.7"
      },
      "devDependencies": {
        "@types/js-cookie": "^3.0.6",
        "@types/node": "^20.10.0",
        "@types/react": "^18.2.42",
        "@types/react-dom": "^18.2.17",
        "autoprefixer": "^10.4.16",
        "eslint": "^8.54.0",
        "eslint-config-next": "^14.0.0",
        "postcss": "^8.4.32",
        "tailwindcss": "^3.4.1",
        "typescript": "^5.3.3"
      }
```

```
    },
    "node_modules/@alloc/quick-lru": {
      "version": "5.2.0",
      "resolved": "https://registry.npmjs.org/@alloc/quick-lru/-/quick-lru-5.2.0.tgz",
      "integrity": "sha512-UrcABB+4bUrFABwbluTIBErXwvbsU/V7TZWfmbgJfbkwiBuziS9gxdODUyuiecfdGQ85jglMW6juS3+z5TsKLw==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=10"
      },
      "funding": {
        "url": "https://github.com/sponsors/sindresorhus"
      }
    },
    "node_modules/@emnapi/core": {
      "version": "1.9.2",
      "resolved": "https://registry.npmjs.org/@emnapi/core/-/core-1.9.2.tgz",
      "integrity": "sha512-UC+ZhH3XtczQYfOlu3lNEkdW/p4dsJ1r/bP7H8+rhao3TTTMO1ATq/4DdIi23XuGoFY+Cz0JmCbdVl0hz9jZcA==",
      "dev": true,
      "license": "MIT",
      "optional": true,
      "dependencies": {
        "@emnapi/wasi-threads": "1.2.1",
        "tslib": "^2.4.0"
      }
    },
    "node_modules/@emnapi/runtime": {
      "version": "1.9.2",
      "resolved": "https://registry.npmjs.org/@emnapi/runtime/-/runtime-1.9.2.tgz",
      "integrity": "sha512-3U4+MIWHImeyu1wnmVygh5WlgfYDtyf0k8AbLhMFxOipihf6nrWC4syIm/SwEeec0mNSafiiNnMJwbza/Is6Lw==",
      "dev": true,
      "license": "MIT",
      "optional": true,
      "dependencies": {
        "tslib": "^2.4.0"
      }
    },
    "node_modules/@emnapi/wasi-threads": {
      "version": "1.2.1",
      "resolved": "https://registry.npmjs.org/@emnapi/wasi-threads/-/wasi-threads-1.2.1.tgz",
      "integrity": "sha512-uTII7OYF+/Mes/MrcIOYp5yOtSMLBWSIoLPpcgwipoiKbli6k322tcoFsxoIIxPDqW01SQGAgko4EzZi2BNv2w==",
      "dev": true,
      "license": "MIT",
      "optional": true,
      "dependencies": {
        "tslib": "^2.4.0"
      }
    },
    "node_modules/@eslint-community/eslint-utils": {
      "version": "4.9.1",
      "resolved": "https://registry.npmjs.org/@eslint-community/eslint-utils/-/eslint-utils-4.9.1.tgz",
      "integrity": "sha512-phrYmNiYppR7znFEdqgfWHXR6NCkZEK7hwWDHZUjit/2/U0r6XvkDl0SYnoM51Hq7FhCGdLDT6zxCCOY1hexsQ==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "eslint-visitor-keys": "^3.4.3"
      },
      "engines": {
        "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
      },
      "funding": {
        "url": "https://opencollective.com/eslint"
      },
      "peerDependencies": {
        "eslint": "^6.0.0 || ^7.0.0 || >=8.0.0"
      }
    },
    "node_modules/@eslint-community/regexpp": {
      "version": "4.12.2",
      "resolved": "https://registry.npmjs.org/@eslint-community/regexpp/-/regexpp-4.12.2.tgz",
      "integrity": "sha512-EriSTlt5OC9/7SXkRSCAhfSxxoSUgBm33OH+IkwbdpgoqsSsUg7y3uh+IICI/Qg4BBWr3U2i39RpmycbxMq4ew==",
      "dev": true,
      "license": "MIT",
      "engines": {
```

```
      "node": "^12.0.0 || ^14.0.0 || >=16.0.0"
    }
  },
  "node_modules/@eslint/eslintrc": {
    "version": "2.1.4",
    "resolved": "https://registry.npmjs.org/@eslint/eslintrc/-/eslintrc-2.1.4.tgz",
    "integrity": "sha512-269Z39MS6wVJtsoUl10L60WdkhJVdPG24Q4eZTH3nnF6lpvSShEK3wQjDX9JRWAUPvPh7COouPpU9IrqaZFvtQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ajv": "^6.12.4",
      "debug": "^4.3.2",
      "espree": "^9.6.0",
      "globals": "^13.19.0",
      "ignore": "^5.2.0",
      "import-fresh": "^3.2.1",
      "js-yaml": "^4.1.0",
      "minimatch": "^3.1.2",
      "strip-json-comments": "^3.1.1"
    },
    "engines": {
      "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/eslint"
    }
  },
  "node_modules/@eslint/js": {
    "version": "8.57.1",
    "resolved": "https://registry.npmjs.org/@eslint/js/-/js-8.57.1.tgz",
    "integrity": "sha512-d9zaMRSTIKDLhctzH12MtXvJKSSUhaHcjV+2Z+GK+EEY7XKpP5yR4x+N3TAcHTcu963nIr+TMcCb4DBCYX1z6Q==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
    }
  },
  "node_modules/@humanwhocodes/config-array": {
    "version": "0.13.0",
    "resolved": "https://registry.npmjs.org/@humanwhocodes/config-array/-/config-array-0.13.0.tgz",
    "integrity": "sha512-DZLEEqFWQFiyK6h5YIeynKx7JlvCYWL0cImfSRXZ9l4Sg2efkFGTuFf6vzXjK1cq6IYkU+Eg/JizXw+TD2vRNw==",
    "deprecated": "Use @eslint/config-array instead",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@humanwhocodes/object-schema": "^2.0.3",
      "debug": "^4.3.1",
      "minimatch": "^3.0.5"
    },
    "engines": {
      "node": ">=10.10.0"
    }
  },
  "node_modules/@humanwhocodes/module-importer": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/@humanwhocodes/module-importer/-/module-importer-1.0.1.tgz",
    "integrity": "sha512-bxveV4V8v5Yb4ncFTT3rPSgZBOpCkjfK0y4oVVVJwIuDVBRMDXrPyXRL988i5ap9m9bnyEEjWfm5WkBmtffLfA==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": ">=12.22"
    },
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/nzakas"
    }
  },
  "node_modules/@humanwhocodes/object-schema": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/@humanwhocodes/object-schema/-/object-schema-2.0.3.tgz",
    "integrity": "sha512-93zYdMES/c1D69yZiKDBj0V24vqNzB/koF26KPaagAfd3P/4gUlh3Dys5ogAK+Exi9QyzlD8x/08Zt7wIKcDcA==",
    "deprecated": "Use @eslint/object-schema instead",
    "dev": true,
    "license": "BSD-3-Clause"
```

```
    },
    "node_modules/@isaacs/cliui": {
      "version": "8.0.2",
      "resolved": "https://registry.npmjs.org/@isaacs/cliui/-/cliui-8.0.2.tgz",
      "integrity": "sha512-O8jcjabXaleOG9DQ0+ARXWZBTfnP4WNAqzuiJK7ll44AmxGKv/J2M4TPjxjY3znBCfvBXFzucm1twdyFybFqEA==",
      "dev": true,
      "license": "ISC",
      "dependencies": {
        "string-width": "^5.1.2",
        "string-width-cjs": "npm:string-width@^4.2.0",
        "strip-ansi": "^7.0.1",
        "strip-ansi-cjs": "npm:strip-ansi@^6.0.1",
        "wrap-ansi": "^8.1.0",
        "wrap-ansi-cjs": "npm:wrap-ansi@^7.0.0"
      },
      "engines": {
        "node": ">=12"
      }
    },
    "node_modules/@isaacs/cliui/node_modules/ansi-regex": {
      "version": "6.2.2",
      "resolved": "https://registry.npmjs.org/ansi-regex/-/ansi-regex-6.2.2.tgz",
      "integrity": "sha512-Bq3SmSpyFHaWjPk8If9yc6svM8c56dB5BAtW4Qbw5jHTwwXXcTLoRMkpDJp6VL0XzlWaCHTXrkFURMYmD0sLqg==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=12"
      },
      "funding": {
        "url": "https://github.com/chalk/ansi-regex?sponsor=1"
      }
    },
    "node_modules/@isaacs/cliui/node_modules/strip-ansi": {
      "version": "7.2.0",
      "resolved": "https://registry.npmjs.org/strip-ansi/-/strip-ansi-7.2.0.tgz",
      "integrity": "sha512-yDPMNjp4WyfYBkHnjIRLfca1i6KMyGCtsVgoKe/z1+6vukgaENdgGBZt+ZmKPc4gavvEZ5OgHfHdrazhgNyG7w==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "ansi-regex": "^6.2.2"
      },
      "engines": {
        "node": ">=12"
      },
      "funding": {
        "url": "https://github.com/chalk/strip-ansi?sponsor=1"
      }
    },
    "node_modules/@jridgewell/gen-mapping": {
      "version": "0.3.13",
      "resolved": "https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13.tgz",
      "integrity": "sha512-2kkt/7niJ6MgEPxF0bYdQ6etZaA+fQvDcLKckhy1yIQOzaoKjBBjSj63/aLVjYE3qhRt5dvM+uUyfCg6UKCBbA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@jridgewell/sourcemap-codec": "^1.5.0",
        "@jridgewell/trace-mapping": "^0.3.24"
      }
    },
    "node_modules/@jridgewell/resolve-uri": {
      "version": "3.1.2",
      "resolved": "https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.tgz",
      "integrity": "sha512-bRISgCIjP20/tbWSPWMEi54QVPRZExkuD9lJL+UIxUKtwVJA8wW1Trb1jMs1RFXo1CBTNZ/5hpC9QvmKWdopKw==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=6.0.0"
      }
    },
    "node_modules/@jridgewell/sourcemap-codec": {
      "version": "1.5.5",
      "resolved": "https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.5.5.tgz",
      "integrity": "sha512-cYQ9310grqxueWbl+WuIUIaiUaDcj7WOq5fVhEljNVgRfOUhY9fy2zTvfoqWsnebh8Sl70VScFbICvJnLKB0Og==",
      "dev": true,
```

```
    "license": "MIT"
  },
  "node_modules/@jridgewell/trace-mapping": {
    "version": "0.3.31",
    "resolved": "https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.31.tgz",
    "integrity": "sha512-zzNR+SdQSDJzc8joaeP8QQoCQr8NuYx2dIIytl1QeBEZHJ9uW6hebsrYgbz8hJwUQao3TWCMtmfV8Nu1twOLAw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/resolve-uri": "^3.1.0",
      "@jridgewell/sourcemap-codec": "^1.4.14"
    }
  },
  "node_modules/@napi-rs/wasm-runtime": {
    "version": "0.2.12",
    "resolved": "https://registry.npmjs.org/@napi-rs/wasm-runtime/-/wasm-runtime-0.2.12.tgz",
    "integrity": "sha512-ZVWUcfwY4E/yPitQJl481FjFo3K22D6qF0DuFH6Y/nbnE11GY5uguDxZMGXPQ8WQ0128MXQD7TnfHyK4oWoIJQ==",
    "dev": true,
    "license": "MIT",
    "optional": true,
    "dependencies": {
      "@emnapi/core": "^1.4.3",
      "@emnapi/runtime": "^1.4.3",
      "@tybys/wasm-util": "^0.10.0"
    }
  },
  "node_modules/@next/env": {
    "version": "14.2.35",
    "resolved": "https://registry.npmjs.org/@next/env/-/env-14.2.35.tgz",
    "integrity": "sha512-DuhvCtj4t9Gwrx80dmz2F4t/zKQ4ktN8WrMwOuVzkJfBilwAwGr6v16M5eI8yCuZ63H9TTuEU09Iu2HqkzFPVQ==",
    "license": "MIT"
  },
  "node_modules/@next/eslint-plugin-next": {
    "version": "14.2.35",
    "resolved": "https://registry.npmjs.org/@next/eslint-plugin-next/-/eslint-plugin-next-14.2.35.tgz",
    "integrity": "sha512-Jw9A3ICz2183qSsqwi7fgq4SBPiNfmOLmTPXKvlnzstUwyvBrtySiY+8RXJweNAs9KThb1+bYhZh9XWcNOr2zQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "glob": "10.3.10"
    }
  },
  "node_modules/@next/swc-darwin-arm64": {
    "version": "14.2.33",
    "resolved": "https://registry.npmjs.org/@next/swc-darwin-arm64/-/swc-darwin-arm64-14.2.33.tgz",
    "integrity": "sha512-HqYnb6pxlsshoSTubdXKu15g3iivcbsMXg4bYpjL2iS/V6aQot+iyF4BUc2qA/J/n55YtvE4PHMKWBKGCF/+wA==",
    "cpu": [
      "arm64"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">= 10"
    }
  },
  "node_modules/@next/swc-darwin-x64": {
    "version": "14.2.33",
    "resolved": "https://registry.npmjs.org/@next/swc-darwin-x64/-/swc-darwin-x64-14.2.33.tgz",
    "integrity": "sha512-8HGBeAE5rX3jzKvF593XTTFg3gxeU4f+UWnswa6JPhzaR6+zblO5+fjltJWIZc4aUalqTclvN2QtTC37LxvZAA==",
    "cpu": [
      "x64"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">= 10"
    }
  },
```

```
"node_modules/@next/swc-linux-arm64-gnu": {
  "version": "14.2.33",
  "resolved": "https://registry.npmjs.org/@next/swc-linux-arm64-gnu/-/swc-linux-arm64-gnu-14.2.33.tgz",
  "integrity": "sha512-JXMBka6lNNmqbkvcTtaX8Gu5by9547bukHQvPoLe9VRBx1gHwzf5tdt4AaezW85HAB3pikcvyqBToRTDA4DeLw==",
  "cpu": [
    "arm64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 10"
  }
},
"node_modules/@next/swc-linux-arm64-musl": {
  "version": "14.2.33",
  "resolved": "https://registry.npmjs.org/@next/swc-linux-arm64-musl/-/swc-linux-arm64-musl-14.2.33.tgz",
  "integrity": "sha512-Bm+QulsAItD/x6Ih8wGIMfRJy4G73tu1HJsrccPW6AfqdZd0Sfm5Imhgkgq2+kly065rYMnCOxTBvmvFY1BKfg==",
  "cpu": [
    "arm64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 10"
  }
},
"node_modules/@next/swc-linux-x64-gnu": {
  "version": "14.2.33",
  "resolved": "https://registry.npmjs.org/@next/swc-linux-x64-gnu/-/swc-linux-x64-gnu-14.2.33.tgz",
  "integrity": "sha512-FnFn+ZBgsVMbGDsTqo8zsnRzydvsGV8vfiWwUo1LD8FTmPTdV+otGSWKc4LJec0oSexFnCYVO4hX8P8qQKaSlg==",
  "cpu": [
    "x64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 10"
  }
},
"node_modules/@next/swc-linux-x64-musl": {
  "version": "14.2.33",
  "resolved": "https://registry.npmjs.org/@next/swc-linux-x64-musl/-/swc-linux-x64-musl-14.2.33.tgz",
  "integrity": "sha512-345tsIWMzoXaQndUTDv1qypDRiebFxGYx9pYkhwY4hBRaOLt8UGfiWKr9FSSHs25dFIf8ZqIFaPdy5MljdoawA==",
  "cpu": [
    "x64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 10"
  }
},
"node_modules/@next/swc-win32-arm64-msvc": {
  "version": "14.2.33",
  "resolved": "https://registry.npmjs.org/@next/swc-win32-arm64-msvc/-/swc-win32-arm64-msvc-14.2.33.tgz",
  "integrity": "sha512-nscpt0G6UCTkrT2ppnJnFsYbPDQwmum4GNXYTeoTIdsmMydSKFz9Iny2jpaRupTb+Wl298+Rh82WKzt9LCcqSQ==",
  "cpu": [
    "arm64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
```

```
    "win32"
  ],
  "engines": {
    "node": ">= 10"
  }
},
"node_modules/@next/swc-win32-ia32-msvc": {
  "version": "14.2.33",
  "resolved": "https://registry.npmjs.org/@next/swc-win32-ia32-msvc/-/swc-win32-ia32-msvc-14.2.33.tgz",
  "integrity": "sha512-pc9LpGNKhJ0dXQhZ5QMmYxtARwwmWLpeocFmVG5Z0DzWq5Uf0izcI8tLc+qOpqxO1PWqZ5A7J1blrUIKrIFc7Q==",
  "cpu": [
    "ia32"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": ">= 10"
  }
},
"node_modules/@next/swc-win32-x64-msvc": {
  "version": "14.2.33",
  "resolved": "https://registry.npmjs.org/@next/swc-win32-x64-msvc/-/swc-win32-x64-msvc-14.2.33.tgz",
  "integrity": "sha512-nOjfZMy8B94MdisuzZo9/57xuFVLHJaDj5e/xrduJp9CV2/HrfxTRH2fbyLe+K9QT41WBLUd4iXX3R7jBp0EUg==",
  "cpu": [
    "x64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": ">= 10"
  }
},
"node_modules/@nodelib/fs.scandir": {
  "version": "2.1.5",
  "resolved": "https://registry.npmjs.org/@nodelib/fs.scandir/-/fs.scandir-2.1.5.tgz",
  "integrity": "sha512-vq24Bq3ym5HEQm2NKCr3yXDwjc7vTsEThRDnkp2DK9p1uqLR+DHurm/NOTo0KG7HYHU7eppKZj3MyqYuMBf62g==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@nodelib/fs.stat": "2.0.5",
    "run-parallel": "^1.1.9"
  },
  "engines": {
    "node": ">= 8"
  }
},
"node_modules/@nodelib/fs.stat": {
  "version": "2.0.5",
  "resolved": "https://registry.npmjs.org/@nodelib/fs.stat/-/fs.stat-2.0.5.tgz",
  "integrity": "sha512-RkhPPp2zrqDAQA/2jNhnztcPAlv64XdhIp7a7454A5ovI7Bukxgt7MX7udwAu3zg1DcpPU0rz3VV1SeaqvY4+A==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 8"
  }
},
"node_modules/@nodelib/fs.walk": {
  "version": "1.2.8",
  "resolved": "https://registry.npmjs.org/@nodelib/fs.walk/-/fs.walk-1.2.8.tgz",
  "integrity": "sha512-oGB+UxlgWcgQkgwo8GcEGwemoTFt3FIO9ababBmaGwXIoBKZ+GTy0pP185beGg7Llih/NSHSV2XAs1lnznocSg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@nodelib/fs.scandir": "2.1.5",
    "fastq": "^1.6.0"
  },
  "engines": {
    "node": ">= 8"
```

```
    }
  },
  "node_modules/@nolyfill/is-core-module": {
    "version": "1.0.39",
    "resolved": "https://registry.npmjs.org/@nolyfill/is-core-module/-/is-core-module-1.0.39.tgz",
    "integrity": "sha512-nn5ozdjYQpUCZlWGuxcJY/KpxkWQs4DcbMCmKojjyrYDEAGy4Ce19NN4v5MduafTwJlbKc99UA8YhSVqq9yPZA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=12.4.0"
    }
  },
  "node_modules/@pkgjs/parseargs": {
    "version": "0.11.0",
    "resolved": "https://registry.npmjs.org/@pkgjs/parseargs/-/parseargs-0.11.0.tgz",
    "integrity": "sha512-+1VkjdD0QBLPodGrJUeqarH8VAIvQODIbwh9XpP5Syisf7YoQgsJKPNFoqqLQlu+VQ/tVSshMR6loPMn8U+dPg==",
    "dev": true,
    "license": "MIT",
    "optional": true,
    "engines": {
      "node": ">=14"
    }
  },
  "node_modules/@rtsao/scc": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/@rtsao/scc/-/scc-1.1.0.tgz",
    "integrity": "sha512-zt6OdqaDoOnJ1ZYsCYGt9YmWzDXl4vQdKTyJev62gFhRGKdx7mcT54V9KIjg+d2wi9EXsPvAPKe7i7WjfVWB8g==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@rushstack/eslint-patch": {
    "version": "1.16.1",
    "resolved": "https://registry.npmjs.org/@rushstack/eslint-patch/-/eslint-patch-1.16.1.tgz",
    "integrity": "sha512-TvZbIpeKqGQQ7X0zSCvPH9riMSFQFSggnfBjFZ1mEoILW+UuXCKwOoPcgjMwiUtRqFZ8jWhPJc4um14vC6I4ag==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@swc/counter": {
    "version": "0.1.3",
    "resolved": "https://registry.npmjs.org/@swc/counter/-/counter-0.1.3.tgz",
    "integrity": "sha512-e2BR4lsJkkRlKZ/qCHPw9ZaSxc0MVUd7gtbtaB7aMvHeJVYe8sOB8DBZkP2DtISHGSku9sCK6T6cnY0CtXrOCQ==",
    "license": "Apache-2.0"
  },
  "node_modules/@swc/helpers": {
    "version": "0.5.5",
    "resolved": "https://registry.npmjs.org/@swc/helpers/-/helpers-0.5.5.tgz",
    "integrity": "sha512-KGYxvIOXcceOAbEk4bi/dVLEK9z8sZ0uBB3Il5b1rhfClSpcX0yfRO0KmTkqR2cnQDymwLB+25ZyMzICg/cm/A==",
    "license": "Apache-2.0",
    "dependencies": {
      "@swc/counter": "^0.1.3",
      "tslib": "^2.4.0"
    }
  },
  "node_modules/@tanstack/query-core": {
    "version": "5.96.2",
    "resolved": "https://registry.npmjs.org/@tanstack/query-core/-/query-core-5.96.2.tgz",
    "integrity": "sha512-hzI6cTVh4KNRk8UtoIBS7Lv9g6BnJPXvBKsvYH1aGWvv0347jT3BnSvztOE+kD76XGvZnRC/t6qdW1CaIfwCeA==",
    "license": "MIT",
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/tannerlinsley"
    }
  },
  "node_modules/@tanstack/react-query": {
    "version": "5.96.2",
    "resolved": "https://registry.npmjs.org/@tanstack/react-query/-/react-query-5.96.2.tgz",
    "integrity": "sha512-sYyzzJT4G0g02azzJ8o55VFFV31XvFpdUpG+unxS0vSaYsJnSPKGoI6WdPwUucJL1wpgGfwfmntNX/Ub1uOViA==",
    "license": "MIT",
    "dependencies": {
      "@tanstack/query-core": "5.96.2"
    },
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/tannerlinsley"
```

```
    },
    "peerDependencies": {
      "react": "^18 || ^19"
    }
  },
  "node_modules/@tybys/wasm-util": {
    "version": "0.10.1",
    "resolved": "https://registry.npmjs.org/@tybys/wasm-util/-/wasm-util-0.10.1.tgz",
    "integrity": "sha512-9tTaPJLSiejZKx+Bmog4uSubteqTvFrVrURwkmHixBo0G4seD0zUxp98E1DzUBJxLQ3NPwXrGKDiVjwx/DpPsg==",
    "dev": true,
    "license": "MIT",
    "optional": true,
    "dependencies": {
      "tslib": "^2.4.0"
    }
  },
  "node_modules/@types/js-cookie": {
    "version": "3.0.6",
    "resolved": "https://registry.npmjs.org/@types/js-cookie/-/js-cookie-3.0.6.tgz",
    "integrity": "sha512-wkw9yd1kEXOPnvEeEV1Go1MmxtBJL0RR79aOTAApecWFVu7w0NNXNqhcWgvw2YgZDYadliXkl14pa3WXw5jlCQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@types/json5": {
    "version": "0.0.29",
    "resolved": "https://registry.npmjs.org/@types/json5/-/json5-0.0.29.tgz",
    "integrity": "sha512-dRLjCWHYg4oaA77cxO64oO+7JwCwnIzkZPdrrC71jQmQtlhM556pwKo5bUzqvZndkVbeFLIIi+9TC40JNF5hNQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@types/node": {
    "version": "20.19.39",
    "resolved": "https://registry.npmjs.org/@types/node/-/node-20.19.39.tgz",
    "integrity": "sha512-orrrD74MBUyK8jOAD/r0+lfa1I2MO6I+vAkmAWzMYbCcgrN4lCrmK52gRFQq/JRxfYPfonkr4b0jcY7Olqdqbw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "undici-types": "~6.21.0"
    }
  },
  "node_modules/@types/prop-types": {
    "version": "15.7.15",
    "resolved": "https://registry.npmjs.org/@types/prop-types/-/prop-types-15.7.15.tgz",
    "integrity": "sha512-F6bEyamV9jKGAFBEmlQnesRPGOQqS2+Uwi0Em15xenOxHaf2hv6L8YCVn3rPdPJOiJfPiCnLIRyvwVaqMY3MIw==",
    "devOptional": true,
    "license": "MIT"
  },
  "node_modules/@types/react": {
    "version": "18.3.28",
    "resolved": "https://registry.npmjs.org/@types/react/-/react-18.3.28.tgz",
    "integrity": "sha512-z9VXpC7MWrhfWipitjNdgCauoMLRdIILQsAEV+ZesIzBq/oUlxk0m3ApZuMFCXdnS4U7KrI+l3WRUEGQ8K1QKw==",
    "devOptional": true,
    "license": "MIT",
    "dependencies": {
      "@types/prop-types": "*",
      "csstype": "^3.2.2"
    }
  },
  "node_modules/@types/react-dom": {
    "version": "18.3.7",
    "resolved": "https://registry.npmjs.org/@types/react-dom/-/react-dom-18.3.7.tgz",
    "integrity": "sha512-MEe3UeoENYVFXzoXEWsvcpg6ZvlrFNlOQ7EOsvhI3CfAXwzPfO8Qwuxd40nepsYKqyyVQnTdEfv68q91yLcKrQ==",
    "dev": true,
    "license": "MIT",
    "peerDependencies": {
      "@types/react": "^18.0.0"
    }
  },
  "node_modules/@typescript-eslint/eslint-plugin": {
    "version": "8.58.0",
    "resolved": "https://registry.npmjs.org/@typescript-eslint/eslint-plugin/-/eslint-plugin-8.58.0.tgz",
    "integrity": "sha512-RLkVSiNuUP1C2ROIWfqX+YcUfLaSnxGE/8M+Y57lopVwg9VTYYfhuz15Yf1IzCKgZj6/rIbYTmJCUSqr76r0Wg==",
    "dev": true,
    "license": "MIT",
```

```
    "dependencies": {
      "@eslint-community/regexpp": "^4.12.2",
      "@typescript-eslint/scope-manager": "8.58.0",
      "@typescript-eslint/type-utils": "8.58.0",
      "@typescript-eslint/utils": "8.58.0",
      "@typescript-eslint/visitor-keys": "8.58.0",
      "ignore": "^7.0.5",
      "natural-compare": "^1.4.0",
      "ts-api-utils": "^2.5.0"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/typescript-eslint"
    },
    "peerDependencies": {
      "@typescript-eslint/parser": "^8.58.0",
      "eslint": "^8.57.0 || ^9.0.0 || ^10.0.0",
      "typescript": ">=4.8.4 <6.1.0"
    }
  },
  "node_modules/@typescript-eslint/eslint-plugin/node_modules/ignore": {
    "version": "7.0.5",
    "resolved": "https://registry.npmjs.org/ignore/-/ignore-7.0.5.tgz",
    "integrity": "sha512-Hs59xBNfUIunMFgWAbGX5cq6893IbWg4KnrjbYwX3tx0ztorVgTDA6B2sxf8ejHJ4wz8BqGUMYlnzNBer5NvGg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 4"
    }
  },
  "node_modules/@typescript-eslint/parser": {
    "version": "8.58.0",
    "resolved": "https://registry.npmjs.org/@typescript-eslint/parser/-/parser-8.58.0.tgz",
    "integrity": "sha512-rLoGZIf9afaRBYsPUMtvkDWykwXwUPL60HebR4JgTI8mxfFe2cQTu3AGitANp4b9B2QlVru6WzjgB2IzJKiCSA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@typescript-eslint/scope-manager": "8.58.0",
      "@typescript-eslint/types": "8.58.0",
      "@typescript-eslint/typescript-estree": "8.58.0",
      "@typescript-eslint/visitor-keys": "8.58.0",
      "debug": "^4.4.3"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/typescript-eslint"
    },
    "peerDependencies": {
      "eslint": "^8.57.0 || ^9.0.0 || ^10.0.0",
      "typescript": ">=4.8.4 <6.1.0"
    }
  },
  "node_modules/@typescript-eslint/project-service": {
    "version": "8.58.0",
    "resolved": "https://registry.npmjs.org/@typescript-eslint/project-service/-/project-service-8.58.0.tgz",
    "integrity": "sha512-8Q/wBPWLQP1j16NxoPNIKpDZFMaxl7yWIoqXWYeWO+Bbd2mjgvoF0dxP2jKZg5+x49rgKdf7Ck473M8PC3V9lg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@typescript-eslint/tsconfig-utils": "^8.58.0",
      "@typescript-eslint/types": "^8.58.0",
      "debug": "^4.4.3"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
      "type": "opencollective",
```

```
      "url": "https://opencollective.com/typescript-eslint"
    },
    "peerDependencies": {
      "typescript": ">=4.8.4 <6.1.0"
    }
  },
  "node_modules/@typescript-eslint/scope-manager": {
    "version": "8.58.0",
    "resolved": "https://registry.npmjs.org/@typescript-eslint/scope-manager/-/scope-manager-8.58.0.tgz",
    "integrity": "sha512-W1Lur1oF50FxSnNdGp3Vs6P+yBRSmZiw4IIjEeYxd8UQJwhUF0gDgDD/W/Tgmh73mxgEU3qX0Bzdl/NGuSPEpQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@typescript-eslint/types": "8.58.0",
      "@typescript-eslint/visitor-keys": "8.58.0"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/typescript-eslint"
    }
  },
  "node_modules/@typescript-eslint/tsconfig-utils": {
    "version": "8.58.0",
    "resolved": "https://registry.npmjs.org/@typescript-eslint/tsconfig-utils/-/tsconfig-utils-8.58.0.tgz",
    "integrity": "sha512-doNSZEVJsWEu4htiVC+PR6NpM+pa+a4ClH9INRWOWCUzMst/VA9c4gXq92F8GUD1rwhNvRLkgjfYtFXegXQF7A==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/typescript-eslint"
    },
    "peerDependencies": {
      "typescript": ">=4.8.4 <6.1.0"
    }
  },
  "node_modules/@typescript-eslint/type-utils": {
    "version": "8.58.0",
    "resolved": "https://registry.npmjs.org/@typescript-eslint/type-utils/-/type-utils-8.58.0.tgz",
    "integrity": "sha512-aGsCQImkDIqMyx1u4PrVlbi/krmDsQUs4zAcCV6M7yPcPev+RqVlndsJy9kJ8TLihW9TZ0kbDAzctpLn5o+lOg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@typescript-eslint/types": "8.58.0",
      "@typescript-eslint/typescript-estree": "8.58.0",
      "@typescript-eslint/utils": "8.58.0",
      "debug": "^4.4.3",
      "ts-api-utils": "^2.5.0"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/typescript-eslint"
    },
    "peerDependencies": {
      "eslint": "^8.57.0 || ^9.0.0 || ^10.0.0",
      "typescript": ">=4.8.4 <6.1.0"
    }
  },
  "node_modules/@typescript-eslint/types": {
    "version": "8.58.0",
    "resolved": "https://registry.npmjs.org/@typescript-eslint/types/-/types-8.58.0.tgz",
    "integrity": "sha512-O9CjxypDT89fbHxRfETNoAnHj/i6IpRK0CvbVN3qibxlLdo5p5hcLmUuCCrHMpxiWSwKyI8mCP7qRNYuOJ0Uww==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
```

```
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/typescript-eslint"
    }
  },
  "node_modules/@typescript-eslint/typescript-estree": {
    "version": "8.58.0",
    "resolved": "https://registry.npmjs.org/@typescript-eslint/typescript-estree/-/typescript-estree-8.58.0.tgz",
    "integrity": "sha512-7vv5UWbHqew/dvs+D3e1RvLv1v2eeZ9txRHPnEEBUgSNLx5ghdzjHa0sgLWYVKssH+lYmV0JaWdoubo0ncGYLA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@typescript-eslint/project-service": "8.58.0",
      "@typescript-eslint/tsconfig-utils": "8.58.0",
      "@typescript-eslint/types": "8.58.0",
      "@typescript-eslint/visitor-keys": "8.58.0",
      "debug": "^4.4.3",
      "minimatch": "^10.2.2",
      "semver": "^7.7.3",
      "tinyglobby": "^0.2.15",
      "ts-api-utils": "^2.5.0"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/typescript-eslint"
    },
    "peerDependencies": {
      "typescript": ">=4.8.4 <6.1.0"
    }
  },
  "node_modules/@typescript-eslint/typescript-estree/node_modules/balanced-match": {
    "version": "4.0.4",
    "resolved": "https://registry.npmjs.org/balanced-match/-/balanced-match-4.0.4.tgz",
    "integrity": "sha512-BLrgEcRTwX2o6gGxGOCNyMvGSp35YofuYzw9h1IMTRmKqttAZZVU67bdb9Pr2vUHA8+j3i2tJfjO6C6+4myGTA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "18 || 20 || >=22"
    }
  },
  "node_modules/@typescript-eslint/typescript-estree/node_modules/brace-expansion": {
    "version": "5.0.5",
    "resolved": "https://registry.npmjs.org/brace-expansion/-/brace-expansion-5.0.5.tgz",
    "integrity": "sha512-VZznLgtwhn+Mact9tfiwx64fA9erHH/MCXEUfB/0bX/6Fz6ny5EGTXYltMocqg4xFAQZtnO3DHWWXi8RiuN7cQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "balanced-match": "^4.0.2"
    },
    "engines": {
      "node": "18 || 20 || >=22"
    }
  },
  "node_modules/@typescript-eslint/typescript-estree/node_modules/minimatch": {
    "version": "10.2.5",
    "resolved": "https://registry.npmjs.org/minimatch/-/minimatch-10.2.5.tgz",
    "integrity": "sha512-MULkVLfKGYDFYejP07QOurDLLQpcjk7Fw+7jXS2R2czRQzR56yHRveU5NDJEOviH+hETZKSkIk5c+T23GjFUMg==",
    "dev": true,
    "license": "BlueOak-1.0.0",
    "dependencies": {
      "brace-expansion": "^5.0.5"
    },
    "engines": {
      "node": "18 || 20 || >=22"
    },
    "funding": {
      "url": "https://github.com/sponsors/isaacs"
    }
  },
  "node_modules/@typescript-eslint/utils": {
```

```
    "version": "8.58.0",
    "resolved": "https://registry.npmjs.org/@typescript-eslint/utils/-/utils-8.58.0.tgz",
    "integrity": "sha512-RfeSqcFeHMHlAWzt4TBjWOAtoW9lnsAGiP3GbaX9uVgTYYrMbVnGONEfUCiSss+xMHFl+eHZiipmA8WkQ7FuNA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@eslint-community/eslint-utils": "^4.9.1",
      "@typescript-eslint/scope-manager": "8.58.0",
      "@typescript-eslint/types": "8.58.0",
      "@typescript-eslint/typescript-estree": "8.58.0"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/typescript-eslint"
    },
    "peerDependencies": {
      "eslint": "^8.57.0 || ^9.0.0 || ^10.0.0",
      "typescript": ">=4.8.4 <6.1.0"
    }
  },
  "node_modules/@typescript-eslint/visitor-keys": {
    "version": "8.58.0",
    "resolved": "https://registry.npmjs.org/@typescript-eslint/visitor-keys/-/visitor-keys-8.58.0.tgz",
    "integrity": "sha512-XJ9UD9+bbDo4a4epraTwG3TsNPeiB9aShrUneAVXy8q4LuwowN+qu89/6ByLMINqvIMeI9H9hOHQtg/ijrYXzQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@typescript-eslint/types": "8.58.0",
      "eslint-visitor-keys": "^5.0.0"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/typescript-eslint"
    }
  },
  "node_modules/@typescript-eslint/visitor-keys/node_modules/eslint-visitor-keys": {
    "version": "5.0.1",
    "resolved": "https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-keys-5.0.1.tgz",
    "integrity": "sha512-tD40eHxA35h0PEIZNeIjkHoDR4YjjJp34biM0mDvplBe//mB+IHCqHDGV7pxF+7MklTvighcCPPZC7ynWyjdTA==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": "^20.19.0 || ^22.13.0 || >=24"
    },
    "funding": {
      "url": "https://opencollective.com/eslint"
    }
  },
  "node_modules/@ungap/structured-clone": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/@ungap/structured-clone/-/structured-clone-1.3.0.tgz",
    "integrity": "sha512-WmoN8qaIAo7WTYWbAZuG8PYEhn5fkz7dZrqTBZ7dtt//lL2Gwms1IcnQ5yHqjDfX8Ft5j4YzDM23f87zBfDe9g==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/@unrs/resolver-binding-android-arm-eabi": {
    "version": "1.11.1",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-android-arm-eabi/-/resolver-binding-android-arm-ea
    "integrity": "sha512-ppLRUgHVaGRWUx0R0Ut06Mjo9gBaBkg3v/8AxusGLhsIotbBLuRk51rAzqLC8gq6NyyAojEXglNjzf6R948DNw==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "android"
    ]
```

```
    },
    "node_modules/@unrs/resolver-binding-android-arm64": {
      "version": "1.11.1",
      "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-android-arm64/-/resolver-binding-android-arm64-1.1
      "integrity": "sha512-lCxkVtb4wp1v+EoN+HjIG9cIIzPkX5OtM03pQYkG+U5O/wL53LC4QbIeazgiKqluGeVEeBlZahHalCaBvU1a2g==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "android"
      ]
    },
    "node_modules/@unrs/resolver-binding-darwin-arm64": {
      "version": "1.11.1",
      "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-darwin-arm64/-/resolver-binding-darwin-arm64-1.11.
      "integrity": "sha512-gPVA1UjRu1Y/IsB/dQEsp2V1pm44Of6+LWvbLc9SDk1c2KhhDRDBUkQCYVWe6f26uJb3fOK8saWMgtX8IrMk3g==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "darwin"
      ]
    },
    "node_modules/@unrs/resolver-binding-darwin-x64": {
      "version": "1.11.1",
      "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-darwin-x64/-/resolver-binding-darwin-x64-1.11.1.tg
      "integrity": "sha512-cFzP7rWKd3lZaCsDze07QX1SC24lO8mPty9vdP+YVa3MGdVgPmFc59317b2ioXtgCMKGiCLxJ4HQs62oz6GfRQ==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "darwin"
      ]
    },
    "node_modules/@unrs/resolver-binding-freebsd-x64": {
      "version": "1.11.1",
      "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-freebsd-x64/-/resolver-binding-freebsd-x64-1.11.1.
      "integrity": "sha512-fqtGgak3zX4DCB6PFpsH5+Kmt/8CIi4Bry4rb1ho6Av2QHTREM+47y282Uqiu3ZRF5IQioJQ5qWRV6jduA+iGw==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "freebsd"
      ]
    },
    "node_modules/@unrs/resolver-binding-linux-arm-gnueabihf": {
      "version": "1.11.1",
      "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-arm-gnueabihf/-/resolver-binding-linux-arm-g
      "integrity": "sha512-u92mvlcYtp9MRKmP+ZvMmtPN34+/3lMHlyMj7wXJDeXxuM0Vgzz0+PPJNsro1m3IZPYChIkn944wW8TYgGKFHw==",
      "cpu": [
        "arm"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@unrs/resolver-binding-linux-arm-musleabihf": {
      "version": "1.11.1",
      "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-arm-musleabihf/-/resolver-binding-linux-arm-
```

"integrity": "sha512-cINaoY2z7LVCrfHkIcmvj7osTOtm6VVT16b5oQdS4beibX2SYBwgYLmqhBjA1t51CarSaBuX5YNsWLjsqfW5Cw==",
"cpu": [
"arm"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"linux"
]
},
"node_modules/@unrs/resolver-binding-linux-arm64-gnu": {
"version": "1.11.1",
"resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-arm64-gnu/-/resolver-binding-linux-arm64-gnu
"integrity": "sha512-34gw7PjDGB9JgePJEmhEqBhWvCiiWCuXsL9hYphDF7crW7UgI05gyBAi6MF58uGcMOiOqSJ2ybEeCvHcq0BCmQ==",
"cpu": [
"arm64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"linux"
]
},
"node_modules/@unrs/resolver-binding-linux-arm64-musl": {
"version": "1.11.1",
"resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-arm64-musl/-/resolver-binding-linux-arm64-mu
"integrity": "sha512-RyMIx6Uf53hhOtJDIamSbTskA99sPHS96wxVE/bJtePJJtpdKGXO1wY90oRdXuYOGOTuqjT8ACccMc4K6QmT3w==",
"cpu": [
"arm64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"linux"
]
},
"node_modules/@unrs/resolver-binding-linux-ppc64-gnu": {
"version": "1.11.1",
"resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-ppc64-gnu/-/resolver-binding-linux-ppc64-gnu
"integrity": "sha512-D8Vae74A4/a+mZH0FbOkFJL9DSK2R6TFPC9M+jCWYia/q2einCubX10pecpDiTmkJVUH+y8K3BZClycD8nCShA==",
"cpu": [
"ppc64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"linux"
]
},
"node_modules/@unrs/resolver-binding-linux-riscv64-gnu": {
"version": "1.11.1",
"resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-riscv64-gnu/-/resolver-binding-linux-riscv64
"integrity": "sha512-frxL4OrzOWVVsOc96+V3aqTIQl1O2TjgExV4EKgRY09AJ9leZpEg8Ak9phadbuX0BA4k8U5qtvMSQQGGmaJqcQ==",
"cpu": [
"riscv64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"linux"
]
},
"node_modules/@unrs/resolver-binding-linux-riscv64-musl": {
"version": "1.11.1",
"resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-riscv64-musl/-/resolver-binding-linux-riscv6
"integrity": "sha512-mJ5vuDaIZ+l/acv01sHoXfpnyrNKOk/3aDoEdLO/Xtn9HuZlDD6jKxHlkN8ZhWyLJsRBxfv9GYM2utQ1SChKew==",
"cpu": [
"riscv64"
],

```
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@unrs/resolver-binding-linux-s390x-gnu": {
    "version": "1.11.1",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-s390x-gnu/-/resolver-binding-linux-s390x-gnu
    "integrity": "sha512-kELo8ebBVtb9sA7rMe1Cph4QHreByhaZ2QEADd9NzIQsYNQpt9UkM9iqr2lhGr5afh885d/cB5QeTXSbZHTYPg==",
    "cpu": [
      "s390x"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@unrs/resolver-binding-linux-x64-gnu": {
    "version": "1.11.1",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-x64-gnu/-/resolver-binding-linux-x64-gnu-1.1
    "integrity": "sha512-C3ZAHugKgovV5YvAMsxhq0gtXuwESUKc5MhEtjBpLoHPLYM+iuwSj3lflFwK3DPm68660rZ7G8BMcwSro7hD5w==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@unrs/resolver-binding-linux-x64-musl": {
    "version": "1.11.1",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-x64-musl/-/resolver-binding-linux-x64-musl-1
    "integrity": "sha512-rV0YSoyhK2nZ4vEswT/QwqzqQXw5I6CjoaYMOX0TqBlWhojUf8P94mvI7nuJTeaCkkds3QE4+zS8Ko+GdXuZtA==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@unrs/resolver-binding-wasm32-wasi": {
    "version": "1.11.1",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-wasm32-wasi/-/resolver-binding-wasm32-wasi-1.11.1.
    "integrity": "sha512-5u4RkfxJm+Ng7IWgkzi3qrFOvLvQYnPBmjmZQ8+szTK/b31fQCnleNl1GgEt7nIsZRIf5PLhPwT0WM+q45x/UQ==",
    "cpu": [
      "wasm32"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "dependencies": {
      "@napi-rs/wasm-runtime": "^0.2.11"
    },
    "engines": {
      "node": ">=14.0.0"
    }
  },
  "node_modules/@unrs/resolver-binding-win32-arm64-msvc": {
    "version": "1.11.1",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-win32-arm64-msvc/-/resolver-binding-win32-arm64-ms
    "integrity": "sha512-nRcz5Il4ln0kMhfL8S3hLkxI85BXs3o8EYoattsJNdsX4YUU89iOkVn7g0VHSRxFuVMdM4Q1jEpIId1Ihim/Uw==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
```

```
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ]
  },
  "node_modules/@unrs/resolver-binding-win32-ia32-msvc": {
    "version": "1.11.1",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-win32-ia32-msvc/-/resolver-binding-win32-ia32-msvc
    "integrity": "sha512-DCEI6t5i1NmAZp6pFonpD5m7i6aFrpofcp4LA2i8IIq60Jyo28hamKBxNrZcyOwVOZkgsRp9O2sXWBWP8MnvIQ==",
    "cpu": [
      "ia32"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ]
  },
  "node_modules/@unrs/resolver-binding-win32-x64-msvc": {
    "version": "1.11.1",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-win32-x64-msvc/-/resolver-binding-win32-x64-msvc-1
    "integrity": "sha512-lrW200hZdbfRtztbygyaq/6jP6AKE8qQN2KvPcJ+x7wiD038YtnYtZ82IMNJ69GJibV7bwL3y9FgK+5w/pYt6g==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ]
  },
  "node_modules/acorn": {
    "version": "8.16.0",
    "resolved": "https://registry.npmjs.org/acorn/-/acorn-8.16.0.tgz",
    "integrity": "sha512-UVJyE9MttOsBQIDKw1skb9nAwQuR5wuGD3+82K6JgJlm/Y+KI92oNsMNGZCYdDsVtRHSak0pcV5Dno5+4jh9sw==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "acorn": "bin/acorn"
    },
    "engines": {
      "node": ">=0.4.0"
    }
  },
  "node_modules/acorn-jsx": {
    "version": "5.3.2",
    "resolved": "https://registry.npmjs.org/acorn-jsx/-/acorn-jsx-5.3.2.tgz",
    "integrity": "sha512-rq9s+JNhf0IChjtDXxllJ7g41oZk5SlXtp0LHwyA5cejwn7vKmKp4pPri6YEePv2PU65sAsegbXtIinmDFDXgQ==",
    "dev": true,
    "license": "MIT",
    "peerDependencies": {
      "acorn": "^6.0.0 || ^7.0.0 || ^8.0.0"
    }
  },
  "node_modules/ajv": {
    "version": "6.14.0",
    "resolved": "https://registry.npmjs.org/ajv/-/ajv-6.14.0.tgz",
    "integrity": "sha512-IWrosm/yrn43eiKqkfkHis7QioDleaXQHdDVPKg0FSwwd/DuvyX79TZnFOnYpB7dcsFAMmtFztZuXPDvSePkFw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "fast-deep-equal": "^3.1.1",
      "fast-json-stable-stringify": "^2.0.0",
      "json-schema-traverse": "^0.4.1",
      "uri-js": "^4.2.2"
    },
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/epoberezkin"
    }
  },
```

```
"node_modules/ansi-regex": {
  "version": "5.0.1",
  "resolved": "https://registry.npmjs.org/ansi-regex/-/ansi-regex-5.0.1.tgz",
  "integrity": "sha512-quJQXlTSUGL2LH9SUXo8VwsY4soanhgo6LNSm84E1LBcE8s3O0wpdiRzyR9z/ZZJMlMWv37qOOb9pdJlMUEKFQ==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=8"
  }
},
"node_modules/ansi-styles": {
  "version": "4.3.0",
  "resolved": "https://registry.npmjs.org/ansi-styles/-/ansi-styles-4.3.0.tgz",
  "integrity": "sha512-zbB9rCJAT1rbjiVDb2hqKFHNYLxgtk8NURxZ3IZwD3F6NtxbXZQCnnSi1Lkx+IDohdPlFp222wVALIheZJQSEg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "color-convert": "^2.0.1"
  },
  "engines": {
    "node": ">=8"
  },
  "funding": {
    "url": "https://github.com/chalk/ansi-styles?sponsor=1"
  }
},
"node_modules/any-promise": {
  "version": "1.3.0",
  "resolved": "https://registry.npmjs.org/any-promise/-/any-promise-1.3.0.tgz",
  "integrity": "sha512-7UvmKalWRt1wgjL1RrGxoSJW/0QZFIegpeGvZG9kjp8vrRu55XTHbwnqq2GpXm9uLbcuhxm3IqX9OB4MZR1b2A==",
  "dev": true,
  "license": "MIT"
},
"node_modules/anymatch": {
  "version": "3.1.3",
  "resolved": "https://registry.npmjs.org/anymatch/-/anymatch-3.1.3.tgz",
  "integrity": "sha512-KMReFUr0B4t+D+OBkjR3KYqvocp2XaSzO55UcB6mgQMd3KbcE+mWTyvVV7D/zsdEbNnV6acZUutkiHQXvTr1Rw==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "normalize-path": "^3.0.0",
    "picomatch": "^2.0.4"
  },
  "engines": {
    "node": ">= 8"
  }
},
"node_modules/arg": {
  "version": "5.0.2",
  "resolved": "https://registry.npmjs.org/arg/-/arg-5.0.2.tgz",
  "integrity": "sha512-PYjyFOLKQ9y57JvQ6QLo8dAgNqswh8M1RMJYdQduT6xbWSgK36P/Z/v+p888pM69jMMfS8Xd8F6I1kQ/I9HUGg==",
  "dev": true,
  "license": "MIT"
},
"node_modules/argparse": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/argparse/-/argparse-2.0.1.tgz",
  "integrity": "sha512-8+9WqebbFzpX9OR+Wa6O29asIogeRMzcGtAINdpMHHyAg10f05aSFVBbcEqGf/PXw1EjAZ+q2/bEBg3DvurK3Q==",
  "dev": true,
  "license": "Python-2.0"
},
"node_modules/aria-query": {
  "version": "5.3.2",
  "resolved": "https://registry.npmjs.org/aria-query/-/aria-query-5.3.2.tgz",
  "integrity": "sha512-COROpnaoap1E2F000S62r6A60uHZnmlvomhfyT2DlTcrY1OrBKn2UhH7qn5wTC9zMvD0AY7csdPSNwKP+7WiQw==",
  "dev": true,
  "license": "Apache-2.0",
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/array-buffer-byte-length": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/array-buffer-byte-length/-/array-buffer-byte-length-1.0.2.tgz",
```

"integrity": "sha512-LHE+8BuR7RYGDKvnrmcuSq3tDcKv9OFEXQt/HpbZhY7V6h0zlUXutnAD82GiFx9rdieCMjkvtcsPqBwgUl1Iiw==",
"dev": true,
"license": "MIT",
"dependencies": {
"call-bound": "^1.0.3",
"is-array-buffer": "^3.0.5"
},
"engines": {
"node": ">= 0.4"
},
"funding": {
"url": "https://github.com/sponsors/ljharb"
}
},
"node_modules/array-includes": {
"version": "3.1.9",
"resolved": "https://registry.npmjs.org/array-includes/-/array-includes-3.1.9.tgz",
"integrity": "sha512-FmeCCAenzH0KH381SPT5FZmiA/TmpndpcaShhfgEN9eCVjnFBqq3l1xrI42y8+PPLI6hypzou4GXw00WHmPBLQ==",
"dev": true,
"license": "MIT",
"dependencies": {
"call-bind": "^1.0.8",
"call-bound": "^1.0.4",
"define-properties": "^1.2.1",
"es-abstract": "^1.24.0",
"es-object-atoms": "^1.1.1",
"get-intrinsic": "^1.3.0",
"is-string": "^1.1.1",
"math-intrinsics": "^1.1.0"
},
"engines": {
"node": ">= 0.4"
},
"funding": {
"url": "https://github.com/sponsors/ljharb"
}
},
"node_modules/array.prototype.findlast": {
"version": "1.2.5",
"resolved": "https://registry.npmjs.org/array.prototype.findlast/-/array.prototype.findlast-1.2.5.tgz",
"integrity": "sha512-CVvd6FHg1Z3POpBLxO6E6zr+rSKEQ9L6rZHAaY7lLfhKsWYUBBOuMs0e9o24oopj6H+geRCX0YJ+TJLBK2eHyQ==",
"dev": true,
"license": "MIT",
"dependencies": {
"call-bind": "^1.0.7",
"define-properties": "^1.2.1",
"es-abstract": "^1.23.2",
"es-errors": "^1.3.0",
"es-object-atoms": "^1.0.0",
"es-shim-unscopables": "^1.0.2"
},
"engines": {
"node": ">= 0.4"
},
"funding": {
"url": "https://github.com/sponsors/ljharb"
}
},
"node_modules/array.prototype.findlastindex": {
"version": "1.2.6",
"resolved": "https://registry.npmjs.org/array.prototype.findlastindex/-/array.prototype.findlastindex-1.2.6.tgz",
"integrity": "sha512-F/TKATkzseUExPlfvmwQKGITM3DGTK+vkAsCZoDc5daVygbJBnjEUCbgkAvVFsgfXfX4YIqZ/27G3k3tdXrTxQ==",
"dev": true,
"license": "MIT",
"dependencies": {
"call-bind": "^1.0.8",
"call-bound": "^1.0.4",
"define-properties": "^1.2.1",
"es-abstract": "^1.23.9",
"es-errors": "^1.3.0",
"es-object-atoms": "^1.1.1",
"es-shim-unscopables": "^1.1.0"
},
"engines": {

```
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/array.prototype.flat": {
    "version": "1.3.3",
    "resolved": "https://registry.npmjs.org/array.prototype.flat/-/array.prototype.flat-1.3.3.tgz",
    "integrity": "sha512-rwG/ja1neyLqCuGZ5YYrznA62D4mZXg0i1cIskIUKSiqF3Cje9/wXAls9B9s1Wa2fomMsIv8czB8jZcPmxCXFg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.5",
      "es-shim-unscopables": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/array.prototype.flatmap": {
    "version": "1.3.3",
    "resolved": "https://registry.npmjs.org/array.prototype.flatmap/-/array.prototype.flatmap-1.3.3.tgz",
    "integrity": "sha512-Y7Wt51eKJSyi80hFrJCePGGNo5ktJCslFuboqJsbf57CCPcm5zztluPlc4/aD8sWsKvlwatezpV4U1efk8kpjg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.5",
      "es-shim-unscopables": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/array.prototype.tosorted": {
    "version": "1.1.4",
    "resolved": "https://registry.npmjs.org/array.prototype.tosorted/-/array.prototype.tosorted-1.1.4.tgz",
    "integrity": "sha512-p6Fx8B7b7ZhL/gmUsAy0D15WhvDccw3mnGNbZpi3pmeJdxtWsj2jEaI4Y6oo3XiHfzuSgPwKc04MYt6KgvC/wA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.7",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.3",
      "es-errors": "^1.3.0",
      "es-shim-unscopables": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/arraybuffer.prototype.slice": {
    "version": "1.0.4",
    "resolved": "https://registry.npmjs.org/arraybuffer.prototype.slice/-/arraybuffer.prototype.slice-1.0.4.tgz",
    "integrity": "sha512-BNoCY6SXXPQ7gF2opIP4GBE+Xw7U+pHMYKuzjgCN3GwiaIR09UUeKfheyIry77QtrCBlC0KK0q5/TER/tYh3PQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "array-buffer-byte-length": "^1.0.1",
      "call-bind": "^1.0.8",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.5",
      "es-errors": "^1.3.0",
      "get-intrinsic": "^1.2.6",
```

```
      "is-array-buffer": "^3.0.4"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/ast-types-flow": {
    "version": "0.0.8",
    "resolved": "https://registry.npmjs.org/ast-types-flow/-/ast-types-flow-0.0.8.tgz",
    "integrity": "sha512-OH/2E5Fg20h2aPrbe+QL8JZQFko0YZaF+j4mnQ7BGhfavO7OpSLa8a0y9sBwomHdSbkhTS8TQNayBfnW5DwbvQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/async-function": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/async-function/-/async-function-1.0.0.tgz",
    "integrity": "sha512-hsU18Ae8CDTR6Kgu9DYf0EbCr/a5iGL0rytQDobUcdpYOKokk8LEjVphnXkDkgpi0wYVsqrXuP0bZxJaTqdgoA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/asynckit": {
    "version": "0.4.0",
    "resolved": "https://registry.npmjs.org/asynckit/-/asynckit-0.4.0.tgz",
    "integrity": "sha512-Oei9OH4tRh0YqU3GxhX79dM/mwVgvbZJaSNaRk+bshkj0S5cfHcgYakreBjrHwatXKbz+IoIdYLxrKim2MjW0Q==",
    "license": "MIT"
  },
  "node_modules/autoprefixer": {
    "version": "10.4.27",
    "resolved": "https://registry.npmjs.org/autoprefixer/-/autoprefixer-10.4.27.tgz",
    "integrity": "sha512-NP9APE+tO+LuJGn7/9+cohklunJsXWiaWEfV3si4Gi/XHDwVNgkwr1J3RQYFIvPy76GmJ9/bW8vyoU1LcxwKHA==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/autoprefixer"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "browserslist": "^4.28.1",
      "caniuse-lite": "^1.0.30001774",
      "fraction.js": "^5.3.4",
      "picocolors": "^1.1.1",
      "postcss-value-parser": "^4.2.0"
    },
    "bin": {
      "autoprefixer": "bin/autoprefixer"
    },
    "engines": {
      "node": "^10 || ^12 || >=14"
    },
    "peerDependencies": {
      "postcss": "^8.1.0"
    }
  },
  "node_modules/available-typed-arrays": {
    "version": "1.0.7",
    "resolved": "https://registry.npmjs.org/available-typed-arrays/-/available-typed-arrays-1.0.7.tgz",
    "integrity": "sha512-wvUjBtSGN7+7SjNpq/9M2Tg350UZD3q62IFZLbRAR1bSMlCo1ZaeW+BJ+D090e4hIIZLBcTDWe4Mh4jvUDajzQ==",
    "dev": true,
```

```
    "license": "MIT",
    "dependencies": {
      "possible-typed-array-names": "^1.0.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/axe-core": {
    "version": "4.11.2",
    "resolved": "https://registry.npmjs.org/axe-core/-/axe-core-4.11.2.tgz",
    "integrity": "sha512-byD6KPdvo72y/wj2T/4zGEvvlis+PsZsn/yPS3pEO+sFpcrqRpX/TJCxvVaEsNeMrfQbCr7w163YqoD9IYwHXw==",
    "dev": true,
    "license": "MPL-2.0",
    "engines": {
      "node": ">=4"
    }
  },
  "node_modules/axios": {
    "version": "1.14.0",
    "resolved": "https://registry.npmjs.org/axios/-/axios-1.14.0.tgz",
    "integrity": "sha512-3Y8yrqLSwjuzpXuZ0oIYZ/XGgLwUIBU3uLvbcpb0pidD9ctpShJd43KSlEEkVQg6DS0G9NKyzOvBfUtDKEyHvQ==",
    "license": "MIT",
    "dependencies": {
      "follow-redirects": "^1.15.11",
      "form-data": "^4.0.5",
      "proxy-from-env": "^2.1.0"
    }
  },
  "node_modules/axobject-query": {
    "version": "4.1.0",
    "resolved": "https://registry.npmjs.org/axobject-query/-/axobject-query-4.1.0.tgz",
    "integrity": "sha512-qIj0G9wZbMGNLjLmg1PT6v2mE9AH2zlnADJD/2tC6E00hgmhUOfEB6greHPAfLRSufHqROIUTkw6E+M3lH0PTQ==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/balanced-match": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/balanced-match/-/balanced-match-1.0.2.tgz",
    "integrity": "sha512-3oSeUO0TMV67hN1AmbXsK4yaqU7tjiHlbxRDZOpH0KW9+CeX4bRAaX0Anxt0tx2MrpRpWwQaPwIlISEJhYU5Pw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/baseline-browser-mapping": {
    "version": "2.10.16",
    "resolved": "https://registry.npmjs.org/baseline-browser-mapping/-/baseline-browser-mapping-2.10.16.tgz",
    "integrity": "sha512-Lyf3aK28zpsD1yQMiiHD4RvVb6UdMoo8xzG2XzFIfR9luPzOpcBlAsT/qfB1XWS1bxWT+UtE4WmQgsp297FYOA==",
    "dev": true,
    "license": "Apache-2.0",
    "bin": {
      "baseline-browser-mapping": "dist/cli.cjs"
    },
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/binary-extensions": {
    "version": "2.3.0",
    "resolved": "https://registry.npmjs.org/binary-extensions/-/binary-extensions-2.3.0.tgz",
    "integrity": "sha512-Ceh+7ox5qe7LJuLHoY0feh3pHuUDHAcRUeyL2VYghZwfpkNIy/+8Ocg0a3UuSoYzavmylwuLWQOf3hl0jjMMIw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
```

```
    },
    "node_modules/brace-expansion": {
      "version": "1.1.13",
      "resolved": "https://registry.npmjs.org/brace-expansion/-/brace-expansion-1.1.13.tgz",
      "integrity": "sha512-9ZLprWS6EENmhEOpjCYW2c8VkmOvckIJZfkr7rBW6dObmfgJ/L1GpSYW5Hpo9lDz4D1+n0Ckz8rU7FwHDQiG/w==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "balanced-match": "^1.0.0",
        "concat-map": "0.0.1"
      }
    },
    "node_modules/braces": {
      "version": "3.0.3",
      "resolved": "https://registry.npmjs.org/braces/-/braces-3.0.3.tgz",
      "integrity": "sha512-yQbXgO/OSZVD2IsiLlro+7Hf6Q18EJrKSEsdoMzKePKXct3gvD8oLcOQdIzGupr5Fj+EDe8gO/lxc1BzfMpxvA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "fill-range": "^7.1.1"
      },
      "engines": {
        "node": ">=8"
      }
    },
    "node_modules/browserslist": {
      "version": "4.28.2",
      "resolved": "https://registry.npmjs.org/browserslist/-/browserslist-4.28.2.tgz",
      "integrity": "sha512-48xSriZYYg+8qXna9kwqjIVzuQxi+KYWp2+5nCYnYKPTr0LvD89Jqk2Or5ogxz0NUMfIjhh2lIUX/LyX9B4oIg==",
      "dev": true,
      "funding": [
        {
          "type": "opencollective",
          "url": "https://opencollective.com/browserslist"
        },
        {
          "type": "tidelift",
          "url": "https://tidelift.com/funding/github/npm/browserslist"
        },
        {
          "type": "github",
          "url": "https://github.com/sponsors/ai"
        }
      ],
      "license": "MIT",
      "dependencies": {
        "baseline-browser-mapping": "^2.10.12",
        "caniuse-lite": "^1.0.30001782",
        "electron-to-chromium": "^1.5.328",
        "node-releases": "^2.0.36",
        "update-browserslist-db": "^1.2.3"
      },
      "bin": {
        "browserslist": "cli.js"
      },
      "engines": {
        "node": "^6 || ^7 || ^8 || ^9 || ^10 || ^11 || ^12 || >=13.7"
      }
    },
    "node_modules/busboy": {
      "version": "1.6.0",
      "resolved": "https://registry.npmjs.org/busboy/-/busboy-1.6.0.tgz",
      "integrity": "sha512-8SFQbg/0hQ9xy3UNTB0YEnsNBbWfhf7RtnzpL7TkBiTBRfrQ9Fxcnz7VJsleJpyp6rVLvXiuORqjlHi5q+PYuA==",
      "dependencies": {
        "streamsearch": "^1.1.0"
      },
      "engines": {
        "node": ">=10.16.0"
      }
    },
    "node_modules/call-bind": {
      "version": "1.0.8",
      "resolved": "https://registry.npmjs.org/call-bind/-/call-bind-1.0.8.tgz",
      "integrity": "sha512-oKlSFMcMwpUg2ednkhQ454wfWiU/ul3CkJe/PEHcTKuiX6RpbehUiFMXu13HalGZxfUwCQzZG747YXBn1im9ww==",
```

```
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind-apply-helpers": "^1.0.0",
      "es-define-property": "^1.0.0",
      "get-intrinsic": "^1.2.4",
      "set-function-length": "^1.2.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/call-bind-apply-helpers": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/call-bind-apply-helpers/-/call-bind-apply-helpers-1.0.2.tgz",
    "integrity": "sha512-Sp1ablJ0ivDkSzjcaJdxEunN5/XvksFJ2sMBFfq6x0ryhQV/2b/KwFe21cMpmHtPOSij8K99/wSfoEuTObmuMQ==",
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "function-bind": "^1.1.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/call-bound": {
    "version": "1.0.4",
    "resolved": "https://registry.npmjs.org/call-bound/-/call-bound-1.0.4.tgz",
    "integrity": "sha512-+ys997U96po4Kx/ABpBCqhA9EuxJaQWDQg7295H4hBphv3IZg0boBKuwYpt4YXp6MZ5AmZQnU/tyMTlRpaSejg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind-apply-helpers": "^1.0.2",
      "get-intrinsic": "^1.3.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/callsites": {
    "version": "3.1.0",
    "resolved": "https://registry.npmjs.org/callsites/-/callsites-3.1.0.tgz",
    "integrity": "sha512-P8BjAsXvZS+VIDUI11hHCQEv74YT67YUi5JJFNWIqL235sBmjX4+qx9Muvls5ivyNENctx46xQLQ3aTuE7ssaQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/camelcase-css": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/camelcase-css/-/camelcase-css-2.0.1.tgz",
    "integrity": "sha512-QOSvevhslijgYwRx6Rv7zKdMF8lbRmx+uQGx2+vDc+KI/eBnsy9kit5aj23AgGu3pa4t9AgwbnXWqS+iOY+2aA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/caniuse-lite": {
    "version": "1.0.30001786",
    "resolved": "https://registry.npmjs.org/caniuse-lite/-/caniuse-lite-1.0.30001786.tgz",
    "integrity": "sha512-4oxTZEvqmLLrERwxO76yfKM7acZo310U+v4kqexI2TL1DkkUEMT8UijrxxcnVdxR3qkVf5awGRX+4Z6aPHVKrA==",
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/browserslist"
      },
```

```
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/caniuse-lite"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "CC-BY-4.0"
  },
  "node_modules/chalk": {
    "version": "4.1.2",
    "resolved": "https://registry.npmjs.org/chalk/-/chalk-4.1.2.tgz",
    "integrity": "sha512-oKnbhFyRIXpUuez8iBMmyEa4nbj4IOQyuhc/wy9kY7/WVPcwIO9VA668Pu8RkO7+0G76SLROeyw9CpQ061i4mA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ansi-styles": "^4.1.0",
      "supports-color": "^7.1.0"
    },
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/chalk/chalk?sponsor=1"
    }
  },
  "node_modules/chokidar": {
    "version": "3.6.0",
    "resolved": "https://registry.npmjs.org/chokidar/-/chokidar-3.6.0.tgz",
    "integrity": "sha512-7VT13fmjotKpGipCW9JEQAusEPE+Ei8nl6/g4FBAmIm0GOOLMua9NDDo/DWp0ZAxCr3cPq5ZpBqmPAQgDda2Pw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "anymatch": "~3.1.2",
      "braces": "~3.0.2",
      "glob-parent": "~5.1.2",
      "is-binary-path": "~2.1.0",
      "is-glob": "~4.0.1",
      "normalize-path": "~3.0.0",
      "readdirp": "~3.6.0"
    },
    "engines": {
      "node": ">= 8.10.0"
    },
    "funding": {
      "url": "https://paulmillr.com/funding/"
    },
    "optionalDependencies": {
      "fsevents": "~2.3.2"
    }
  },
  "node_modules/chokidar/node_modules/glob-parent": {
    "version": "5.1.2",
    "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
    "integrity": "sha512-AOIgSQCepiJYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbcOc9/SrMyM5RPQrkGz4aS9Zow==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "is-glob": "^4.0.1"
    },
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/client-only": {
    "version": "0.0.1",
    "resolved": "https://registry.npmjs.org/client-only/-/client-only-0.0.1.tgz",
    "integrity": "sha512-IV3Ou0jSMzZrd3pZ48nLkT9DA7Ag1pnPzaiQhpW7c3RbcqqzvzzVu+L8gfqMp/8IM2MQtSiqaCxrrcfu8I8rMA==",
    "license": "MIT"
  },
  "node_modules/clsx": {
    "version": "2.1.1",
```

```
    "resolved": "https://registry.npmjs.org/clsx/-/clsx-2.1.1.tgz",
    "integrity": "sha512-eYm0QWBtUrBWZWG0d386OGAw16Z995PiOVo2B7bjWSbHedGl5e0ZWaq65kOGgUSNesEIDkB9ISbTg/JK9dhCZA==",
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/color-convert": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/color-convert/-/color-convert-2.0.1.tgz",
    "integrity": "sha512-RRECPsj7iu/xb5oKYcsFHSppFNnsj/52OVTRKb4zP5onXwVF3zVmmToNcOfGC+CRDpfK/U584fMg38ZHCaElKQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "color-name": "~1.1.4"
    },
    "engines": {
      "node": ">=7.0.0"
    }
  },
  "node_modules/color-name": {
    "version": "1.1.4",
    "resolved": "https://registry.npmjs.org/color-name/-/color-name-1.1.4.tgz",
    "integrity": "sha512-dOy+3AuW3a2wNbZHIuMZpTcgjGuLU/uBL/ubcZF9OXbDo8ff4O8yVp5Bf0efS8uEoYo5q4Fx7dY9OgQGXgAsQA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/combined-stream": {
    "version": "1.0.8",
    "resolved": "https://registry.npmjs.org/combined-stream/-/combined-stream-1.0.8.tgz",
    "integrity": "sha512-FQN4MRfuJeHf7cBbBMJFXhKSDq+2kAArBlmRBvcvFE5BB1HZKXtSFASDhdlz9zOYwxh8lDdnvmMOe/+5cdoEdg==",
    "license": "MIT",
    "dependencies": {
      "delayed-stream": "~1.0.0"
    },
    "engines": {
      "node": ">= 0.8"
    }
  },
  "node_modules/commander": {
    "version": "4.1.1",
    "resolved": "https://registry.npmjs.org/commander/-/commander-4.1.1.tgz",
    "integrity": "sha512-NOKm8xhkzAjzFx8B2v5OAHT+u5pRQc2UCa2Vq9jYL/31o2wi9mxBA7LIFs3sV5VSC49z6pEhfbMULvShKj26WA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/concat-map": {
    "version": "0.0.1",
    "resolved": "https://registry.npmjs.org/concat-map/-/concat-map-0.0.1.tgz",
    "integrity": "sha512-/Srv4dswyQNBfohGpz9o6Yb3Gz3SrUDqBH5rTuhGR7ahtlbYKnVxw2bCFMRljaA7EXHaXZ8wsHdodFvbkhKmqg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/cross-spawn": {
    "version": "7.0.6",
    "resolved": "https://registry.npmjs.org/cross-spawn/-/cross-spawn-7.0.6.tgz",
    "integrity": "sha512-uV2QOWP2nWzsy2aMp8aRibhi9dlzF5Hgh5SHaB9OiTGEyDTiJJyx0uy51QXdyWbtAHNua4XJzUKca3OzKUd3vA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "path-key": "^3.1.0",
      "shebang-command": "^2.0.0",
      "which": "^2.0.1"
    },
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/cssesc": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/cssesc/-/cssesc-3.0.0.tgz",
```

```
    "integrity": "sha512-/Tb/JcjK111nNScGob5MNtsntNM1aCNUDipB/TkwZFhyDrrE47SOx/18wF2bbjgc3ZzCSKW1T5nt5EbFoAz/Vg==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "cssesc": "bin/cssesc"
    },
    "engines": {
      "node": ">=4"
    }
  },
  "node_modules/csstype": {
    "version": "3.2.3",
    "resolved": "https://registry.npmjs.org/csstype/-/csstype-3.2.3.tgz",
    "integrity": "sha512-z1HGKcYy2xA8AGQfwrn0PAy+PB7X/GSj3UVJW9qKyn43xWa+gl5nXmU4qqLMRzWVLFC8KusUX8T/0kCiOYpAIQ==",
    "devOptional": true,
    "license": "MIT"
  },
  "node_modules/damerau-levenshtein": {
    "version": "1.0.8",
    "resolved": "https://registry.npmjs.org/damerau-levenshtein/-/damerau-levenshtein-1.0.8.tgz",
    "integrity": "sha512-sdQSFB7+llfUcQHUQO3+B8ERRj0Oa4w9POWMI/puGtuf7gFywGmkaLCElnudfTiKZV+NvHqL0ifzdrI8Ro7ESA==",
    "dev": true,
    "license": "BSD-2-Clause"
  },
  "node_modules/data-view-buffer": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/data-view-buffer/-/data-view-buffer-1.0.2.tgz",
    "integrity": "sha512-EmKO5V3OLXh1rtK2wgXRansaK1/mtVdTUEiEI0W8RkvgT05kfxaH29PliLnpLP73yYO6142Q72QNa8Wx/A5CqQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "es-errors": "^1.3.0",
      "is-data-view": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/data-view-byte-length": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/data-view-byte-length/-/data-view-byte-length-1.0.2.tgz",
    "integrity": "sha512-tuhGbE6CfTM9+5ANGf+oQb72Ky/0+s3xKUpHvShfiz2RxMFgFPjsXuRLBVMtvMs15awe45SRb83D6wH4ew6wlQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "es-errors": "^1.3.0",
      "is-data-view": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/inspect-js"
    }
  },
  "node_modules/data-view-byte-offset": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/data-view-byte-offset/-/data-view-byte-offset-1.0.1.tgz",
    "integrity": "sha512-BS8PfmtDGnrgYdOonGZQdLZslWIeCGFP9tpan0hi1Co2Zr2NKADsvGYA8XxuG/4UWgJ6Cjtv+YJnB6MM69QGlQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "es-errors": "^1.3.0",
      "is-data-view": "^1.0.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
```

```
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/debug": {
    "version": "4.4.3",
    "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
    "integrity": "sha512-RGwwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3kO4stgYryrTlLpuvgI9GiijltAjNbcqA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ms": "^2.1.3"
    },
    "engines": {
      "node": ">=6.0"
    },
    "peerDependenciesMeta": {
      "supports-color": {
        "optional": true
      }
    }
  },
  "node_modules/deep-is": {
    "version": "0.1.4",
    "resolved": "https://registry.npmjs.org/deep-is/-/deep-is-0.1.4.tgz",
    "integrity": "sha512-oIPzksmTg4/MriiaYGO+okXDT7ztn/w3Eptv/+gSIdMdKsJo0u4CfYNFJPy+4SKMuCqGw2wxnA+URMg3t8a/bQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/define-data-property": {
    "version": "1.1.4",
    "resolved": "https://registry.npmjs.org/define-data-property/-/define-data-property-1.1.4.tgz",
    "integrity": "sha512-rBMvIzlpA8v6E+SJZoo++HAYqsLrkg7MSfIinMPFhmkorw7X+dOXVJQs+QT69zGkzMyfDnIMN2Wid1+NbL3T+A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-define-property": "^1.0.0",
      "es-errors": "^1.3.0",
      "gopd": "^1.0.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/define-properties": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/define-properties/-/define-properties-1.2.1.tgz",
    "integrity": "sha512-8QmQKqEASLd5nx0U1B1okLElbUuuttJ/AnYmRXbbbGDWh6uS208EjD4Xqq/I9wK7u0v6O08XhTWnt5XtEbR6Dg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "define-data-property": "^1.0.1",
      "has-property-descriptors": "^1.0.0",
      "object-keys": "^1.1.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/delayed-stream": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/delayed-stream/-/delayed-stream-1.0.0.tgz",
    "integrity": "sha512-ZySD7Nf91aLB0RxL4KGrKHBXl7Eds1DAmEdcoVawXnLD7SDhpNgtuII2aAkg7a7QS41jxPSZ17p4VdGnMHk3MQ==",
    "license": "MIT",
    "engines": {
      "node": ">=0.4.0"
    }
  },
```

"node_modules/didyoumean": {
  "version": "1.2.2",
  "resolved": "https://registry.npmjs.org/didyoumean/-/didyoumean-1.2.2.tgz",
  "integrity": "sha512-gxtyfqMg7GKyhQmb056K7M3xszy/myH8w+B4RT+QXBQsvAOdc3XymqDDPHx1BgPgsdAA5SIifona89YtRATDzw==",
  "dev": true,
  "license": "Apache-2.0"
},
"node_modules/dlv": {
  "version": "1.1.3",
  "resolved": "https://registry.npmjs.org/dlv/-/dlv-1.1.3.tgz",
  "integrity": "sha512-+HlytyjlPKnIG8XuRG8WvmBP8xs8P71y+SKKS6ZXWoEgLuePxtDoUEiH7WkdePWrQ5JBpE6aoVqfZfJUQkjXwA==",
  "dev": true,
  "license": "MIT"
},
"node_modules/doctrine": {
  "version": "3.0.0",
  "resolved": "https://registry.npmjs.org/doctrine/-/doctrine-3.0.0.tgz",
  "integrity": "sha512-yS+Q5i3hBf7GBkd4KG8a7eBNNWNGLTaEwwYWUijIYM7zrlYDM0BFXHjjPWlWZ1Rg7UaddZeIDmi9jF3HmqiQ2w==",
  "dev": true,
  "license": "Apache-2.0",
  "dependencies": {
    "esutils": "^2.0.2"
  },
  "engines": {
    "node": ">=6.0.0"
  }
},
"node_modules/dunder-proto": {
  "version": "1.0.1",
  "resolved": "https://registry.npmjs.org/dunder-proto/-/dunder-proto-1.0.1.tgz",
  "integrity": "sha512-KIN/nDJBQRcXw0MLVhZE9iQHmG68qAVIBg9CqmUYjmQIhgij9U5MFvrqkUL5FbtyyzZuOeOt0zdeRe4UY7ct+A==",
  "license": "MIT",
  "dependencies": {
    "call-bind-apply-helpers": "^1.0.1",
    "es-errors": "^1.3.0",
    "gopd": "^1.2.0"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/eastasianwidth": {
  "version": "0.2.0",
  "resolved": "https://registry.npmjs.org/eastasianwidth/-/eastasianwidth-0.2.0.tgz",
  "integrity": "sha512-I88TYZWc9XiYHRQ4/3c5rjjfgkjhLyW2luGIheGERbNQ6OY7yTybanSpDXZa8y7VUP9YmDcYa+eyq4ca7iLqWA==",
  "dev": true,
  "license": "MIT"
},
"node_modules/electron-to-chromium": {
  "version": "1.5.331",
  "resolved": "https://registry.npmjs.org/electron-to-chromium/-/electron-to-chromium-1.5.331.tgz",
  "integrity": "sha512-IbxXrsTlD3hRodkLnbxAPP4OuJYdWCeM3IOdT+CpcMoIwIoDfCmRpEtSPfwBXxVkg9xmBeY7Lz2Eo2TDn/HC3Q==",
  "dev": true,
  "license": "ISC"
},
"node_modules/emoji-regex": {
  "version": "9.2.2",
  "resolved": "https://registry.npmjs.org/emoji-regex/-/emoji-regex-9.2.2.tgz",
  "integrity": "sha512-L18DaJsXSUk2+42pv8mLs5jJT2hqFkFE4j21wOmgbUqsZ2hL72NsUU785g9RXgo3s0ZNgVl42TiHp3ZtOv/Vyg==",
  "dev": true,
  "license": "MIT"
},
"node_modules/es-abstract": {
  "version": "1.24.1",
  "resolved": "https://registry.npmjs.org/es-abstract/-/es-abstract-1.24.1.tgz",
  "integrity": "sha512-zHXBLhP+QehSSbsS9Pt23Gg964240DPd6QCf8WpkqEXxQ7fhdZzYsocOr5u7apWonsS5EjZDmTF+/slGMyasvw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "array-buffer-byte-length": "^1.0.2",
    "arraybuffer.prototype.slice": "^1.0.4",
    "available-typed-arrays": "^1.0.7",
    "call-bind": "^1.0.8",
    "call-bound": "^1.0.4",

```
      "data-view-buffer": "^1.0.2",
      "data-view-byte-length": "^1.0.2",
      "data-view-byte-offset": "^1.0.1",
      "es-define-property": "^1.0.1",
      "es-errors": "^1.3.0",
      "es-object-atoms": "^1.1.1",
      "es-set-tostringtag": "^2.1.0",
      "es-to-primitive": "^1.3.0",
      "function.prototype.name": "^1.1.8",
      "get-intrinsic": "^1.3.0",
      "get-proto": "^1.0.1",
      "get-symbol-description": "^1.1.0",
      "globalthis": "^1.0.4",
      "gopd": "^1.2.0",
      "has-property-descriptors": "^1.0.2",
      "has-proto": "^1.2.0",
      "has-symbols": "^1.1.0",
      "hasown": "^2.0.2",
      "internal-slot": "^1.1.0",
      "is-array-buffer": "^3.0.5",
      "is-callable": "^1.2.7",
      "is-data-view": "^1.0.2",
      "is-negative-zero": "^2.0.3",
      "is-regex": "^1.2.1",
      "is-set": "^2.0.3",
      "is-shared-array-buffer": "^1.0.4",
      "is-string": "^1.1.1",
      "is-typed-array": "^1.1.15",
      "is-weakref": "^1.1.1",
      "math-intrinsics": "^1.1.0",
      "object-inspect": "^1.13.4",
      "object-keys": "^1.1.1",
      "object.assign": "^4.1.7",
      "own-keys": "^1.0.1",
      "regexp.prototype.flags": "^1.5.4",
      "safe-array-concat": "^1.1.3",
      "safe-push-apply": "^1.0.0",
      "safe-regex-test": "^1.1.0",
      "set-proto": "^1.0.0",
      "stop-iteration-iterator": "^1.1.0",
      "string.prototype.trim": "^1.2.10",
      "string.prototype.trimend": "^1.0.9",
      "string.prototype.trimstart": "^1.0.8",
      "typed-array-buffer": "^1.0.3",
      "typed-array-byte-length": "^1.0.3",
      "typed-array-byte-offset": "^1.0.4",
      "typed-array-length": "^1.0.7",
      "unbox-primitive": "^1.1.0",
      "which-typed-array": "^1.1.19"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/es-define-property": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/es-define-property/-/es-define-property-1.0.1.tgz",
    "integrity": "sha512-e3nRfgfUZ4rNGL232gUgX06QNyyez04KdjFrF+LTRoOXmrOgFKDg4BCdsjW8EnT69eqdYGmRpJwiPVYNrCaW3g==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/es-errors": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/es-errors/-/es-errors-1.3.0.tgz",
    "integrity": "sha512-Zf5H2Kxt2xjTvbJvP2ZWLEICxA6j+hAmMzIlypy4xcBg1vKVnx89Wy0GbS+kf5cwCVFFzdCFh2XSCFNULS6csw==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
```

```
    },
    "node_modules/es-iterator-helpers": {
      "version": "1.3.1",
      "resolved": "https://registry.npmjs.org/es-iterator-helpers/-/es-iterator-helpers-1.3.1.tgz",
      "integrity": "sha512-zWwRvqWiuBPr0muUG/78cW3aHROFCNIQ3zpmYDpwdbnt2m+xlNyRWpHBpa2lJjSBit7BQ+RXA1iwbSmu5yJ/EQ==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "call-bind": "^1.0.8",
        "call-bound": "^1.0.4",
        "define-properties": "^1.2.1",
        "es-abstract": "^1.24.1",
        "es-errors": "^1.3.0",
        "es-set-tostringtag": "^2.1.0",
        "function-bind": "^1.1.2",
        "get-intrinsic": "^1.3.0",
        "globalthis": "^1.0.4",
        "gopd": "^1.2.0",
        "has-property-descriptors": "^1.0.2",
        "has-proto": "^1.2.0",
        "has-symbols": "^1.1.0",
        "internal-slot": "^1.1.0",
        "iterator.prototype": "^1.1.5",
        "math-intrinsics": "^1.1.0",
        "safe-array-concat": "^1.1.3"
      },
      "engines": {
        "node": ">= 0.4"
      }
    },
    "node_modules/es-object-atoms": {
      "version": "1.1.1",
      "resolved": "https://registry.npmjs.org/es-object-atoms/-/es-object-atoms-1.1.1.tgz",
      "integrity": "sha512-FGgH2h8zKNim9ljj7dankFPcICIK9Cp5bm+c2gQSYePhpaG5+esrLODihIorn+Pe6FGJzWhXQotPv73jTaldXA==",
      "license": "MIT",
      "dependencies": {
        "es-errors": "^1.3.0"
      },
      "engines": {
        "node": ">= 0.4"
      }
    },
    "node_modules/es-set-tostringtag": {
      "version": "2.1.0",
      "resolved": "https://registry.npmjs.org/es-set-tostringtag/-/es-set-tostringtag-2.1.0.tgz",
      "integrity": "sha512-j6vWzfrGVfyXxge+O0x5sh6cvxAog0a/4Rdd2K36zCMV5eJ+/+tOAngRO8cODMNWbVRdVlmGZQL2YS3yR8bIUA==",
      "license": "MIT",
      "dependencies": {
        "es-errors": "^1.3.0",
        "get-intrinsic": "^1.2.6",
        "has-tostringtag": "^1.0.2",
        "hasown": "^2.0.2"
      },
      "engines": {
        "node": ">= 0.4"
      }
    },
    "node_modules/es-shim-unscopables": {
      "version": "1.1.0",
      "resolved": "https://registry.npmjs.org/es-shim-unscopables/-/es-shim-unscopables-1.1.0.tgz",
      "integrity": "sha512-d9T8ucsEhh8Bi1woXCf+TIKDIROLG5WCkxg8geBCbvk22kzwC5G2OnXVMO6FUsvQlgUUXQ2itephWDLqDzbeCw==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "hasown": "^2.0.2"
      },
      "engines": {
        "node": ">= 0.4"
      }
    },
    "node_modules/es-to-primitive": {
      "version": "1.3.0",
      "resolved": "https://registry.npmjs.org/es-to-primitive/-/es-to-primitive-1.3.0.tgz",
      "integrity": "sha512-w+5mJ3GuFL+NjVtJlvydShqE1eN3h3PbI7/5LAsYJP/2qtuMXjfL2LpHSRqo4b4eSF5K/DH1JXKUAHSB2UW50g==",
```

```
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "is-callable": "^1.2.7",
      "is-date-object": "^1.0.5",
      "is-symbol": "^1.0.4"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/escalade": {
    "version": "3.2.0",
    "resolved": "https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz",
    "integrity": "sha512-WUj2qlxaQtO4g6Pq5c29GTcWGDyd8itL8zTlipgECz3JesAiiOKotd8JU6otB3PACgG6xkJUyVhboMS+bje/jA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/escape-string-regexp": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/escape-string-regexp/-/escape-string-regexp-4.0.0.tgz",
    "integrity": "sha512-TtpcNJ3XAzx3Gq8sWRzJaVajRs0uVxA2YAkdb1jm2YkPz4G6egUFAyA3n5vtEIZefPk5Wa4UXbKuS5fKkJWdgA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/eslint": {
    "version": "8.57.1",
    "resolved": "https://registry.npmjs.org/eslint/-/eslint-8.57.1.tgz",
    "integrity": "sha512-ypowyDxpVSYpkXr9WPv2PAZCtNip1Mv5KTW0SCurXv/9iOpcrH9PaqUElksqEB6pChqHGDRCFTyrZlGhnLNGiA==",
    "deprecated": "This version is no longer supported. Please see https://eslint.org/version-support for other optio
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@eslint-community/eslint-utils": "^4.2.0",
      "@eslint-community/regexpp": "^4.6.1",
      "@eslint/eslintrc": "^2.1.4",
      "@eslint/js": "8.57.1",
      "@humanwhocodes/config-array": "^0.13.0",
      "@humanwhocodes/module-importer": "^1.0.1",
      "@nodelib/fs.walk": "^1.2.8",
      "@ungap/structured-clone": "^1.2.0",
      "ajv": "^6.12.4",
      "chalk": "^4.0.0",
      "cross-spawn": "^7.0.2",
      "debug": "^4.3.2",
      "doctrine": "^3.0.0",
      "escape-string-regexp": "^4.0.0",
      "eslint-scope": "^7.2.2",
      "eslint-visitor-keys": "^3.4.3",
      "espree": "^9.6.1",
      "esquery": "^1.4.2",
      "esutils": "^2.0.2",
      "fast-deep-equal": "^3.1.3",
      "file-entry-cache": "^6.0.1",
      "find-up": "^5.0.0",
      "glob-parent": "^6.0.2",
      "globals": "^13.19.0",
      "graphemer": "^1.4.0",
      "ignore": "^5.2.0",
      "imurmurhash": "^0.1.4",
      "is-glob": "^4.0.0",
      "is-path-inside": "^3.0.3",
```

```
    "js-yaml": "^4.1.0",
    "json-stable-stringify-without-jsonify": "^1.0.1",
    "levn": "^0.4.1",
    "lodash.merge": "^4.6.2",
    "minimatch": "^3.1.2",
    "natural-compare": "^1.4.0",
    "optionator": "^0.9.3",
    "strip-ansi": "^6.0.1",
    "text-table": "^0.2.0"
  },
  "bin": {
    "eslint": "bin/eslint.js"
  },
  "engines": {
    "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
  },
  "funding": {
    "url": "https://opencollective.com/eslint"
  }
},
"node_modules/eslint-config-next": {
  "version": "14.2.35",
  "resolved": "https://registry.npmjs.org/eslint-config-next/-/eslint-config-next-14.2.35.tgz",
  "integrity": "sha512-BpLsv01UisH193WyT/1lpHqq5iJ/Orfz9h/NOOlAmTUq4GY349PextQ62K4XpnaM9supeiEn3TaOTeQO07gURg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@next/eslint-plugin-next": "14.2.35",
    "@rushstack/eslint-patch": "^1.3.3",
    "@typescript-eslint/eslint-plugin": "^5.4.2 || ^6.0.0 || ^7.0.0 || ^8.0.0",
    "@typescript-eslint/parser": "^5.4.2 || ^6.0.0 || ^7.0.0 || ^8.0.0",
    "eslint-import-resolver-node": "^0.3.6",
    "eslint-import-resolver-typescript": "^3.5.2",
    "eslint-plugin-import": "^2.28.1",
    "eslint-plugin-jsx-a11y": "^6.7.1",
    "eslint-plugin-react": "^7.33.2",
    "eslint-plugin-react-hooks": "^4.5.0 || 5.0.0-canary-7118f5dd7-20230705"
  },
  "peerDependencies": {
    "eslint": "^7.23.0 || ^8.0.0",
    "typescript": ">=3.3.1"
  },
  "peerDependenciesMeta": {
    "typescript": {
      "optional": true
    }
  }
},
"node_modules/eslint-import-resolver-node": {
  "version": "0.3.10",
  "resolved": "https://registry.npmjs.org/eslint-import-resolver-node/-/eslint-import-resolver-node-0.3.10.tgz",
  "integrity": "sha512-tRrKqFyCaKict5hOd244sL6EQFNycnMQnBe+j8uqGNXYzsImGbGUU4ibtoaBmv5FLwJwcFJNeg1GeVjQfbMrDQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "debug": "^3.2.7",
    "is-core-module": "^2.16.1",
    "resolve": "^2.0.0-next.6"
  }
},
"node_modules/eslint-import-resolver-node/node_modules/debug": {
  "version": "3.2.7",
  "resolved": "https://registry.npmjs.org/debug/-/debug-3.2.7.tgz",
  "integrity": "sha512-CFjzYYAi4ThfiQvizrFQevTTXHtnCqWfe7x1AhgEscTz6ZbLbfoLRLPugTQyBth6f8ZERVUSyWHFD/7Wu4t1XQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "ms": "^2.1.1"
  }
},
"node_modules/eslint-import-resolver-typescript": {
  "version": "3.10.1",
  "resolved": "https://registry.npmjs.org/eslint-import-resolver-typescript/-/eslint-import-resolver-typescript-3.1
  "integrity": "sha512-A1rHYb06zjMGAxdLSkN2fXPBwuSaQ0iO5M/hdyS0Ajj1VBaRp0sPD3dn1FhME3c/JluGFbwSxyCfqdSbtQLAHQ==",
```

```
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "@nolyfill/is-core-module": "1.0.39",
      "debug": "^4.4.0",
      "get-tsconfig": "^4.10.0",
      "is-bun-module": "^2.0.0",
      "stable-hash": "^0.0.5",
      "tinyglobby": "^0.2.13",
      "unrs-resolver": "^1.6.2"
    },
    "engines": {
      "node": "^14.18.0 || >=16.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/eslint-import-resolver-typescript"
    },
    "peerDependencies": {
      "eslint": "*",
      "eslint-plugin-import": "*",
      "eslint-plugin-import-x": "*"
    },
    "peerDependenciesMeta": {
      "eslint-plugin-import": {
        "optional": true
      },
      "eslint-plugin-import-x": {
        "optional": true
      }
    }
  },
  "node_modules/eslint-module-utils": {
    "version": "2.12.1",
    "resolved": "https://registry.npmjs.org/eslint-module-utils/-/eslint-module-utils-2.12.1.tgz",
    "integrity": "sha512-L8jSWTze7K2mTg0vos/RuLRS5soomksDPoJLXIslC7c8Wmut3bx7CPpJijDcBZtxQ5lrbUdM+s0OlNbz0DCDNw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "debug": "^3.2.7"
    },
    "engines": {
      "node": ">=4"
    },
    "peerDependenciesMeta": {
      "eslint": {
        "optional": true
      }
    }
  },
  "node_modules/eslint-module-utils/node_modules/debug": {
    "version": "3.2.7",
    "resolved": "https://registry.npmjs.org/debug/-/debug-3.2.7.tgz",
    "integrity": "sha512-CFjzYYAi4ThfiQvizrFQevTTXHtnCqWfe7x1AhgEscTz6ZbLbfoLRLPugTQyBth6f8ZERVUSyWHFD/7Wu4t1XQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ms": "^2.1.1"
    }
  },
  "node_modules/eslint-plugin-import": {
    "version": "2.32.0",
    "resolved": "https://registry.npmjs.org/eslint-plugin-import/-/eslint-plugin-import-2.32.0.tgz",
    "integrity": "sha512-whOE1HFo/qJDyX4SnXzP4N6zOWn79WhnCUY/iDR0mPfQZO8wcYE4JClzI2oZrhBnnMUCBCHZhO6VQyoBU95mZA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@rtsao/scc": "^1.1.0",
      "array-includes": "^3.1.9",
      "array.prototype.findlastindex": "^1.2.6",
      "array.prototype.flat": "^1.3.3",
      "array.prototype.flatmap": "^1.3.3",
      "debug": "^3.2.7",
      "doctrine": "^2.1.0",
      "eslint-import-resolver-node": "^0.3.9",
```

```
      "eslint-module-utils": "^2.12.1",
      "hasown": "^2.0.2",
      "is-core-module": "^2.16.1",
      "is-glob": "^4.0.3",
      "minimatch": "^3.1.2",
      "object.fromentries": "^2.0.8",
      "object.groupby": "^1.0.3",
      "object.values": "^1.2.1",
      "semver": "^6.3.1",
      "string.prototype.trimend": "^1.0.9",
      "tsconfig-paths": "^3.15.0"
    },
    "engines": {
      "node": ">=4"
    },
    "peerDependencies": {
      "eslint": "^2 || ^3 || ^4 || ^5 || ^6 || ^7.2.0 || ^8 || ^9"
    }
  },
  "node_modules/eslint-plugin-import/node_modules/debug": {
    "version": "3.2.7",
    "resolved": "https://registry.npmjs.org/debug/-/debug-3.2.7.tgz",
    "integrity": "sha512-CFjzYYAi4ThfiQvizrFQevTTXHtnCqWfe7x1AhgEscTz6ZbLbfoLRLPugTQyBth6f8ZERVUSyWHFD/7Wu4t1XQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ms": "^2.1.1"
    }
  },
  "node_modules/eslint-plugin-import/node_modules/doctrine": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/doctrine/-/doctrine-2.1.0.tgz",
    "integrity": "sha512-35mSku4ZXK0vfCuHEDAwt55dg2jNajHZ1odvF+8SSr82EsZY4QmXfuWso8oEd8zRhVObSN18aM0CjSdoBX7zIw==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "esutils": "^2.0.2"
    },
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/eslint-plugin-import/node_modules/semver": {
    "version": "6.3.1",
    "resolved": "https://registry.npmjs.org/semver/-/semver-6.3.1.tgz",
    "integrity": "sha512-BR7VvDCVHO+q2xBEWskxS6DJE1qRnb7DxzUrogb71CWoSficBxYsiAGd+Kl0mmq/MprG9yArRkyrQxTO6XjMzA==",
    "dev": true,
    "license": "ISC",
    "bin": {
      "semver": "bin/semver.js"
    }
  },
  "node_modules/eslint-plugin-jsx-a11y": {
    "version": "6.10.2",
    "resolved": "https://registry.npmjs.org/eslint-plugin-jsx-a11y/-/eslint-plugin-jsx-a11y-6.10.2.tgz",
    "integrity": "sha512-scB3nz4WmG75pV8+3eRUQOHZlNSUhFNq37xnpgRkCCELU3XMvXAxLk1eqWWyE22Ki4Q01Fnsw9BA3cJHDPgn2Q==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "aria-query": "^5.3.2",
      "array-includes": "^3.1.8",
      "array.prototype.flatmap": "^1.3.2",
      "ast-types-flow": "^0.0.8",
      "axe-core": "^4.10.0",
      "axobject-query": "^4.1.0",
      "damerau-levenshtein": "^1.0.8",
      "emoji-regex": "^9.2.2",
      "hasown": "^2.0.2",
      "jsx-ast-utils": "^3.3.5",
      "language-tags": "^1.0.9",
      "minimatch": "^3.1.2",
      "object.fromentries": "^2.0.8",
      "safe-regex-test": "^1.0.3",
      "string.prototype.includes": "^2.0.1"
```

```
    },
    "engines": {
      "node": ">=4.0"
    },
    "peerDependencies": {
      "eslint": "^3 || ^4 || ^5 || ^6 || ^7 || ^8 || ^9"
    }
  },
  "node_modules/eslint-plugin-react": {
    "version": "7.37.5",
    "resolved": "https://registry.npmjs.org/eslint-plugin-react/-/eslint-plugin-react-7.37.5.tgz",
    "integrity": "sha512-Qteup0SqU15kdocexFNAJMvCJEfa2xUKNV4CC1xsVMrIIqEy3SQ/rqyxCWNzfrd3/ldy6HMlD2e0JDVpDg2qIA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "array-includes": "^3.1.8",
      "array.prototype.findlast": "^1.2.5",
      "array.prototype.flatmap": "^1.3.3",
      "array.prototype.tosorted": "^1.1.4",
      "doctrine": "^2.1.0",
      "es-iterator-helpers": "^1.2.1",
      "estraverse": "^5.3.0",
      "hasown": "^2.0.2",
      "jsx-ast-utils": "^2.4.1 || ^3.0.0",
      "minimatch": "^3.1.2",
      "object.entries": "^1.1.9",
      "object.fromentries": "^2.0.8",
      "object.values": "^1.2.1",
      "prop-types": "^15.8.1",
      "resolve": "^2.0.0-next.5",
      "semver": "^6.3.1",
      "string.prototype.matchall": "^4.0.12",
      "string.prototype.repeat": "^1.0.0"
    },
    "engines": {
      "node": ">=4"
    },
    "peerDependencies": {
      "eslint": "^3 || ^4 || ^5 || ^6 || ^7 || ^8 || ^9.7"
    }
  },
  "node_modules/eslint-plugin-react-hooks": {
    "version": "5.0.0-canary-7118f5dd7-20230705",
    "resolved": "https://registry.npmjs.org/eslint-plugin-react-hooks/-/eslint-plugin-react-hooks-5.0.0-canary-7118f5
    "integrity": "sha512-AZYbMo/NW9chdL7vk6HQzQhT+PvTAEVqWk9ziruUoW2kAOcN5qNyelv70e0F1VNQAbvutOC9oc+xfWycI9FxDw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=10"
    },
    "peerDependencies": {
      "eslint": "^3.0.0 || ^4.0.0 || ^5.0.0 || ^6.0.0 || ^7.0.0 || ^8.0.0-0"
    }
  },
  "node_modules/eslint-plugin-react/node_modules/doctrine": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/doctrine/-/doctrine-2.1.0.tgz",
    "integrity": "sha512-35mSku4ZXK0vfCuHEDAwt55dg2jNajHZ1odvF+8SSr82EsZY4QmXfuWso8oEd8zRhVObSN18aM0CjSdoBX7zIw==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "esutils": "^2.0.2"
    },
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/eslint-plugin-react/node_modules/semver": {
    "version": "6.3.1",
    "resolved": "https://registry.npmjs.org/semver/-/semver-6.3.1.tgz",
    "integrity": "sha512-BR7VvDCVHO+q2xBEWskxS6DJE1qRnb7DxzUrogb71CWoSficBxYsiAGd+Kl0mmq/MprG9yArRkyrQxTO6XjMzA==",
    "dev": true,
    "license": "ISC",
    "bin": {
```

```
      "semver": "bin/semver.js"
    }
  },
  "node_modules/eslint-scope": {
    "version": "7.2.2",
    "resolved": "https://registry.npmjs.org/eslint-scope/-/eslint-scope-7.2.2.tgz",
    "integrity": "sha512-dOt21O7lTMhDM+X9mB4GX+DZrZtCUJPL/wlcTqxyrx5IvO0IYtILdtrQGQp+8n5S0gwSVmOf9NQrjMOgfQZlIg==",
    "dev": true,
    "license": "BSD-2-Clause",
    "dependencies": {
      "esrecurse": "^4.3.0",
      "estraverse": "^5.2.0"
    },
    "engines": {
      "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/eslint"
    }
  },
  "node_modules/eslint-visitor-keys": {
    "version": "3.4.3",
    "resolved": "https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-keys-3.4.3.tgz",
    "integrity": "sha512-wpc+LXeiyiisxPlEkUzU6svyS1frIO3Mgxj1fdy7Pm8Ygzguax2N3Fa/D/ag1WqbOprdI+uY6wMUl8/a2G+iag==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/eslint"
    }
  },
  "node_modules/espree": {
    "version": "9.6.1",
    "resolved": "https://registry.npmjs.org/espree/-/espree-9.6.1.tgz",
    "integrity": "sha512-oruZaFkjorTpF32kDSI5/75ViwGeZginGGy2NoOSg3Q9bnwlnmDm4HLnkl0RE3n+njDXR037aY1+x58Z/zFdwQ==",
    "dev": true,
    "license": "BSD-2-Clause",
    "dependencies": {
      "acorn": "^8.9.0",
      "acorn-jsx": "^5.3.2",
      "eslint-visitor-keys": "^3.4.1"
    },
    "engines": {
      "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/eslint"
    }
  },
  "node_modules/esquery": {
    "version": "1.7.0",
    "resolved": "https://registry.npmjs.org/esquery/-/esquery-1.7.0.tgz",
    "integrity": "sha512-Ap6G0WQwcU/LHsvLwON1fAQX9Zp0A2Y6Y/cJBl9r/JbW90Zyg4/zbG6zzKa2OTALELarYHmKu0GhpM5EO+7T0g==",
    "dev": true,
    "license": "BSD-3-Clause",
    "dependencies": {
      "estraverse": "^5.1.0"
    },
    "engines": {
      "node": ">=0.10"
    }
  },
  "node_modules/esrecurse": {
    "version": "4.3.0",
    "resolved": "https://registry.npmjs.org/esrecurse/-/esrecurse-4.3.0.tgz",
    "integrity": "sha512-KmfKL3b6G+RXvP8N1vr3Tq1kL/oCFgn2NYXEtqP8/L3pKapUA4G8cFVaoF3SU323CD4XypR/ffioHmkti6/Tag==",
    "dev": true,
    "license": "BSD-2-Clause",
    "dependencies": {
      "estraverse": "^5.2.0"
    },
    "engines": {
```

```
    "node": ">=4.0"
  }
},
"node_modules/estraverse": {
  "version": "5.3.0",
  "resolved": "https://registry.npmjs.org/estraverse/-/estraverse-5.3.0.tgz",
  "integrity": "sha512-MMdARuVEQziNTeJD8DgMqmhwR11BRQ/cBP+pLtYdSTnf3MIO8fFeiINEbX36ZdNlfU/7A9f3gUw49B3oQsvwBA==",
  "dev": true,
  "license": "BSD-2-Clause",
  "engines": {
    "node": ">=4.0"
  }
},
"node_modules/esutils": {
  "version": "2.0.3",
  "resolved": "https://registry.npmjs.org/esutils/-/esutils-2.0.3.tgz",
  "integrity": "sha512-kVscqXk4OCp68SZ0dkgEKVi6/8ij300KBWTJq32P/dYeWTSwK41WyTxalN1eRmA5Z9UU/LX9D7FWSmV9SAYx6g==",
  "dev": true,
  "license": "BSD-2-Clause",
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/fast-deep-equal": {
  "version": "3.1.3",
  "resolved": "https://registry.npmjs.org/fast-deep-equal/-/fast-deep-equal-3.1.3.tgz",
  "integrity": "sha512-f3qQ9oQy9j2AhBe/H9VC91wLmKBCCU/gDOnKNAYG5hswO7BLKj09Hc5HYNz9cGI++xlpDCIgDaitVs03ATR84Q==",
  "dev": true,
  "license": "MIT"
},
"node_modules/fast-glob": {
  "version": "3.3.3",
  "resolved": "https://registry.npmjs.org/fast-glob/-/fast-glob-3.3.3.tgz",
  "integrity": "sha512-7MptL8U0cqcFdzIzwOTHoilX9x5BrNqye7Z/LuC7kCMRio1EMSyqRK3BEAUD7sXRq4iT4AzTVuZdhgQ2TCvYLg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@nodelib/fs.stat": "^2.0.2",
    "@nodelib/fs.walk": "^1.2.3",
    "glob-parent": "^5.1.2",
    "merge2": "^1.3.0",
    "micromatch": "^4.0.8"
  },
  "engines": {
    "node": ">=8.6.0"
  }
},
"node_modules/fast-glob/node_modules/glob-parent": {
  "version": "5.1.2",
  "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
  "integrity": "sha512-AOIgSQCepiJYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbcOc9/SrMyM5RPQrkGz4aS9Zow==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "is-glob": "^4.0.1"
  },
  "engines": {
    "node": ">= 6"
  }
},
"node_modules/fast-json-stable-stringify": {
  "version": "2.1.0",
  "resolved": "https://registry.npmjs.org/fast-json-stable-stringify/-/fast-json-stable-stringify-2.1.0.tgz",
  "integrity": "sha512-lhd/wF+Lk98HZoTCtlVraHtfh5XYijIjalXck7saUtuanSDyLMxnHhSXEDJqHxD7msR8D0uCmqlkwjCV8xvwHw==",
  "dev": true,
  "license": "MIT"
},
"node_modules/fast-levenshtein": {
  "version": "2.0.6",
  "resolved": "https://registry.npmjs.org/fast-levenshtein/-/fast-levenshtein-2.0.6.tgz",
  "integrity": "sha512-DCXu6Ifhqcks7TZKY3Hxp3y6qphY5SJZmrWMDrKcERSOXWQdMhU9Ig/PYrzyw/ul9jOIyh0N4M0tbC5hodg8dw==",
  "dev": true,
  "license": "MIT"
},
```

```
"node_modules/fastq": {
  "version": "1.20.1",
  "resolved": "https://registry.npmjs.org/fastq/-/fastq-1.20.1.tgz",
  "integrity": "sha512-GGToxJ/w1x32s/D2EKND7kTil4n8OVk/9mycTc4VDza13lOvpUZTGX3mFSCtV9ksdGBVzvsyAVLM6mHFThxXxw==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "reusify": "^1.0.4"
  }
},
"node_modules/file-entry-cache": {
  "version": "6.0.1",
  "resolved": "https://registry.npmjs.org/file-entry-cache/-/file-entry-cache-6.0.1.tgz",
  "integrity": "sha512-7Gps/XWymbLk2QLYK4NzpMOrYjMhdIxXuIvy2QBsLE6ljuodKvdkWs/cpyJJ3CVIVpH0Oi1Hvg1ovbMzLdFBBg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "flat-cache": "^3.0.4"
  },
  "engines": {
    "node": "^10.12.0 || >=12.0.0"
  }
},
"node_modules/fill-range": {
  "version": "7.1.1",
  "resolved": "https://registry.npmjs.org/fill-range/-/fill-range-7.1.1.tgz",
  "integrity": "sha512-YsGpe3WHLK8ZYi4tWDg2Jy3ebRz2rXowDxnld4bkQB00cc/1Zw9AWnC0i9ztDJitivtQvaI9KaLyKrc+hBW0yg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "to-regex-range": "^5.0.1"
  },
  "engines": {
    "node": ">=8"
  }
},
"node_modules/find-up": {
  "version": "5.0.0",
  "resolved": "https://registry.npmjs.org/find-up/-/find-up-5.0.0.tgz",
  "integrity": "sha512-78/PXT1wlLLDgTzDs7sjq9hzz0vXD+zn+7wypEe4fXQxCmdmqfGsEPQxmiCSQI3ajFV91bVSsvNtrJRiW6nGng==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "locate-path": "^6.0.0",
    "path-exists": "^4.0.0"
  },
  "engines": {
    "node": ">=10"
  },
  "funding": {
    "url": "https://github.com/sponsors/sindresorhus"
  }
},
"node_modules/flat-cache": {
  "version": "3.2.0",
  "resolved": "https://registry.npmjs.org/flat-cache/-/flat-cache-3.2.0.tgz",
  "integrity": "sha512-CYcENa+FtcUKLmhhqyctpclsq7QF38pKjZHsGNiSQF5r4FtoKDWabFDl3hzaEQMvT1LHEysw5twgLvpYYb4vbw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "flatted": "^3.2.9",
    "keyv": "^4.5.3",
    "rimraf": "^3.0.2"
  },
  "engines": {
    "node": "^10.12.0 || >=12.0.0"
  }
},
"node_modules/flatted": {
  "version": "3.4.2",
  "resolved": "https://registry.npmjs.org/flatted/-/flatted-3.4.2.tgz",
  "integrity": "sha512-PjDse7RzhcPkIJwy5t7KPWQSZ9cAbzQXcafsetQoD7sOJRQlGikNbx7yZp2OotDnJyrDcbyRq3Ttb18iYOqkxA==",
  "dev": true,
  "license": "ISC"
```

```
    },
    "node_modules/follow-redirects": {
      "version": "1.15.11",
      "resolved": "https://registry.npmjs.org/follow-redirects/-/follow-redirects-1.15.11.tgz",
      "integrity": "sha512-deG2P0JfjrTxl50XGCDyfI97ZGVCxIpfKYmfyrQ54n5FO/0gfIES8C/Psl6kWVDolizcaaxZJnTS0QSMxvnsBQ==",
      "funding": [
        {
          "type": "individual",
          "url": "https://github.com/sponsors/RubenVerborgh"
        }
      ],
      "license": "MIT",
      "engines": {
        "node": ">=4.0"
      },
      "peerDependenciesMeta": {
        "debug": {
          "optional": true
        }
      }
    },
    "node_modules/for-each": {
      "version": "0.3.5",
      "resolved": "https://registry.npmjs.org/for-each/-/for-each-0.3.5.tgz",
      "integrity": "sha512-dKx12eRCVIzqCxFGplyFKJMPvLEWgmNtUrpTiJIR5u97zEhRG8ySrtboPHZXx7daLxQVrl643cTzbab2tkQjxg==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "is-callable": "^1.2.7"
      },
      "engines": {
        "node": ">= 0.4"
      },
      "funding": {
        "url": "https://github.com/sponsors/ljharb"
      }
    },
    "node_modules/foreground-child": {
      "version": "3.3.1",
      "resolved": "https://registry.npmjs.org/foreground-child/-/foreground-child-3.3.1.tgz",
      "integrity": "sha512-gIXjKqtFuWEgzFRJA9WCQeSJLZDjgJUOMCMzxtvFq/37KojM1BFGufqsCy0r4qSQmYLsZYMeyRqzIWOMup03sw==",
      "dev": true,
      "license": "ISC",
      "dependencies": {
        "cross-spawn": "^7.0.6",
        "signal-exit": "^4.0.1"
      },
      "engines": {
        "node": ">=14"
      },
      "funding": {
        "url": "https://github.com/sponsors/isaacs"
      }
    },
    "node_modules/form-data": {
      "version": "4.0.5",
      "resolved": "https://registry.npmjs.org/form-data/-/form-data-4.0.5.tgz",
      "integrity": "sha512-8RipRLol37bNs2bhoV67fiTEvdTrbMUYcFTiy3+wuuOnUog2QBHCZWXDRijWQfAkhBj2Uf5UnVaiWwA5vdd82w==",
      "license": "MIT",
      "dependencies": {
        "asynckit": "^0.4.0",
        "combined-stream": "^1.0.8",
        "es-set-tostringtag": "^2.1.0",
        "hasown": "^2.0.2",
        "mime-types": "^2.1.12"
      },
      "engines": {
        "node": ">= 6"
      }
    },
    "node_modules/fraction.js": {
      "version": "5.3.4",
      "resolved": "https://registry.npmjs.org/fraction.js/-/fraction.js-5.3.4.tgz",
      "integrity": "sha512-1X1NTtiJphryn/uLQz3whtY6jK3fTqoE3ohKs0tT+Ujr1W59oopxmoEh7Lu5p6vBaPbgoM0bzveAW4Qi5RyWDQ==",
```

```
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "*"
    },
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/rawify"
    }
  },
  "node_modules/fs.realpath": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/fs.realpath/-/fs.realpath-1.0.0.tgz",
    "integrity": "sha512-OO0pH2lK6a0hZnAdau5ItzHPI6pUlvI7jMVnxUQRtw4owF2wk8lOSabtGDCTP4Ggrg2MbGnWO9X8K1t4+fGMDw==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/fsevents": {
    "version": "2.3.3",
    "resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",
    "integrity": "sha512-5xoDfX+fL7faATnagmWPpbFtwh/R77WmMMqqHGS65C3vvB0YHrgF+B1YmZ3441tMj5n63k0212XNoJwzlhffQw==",
    "dev": true,
    "hasInstallScript": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": "^8.16.0 || ^10.6.0 || >=11.0.0"
    }
  },
  "node_modules/function-bind": {
    "version": "1.1.2",
    "resolved": "https://registry.npmjs.org/function-bind/-/function-bind-1.1.2.tgz",
    "integrity": "sha512-7XHNxH7qX9xG5mIwxkhumTox/MIRNcOgDrxWsMt2pAr23WHp6MrRlN7FBSFpCpr+oVO0F744iUgR82nJMfG2SA==",
    "license": "MIT",
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/function.prototype.name": {
    "version": "1.1.8",
    "resolved": "https://registry.npmjs.org/function.prototype.name/-/function.prototype.name-1.1.8.tgz",
    "integrity": "sha512-e5iwyodOHhbMr/yNrc7fDYG4qlbIvI5gajyzPnb5TCwyhjApznQh1BMFou9b30SevY43gCJKXycoCBjMbsuW0Q==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.3",
      "define-properties": "^1.2.1",
      "functions-have-names": "^1.2.3",
      "hasown": "^2.0.2",
      "is-callable": "^1.2.7"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/functions-have-names": {
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/functions-have-names/-/functions-have-names-1.2.3.tgz",
    "integrity": "sha512-xckBUXyTIqT97tq2x2AMb+g163b5JFysYk0x4qxNFwbfQkmNZoiRHb6sPzI9/QV33WeuvVYBUIiD4NzNIyqaRQ==",
    "dev": true,
    "license": "MIT",
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/generator-function": {
    "version": "2.0.1",
```

```
    "resolved": "https://registry.npmjs.org/generator-function/-/generator-function-2.0.1.tgz",
    "integrity": "sha512-SFdFmIJi+ybC0vjlHN0ZGVGHc3lgE0DxPAT0djjVg+kjOnSqclqmj0KQ7ykTOLP6YxoqOvuAODGdcHJn+43q3g==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/get-intrinsic": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/get-intrinsic/-/get-intrinsic-1.3.0.tgz",
    "integrity": "sha512-9fSjSaos/fRIVIp+xSJlE6lfwhES7LNtKaCBIamHsjr2na1BiABJPo0mOjjz8GJDURarmCPGqaiVg5mfjb98CQ==",
    "license": "MIT",
    "dependencies": {
      "call-bind-apply-helpers": "^1.0.2",
      "es-define-property": "^1.0.1",
      "es-errors": "^1.3.0",
      "es-object-atoms": "^1.1.1",
      "function-bind": "^1.1.2",
      "get-proto": "^1.0.1",
      "gopd": "^1.2.0",
      "has-symbols": "^1.1.0",
      "hasown": "^2.0.2",
      "math-intrinsics": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/get-proto": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/get-proto/-/get-proto-1.0.1.tgz",
    "integrity": "sha512-sTSfBjoXBp89JvIKIefqw7U2CCebsc74kiY6awiGogKtoSGbgjYE/G/+l9sF3MWFPNc9IcoOC4ODfKHfxFmp0g==",
    "license": "MIT",
    "dependencies": {
      "dunder-proto": "^1.0.1",
      "es-object-atoms": "^1.0.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/get-symbol-description": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/get-symbol-description/-/get-symbol-description-1.1.0.tgz",
    "integrity": "sha512-w9UMqWwJxHNOvoNzSJ2oPF5wvYcvP7jUvYzhp67yEhTi17ZDBBC1z9pTdGuzjD+EFIqLSYRweZjqfiPzQ06Ebg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "es-errors": "^1.3.0",
      "get-intrinsic": "^1.2.6"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/get-tsconfig": {
    "version": "4.13.7",
    "resolved": "https://registry.npmjs.org/get-tsconfig/-/get-tsconfig-4.13.7.tgz",
    "integrity": "sha512-7tN6rFgBlMgpBML5j8typ92BKFi2sFQvIdpAqLA2beia5avZDrMs0FLZiM5etShWq5irVyGcGMEA1jcDaK7A/Q==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "resolve-pkg-maps": "^1.0.0"
    },
    "funding": {
      "url": "https://github.com/privatenumber/get-tsconfig?sponsor=1"
```

```
    }
  },
  "node_modules/glob": {
    "version": "10.3.10",
    "resolved": "https://registry.npmjs.org/glob/-/glob-10.3.10.tgz",
    "integrity": "sha512-fa46+tv1Ak0UPK1TOy/pZrIybNNt4HCv7SDzwyfiOZkvZLEbjsZkJBPtDHVshZjbecAoAGSC20MjLDG/qr679g==",
    "deprecated": "Old versions of glob are not supported, and contain widely publicized security vulnerabilities, wh
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "foreground-child": "^3.1.0",
      "jackspeak": "^2.3.5",
      "minimatch": "^9.0.1",
      "minipass": "^5.0.0 || ^6.0.2 || ^7.0.0",
      "path-scurry": "^1.10.1"
    },
    "bin": {
      "glob": "dist/esm/bin.mjs"
    },
    "engines": {
      "node": ">=16 || 14 >=14.17"
    },
    "funding": {
      "url": "https://github.com/sponsors/isaacs"
    }
  },
  "node_modules/glob-parent": {
    "version": "6.0.2",
    "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-6.0.2.tgz",
    "integrity": "sha512-XxwI8EOhVQgWp6iDL+3b0r86f4d6AX6zSU55HfB4ydCEuXLXc5FcYeOu+nnGftS4TEju/11rt4KJPTMgbfmv4A==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "is-glob": "^4.0.3"
    },
    "engines": {
      "node": ">=10.13.0"
    }
  },
  "node_modules/glob/node_modules/brace-expansion": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/brace-expansion/-/brace-expansion-2.0.3.tgz",
    "integrity": "sha512-MCV/fYJEbqx68aE58kv2cA/kiky1G8vux3OR6/jbS+jIMe/6fJWa0DTzJU7dqijOWYwHi1t29FlfYI9uytqlpA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "balanced-match": "^1.0.0"
    }
  },
  "node_modules/glob/node_modules/minimatch": {
    "version": "9.0.9",
    "resolved": "https://registry.npmjs.org/minimatch/-/minimatch-9.0.9.tgz",
    "integrity": "sha512-OBwBN9AL4dqmETlpS2zasx+vTeWclWzkblfZk7KTA5j3jeOONz/tRCnZomUyvNg83wL5Zv9Ss6HMJXAgL8R2Yg==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "brace-expansion": "^2.0.2"
    },
    "engines": {
      "node": ">=16 || 14 >=14.17"
    },
    "funding": {
      "url": "https://github.com/sponsors/isaacs"
    }
  },
  "node_modules/globals": {
    "version": "13.24.0",
    "resolved": "https://registry.npmjs.org/globals/-/globals-13.24.0.tgz",
    "integrity": "sha512-AhO5QUcj8llrbG09iWhPU2B204J1xnPeL8kQmVorSsy+Sjj1sk8gIyh6cUocGmH4L0UuhAJy+hJMRA4mgA4mFQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "type-fest": "^0.20.2"
    },
```

```
    "engines": {
      "node": ">=8"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/globalthis": {
    "version": "1.0.4",
    "resolved": "https://registry.npmjs.org/globalthis/-/globalthis-1.0.4.tgz",
    "integrity": "sha512-DpLKbNU4WylpxJykQujfCcwYWiV/Jhm50Goo0wrVILAv5jOr9d+H+UR3PhSCD2rCCEIg0uc+G+muBTwD54JhDQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "define-properties": "^1.2.1",
      "gopd": "^1.0.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/gopd": {
    "version": "1.2.0",
    "resolved": "https://registry.npmjs.org/gopd/-/gopd-1.2.0.tgz",
    "integrity": "sha512-ZUKRh6/kUFoAiTAtTYPZJ3hw9wNxx+BIBOijnlG9PnrJsCcSjs1wyyD6vJpaYtgnzDrKYRSqf3OO6Rfa93xsRg==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/graceful-fs": {
    "version": "4.2.11",
    "resolved": "https://registry.npmjs.org/graceful-fs/-/graceful-fs-4.2.11.tgz",
    "integrity": "sha512-RbJ5/jmFcNNCcDV5o9eTnBLJ/HszWV0P73bc+Ff4nS/rJj+YaS6IGyiOL0VoBYX+l1Wrl3k63h/KrH+nhJ0XvQ==",
    "license": "ISC"
  },
  "node_modules/graphemer": {
    "version": "1.4.0",
    "resolved": "https://registry.npmjs.org/graphemer/-/graphemer-1.4.0.tgz",
    "integrity": "sha512-EtKwoO6kxCL9WO5xipiHTZlSzBm7WLT627TqC/uVRd0HKmq8NXyebnNYxDoBi7wt8eTWrUrKXCOVaFq9x1kgag==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/has-bigints": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/has-bigints/-/has-bigints-1.1.0.tgz",
    "integrity": "sha512-R3pbpkcIqv2Pm3dUwgjclDRVmWpTJW2DcMzcIhEXEx1oh/CEMObMm3KLmRJOdvhM7o4uQBnwr8pzRK2sJWIqfg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/has-flag": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/has-flag/-/has-flag-4.0.0.tgz",
    "integrity": "sha512-EykJT/Q1KjTWctppgIAgfSO0tKVuZUjhgMr17kqTumMl6Afv3EISleU7qZUzoXDFTAHTDC4NOoG/ZxU3EvlMPQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/has-property-descriptors": {
    "version": "1.0.2",
```

```
    "resolved": "https://registry.npmjs.org/has-property-descriptors/-/has-property-descriptors-1.0.2.tgz",
    "integrity": "sha512-55JNKuIW+vq4Ke1BjOTjM2YctQIvCT7GFzHwmfZPGo5wnrgkid0YQtnAleFSqumZm4az3n2BS+erby5ipJdgrg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-define-property": "^1.0.0"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/has-proto": {
    "version": "1.2.0",
    "resolved": "https://registry.npmjs.org/has-proto/-/has-proto-1.2.0.tgz",
    "integrity": "sha512-KIL7eQPfHQRC8+XluaIw7BHUwwqL19bQn4hzNgdr+1wXoU0KKj6rufu47lhY7KbJR2C6T6+PfyN0Ea7wkSS+qQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "dunder-proto": "^1.0.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/has-symbols": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/has-symbols/-/has-symbols-1.1.0.tgz",
    "integrity": "sha512-1cDNdwJ2Jaohmb3sg4OmKaMBwuC48sYni5HUw2DvsC8LjGTLK9h+eb1X6RyuOHe4hT0ULCW68iomhjUoKUqlPQ==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/has-tostringtag": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/has-tostringtag/-/has-tostringtag-1.0.2.tgz",
    "integrity": "sha512-NqADB8VjPFLM2V0VvHUewwwsw0ZWBaIdgo+ieHtK3hasLz4qeCRjYcqfB6AQrBggRKppKF8L52/VqdVsO47Dlw==",
    "license": "MIT",
    "dependencies": {
      "has-symbols": "^1.0.3"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/hasown": {
    "version": "2.0.2",
    "resolved": "https://registry.npmjs.org/hasown/-/hasown-2.0.2.tgz",
    "integrity": "sha512-0hJU9SCPvmMzIBdZFqNPXWa6dqh7WdH0cII9y+CyS8rG3nL48Bclra9HmKhVVUHyPWNH5Y7xDwAB7bfgSjkUMQ==",
    "license": "MIT",
    "dependencies": {
      "function-bind": "^1.1.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/ignore": {
    "version": "5.3.2",
    "resolved": "https://registry.npmjs.org/ignore/-/ignore-5.3.2.tgz",
    "integrity": "sha512-hsBTNUqQTDwkWtcdYI2i06Y/nUBEsNEDJKjWdigLvegy8kDuJAS8uRlpkkcQpyEXL0Z/pjDy5HBmMjRCJ2gq+g==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 4"
```

```
    }
  },
  "node_modules/import-fresh": {
    "version": "3.3.1",
    "resolved": "https://registry.npmjs.org/import-fresh/-/import-fresh-3.3.1.tgz",
    "integrity": "sha512-TR3KfrTZTYLPB6jUjfx6MF9WcWrHL9su5TObK4ZkYgBdWKPOFoSoQIdEuTuR82pmtxH2spWG9h6etwfr1pLBqQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "parent-module": "^1.0.0",
      "resolve-from": "^4.0.0"
    },
    "engines": {
      "node": ">=6"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/imurmurhash": {
    "version": "0.1.4",
    "resolved": "https://registry.npmjs.org/imurmurhash/-/imurmurhash-0.1.4.tgz",
    "integrity": "sha512-JmXMZ6wuvDmLiHEml9ykzqO6lwFbof0GG4IkcGaENdCRDDmMVnny7s5HsIgHCbaq0w2MyPhDqkhTUgS2LU2PHA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.8.19"
    }
  },
  "node_modules/inflight": {
    "version": "1.0.6",
    "resolved": "https://registry.npmjs.org/inflight/-/inflight-1.0.6.tgz",
    "integrity": "sha512-k92I/b08q4wvFscXCLvqfsHCrjrF7yiXsQuIVvVE7N82W3+aqpzuUdBbfhWcy/FZR3/4IgflMgKLOsvPDrGCJA==",
    "deprecated": "This module is not supported, and leaks memory. Do not use it. Check out lru-cache if you want a g
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "once": "^1.3.0",
      "wrappy": "1"
    }
  },
  "node_modules/inherits": {
    "version": "2.0.4",
    "resolved": "https://registry.npmjs.org/inherits/-/inherits-2.0.4.tgz",
    "integrity": "sha512-k/vGaX4/Yla3WzyMCvTQOXYeIHvqOKtnqBduzTHpzpQZzAskKMhZ2K+EnBiSM9zGSoIFeMpXKxa4dYeZIQqewQ==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/internal-slot": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/internal-slot/-/internal-slot-1.1.0.tgz",
    "integrity": "sha512-4gd7VpWNQNB4UKKCFFVcp1AVv+FMOgs9NKzjHKusc8jTMhd5eL1NqQqOpE0KzMds804/yHlglp3uxgluOqAPLw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "hasown": "^2.0.2",
      "side-channel": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/is-array-buffer": {
    "version": "3.0.5",
    "resolved": "https://registry.npmjs.org/is-array-buffer/-/is-array-buffer-3.0.5.tgz",
    "integrity": "sha512-DDfANUiiG2wC1qawP66qlTugJeL5HyzMpfr8lLK+jMQirGzNod0B12cFB/9q838Ru27sBwfw78/rdoU7RERz6A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.3",
      "get-intrinsic": "^1.2.6"
    },
```

```
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-async-function": {
    "version": "2.1.1",
    "resolved": "https://registry.npmjs.org/is-async-function/-/is-async-function-2.1.1.tgz",
    "integrity": "sha512-9dgM/cZBnNvjzaMYHVoxxfPj2QXt22Ev7SuuPrs+xav0ukGB0S6d4ydZdEiM48kLx5kDV+QBPrpVnFyefL8kkQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "async-function": "^1.0.0",
      "call-bound": "^1.0.3",
      "get-proto": "^1.0.1",
      "has-tostringtag": "^1.0.2",
      "safe-regex-test": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-bigint": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/is-bigint/-/is-bigint-1.1.0.tgz",
    "integrity": "sha512-n4ZT37wG78iz03xPRKJrHTdZbe3IicyucEtdRsV5yglwc3GyUfbAfpSeD0FJ41NbUNSt5wbhqfp1fS+BgnvDFQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "has-bigints": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-binary-path": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/is-binary-path/-/is-binary-path-2.1.0.tgz",
    "integrity": "sha512-ZMERYes6pDydyuGidse7OsHxtbI7WVeUEozgR/g7rd0xUimYNlvZRE/K2MgZTjWy725IfelLeVcEM97mmtRGXw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "binary-extensions": "^2.0.0"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/is-boolean-object": {
    "version": "1.2.2",
    "resolved": "https://registry.npmjs.org/is-boolean-object/-/is-boolean-object-1.2.2.tgz",
    "integrity": "sha512-wa56o2/ElJMYqjCjGkXri7it5FbebW5usLw/nPmCMs5DeZ7eziSYZhSmPRn0txqeW4LnAmQQU7FgqLpsEFKM4A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "has-tostringtag": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-bun-module": {
```

```
    "version": "2.0.0",
    "resolved": "https://registry.npmjs.org/is-bun-module/-/is-bun-module-2.0.0.tgz",
    "integrity": "sha512-gNCGbnnnnFAUGKeZ9PdbyeGYJqewpmc2aKHUEMO5nQPWU9lOmv7jcmQIv+qHD8fXW6W7qfuCwX4rY9LNRjXrkQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "semver": "^7.7.1"
    }
  },
  "node_modules/is-callable": {
    "version": "1.2.7",
    "resolved": "https://registry.npmjs.org/is-callable/-/is-callable-1.2.7.tgz",
    "integrity": "sha512-1BC0BVFhS/p0qtw6enp8e+8OD0UrK0oFLztSjNzhcKA3WDuJxxAPXzPuPtKkjEY9UUoEWlX/8fgKeu2S8i9JTA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-core-module": {
    "version": "2.16.1",
    "resolved": "https://registry.npmjs.org/is-core-module/-/is-core-module-2.16.1.tgz",
    "integrity": "sha512-UfoeMA6fIJ8wTYFEUjelnaGI67v6+N7qXJEvQuIGa99l4xsCruSYOVSQ0uPANn4dAzm8lkYPaKLrrijLq7x23w==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "hasown": "^2.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-data-view": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/is-data-view/-/is-data-view-1.0.2.tgz",
    "integrity": "sha512-RKtWF8pGmS87i2D6gqQu/l7EYRlVdfzemCJN/P3UOs//x1QE7mfhvzHIApBTRf7axvT6DMGwSwBXYCT0nfB9xw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "get-intrinsic": "^1.2.6",
      "is-typed-array": "^1.1.13"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-date-object": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/is-date-object/-/is-date-object-1.1.0.tgz",
    "integrity": "sha512-PwwhEakHVKTdRNVOw+/Gyh0+MzlCl4R6qKvkhuvLtPMggI1WAHt9sOwZxQLSGpUaDnrdyDsomoRgNnCfKNSXXg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "has-tostringtag": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-extglob": {
```

```
    "version": "2.1.1",
    "resolved": "https://registry.npmjs.org/is-extglob/-/is-extglob-2.1.1.tgz",
    "integrity": "sha512-SbKbANkN603Vi4jEZv49LeVJMn4yGwsbzZworEoyEiutsN3nJYdbO36zfhGJ6QEDpOZIFkDtnq5JRxmvl3jsoQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/is-finalizationregistry": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/is-finalizationregistry/-/is-finalizationregistry-1.1.1.tgz",
    "integrity": "sha512-1pC6N8qWJbWoPtEjgcL2xyhQOP491EQjeUo3qTKcmV8YSDDJrOepfG8pcC7h/QgnQHYSv0mJ3Z/ZWxmatVrysg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-fullwidth-code-point": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/is-fullwidth-code-point/-/is-fullwidth-code-point-3.0.0.tgz",
    "integrity": "sha512-zymm5+u+sCsSWyD9qNaejV3DFvhCKclKdizYaJUuHA83RLjb7nSuGnddCHGv0hk+KY7BMAlsWeK4Ueg6EV6XQg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/is-generator-function": {
    "version": "1.1.2",
    "resolved": "https://registry.npmjs.org/is-generator-function/-/is-generator-function-1.1.2.tgz",
    "integrity": "sha512-upqt1SkGkODW9tsGNG5mtXTXtECizwtS2kA161M+gJPc1xdb/Ax629af6YrTwcOeQHbewrPNlE5Dx7kzvXTizA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.4",
      "generator-function": "^2.0.0",
      "get-proto": "^1.0.1",
      "has-tostringtag": "^1.0.2",
      "safe-regex-test": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-glob": {
    "version": "4.0.3",
    "resolved": "https://registry.npmjs.org/is-glob/-/is-glob-4.0.3.tgz",
    "integrity": "sha512-xelSayHH36ZgE7ZWhli7pW34hNbNl8Ojv5KVmkJD4hBdD3th8Tfk9vYasLM+mXWOZhFkgZfxhLSnrwRr4elSSg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "is-extglob": "^2.1.1"
    },
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/is-map": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/is-map/-/is-map-2.0.3.tgz",
    "integrity": "sha512-1Qed0/Hr2m+YqxnM09CjA2d/i6YZNfF6R2oRAOj36eUdS6qIV/huPJNSEpKbupewFs+ZsJlxsjjPbc0/afW6Lw==",
    "dev": true,
    "license": "MIT",
```

```
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-negative-zero": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/is-negative-zero/-/is-negative-zero-2.0.3.tgz",
    "integrity": "sha512-5KoIu2Ngpyek75jXodFvnafB6DJgr3u8uuK0LEZJjrU19DrMD3EVERaR8sjz8CCGgpZvxPl9SuE1GMVPFHx1mw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-number": {
    "version": "7.0.0",
    "resolved": "https://registry.npmjs.org/is-number/-/is-number-7.0.0.tgz",
    "integrity": "sha512-41Cifkg6e8TylSpdtTpeLVMqvSBEVzTttHvERD741+pnZ8ANv0004MRL43QKPDlK9cGvNp6NZWZUBlbGXYxxng==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.12.0"
    }
  },
  "node_modules/is-number-object": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/is-number-object/-/is-number-object-1.1.1.tgz",
    "integrity": "sha512-lZhclumE1G6VYD8VHe35wFaIif+CTy5SJIi5+3y4psDgWu4wPDoBhF8NxUOinEc7pHgiTsT6MaBb92rKhhD+Xw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "has-tostringtag": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-path-inside": {
    "version": "3.0.3",
    "resolved": "https://registry.npmjs.org/is-path-inside/-/is-path-inside-3.0.3.tgz",
    "integrity": "sha512-Fd4gABb+ycGAmKou8eMftCupSir5lRxqf4aD/vd0cD2qc4HL07OjCeuHMr8Ro4CoMaeCKDB0/ECBOVWjTwUvPQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/is-regex": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/is-regex/-/is-regex-1.2.1.tgz",
    "integrity": "sha512-MjYsKHO5O7mCsmRGxWcLWheFqN9DJ/2TmngvjKXihe6efViPqc274+Fx/4fYj/r03+ESvBdTXK0V6tA3rgez1g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "gopd": "^1.2.0",
      "has-tostringtag": "^1.0.2",
      "hasown": "^2.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
```

```
    }
  },
  "node_modules/is-set": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/is-set/-/is-set-2.0.3.tgz",
    "integrity": "sha512-iPAjerrse27/ygGLxw+EBR9agv9Y6uLeYVJMu+QNCoouJ1/1ri0mGrcWpfCqFZuzzx3WjtwxG098X+n4OuRkPg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-shared-array-buffer": {
    "version": "1.0.4",
    "resolved": "https://registry.npmjs.org/is-shared-array-buffer/-/is-shared-array-buffer-1.0.4.tgz",
    "integrity": "sha512-ISWac8drv4ZGfwKl5slpHG9OwPNty4jOWPRIhBpxOoD+hqITiwuipOQ2bNthAzwA3B4fIjO4Nln74N0S9byq8A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-string": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/is-string/-/is-string-1.1.1.tgz",
    "integrity": "sha512-BtEeSsoaQjlSPBemMQIrY1MY0uM6vnS1g5fmufYOtnxLGUZM2178PKbhsk7Ffv58IX+ZtcvoGwccYsh0PglkAA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "has-tostringtag": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-symbol": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/is-symbol/-/is-symbol-1.1.1.tgz",
    "integrity": "sha512-9gGx6GTtCQM73BgmHQXfDmLtfjjTUDSyoxTCbp5WtoixAhfgsDirWIcVQ/IHpvI5Vgd5i/J5F7B9cN/WlVbC/w==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "has-symbols": "^1.1.0",
      "safe-regex-test": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-typed-array": {
    "version": "1.1.15",
    "resolved": "https://registry.npmjs.org/is-typed-array/-/is-typed-array-1.1.15.tgz",
    "integrity": "sha512-p3EcsicXjit7SaskXHs1hA91QxgTw46Fv6EFKKGS5DRFLD8yKnohjF3hxoju94b/OcMZoQukzpPpBE9uLVKzgQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "which-typed-array": "^1.1.16"
```

```
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-weakmap": {
    "version": "2.0.2",
    "resolved": "https://registry.npmjs.org/is-weakmap/-/is-weakmap-2.0.2.tgz",
    "integrity": "sha512-K5pXYOm9wqY1RgjpL3YTkF39tni1XajUIkawTLUo9EZEVUFga5gSQJF8nNS7ZwJQ02y+1YCNYcMh+HIf1ZqE+w==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-weakref": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/is-weakref/-/is-weakref-1.1.1.tgz",
    "integrity": "sha512-6i9mGWSlqzNMEqpCp93KwRS1uUOodk2OJ6b+sq7ZPDSy2WuI5NFIxp/254TytR8ftefexkWn5xNiHUNpPOfSew==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-weakset": {
    "version": "2.0.4",
    "resolved": "https://registry.npmjs.org/is-weakset/-/is-weakset-2.0.4.tgz",
    "integrity": "sha512-mfcwb6IzQyOKTs84CQMrOwW4gQcaTOAWJ0zzJCl2WSPDrWk/OzDaImWFH3djXhb24g4eudZfLRozAvPGw4d9hQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "get-intrinsic": "^1.2.6"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/isarray": {
    "version": "2.0.5",
    "resolved": "https://registry.npmjs.org/isarray/-/isarray-2.0.5.tgz",
    "integrity": "sha512-xHjhDr3cNBK0BzdUJSPXZntQUx/mwMS5Rw4A7lPJ90XGAO6ISP/ePDNuo0vhqOZU+UD5JoodwCAAoZQd3FeAKw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/isexe": {
    "version": "2.0.0",
    "resolved": "https://registry.npmjs.org/isexe/-/isexe-2.0.0.tgz",
    "integrity": "sha512-RHxMLp9lnKHGHRng9QFhRCMbYAcVpn69smSGcq3f36xjgVVWThj4qqLbTLlq7Ssj8B+fIQ1EuCEGI2lKsyQeIw==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/iterator.prototype": {
    "version": "1.1.5",
    "resolved": "https://registry.npmjs.org/iterator.prototype/-/iterator.prototype-1.1.5.tgz",
    "integrity": "sha512-H0dkQoCa3b2VEeKQBOxFph+JAbcrQdE7KC0UkqwpLmv2EC4P41QXP+rqo9wYodACiG5/WM5s9oDApTU8utwj9g==",
    "dev": true,
    "license": "MIT",
```

```
    "dependencies": {
      "define-data-property": "^1.1.4",
      "es-object-atoms": "^1.0.0",
      "get-intrinsic": "^1.2.6",
      "get-proto": "^1.0.0",
      "has-symbols": "^1.1.0",
      "set-function-name": "^2.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/jackspeak": {
    "version": "2.3.6",
    "resolved": "https://registry.npmjs.org/jackspeak/-/jackspeak-2.3.6.tgz",
    "integrity": "sha512-N3yCS/NegsOBokc8GAdM8UcmfsKiSS8cipheD/nivzr700H+nsMOxJjQnvwOcRYVuFkdH0wGUvW2WbXGmrZGbQ==",
    "dev": true,
    "license": "BlueOak-1.0.0",
    "dependencies": {
      "@isaacs/cliui": "^8.0.2"
    },
    "engines": {
      "node": ">=14"
    },
    "funding": {
      "url": "https://github.com/sponsors/isaacs"
    },
    "optionalDependencies": {
      "@pkgjs/parseargs": "^0.11.0"
    }
  },
  "node_modules/jiti": {
    "version": "1.21.7",
    "resolved": "https://registry.npmjs.org/jiti/-/jiti-1.21.7.tgz",
    "integrity": "sha512-/imKNG4EbWNrVjoNC/1H5/9GFy+tqjGBHCaSsN+P2RnPqjsLmv6UD3Ej+Kj8nBWaRAwyk7kK5ZUc+OEatnTR3A==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "jiti": "bin/jiti.js"
    }
  },
  "node_modules/js-cookie": {
    "version": "3.0.5",
    "resolved": "https://registry.npmjs.org/js-cookie/-/js-cookie-3.0.5.tgz",
    "integrity": "sha512-cEiJEAEoIbWfCZYKWhVwFuvPX1gETRYPw6LlaTKoxD3s2AkXzkCjnp6h0V77ozyqj0jakteJ4YqDJT830+lVGw==",
    "license": "MIT",
    "engines": {
      "node": ">=14"
    }
  },
  "node_modules/js-tokens": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz",
    "integrity": "sha512-RdJUflcE3cUzKiMqQgsCu06FPu9UdIJO0beYbPhHN4k6apgJtifcoCtT9bcxOpYBtpD2kCM6Sbzg4CausW/PKQ==",
    "license": "MIT"
  },
  "node_modules/js-yaml": {
    "version": "4.1.1",
    "resolved": "https://registry.npmjs.org/js-yaml/-/js-yaml-4.1.1.tgz",
    "integrity": "sha512-qQKT4zQxXl8lLwBtHMWwaTcGfFOZviOJet3Oy/xmGk2gZH677CJM9EvtfdSkgWcATZhj/55JZ0rmy3myCT5lsA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "argparse": "^2.0.1"
    },
    "bin": {
      "js-yaml": "bin/js-yaml.js"
    }
  },
  "node_modules/json-buffer": {
    "version": "3.0.1",
    "resolved": "https://registry.npmjs.org/json-buffer/-/json-buffer-3.0.1.tgz",
    "integrity": "sha512-4bV5BfR2mqfQTJm+V5tPPdf+ZpuhiIvTuAB5g8kcrXOZpTT/QwwVRWBywX1ozr6lEuPdbHxwaJlm9G6mI2sfSQ==",
    "dev": true,
```

```
    "license": "MIT"
  },
  "node_modules/json-schema-traverse": {
    "version": "0.4.1",
    "resolved": "https://registry.npmjs.org/json-schema-traverse/-/json-schema-traverse-0.4.1.tgz",
    "integrity": "sha512-xbbCH5dCYU5T8LcEhhuh7HJ88HXuW3qsI3Y0zOZFKfZEHcpWiHU/Jxzk629Brsab/mMiHQti9wMP+845RPe3Vg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/json-stable-stringify-without-jsonify": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/json-stable-stringify-without-jsonify/-/json-stable-stringify-without-jso
    "integrity": "sha512-Bdboy+l7tA3OGW6FjyFHWkP5LuByj1Tk33Ljyq0axyzdk9//JSi2u3fP1QSmd1KNwq6VOKYGlAu87CisVir6Pw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/json5": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/json5/-/json5-1.0.2.tgz",
    "integrity": "sha512-g1MWMLBiz8FKi1e4w0UyVL3w+iJceWAFBAaBnnGKOpNa5f8TLktkbre1+s6oICydWAm+HRUGTmI+//xv2hvXYA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "minimist": "^1.2.0"
    },
    "bin": {
      "json5": "lib/cli.js"
    }
  },
  "node_modules/jsx-ast-utils": {
    "version": "3.3.5",
    "resolved": "https://registry.npmjs.org/jsx-ast-utils/-/jsx-ast-utils-3.3.5.tgz",
    "integrity": "sha512-ZZow9HBI5O6EPgSJLUb8n2NKgmVWTwCvHGwFuJlMjvLFqlGG6pjirPhtdsseaLZjSibD8eegzmYpUZwoIlj2cQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "array-includes": "^3.1.6",
      "array.prototype.flat": "^1.3.1",
      "object.assign": "^4.1.4",
      "object.values": "^1.1.6"
    },
    "engines": {
      "node": ">=4.0"
    }
  },
  "node_modules/keyv": {
    "version": "4.5.4",
    "resolved": "https://registry.npmjs.org/keyv/-/keyv-4.5.4.tgz",
    "integrity": "sha512-oxVHkHR/EJf2CNXnWxRLW6mg7JyCCUcG0DtEGmL2ctUo1PNTin1PUil+r/+4r5MpVgC/fn1kjsx7mjSujKqIpw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "json-buffer": "3.0.1"
    }
  },
  "node_modules/language-subtag-registry": {
    "version": "0.3.23",
    "resolved": "https://registry.npmjs.org/language-subtag-registry/-/language-subtag-registry-0.3.23.tgz",
    "integrity": "sha512-0K65Lea881pHotoGEa5gDlMxt3pctLi2RplBb7Ezh4rRdLEOtgi7n4EwK9lamnUCkKBqaeKRVebTq6BAxSkpXQ==",
    "dev": true,
    "license": "CC0-1.0"
  },
  "node_modules/language-tags": {
    "version": "1.0.9",
    "resolved": "https://registry.npmjs.org/language-tags/-/language-tags-1.0.9.tgz",
    "integrity": "sha512-MbjN408fEndfiQXbFQ1vnd+1NoLDsnQW41410oQBXiyXDMYH5z505juWa4KUE1LqxRC7DgOgZDbKLxHIwm27hA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "language-subtag-registry": "^0.3.20"
    },
    "engines": {
      "node": ">=0.10"
    }
```

```
    },
    "node_modules/levn": {
      "version": "0.4.1",
      "resolved": "https://registry.npmjs.org/levn/-/levn-0.4.1.tgz",
      "integrity": "sha512-+bT2uH4E5LGE7h/n3evcS/sQlJXCpIp6ym8OWJ5eV6+67Dsql/LaaT7qJBAt2rzfoa/5QBGBhxDix1dMt2kQKQ==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "prelude-ls": "^1.2.1",
        "type-check": "~0.4.0"
      },
      "engines": {
        "node": ">= 0.8.0"
      }
    },
    "node_modules/lilconfig": {
      "version": "3.1.3",
      "resolved": "https://registry.npmjs.org/lilconfig/-/lilconfig-3.1.3.tgz",
      "integrity": "sha512-/vlFKAoH5Cgt3Ie+JLhRbwOsCQePABiU3tJ1egGvyQ+33R/vcwM2Zl2QR/LzjsBeItPt3oSVXapn+m4nQDvpzw==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=14"
      },
      "funding": {
        "url": "https://github.com/sponsors/antonk52"
      }
    },
    "node_modules/lines-and-columns": {
      "version": "1.2.4",
      "resolved": "https://registry.npmjs.org/lines-and-columns/-/lines-and-columns-1.2.4.tgz",
      "integrity": "sha512-7ylylesZQ/PV29jhEDl3Ufjo6ZX7gCqJr5F7PKrqc93v7fzSymt1BpwEU8nAUXs8qzzvqhbjhK5QZg6Mt/HkBg==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/locate-path": {
      "version": "6.0.0",
      "resolved": "https://registry.npmjs.org/locate-path/-/locate-path-6.0.0.tgz",
      "integrity": "sha512-iPZK6eYjbxRu3uB4/WZ3EsEIMJFMqAoopl3R+zuq0UjcAm/MO6KCweDgPfP3elTztoKP3KtnVHxTn2NHBSDVUw==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "p-locate": "^5.0.0"
      },
      "engines": {
        "node": ">=10"
      },
      "funding": {
        "url": "https://github.com/sponsors/sindresorhus"
      }
    },
    "node_modules/lodash.merge": {
      "version": "4.6.2",
      "resolved": "https://registry.npmjs.org/lodash.merge/-/lodash.merge-4.6.2.tgz",
      "integrity": "sha512-0KpjqXRVvrYyCsX1swR/XTK0va6VQkQM6MNo7PqW77ByjAhoARA8EfrP1N4+KlKj8YS0ZUCtRT/YUuhyYDujIQ==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/loose-envify": {
      "version": "1.4.0",
      "resolved": "https://registry.npmjs.org/loose-envify/-/loose-envify-1.4.0.tgz",
      "integrity": "sha512-lyuxPGr/Wfhrlem2CL/UcnUc1zcqKAImBDzukY7Y5F/yQiNdko6+fRLevlw1HgMySw7f611UIY408EtxRSoK3Q==",
      "license": "MIT",
      "dependencies": {
        "js-tokens": "^3.0.0 || ^4.0.0"
      },
      "bin": {
        "loose-envify": "cli.js"
      }
    },
    "node_modules/lru-cache": {
      "version": "10.4.3",
      "resolved": "https://registry.npmjs.org/lru-cache/-/lru-cache-10.4.3.tgz",
      "integrity": "sha512-JNAzZcXrCt42VGLuYz0zfAzDfAvJWW6AfYlDBQyDV5DClI2m5sAmK+OIO7s59XfsRsWHp02jAJrRadPRGTt6SQ==",
```

```
    "dev": true,
    "license": "ISC"
  },
  "node_modules/lucide-react": {
    "version": "1.7.0",
    "resolved": "https://registry.npmjs.org/lucide-react/-/lucide-react-1.7.0.tgz",
    "integrity": "sha512-yI7BeItCLZJTXikmK4KNUGCKoGzSvbKlfCvw44bU4fXAL6v3gYS4uHD1jzsLkfwODYwI6Drw5Tu9Z5ulDe0TSg==",
    "license": "ISC",
    "peerDependencies": {
      "react": "^16.5.1 || ^17.0.0 || ^18.0.0 || ^19.0.0"
    }
  },
  "node_modules/math-intrinsics": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/math-intrinsics/-/math-intrinsics-1.1.0.tgz",
    "integrity": "sha512-/IXtbwEk5HTPyEwyKX6hGkYXxM9nbj64B+ilVJnC/R6B0pH5G4V3b0pVbL7DBj4tkhBAppbQUlf6F6Xl9LHu1g==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/merge2": {
    "version": "1.4.1",
    "resolved": "https://registry.npmjs.org/merge2/-/merge2-1.4.1.tgz",
    "integrity": "sha512-8q7VEgMJW4J8tcfVPy8g09NcQwZdbwFEqhe/WZkoIzjn/3TGDwtOCYtXGxA3O8tPzpczCCDgv+P2P5y00ZJOOg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/micromatch": {
    "version": "4.0.8",
    "resolved": "https://registry.npmjs.org/micromatch/-/micromatch-4.0.8.tgz",
    "integrity": "sha512-PXwfBhYu0hBCPw8Dn0E+WDYb7af3dSLVWKi3HGv84IdF4TyFoC0ysxFd0Goxw7nSv4T/PzEJQxsYsEiFCKo2BA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "braces": "^3.0.3",
      "picomatch": "^2.3.1"
    },
    "engines": {
      "node": ">=8.6"
    }
  },
  "node_modules/mime-db": {
    "version": "1.52.0",
    "resolved": "https://registry.npmjs.org/mime-db/-/mime-db-1.52.0.tgz",
    "integrity": "sha512-sPU4uV7dYlvtWJxwwxHD0PuihVNiE7TyAbQ5SWxDCB9mUYvOgroQOwYQQOKPJ8CIbE+1ETVlOoK1UC2nU3gYvg==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.6"
    }
  },
  "node_modules/mime-types": {
    "version": "2.1.35",
    "resolved": "https://registry.npmjs.org/mime-types/-/mime-types-2.1.35.tgz",
    "integrity": "sha512-ZDY+bPm5zTTF+YpCrAU9nK0UgICYPT0QtT1NZWFv4s++TNkcgVaT0g6+4R2uI4MjQjzysHB1zxuWL50hzaeXiw==",
    "license": "MIT",
    "dependencies": {
      "mime-db": "1.52.0"
    },
    "engines": {
      "node": ">= 0.6"
    }
  },
  "node_modules/minimatch": {
    "version": "3.1.5",
    "resolved": "https://registry.npmjs.org/minimatch/-/minimatch-3.1.5.tgz",
    "integrity": "sha512-VgjWUsnnT6n+NUk6eZq77zeFdpW2LWDzP6zFGrCbHXiYNul5Dzqk2HHQ5uFH2DNW5Xbp8+jVzaeNt94ssEEl4w==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "brace-expansion": "^1.1.7"
```

```
    },
    "engines": {
      "node": "*"
    }
  },
  "node_modules/minimist": {
    "version": "1.2.8",
    "resolved": "https://registry.npmjs.org/minimist/-/minimist-1.2.8.tgz",
    "integrity": "sha512-2yyAR8qBkN3YuheJanUpWC5U3bb5osDywNB8RzDVlDwDHbocAJveqqj1u8+SVD7jkWT4yvsHCpWqqWqAxb0zCA==",
    "dev": true,
    "license": "MIT",
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/minipass": {
    "version": "7.1.3",
    "resolved": "https://registry.npmjs.org/minipass/-/minipass-7.1.3.tgz",
    "integrity": "sha512-tEBHqDnIoM/1rXME1zgka9g6Q2lcoCkxHLuc7ODJ5BxbP5d4c2Z5cGgtXAku59200Cx7diuHTOYfSBD8n6mm8A==",
    "dev": true,
    "license": "BlueOak-1.0.0",
    "engines": {
      "node": ">=16 || 14 >=14.17"
    }
  },
  "node_modules/ms": {
    "version": "2.1.3",
    "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
    "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEhjzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6tz7R9xAOtHnSO/tXtF3WRTlA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/mz": {
    "version": "2.7.0",
    "resolved": "https://registry.npmjs.org/mz/-/mz-2.7.0.tgz",
    "integrity": "sha512-z81GNO7nnYMEhrGh9LeymoE4+Yr0Wn5McHIZMK5cfQCl+NDX08sCZgUc9/6MHni9IWuFLm1Z3HTCXu2z9fN62Q==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "any-promise": "^1.0.0",
      "object-assign": "^4.0.1",
      "thenify-all": "^1.0.0"
    }
  },
  "node_modules/nanoid": {
    "version": "3.3.11",
    "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.11.tgz",
    "integrity": "sha512-N8SpfPUnUp1bK+PMYW8qSWdl9U+wwNWI4QKxOYDy9JAro3WMX7p2OeVRF9v+347pnakNevPmiHhNmZ2HbFA76w==",
    "funding": [
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "bin": {
      "nanoid": "bin/nanoid.cjs"
    },
    "engines": {
      "node": "^10 || ^12 || ^13.7 || ^14 || >=15.0.1"
    }
  },
  "node_modules/napi-postinstall": {
    "version": "0.3.4",
    "resolved": "https://registry.npmjs.org/napi-postinstall/-/napi-postinstall-0.3.4.tgz",
    "integrity": "sha512-PHI5f1O0EP5xJ9gQmFGMS6IZcrVvTjpXjz7Na41gTE7eE2hK11lg04CECCYEEjdc17EV4DO+fkGEtt7TpTaTiQ==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "napi-postinstall": "lib/cli.js"
    },
    "engines": {
      "node": "^12.20.0 || ^14.18.0 || >=16.0.0"
    },
```

```
    "funding": {
      "url": "https://opencollective.com/napi-postinstall"
    }
  },
  "node_modules/natural-compare": {
    "version": "1.4.0",
    "resolved": "https://registry.npmjs.org/natural-compare/-/natural-compare-1.4.0.tgz",
    "integrity": "sha512-OWND8ei3VtNC9h7V60qff3SVobHr996CTwgxubgyQYEpg290h9J0buyECNNJexkFm5sOajh5G116RYA1c8ZMSw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/next": {
    "version": "14.2.35",
    "resolved": "https://registry.npmjs.org/next/-/next-14.2.35.tgz",
    "integrity": "sha512-KhYd2Hjt/O1/1aZVX3dCwGXM1QmOV4eNM2UTacK5gipDdPN/oHHK/4oVGy7X8GMfPMsUTUEmGlsy0EY1YGAkig==",
    "license": "MIT",
    "dependencies": {
      "@next/env": "14.2.35",
      "@swc/helpers": "0.5.5",
      "busboy": "1.6.0",
      "caniuse-lite": "^1.0.30001579",
      "graceful-fs": "^4.2.11",
      "postcss": "8.4.31",
      "styled-jsx": "5.1.1"
    },
    "bin": {
      "next": "dist/bin/next"
    },
    "engines": {
      "node": ">=18.17.0"
    },
    "optionalDependencies": {
      "@next/swc-darwin-arm64": "14.2.33",
      "@next/swc-darwin-x64": "14.2.33",
      "@next/swc-linux-arm64-gnu": "14.2.33",
      "@next/swc-linux-arm64-musl": "14.2.33",
      "@next/swc-linux-x64-gnu": "14.2.33",
      "@next/swc-linux-x64-musl": "14.2.33",
      "@next/swc-win32-arm64-msvc": "14.2.33",
      "@next/swc-win32-ia32-msvc": "14.2.33",
      "@next/swc-win32-x64-msvc": "14.2.33"
    },
    "peerDependencies": {
      "@opentelemetry/api": "^1.1.0",
      "@playwright/test": "^1.41.2",
      "react": "^18.2.0",
      "react-dom": "^18.2.0",
      "sass": "^1.3.0"
    },
    "peerDependenciesMeta": {
      "@opentelemetry/api": {
        "optional": true
      },
      "@playwright/test": {
        "optional": true
      },
      "sass": {
        "optional": true
      }
    }
  },
  "node_modules/next/node_modules/postcss": {
    "version": "8.4.31",
    "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.4.31.tgz",
    "integrity": "sha512-PS08Iboia9mts/2ygV3eLpY5ghnUcfLV/EXTOW1E2qYxJKGGBUtNjN76FYHnMs36RmARn41bC0AZmn+rR0OVpQ==",
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/postcss"
      },
```

```
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "nanoid": "^3.3.6",
      "picocolors": "^1.0.0",
      "source-map-js": "^1.0.2"
    },
    "engines": {
      "node": "^10 || ^12 || >=14"
    }
  },
  "node_modules/node-exports-info": {
    "version": "1.6.0",
    "resolved": "https://registry.npmjs.org/node-exports-info/-/node-exports-info-1.6.0.tgz",
    "integrity": "sha512-pyFS63ptit/P5WqUkt+UUfe+4oevH+bFeIiPPdfb0pFeYEu/1ELnJu5l+5EcTKYL5M7zaAa7S8ddywgXypqKCw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "array.prototype.flatmap": "^1.3.3",
      "es-errors": "^1.3.0",
      "object.entries": "^1.1.9",
      "semver": "^6.3.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/node-exports-info/node_modules/semver": {
    "version": "6.3.1",
    "resolved": "https://registry.npmjs.org/semver/-/semver-6.3.1.tgz",
    "integrity": "sha512-BR7VvDCVHO+q2xBEWskxS6DJE1qRnb7DxzUrogb71CWoSficBxYsiAGd+Kl0mmq/MprG9yArRkyrQxTO6XjMzA==",
    "dev": true,
    "license": "ISC",
    "bin": {
      "semver": "bin/semver.js"
    }
  },
  "node_modules/node-releases": {
    "version": "2.0.37",
    "resolved": "https://registry.npmjs.org/node-releases/-/node-releases-2.0.37.tgz",
    "integrity": "sha512-1h5gKZCF+pO/o3Iqt5Jp7wc9rH3eJJ0+nh/CIoiRwjRxde/hAHyLPXYN4V3CqKAbiZPSeJFSWHmJsbkicta0Eg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/normalize-path": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/normalize-path/-/normalize-path-3.0.0.tgz",
    "integrity": "sha512-6eZs5Ls3WtCisHWp9S2GUy8dqkpGi4BVSz3GaqiE6ezub0512ESztXUwUB6C6IKbQkY2Pnb/mD4WYojCRwcwLA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/object-assign": {
    "version": "4.1.1",
    "resolved": "https://registry.npmjs.org/object-assign/-/object-assign-4.1.1.tgz",
    "integrity": "sha512-rJgTQnkUnH1sFw8yT6VSU3zD3sWmu6sZhIseY8VX+GRu3P6F7Fu+JNDoXfklElbLJSnc3FUQHVe4cU5hj+BcUg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/object-hash": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/object-hash/-/object-hash-3.0.0.tgz",
```

"integrity": "sha512-RSn9F68PjH9HqtltsSnqYC1XXoWe9Bju5+213R98cNGttag9q9yAOTzdbsqvIa7aNm5WffBZFpWYr2aWrklWAw==",
"dev": true,
"license": "MIT",
"engines": {
"node": ">= 6"
}
},
"node_modules/object-inspect": {
"version": "1.13.4",
"resolved": "https://registry.npmjs.org/object-inspect/-/object-inspect-1.13.4.tgz",
"integrity": "sha512-W67iLl4J2EXEGTbfeHCffrjDfitvLANg0UlX3wFUUSTx92KXRFegMHUVgSqE+wvhAbi4WqjGg9czysTV2Epbew==",
"dev": true,
"license": "MIT",
"engines": {
"node": ">= 0.4"
},
"funding": {
"url": "https://github.com/sponsors/ljharb"
}
},
"node_modules/object-keys": {
"version": "1.1.1",
"resolved": "https://registry.npmjs.org/object-keys/-/object-keys-1.1.1.tgz",
"integrity": "sha512-NuAESUOUMrlIXOfHKzD6bpPu3tYt3xvjNdRIQ+FeT0lNb4K8WR70CaDxhuNguS2XG+GjkyMwOzsN5ZktImfhLA==",
"dev": true,
"license": "MIT",
"engines": {
"node": ">= 0.4"
}
},
"node_modules/object.assign": {
"version": "4.1.7",
"resolved": "https://registry.npmjs.org/object.assign/-/object.assign-4.1.7.tgz",
"integrity": "sha512-nK28WOo+QIjBkDduTINE4JkF/UJJKyf2EJxvJKfblDpyg0Q+pkOHNTL0Qwy6NP6FhE/EnzV73BxxqcJaXY9anw==",
"dev": true,
"license": "MIT",
"dependencies": {
"call-bind": "^1.0.8",
"call-bound": "^1.0.3",
"define-properties": "^1.2.1",
"es-object-atoms": "^1.0.0",
"has-symbols": "^1.1.0",
"object-keys": "^1.1.1"
},
"engines": {
"node": ">= 0.4"
},
"funding": {
"url": "https://github.com/sponsors/ljharb"
}
},
"node_modules/object.entries": {
"version": "1.1.9",
"resolved": "https://registry.npmjs.org/object.entries/-/object.entries-1.1.9.tgz",
"integrity": "sha512-8u/hfXFRBD1O0hPUjioLhoWFHRmt6tKA4/vZPyckBr18l1KE9uHrFaFaUi8MDRTpi4uak2goyPTSNJLXX2k2Hw==",
"dev": true,
"license": "MIT",
"dependencies": {
"call-bind": "^1.0.8",
"call-bound": "^1.0.4",
"define-properties": "^1.2.1",
"es-object-atoms": "^1.1.1"
},
"engines": {
"node": ">= 0.4"
}
},
"node_modules/object.fromentries": {
"version": "2.0.8",
"resolved": "https://registry.npmjs.org/object.fromentries/-/object.fromentries-2.0.8.tgz",
"integrity": "sha512-k6E21FzySsSK5a21KRADBd/NGneRegFO5pLHfdQLpRDETUNJueLXs3WCzyQ3tFRDYgbq3KHGXfTbi2bs8WQ6rQ==",
"dev": true,
"license": "MIT",
"dependencies": {

```
      "call-bind": "^1.0.7",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.2",
      "es-object-atoms": "^1.0.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/object.groupby": {
    "version": "1.0.3",
    "resolved": "https://registry.npmjs.org/object.groupby/-/object.groupby-1.0.3.tgz",
    "integrity": "sha512-+Lhy3TQTuzXI5hevh8sBGqbmurHbbIjAi0Z4S63nthVLmLxfbj4T54a4CfZrXIrt9iP4mVAPYMo/v99taj3wjQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.7",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/object.values": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/object.values/-/object.values-1.2.1.tgz",
    "integrity": "sha512-gXah6aZrcUxjWg2zR2MwouP2eHlCBzdV4pygudehaKXSGW4v2AsRQUK+lwwXhii6KFZcunEnmSUoYp5CXibxtA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.3",
      "define-properties": "^1.2.1",
      "es-object-atoms": "^1.0.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/once": {
    "version": "1.4.0",
    "resolved": "https://registry.npmjs.org/once/-/once-1.4.0.tgz",
    "integrity": "sha512-lNaJgI+2Q5URQBkccEKHTQOPaXdUxnZZElQTZY0MFUAuaEqe1E+Nyvgdz/aIyNi6Z9MzO5dv1H8n58/GELp3+w==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "wrappy": "1"
    }
  },
  "node_modules/optionator": {
    "version": "0.9.4",
    "resolved": "https://registry.npmjs.org/optionator/-/optionator-0.9.4.tgz",
    "integrity": "sha512-6IpQ7mKUxRcZNLIObR0hz7lxsapSSIYNZJwXPGeF0mTVqGKFIXj1DQcMoT22S3ROcLyY/rz0PWaWZ9ayWmad9g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "deep-is": "^0.1.3",
      "fast-levenshtein": "^2.0.6",
      "levn": "^0.4.1",
      "prelude-ls": "^1.2.1",
      "type-check": "^0.4.0",
      "word-wrap": "^1.2.5"
    },
    "engines": {
      "node": ">= 0.8.0"
    }
  },
```

```
"node_modules/own-keys": {
  "version": "1.0.1",
  "resolved": "https://registry.npmjs.org/own-keys/-/own-keys-1.0.1.tgz",
  "integrity": "sha512-qFOyK5PjiWZd+QQIh+1jhdb9LpxTF0qs7Pm8o5QHYZ0M3vKqSqzsZaEB6oWlxZ+q2sJBMI/Ktgd2N5ZwQoRHfg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "get-intrinsic": "^1.2.6",
    "object-keys": "^1.1.1",
    "safe-push-apply": "^1.0.0"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/p-limit": {
  "version": "3.1.0",
  "resolved": "https://registry.npmjs.org/p-limit/-/p-limit-3.1.0.tgz",
  "integrity": "sha512-TYOanM3wGwNGsZN2cVTYPArw454xnXj5qmWF1bEoAc4+cU/ol7GVh7odevjp1FNHduHc3KZMcFduxU5Xc6uJRQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "yocto-queue": "^0.1.0"
  },
  "engines": {
    "node": ">=10"
  },
  "funding": {
    "url": "https://github.com/sponsors/sindresorhus"
  }
},
"node_modules/p-locate": {
  "version": "5.0.0",
  "resolved": "https://registry.npmjs.org/p-locate/-/p-locate-5.0.0.tgz",
  "integrity": "sha512-LaNjtRWUBY++zB5nE/NwcaoMylSPk+S+ZHNB1TzdbMJMny6dynpAGt7X/tl/QYq3TIeE6nxHppbo2LGymrG5Pw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "p-limit": "^3.0.2"
  },
  "engines": {
    "node": ">=10"
  },
  "funding": {
    "url": "https://github.com/sponsors/sindresorhus"
  }
},
"node_modules/parent-module": {
  "version": "1.0.1",
  "resolved": "https://registry.npmjs.org/parent-module/-/parent-module-1.0.1.tgz",
  "integrity": "sha512-GQ2EWRpQV8/o+Aw8YqtfZZPfNRWZYkbidE9k5rpl/hC3vtHHBfGm2Ifi6qWV+coDGkrUKZAxE3Lot5kcsRlh+g==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "callsites": "^3.0.0"
  },
  "engines": {
    "node": ">=6"
  }
},
"node_modules/path-exists": {
  "version": "4.0.0",
  "resolved": "https://registry.npmjs.org/path-exists/-/path-exists-4.0.0.tgz",
  "integrity": "sha512-ak9Qy5Q7jYb2Wwcey5Fpvg2KoAc/ZIhLSLOSBmRmygPsGwkVVt0fZa0qrtMz+m6tJTAHfZQ8FnmB4MG4LWy7/w==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=8"
  }
},
"node_modules/path-is-absolute": {
```

```
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/path-is-absolute/-/path-is-absolute-1.0.1.tgz",
    "integrity": "sha512-AVbw3UJ2e9bq64vSaS9Am0fje1Pa8pbGqTTsmXfaIiMpnr5DlDhfJOuLj9Sf95ZPVDAUerDfEk88MPmPe7UCQg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/path-key": {
    "version": "3.1.1",
    "resolved": "https://registry.npmjs.org/path-key/-/path-key-3.1.1.tgz",
    "integrity": "sha512-ojmeN0qd+y0jszEtoY48r0Peq5dwMEkIlCOu6Q5f41lfkswXuKtYrhgoTpLnyIcHm24Uhqx+5Tqm2InSwLhE6Q==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/path-parse": {
    "version": "1.0.7",
    "resolved": "https://registry.npmjs.org/path-parse/-/path-parse-1.0.7.tgz",
    "integrity": "sha512-LDJzPVEEEPR+y48z93A0Ed0yXb8pAByGWo/k5YYdYgpY2/2EsOsksJrq7lOHxryrVOn1ejG6oAp8ahvOIQD8sw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/path-scurry": {
    "version": "1.11.1",
    "resolved": "https://registry.npmjs.org/path-scurry/-/path-scurry-1.11.1.tgz",
    "integrity": "sha512-Xa4Nw17FS9ApQFJ9umLiJS4orGjm7ZzwUrwamcGQuHSzDyth9boKDaycYdDcZDuqYATXw4HFXgaqWTctW/v1HA==",
    "dev": true,
    "license": "BlueOak-1.0.0",
    "dependencies": {
      "lru-cache": "^10.2.0",
      "minipass": "^5.0.0 || ^6.0.2 || ^7.0.0"
    },
    "engines": {
      "node": ">=16 || 14 >=14.18"
    },
    "funding": {
      "url": "https://github.com/sponsors/isaacs"
    }
  },
  "node_modules/picocolors": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
    "integrity": "sha512-xceH2snhtb5M9liqDsmEw56le376mTZkEX/jEb/RxNFyegNul7eNslCXP9FDj/Lcu0X8KEyMceP2ntpaHrDEVA==",
    "license": "ISC"
  },
  "node_modules/picomatch": {
    "version": "2.3.2",
    "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-2.3.2.tgz",
    "integrity": "sha512-V7+vQEJ06Z+c5tSye8S+nHUfI51xoXIXjHQ99cQtKUkQqqO1kO/KCJUfZXuB47h/YBlDhah2H3hdUGXn8ie0oA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8.6"
    },
    "funding": {
      "url": "https://github.com/sponsors/jonschlinkert"
    }
  },
  "node_modules/pify": {
    "version": "2.3.0",
    "resolved": "https://registry.npmjs.org/pify/-/pify-2.3.0.tgz",
    "integrity": "sha512-udgsAY+fTnvv7kI7aaxbqwWNb0AHiB0qBO89PZKPkoTmGOgdbrHDKD+0B2X4uTfJ/FT1R09r9gTsjUjNJotuog==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/pirates": {
    "version": "4.0.7",
```

```
    "resolved": "https://registry.npmjs.org/pirates/-/pirates-4.0.7.tgz",
    "integrity": "sha512-TfySrs/5nm8fQJDcBDuUng3VOUKsd7S+zqvbOTiGXHfxX4wK31ard+hoNuvkicM/2YFzlpDgABOevKSsB4G/FA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/possible-typed-array-names": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/possible-typed-array-names/-/possible-typed-array-names-1.1.0.tgz",
    "integrity": "sha512-/+5VFTchJDoVj3bhoqi6UeymcD00DAwb1nJwamzPvHEszJ4FpF6SNNbUbOS8yI56qHzdV8eK0qEfOSiodkTdxg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/postcss": {
    "version": "8.5.8",
    "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.8.tgz",
    "integrity": "sha512-OW/rX8O/jXnm82Ey1k44pObPtdblfiuWnrd8X7GJ7emImCOstunGbXUpp7HdBrFQX6rJzn3sPT397Wp5aCwCHg==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/postcss"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "nanoid": "^3.3.11",
      "picocolors": "^1.1.1",
      "source-map-js": "^1.2.1"
    },
    "engines": {
      "node": "^10 || ^12 || >=14"
    }
  },
  "node_modules/postcss-import": {
    "version": "15.1.0",
    "resolved": "https://registry.npmjs.org/postcss-import/-/postcss-import-15.1.0.tgz",
    "integrity": "sha512-hpr+J05B2FVYUAXHeK1YyI267J/dDDhMU6B6civm8hSY1jYJnBXxzKDKDswzJmtLHryrjhnDjqqp/49t8FALew==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "postcss-value-parser": "^4.0.0",
      "read-cache": "^1.0.0",
      "resolve": "^1.1.7"
    },
    "engines": {
      "node": ">=14.0.0"
    },
    "peerDependencies": {
      "postcss": "^8.0.0"
    }
  },
  "node_modules/postcss-import/node_modules/resolve": {
    "version": "1.22.11",
    "resolved": "https://registry.npmjs.org/resolve/-/resolve-1.22.11.tgz",
    "integrity": "sha512-RfqAvLnMl313r7c9oclB1HhUEAezcpLjz95wFH4LVuhk9JF/r22qmVP9AMmOU4vMX7Q8pN8jwNg/CSpdFnMjTQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "is-core-module": "^2.16.1",
      "path-parse": "^1.0.7",
```

```
      "supports-preserve-symlinks-flag": "^1.0.0"
    },
    "bin": {
      "resolve": "bin/resolve"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/postcss-js": {
    "version": "4.1.0",
    "resolved": "https://registry.npmjs.org/postcss-js/-/postcss-js-4.1.0.tgz",
    "integrity": "sha512-oIAOTqgIo7q2EOwbhb8UalYePMvYoIeRY2YKntdpFQXNosSu3vLrniGgmH9OKs/qAkfoj5oB3le/7mINW1LCfw==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "camelcase-css": "^2.0.1"
    },
    "engines": {
      "node": "^12 || ^14 || >= 16"
    },
    "peerDependencies": {
      "postcss": "^8.4.21"
    }
  },
  "node_modules/postcss-load-config": {
    "version": "6.0.1",
    "resolved": "https://registry.npmjs.org/postcss-load-config/-/postcss-load-config-6.0.1.tgz",
    "integrity": "sha512-oPtTM4oerL+UXmx+93ytZVN82RrlY/wPUV8IeDxFrzIjXOLF1pN+EmKPLbubvKHT2HC20xXsCAH2Z+CKV6Oz/g==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "lilconfig": "^3.1.1"
    },
    "engines": {
      "node": ">= 18"
    },
    "peerDependencies": {
      "jiti": ">=1.21.0",
      "postcss": ">=8.0.9",
      "tsx": "^4.8.1",
      "yaml": "^2.4.2"
    },
    "peerDependenciesMeta": {
      "jiti": {
        "optional": true
      },
      "postcss": {
        "optional": true
      },
      "tsx": {
```

```
      "optional": true
    },
    "yaml": {
      "optional": true
    }
  }
},
"node_modules/postcss-nested": {
  "version": "6.2.0",
  "resolved": "https://registry.npmjs.org/postcss-nested/-/postcss-nested-6.2.0.tgz",
  "integrity": "sha512-HQbt28KulC5AJzG+cZtj9kvKB93CFCdLvog1WFLf1D+xmMvPGlBstkpTEZfK5+AN9hfJocyBFCNiqyS48bpgzQ==",
  "dev": true,
  "funding": [
    {
      "type": "opencollective",
      "url": "https://opencollective.com/postcss/"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "postcss-selector-parser": "^6.1.1"
  },
  "engines": {
    "node": ">=12.0"
  },
  "peerDependencies": {
    "postcss": "^8.2.14"
  }
},
"node_modules/postcss-selector-parser": {
  "version": "6.1.2",
  "resolved": "https://registry.npmjs.org/postcss-selector-parser/-/postcss-selector-parser-6.1.2.tgz",
  "integrity": "sha512-Q8qQfPiZ+THO/3ZrOrO0cJJKfpYCagtMUkXbnEfmgUjwXg6z/WBeOyS9APBBPCTSiDV+s4SwQGu8yFsiMRIudg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "cssesc": "^3.0.0",
    "util-deprecate": "^1.0.2"
  },
  "engines": {
    "node": ">=4"
  }
},
"node_modules/postcss-value-parser": {
  "version": "4.2.0",
  "resolved": "https://registry.npmjs.org/postcss-value-parser/-/postcss-value-parser-4.2.0.tgz",
  "integrity": "sha512-1NNCs6uurfkVbeXG4S8JFT9t19m45ICnif8zWLd5oPSZ50QnwMfK+H3jv408d4jw/7Bttv5axS5IiHoLaVNHeQ==",
  "dev": true,
  "license": "MIT"
},
"node_modules/prelude-ls": {
  "version": "1.2.1",
  "resolved": "https://registry.npmjs.org/prelude-ls/-/prelude-ls-1.2.1.tgz",
  "integrity": "sha512-vkcDPrRZo1QZLbn5RLGPpg/WmIQ65qoWWhcGKf/b5eplkkarX0m9z8ppCat4mlOqUsWpyNuYgO3VRyrYHSzX5g==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 0.8.0"
  }
},
"node_modules/prop-types": {
  "version": "15.8.1",
  "resolved": "https://registry.npmjs.org/prop-types/-/prop-types-15.8.1.tgz",
  "integrity": "sha512-oj87CgZICdulUohogVAR7AjlC0327U4el4L6eAvOqCeudMDVU0NThNaV+b9Df4dXgSP1gXMTnPdhfe/2qDH5cg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "loose-envify": "^1.4.0",
    "object-assign": "^4.1.1",
    "react-is": "^16.13.1"
```

```
    }
  },
  "node_modules/proxy-from-env": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/proxy-from-env/-/proxy-from-env-2.1.0.tgz",
    "integrity": "sha512-cJ+oHTW1VAEa8cJslgmUZrc+sjRKgAKl3Zyse6+PV38hZe/V6Z14TbCuXcan9F9ghlz4QrFr2c92TNF82UkYHA==",
    "license": "MIT",
    "engines": {
      "node": ">=10"
    }
  },
  "node_modules/punycode": {
    "version": "2.3.1",
    "resolved": "https://registry.npmjs.org/punycode/-/punycode-2.3.1.tgz",
    "integrity": "sha512-vYt7UD1U9Wg6138shLtLOvdAu+8DsC/ilFtEVHcH+wydcSpNE20AfSOduf6MkRFahL5FY7X1oU7nKVZFtfq8Fg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/queue-microtask": {
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/queue-microtask/-/queue-microtask-1.2.3.tgz",
    "integrity": "sha512-NuaNSa6flKT5JaSYQzJok04JzTL1CA6aGhv5rfLW3PgqA+M2ChpZQnAC8h8i4ZFkBS8X5RqkDBHA7r4hej3K9A==",
    "dev": true,
    "funding": [
      {
        "type": "github",
        "url": "https://github.com/sponsors/feross"
      },
      {
        "type": "patreon",
        "url": "https://www.patreon.com/feross"
      },
      {
        "type": "consulting",
        "url": "https://feross.org/support"
      }
    ],
    "license": "MIT"
  },
  "node_modules/react": {
    "version": "18.3.1",
    "resolved": "https://registry.npmjs.org/react/-/react-18.3.1.tgz",
    "integrity": "sha512-wS+hAgJShR0KhEvPJArfuPVN1+Hz1t0Y6n5jLrGQbkb4urgPE/0Rve+1kMB1v/oWgHgm4WIcV+i7F2pTVj+2iQ==",
    "license": "MIT",
    "dependencies": {
      "loose-envify": "^1.1.0"
    },
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/react-dom": {
    "version": "18.3.1",
    "resolved": "https://registry.npmjs.org/react-dom/-/react-dom-18.3.1.tgz",
    "integrity": "sha512-5m4nQKp+rZRb09LNH59GM4BxTh9251/ylbKIbpe7TpGxfJ+9kv6BLkLBXIjjspbgbnIBNqlI23tRnTWT0snUIw==",
    "license": "MIT",
    "dependencies": {
      "loose-envify": "^1.1.0",
      "scheduler": "^0.23.2"
    },
    "peerDependencies": {
      "react": "^18.3.1"
    }
  },
  "node_modules/react-is": {
    "version": "16.13.1",
    "resolved": "https://registry.npmjs.org/react-is/-/react-is-16.13.1.tgz",
    "integrity": "sha512-24e6ynE2H+OKt4kqsOvNd8kBpV65zoxbA4BVsEOB3ARVWQki/DHzaUoC5KuON/BiccDaCCTZBuOcfZs70kR8bQ==",
    "dev": true,
    "license": "MIT"
  },
```

```
"node_modules/read-cache": {
  "version": "1.0.0",
  "resolved": "https://registry.npmjs.org/read-cache/-/read-cache-1.0.0.tgz",
  "integrity": "sha512-Owdv/Ft7IjOgm/i0xvNDZ1LrRANRfew4b2prF3OWMQLxLfu3bS8FVhCsrSCMK4lR56Y9ya+AThoTpDCTxCmpRA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "pify": "^2.3.0"
  }
},
"node_modules/readdirp": {
  "version": "3.6.0",
  "resolved": "https://registry.npmjs.org/readdirp/-/readdirp-3.6.0.tgz",
  "integrity": "sha512-hOS089on8RduqdbhvQ5Z37A0ESjsqz6qnRcffsMU3495FuTdqSm+7bhJ29JvIOsBDEEnan5DPu9t3To9VRlMzA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "picomatch": "^2.2.1"
  },
  "engines": {
    "node": ">=8.10.0"
  }
},
"node_modules/reflect.getprototypeof": {
  "version": "1.0.10",
  "resolved": "https://registry.npmjs.org/reflect.getprototypeof/-/reflect.getprototypeof-1.0.10.tgz",
  "integrity": "sha512-00o4I+DVrefhv+nX0ulyi3biSHCPDe+yLv5o/p6d/UVlirijB8E16FtfwSAi4g3tcqrQ4lRAqQSoFEZJehYEcw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind": "^1.0.8",
    "define-properties": "^1.2.1",
    "es-abstract": "^1.23.9",
    "es-errors": "^1.3.0",
    "es-object-atoms": "^1.0.0",
    "get-intrinsic": "^1.2.7",
    "get-proto": "^1.0.1",
    "which-builtin-type": "^1.2.1"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/regexp.prototype.flags": {
  "version": "1.5.4",
  "resolved": "https://registry.npmjs.org/regexp.prototype.flags/-/regexp.prototype.flags-1.5.4.tgz",
  "integrity": "sha512-dYqgNSZbDwkaJ2ceRd9ojCGjBq+mOm9LmtXnAnEGyHhN/5R7iDW2TRw3h+o/jCFxus3P2LfWIIiwowAjANm7IA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind": "^1.0.8",
    "define-properties": "^1.2.1",
    "es-errors": "^1.3.0",
    "get-proto": "^1.0.1",
    "gopd": "^1.2.0",
    "set-function-name": "^2.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/resolve": {
  "version": "2.0.0-next.6",
  "resolved": "https://registry.npmjs.org/resolve/-/resolve-2.0.0-next.6.tgz",
  "integrity": "sha512-3JmVl5hMGtJ3kMmB3zi3DL25KfkCEyy3Tw7Gmw7z5w8M9WlwoPFnIvwChzu1+cF3iaK3sp18hhPz8ANeimdJfA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
```

```
    "es-errors": "^1.3.0",
    "is-core-module": "^2.16.1",
    "node-exports-info": "^1.6.0",
    "object-keys": "^1.1.1",
    "path-parse": "^1.0.7",
    "supports-preserve-symlinks-flag": "^1.0.0"
  },
  "bin": {
    "resolve": "bin/resolve"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/resolve-from": {
  "version": "4.0.0",
  "resolved": "https://registry.npmjs.org/resolve-from/-/resolve-from-4.0.0.tgz",
  "integrity": "sha512-pb/MYmXstAkysRFx8piNI1tGFNQIFA3vkE3Gq4EuA1dF6gHp/+vgZqsCGJapvy8N3Q+4o7FwvquPJcnZ7RYy4g==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=4"
  }
},
"node_modules/resolve-pkg-maps": {
  "version": "1.0.0",
  "resolved": "https://registry.npmjs.org/resolve-pkg-maps/-/resolve-pkg-maps-1.0.0.tgz",
  "integrity": "sha512-seS2Tj26TBVOC2NIc2rOe2y2ZO7efxITtLZcGSOnHHNOQ7CkiUBfw0Iw2ck6xkIhPwLhKNLS8BO+hEpngQlqzw==",
  "dev": true,
  "license": "MIT",
  "funding": {
    "url": "https://github.com/privatenumber/resolve-pkg-maps?sponsor=1"
  }
},
"node_modules/reusify": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/reusify/-/reusify-1.1.0.tgz",
  "integrity": "sha512-g6QUff04oZpHs0eG5p83rFLhHeV00ug/Yf9nZM6fLeUrPguBTkTQOdpAWWspMh55TZfVQDPaN3NQJfbVRAxdIw==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "iojs": ">=1.0.0",
    "node": ">=0.10.0"
  }
},
"node_modules/rimraf": {
  "version": "3.0.2",
  "resolved": "https://registry.npmjs.org/rimraf/-/rimraf-3.0.2.tgz",
  "integrity": "sha512-JZkJMZkAGFFPP2YqXZXPbMlMBgsxzE8ILs4lMIX/2o0L9UBw9O/Y3o6wFw/i9YLapcUJWwqbi3kdxIPdC62TIA==",
  "deprecated": "Rimraf versions prior to v4 are no longer supported",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "glob": "^7.1.3"
  },
  "bin": {
    "rimraf": "bin.js"
  },
  "funding": {
    "url": "https://github.com/sponsors/isaacs"
  }
},
"node_modules/rimraf/node_modules/glob": {
  "version": "7.2.3",
  "resolved": "https://registry.npmjs.org/glob/-/glob-7.2.3.tgz",
  "integrity": "sha512-nFR0zLpU2YCaRxwoCJvL6UvCH2JFyFVIvwTLsIf21AuHlMskA1hhTdk+LlYJtOlYt9v6dvszD2BGRqBL+iQK9Q==",
  "deprecated": "Old versions of glob are not supported, and contain widely publicized security vulnerabilities, wh
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "fs.realpath": "^1.0.0",
```

```
    "inflight": "^1.0.4",
    "inherits": "2",
    "minimatch": "^3.1.1",
    "once": "^1.3.0",
    "path-is-absolute": "^1.0.0"
  },
  "engines": {
    "node": "*"
  },
  "funding": {
    "url": "https://github.com/sponsors/isaacs"
  }
},
"node_modules/run-parallel": {
  "version": "1.2.0",
  "resolved": "https://registry.npmjs.org/run-parallel/-/run-parallel-1.2.0.tgz",
  "integrity": "sha512-5l4VyZR86LZ/lDxZTR6jqL8AFE2S0IFLMP26AbjsLVADxHdhB/c0GUsH+y39UfCi3dzz8OlQuPmnaJOMoDHQBA==",
  "dev": true,
  "funding": [
    {
      "type": "github",
      "url": "https://github.com/sponsors/feross"
    },
    {
      "type": "patreon",
      "url": "https://www.patreon.com/feross"
    },
    {
      "type": "consulting",
      "url": "https://feross.org/support"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "queue-microtask": "^1.2.2"
  }
},
"node_modules/safe-array-concat": {
  "version": "1.1.3",
  "resolved": "https://registry.npmjs.org/safe-array-concat/-/safe-array-concat-1.1.3.tgz",
  "integrity": "sha512-AURm5f0jYEOydBj7VQlVvDrjeFgthDdEF5H1dP+6mNpoXOMo1quQqJ4wvJDyRZ9+pO3kGWoOdmV08cSv2aJV6Q==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind": "^1.0.8",
    "call-bound": "^1.0.2",
    "get-intrinsic": "^1.2.6",
    "has-symbols": "^1.1.0",
    "isarray": "^2.0.5"
  },
  "engines": {
    "node": ">=0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/safe-push-apply": {
  "version": "1.0.0",
  "resolved": "https://registry.npmjs.org/safe-push-apply/-/safe-push-apply-1.0.0.tgz",
  "integrity": "sha512-iKE9w/Z7xCzUMIZqdBsp6pEQvwuEebH4vdpjcDWnyzaI6yl6O9FHvVpmGelvEHNsoY6wGblkxR6Zty/h00WiSA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "es-errors": "^1.3.0",
    "isarray": "^2.0.5"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
```

```
"node_modules/safe-regex-test": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/safe-regex-test/-/safe-regex-test-1.1.0.tgz",
  "integrity": "sha512-x/+Cz4YrimQxQccJf5mKEbIa1NzeCRNI5Ecl/ekmlYaampdNLPalVyIcCZNNH3MvmqBugV5TMYZXv0ljslUlaw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bound": "^1.0.2",
    "es-errors": "^1.3.0",
    "is-regex": "^1.2.1"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/scheduler": {
  "version": "0.23.2",
  "resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.23.2.tgz",
  "integrity": "sha512-UOShsPwz7NrMUqhR6t0hWjFduvOzbtv7toDH1/hIrfRNIDBnnBWd0CwJTGvTpngVlmwGCdP9/Zl/tVrDqcuYzQ==",
  "license": "MIT",
  "dependencies": {
    "loose-envify": "^1.1.0"
  }
},
"node_modules/semver": {
  "version": "7.7.4",
  "resolved": "https://registry.npmjs.org/semver/-/semver-7.7.4.tgz",
  "integrity": "sha512-vFKC2IEtQnVhpT78h1Yp8wzwrf8CM+MzKMHGJZfBtzhZNycRFnXsHk6E5TxIkkMsgNS7mdX3AGB7x2QM2di4lA==",
  "dev": true,
  "license": "ISC",
  "bin": {
    "semver": "bin/semver.js"
  },
  "engines": {
    "node": ">=10"
  }
},
"node_modules/set-function-length": {
  "version": "1.2.2",
  "resolved": "https://registry.npmjs.org/set-function-length/-/set-function-length-1.2.2.tgz",
  "integrity": "sha512-pgRc4hJ4/sNjWCSS9AmnS40x3bNMDTknHgL5UaMBTMyJnU90EgWh1Rz+MC9eFu4BuN/UwZjKQuY/1v3rM7HMfg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "define-data-property": "^1.1.4",
    "es-errors": "^1.3.0",
    "function-bind": "^1.1.2",
    "get-intrinsic": "^1.2.4",
    "gopd": "^1.0.1",
    "has-property-descriptors": "^1.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/set-function-name": {
  "version": "2.0.2",
  "resolved": "https://registry.npmjs.org/set-function-name/-/set-function-name-2.0.2.tgz",
  "integrity": "sha512-7PGFlmtwsEADb0WYyvCMa1t+yke6daIG4Wirafur5kcf+MhUnPms1UeR0CKQdTZD81yESwMHbtn+TR+dMviakQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "define-data-property": "^1.1.4",
    "es-errors": "^1.3.0",
    "functions-have-names": "^1.2.3",
    "has-property-descriptors": "^1.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
```

```
    "node_modules/set-proto": {
      "version": "1.0.0",
      "resolved": "https://registry.npmjs.org/set-proto/-/set-proto-1.0.0.tgz",
      "integrity": "sha512-RJRdvCo6IAnPdsvP/7m6bsQqNnn1FCBX5ZNtFL98MmFF/4xAIJTIg1YbHW5DC2W5SKZanrC6i4HsJqlajw/dZw==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "dunder-proto": "^1.0.1",
        "es-errors": "^1.3.0",
        "es-object-atoms": "^1.0.0"
      },
      "engines": {
        "node": ">= 0.4"
      }
    },
    "node_modules/shebang-command": {
      "version": "2.0.0",
      "resolved": "https://registry.npmjs.org/shebang-command/-/shebang-command-2.0.0.tgz",
      "integrity": "sha512-kHxr2zZpYtdmrN1qDjrrX/Z1rR1kG8Dx+gkpK1G4eXmvXswmcE1hTWBWYUzlraYw1/yZp6YuDY77YtvbN0dmDA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "shebang-regex": "^3.0.0"
      },
      "engines": {
        "node": ">=8"
      }
    },
    "node_modules/shebang-regex": {
      "version": "3.0.0",
      "resolved": "https://registry.npmjs.org/shebang-regex/-/shebang-regex-3.0.0.tgz",
      "integrity": "sha512-7++dFhtcx3353uBaq8DDR4NuxBetBzC7ZQOhmTQInHEd6bSrXdiEyzCvG07Z44UYdLShWUyXt5M/yhz8ekcb1A==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=8"
      }
    },
    "node_modules/side-channel": {
      "version": "1.1.0",
      "resolved": "https://registry.npmjs.org/side-channel/-/side-channel-1.1.0.tgz",
      "integrity": "sha512-ZX99e6tRweoUXqR+VBrslhda51Nh5MTQwou5tnUDgbtyM0dBgmhEDtWGP/xbKn6hqfPRHujUNwz5fy/wbbhnpw==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "es-errors": "^1.3.0",
        "object-inspect": "^1.13.3",
        "side-channel-list": "^1.0.0",
        "side-channel-map": "^1.0.1",
        "side-channel-weakmap": "^1.0.2"
      },
      "engines": {
        "node": ">= 0.4"
      },
      "funding": {
        "url": "https://github.com/sponsors/ljharb"
      }
    },
    "node_modules/side-channel-list": {
      "version": "1.0.0",
      "resolved": "https://registry.npmjs.org/side-channel-list/-/side-channel-list-1.0.0.tgz",
      "integrity": "sha512-FCLHtRD/gnpCiCHEiJLOwdmFP+wzCmDEkc9y7NsYxeF4u7Btsn1ZuwgwJGxImImHicJArLP4R0yX4c2KCrMrTA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "es-errors": "^1.3.0",
        "object-inspect": "^1.13.3"
      },
      "engines": {
        "node": ">= 0.4"
      },
      "funding": {
        "url": "https://github.com/sponsors/ljharb"
      }
```

```
    },
    "node_modules/side-channel-map": {
      "version": "1.0.1",
      "resolved": "https://registry.npmjs.org/side-channel-map/-/side-channel-map-1.0.1.tgz",
      "integrity": "sha512-VCjCNfgMsby3tTdo02nbjtM/ewra6jPHmpThenkTYh8pG9ucZ/1P8So4u4FGBek/BjpOVsDCMoLA/iuBKIFXRA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "call-bound": "^1.0.2",
        "es-errors": "^1.3.0",
        "get-intrinsic": "^1.2.5",
        "object-inspect": "^1.13.3"
      },
      "engines": {
        "node": ">= 0.4"
      },
      "funding": {
        "url": "https://github.com/sponsors/ljharb"
      }
    },
    "node_modules/side-channel-weakmap": {
      "version": "1.0.2",
      "resolved": "https://registry.npmjs.org/side-channel-weakmap/-/side-channel-weakmap-1.0.2.tgz",
      "integrity": "sha512-WPS/HvHQTYnHisLo9McqBHOJk2FkHO/tlpvldyrnem4aeQp4hai3gythswg6p01oSoTl58rcpiFAjF2br2Ak2A==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "call-bound": "^1.0.2",
        "es-errors": "^1.3.0",
        "get-intrinsic": "^1.2.5",
        "object-inspect": "^1.13.3",
        "side-channel-map": "^1.0.1"
      },
      "engines": {
        "node": ">= 0.4"
      },
      "funding": {
        "url": "https://github.com/sponsors/ljharb"
      }
    },
    "node_modules/signal-exit": {
      "version": "4.1.0",
      "resolved": "https://registry.npmjs.org/signal-exit/-/signal-exit-4.1.0.tgz",
      "integrity": "sha512-bzyZ1e88w9O1iNJbKnOlvYTrWPDl46O1bG0D3XInv+9tkPrxrN8jUUTiFlDkkmKWgn1M6CfIA13SuGqOa9Korw==",
      "dev": true,
      "license": "ISC",
      "engines": {
        "node": ">=14"
      },
      "funding": {
        "url": "https://github.com/sponsors/isaacs"
      }
    },
    "node_modules/source-map-js": {
      "version": "1.2.1",
      "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.1.tgz",
      "integrity": "sha512-UXWMKhLOwVKb728IUtQPXxfYU+usdybtUrK/8uGE8CQMvrhOpwvzDBwj0QhSL7MQc7vIsISBG8VQ8+IDQxpfQA==",
      "license": "BSD-3-Clause",
      "engines": {
        "node": ">=0.10.0"
      }
    },
    "node_modules/stable-hash": {
      "version": "0.0.5",
      "resolved": "https://registry.npmjs.org/stable-hash/-/stable-hash-0.0.5.tgz",
      "integrity": "sha512-+L3ccpzibovGXFK+Ap/f8LOS0ahMrHTf3xu7mMLSpEGU0EO9ucaysSylKo9eRDFNhWve/y275iPmIZ4z39a9iA==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/stop-iteration-iterator": {
      "version": "1.1.0",
      "resolved": "https://registry.npmjs.org/stop-iteration-iterator/-/stop-iteration-iterator-1.1.0.tgz",
      "integrity": "sha512-eLoXW/DHyl62zxY4SCaIgnRhuMr6ri4juEYARS8E6sCEqzKpOiE521Ucofdx+KnDZl5xmvGYaaKCk5FEOxJCoQ==",
      "dev": true,
```

```
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "internal-slot": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/streamsearch": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/streamsearch/-/streamsearch-1.1.0.tgz",
    "integrity": "sha512-Mcc5wHehp9aXz1ax6bZUyY5afg9u2rv5cqQI3mRrYkGC8rW2hM02jWuwjtL++LS5qinSyhj2QfLyNsuc+VsExg==",
    "engines": {
      "node": ">=10.0.0"
    }
  },
  "node_modules/string-width": {
    "version": "5.1.2",
    "resolved": "https://registry.npmjs.org/string-width/-/string-width-5.1.2.tgz",
    "integrity": "sha512-HnLOCR3vjcY8beoNLtcjZ5/nxn2afmME6lhrDrebokqMap+XbeW8n9TXpPDOqdGK5qcI3oT0GKTW6wC7EMiVqA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "eastasianwidth": "^0.2.0",
      "emoji-regex": "^9.2.2",
      "strip-ansi": "^7.0.1"
    },
    "engines": {
      "node": ">=12"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/string-width-cjs": {
    "name": "string-width",
    "version": "4.2.3",
    "resolved": "https://registry.npmjs.org/string-width/-/string-width-4.2.3.tgz",
    "integrity": "sha512-wKyQRQpjJ0sIp62ErSZdGsjMJWsap5oRNihHhu6G7JVO/9jIB6UyevL+tXuOqrng8j/cxKTWyWUwvSTriiZz/g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "emoji-regex": "^8.0.0",
      "is-fullwidth-code-point": "^3.0.0",
      "strip-ansi": "^6.0.1"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/string-width-cjs/node_modules/emoji-regex": {
    "version": "8.0.0",
    "resolved": "https://registry.npmjs.org/emoji-regex/-/emoji-regex-8.0.0.tgz",
    "integrity": "sha512-MSjYzcWNOA0ewAHpz0MxpYFvwg6yjy1NG3xteoqz644VCo/RPgnr1/GGt+ic3iJTzQ8Eu3TdM14SawnVUmGE6A==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/string-width/node_modules/ansi-regex": {
    "version": "6.2.2",
    "resolved": "https://registry.npmjs.org/ansi-regex/-/ansi-regex-6.2.2.tgz",
    "integrity": "sha512-Bq3SmSpyFHaWjPk8If9yc6svM8c56dB5BAtW4Qbw5jHTwwXXcTLoRMkpDJp6VL0XzlWaCHTXrkFURMYmD0sLqg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=12"
    },
    "funding": {
      "url": "https://github.com/chalk/ansi-regex?sponsor=1"
    }
  },
  "node_modules/string-width/node_modules/strip-ansi": {
    "version": "7.2.0",
    "resolved": "https://registry.npmjs.org/strip-ansi/-/strip-ansi-7.2.0.tgz",
```

"integrity": "sha512-yDPMNjp4WyfYBkHnjIRLfca1i6KMyGCtsVgoKe/z1+6vukgaENdgGBZt+ZmKPc4gavvEZ5OgHfHdrazhgNyG7w==",
"dev": true,
"license": "MIT",
"dependencies": {
"ansi-regex": "^6.2.2"
},
"engines": {
"node": ">=12"
},
"funding": {
"url": "https://github.com/chalk/strip-ansi?sponsor=1"
}
},
"node_modules/string.prototype.includes": {
"version": "2.0.1",
"resolved": "https://registry.npmjs.org/string.prototype.includes/-/string.prototype.includes-2.0.1.tgz",
"integrity": "sha512-o7+c9bW6zpAdJHTtujeePODAhkuicdAryFsfVKwA+wGw89wJ4GTY484WTucM9hLtDEOpOvI+aHnzqnC5lHp4Rg==",
"dev": true,
"license": "MIT",
"dependencies": {
"call-bind": "^1.0.7",
"define-properties": "^1.2.1",
"es-abstract": "^1.23.3"
},
"engines": {
"node": ">= 0.4"
}
},
"node_modules/string.prototype.matchall": {
"version": "4.0.12",
"resolved": "https://registry.npmjs.org/string.prototype.matchall/-/string.prototype.matchall-4.0.12.tgz",
"integrity": "sha512-6CC9uyBL+/48dYizRf7H7VAYCMCNTBeM78x/VTUe9bFEaxBepPJDa1Ow99LqI/1yF7kuy7Q3cQsYMrcjGUcskA==",
"dev": true,
"license": "MIT",
"dependencies": {
"call-bind": "^1.0.8",
"call-bound": "^1.0.3",
"define-properties": "^1.2.1",
"es-abstract": "^1.23.6",
"es-errors": "^1.3.0",
"es-object-atoms": "^1.0.0",
"get-intrinsic": "^1.2.6",
"gopd": "^1.2.0",
"has-symbols": "^1.1.0",
"internal-slot": "^1.1.0",
"regexp.prototype.flags": "^1.5.3",
"set-function-name": "^2.0.2",
"side-channel": "^1.1.0"
},
"engines": {
"node": ">= 0.4"
},
"funding": {
"url": "https://github.com/sponsors/ljharb"
}
},
"node_modules/string.prototype.repeat": {
"version": "1.0.0",
"resolved": "https://registry.npmjs.org/string.prototype.repeat/-/string.prototype.repeat-1.0.0.tgz",
"integrity": "sha512-0u/TldDbKD8bFCQ/4f5+mNRrXwZ8hg2w7ZR8wa16e8z9XpePWl3eGEcUD0OXpEH/VJH/2G3gjUtR3ZOiBe2S/w==",
"dev": true,
"license": "MIT",
"dependencies": {
"define-properties": "^1.1.3",
"es-abstract": "^1.17.5"
}
},
"node_modules/string.prototype.trim": {
"version": "1.2.10",
"resolved": "https://registry.npmjs.org/string.prototype.trim/-/string.prototype.trim-1.2.10.tgz",
"integrity": "sha512-Rs66F0P/1kedk5lyYyH9uBzuiI/kNRmwJAR9quK6VOtIpZ2G+hMZd+HQbbv25MgCA6gEffoMZYxlTod4WcdrKA==",
"dev": true,
"license": "MIT",
"dependencies": {

```
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.2",
      "define-data-property": "^1.1.4",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.5",
      "es-object-atoms": "^1.0.0",
      "has-property-descriptors": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/string.prototype.trimend": {
    "version": "1.0.9",
    "resolved": "https://registry.npmjs.org/string.prototype.trimend/-/string.prototype.trimend-1.0.9.tgz",
    "integrity": "sha512-G7Ok5C6E/j4SGfyLCloXTrngQIQU3PWtXGst3yM7Bea9FRURf1S42ZHlZZtsNque2FN2PoUhfZXYLNWwEr4dLQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.2",
      "define-properties": "^1.2.1",
      "es-object-atoms": "^1.0.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/string.prototype.trimstart": {
    "version": "1.0.8",
    "resolved": "https://registry.npmjs.org/string.prototype.trimstart/-/string.prototype.trimstart-1.0.8.tgz",
    "integrity": "sha512-UXSH262CSZY1tfu3G3Secr6uGLCFVPMhIqHjlgCUtCCcgihYc/xKs9djMTMUOb2j1mVSeU8EU6NWc/iQKU6Gfg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.7",
      "define-properties": "^1.2.1",
      "es-object-atoms": "^1.0.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/strip-ansi": {
    "version": "6.0.1",
    "resolved": "https://registry.npmjs.org/strip-ansi/-/strip-ansi-6.0.1.tgz",
    "integrity": "sha512-Y38VPSHcqkFrCpFnQ9vuSXmquuv5oXOKpGeT6aGrr3o3Gc9AlVa6JBfUSOCnbxGGZF+/0ooI7KrPuUSztUdU5A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ansi-regex": "^5.0.1"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/strip-ansi-cjs": {
    "name": "strip-ansi",
    "version": "6.0.1",
    "resolved": "https://registry.npmjs.org/strip-ansi/-/strip-ansi-6.0.1.tgz",
    "integrity": "sha512-Y38VPSHcqkFrCpFnQ9vuSXmquuv5oXOKpGeT6aGrr3o3Gc9AlVa6JBfUSOCnbxGGZF+/0ooI7KrPuUSztUdU5A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ansi-regex": "^5.0.1"
```

```
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/strip-bom": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/strip-bom/-/strip-bom-3.0.0.tgz",
    "integrity": "sha512-vavAMRXOgBVNF6nyEEmL3DBK19iRpDcoIwW+swQ+CbGiu7lju6t+JklA1MHweoWtadgt4ISVUsXLyDq34ddcwA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=4"
    }
  },
  "node_modules/strip-json-comments": {
    "version": "3.1.1",
    "resolved": "https://registry.npmjs.org/strip-json-comments/-/strip-json-comments-3.1.1.tgz",
    "integrity": "sha512-6fPc+R4ihwqP6N/aIv2f1gMH8lOVtWQHoqC4yK6oSDVVocumAsfCqjkXnqiYMhmMwS/mEHLp7Vehlt3ql6lEig==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/styled-jsx": {
    "version": "5.1.1",
    "resolved": "https://registry.npmjs.org/styled-jsx/-/styled-jsx-5.1.1.tgz",
    "integrity": "sha512-pW7uC1l4mBZ8ugbiZrcIsiIvVx1UmTfw7UkC3Um2tmfUq9Bhk8IiyEIPl6F8agHgjzku6j0xQEZbfA5uSgSaCw==",
    "license": "MIT",
    "dependencies": {
      "client-only": "0.0.1"
    },
    "engines": {
      "node": ">= 12.0.0"
    },
    "peerDependencies": {
      "react": ">= 16.8.0 || 17.x.x || ^18.0.0-0"
    },
    "peerDependenciesMeta": {
      "@babel/core": {
        "optional": true
      },
      "babel-plugin-macros": {
        "optional": true
      }
    }
  },
  "node_modules/sucrase": {
    "version": "3.35.1",
    "resolved": "https://registry.npmjs.org/sucrase/-/sucrase-3.35.1.tgz",
    "integrity": "sha512-DhuTmvZWux4H1UOnWMB3sk0sbaCVOoQZjv8u1rDoTV0HTdGem9hkAZtl4JZy8P2z4Bg0nT+YMeOFyVr4zcG5Tw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/gen-mapping": "^0.3.2",
      "commander": "^4.0.0",
      "lines-and-columns": "^1.1.6",
      "mz": "^2.7.0",
      "pirates": "^4.0.1",
      "tinyglobby": "^0.2.11",
      "ts-interface-checker": "^0.1.9"
    },
    "bin": {
      "sucrase": "bin/sucrase",
      "sucrase-node": "bin/sucrase-node"
    },
    "engines": {
      "node": ">=16 || 14 >=14.17"
    }
  },
```

```
"node_modules/supports-color": {
  "version": "7.2.0",
  "resolved": "https://registry.npmjs.org/supports-color/-/supports-color-7.2.0.tgz",
  "integrity": "sha512-qpCAvRl9stuOHveKsn7HncJRvv501qIacKzQlO/+Lwxc9+0q2wLyv4Dfvt80/DPn2pqOBsJdDiogXGR9+OvwRw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "has-flag": "^4.0.0"
  },
  "engines": {
    "node": ">=8"
  }
},
"node_modules/supports-preserve-symlinks-flag": {
  "version": "1.0.0",
  "resolved": "https://registry.npmjs.org/supports-preserve-symlinks-flag/-/supports-preserve-symlinks-flag-1.0.0.t
  "integrity": "sha512-ot0WnXS9fgdkgIcePe6RHNk1WA8+muPa6cSjeR3V8K27q9BB1rTE3R1p7Hv0z1ZyAc8s6Vvv8DIyWf681MAt0w==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/tailwindcss": {
  "version": "3.4.19",
  "resolved": "https://registry.npmjs.org/tailwindcss/-/tailwindcss-3.4.19.tgz",
  "integrity": "sha512-3ofp+LL8E+pK/JuPLPggVAIaEuhvIz4qNcf3nA1Xn2o/7fb7s/TYpHhwGDv1ZU3PkBluUVaF8PyCHcm48cKLWQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@alloc/quick-lru": "^5.2.0",
    "arg": "^5.0.2",
    "chokidar": "^3.6.0",
    "didyoumean": "^1.2.2",
    "dlv": "^1.1.3",
    "fast-glob": "^3.3.2",
    "glob-parent": "^6.0.2",
    "is-glob": "^4.0.3",
    "jiti": "^1.21.7",
    "lilconfig": "^3.1.3",
    "micromatch": "^4.0.8",
    "normalize-path": "^3.0.0",
    "object-hash": "^3.0.0",
    "picocolors": "^1.1.1",
    "postcss": "^8.4.47",
    "postcss-import": "^15.1.0",
    "postcss-js": "^4.0.1",
    "postcss-load-config": "^4.0.2 || ^5.0 || ^6.0",
    "postcss-nested": "^6.2.0",
    "postcss-selector-parser": "^6.1.2",
    "resolve": "^1.22.8",
    "sucrase": "^3.35.0"
  },
  "bin": {
    "tailwind": "lib/cli.js",
    "tailwindcss": "lib/cli.js"
  },
  "engines": {
    "node": ">=14.0.0"
  }
},
"node_modules/tailwindcss/node_modules/resolve": {
  "version": "1.22.11",
  "resolved": "https://registry.npmjs.org/resolve/-/resolve-1.22.11.tgz",
  "integrity": "sha512-RfqAvLnMl313r7c9oclB1HhUEAezcpLjz95wFH4LVuhk9JF/r22qmVP9AMmOU4vMX7Q8pN8jwNg/CSpdFnMjTQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "is-core-module": "^2.16.1",
    "path-parse": "^1.0.7",
    "supports-preserve-symlinks-flag": "^1.0.0"
```

```
    },
    "bin": {
      "resolve": "bin/resolve"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/text-table": {
    "version": "0.2.0",
    "resolved": "https://registry.npmjs.org/text-table/-/text-table-0.2.0.tgz",
    "integrity": "sha512-N+8UisAXDGk8PFXP4HAzVR9nbfmVJ3zYLAWiTIoqC5v5isinhr+r5uaO8+7r3BMfuNIufIsA7RdpVgacC2cSpw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/thenify": {
    "version": "3.3.1",
    "resolved": "https://registry.npmjs.org/thenify/-/thenify-3.3.1.tgz",
    "integrity": "sha512-RVZSIV5IG10Hk3enotrhvz0T9em6cyHBLkH/YAZuKqd8hRkKhSfCGIcP2KUY0EPxndzANBmNllzWPwak+bheSw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "any-promise": "^1.0.0"
    }
  },
  "node_modules/thenify-all": {
    "version": "1.6.0",
    "resolved": "https://registry.npmjs.org/thenify-all/-/thenify-all-1.6.0.tgz",
    "integrity": "sha512-RNxQH/qI8/t3thXJDwcstUO4zeqo64+Uy/+sNVRBx4Xn2OX+OZ9oP+iJnNFqplFra2ZUVeKCSa2oVWi3T4uVmA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "thenify": ">= 3.1.0 < 4"
    },
    "engines": {
      "node": ">=0.8"
    }
  },
  "node_modules/tinyglobby": {
    "version": "0.2.15",
    "resolved": "https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.15.tgz",
    "integrity": "sha512-j2Zq4NyQYG5XMST4cbs02Ak8iJUdxRM0XI5QyxXuZOzKOINmWurp3smXu3y5wDcJrptwpSjgXHzIQxR0omXljQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "fdir": "^6.5.0",
      "picomatch": "^4.0.3"
    },
    "engines": {
      "node": ">=12.0.0"
    },
    "funding": {
      "url": "https://github.com/sponsors/SuperchupuDev"
    }
  },
  "node_modules/tinyglobby/node_modules/fdir": {
    "version": "6.5.0",
    "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
    "integrity": "sha512-tIbYtZbucOs0BRGqPJkshJUYdL+SDH7dVM8gjy+ERp3WAUjLEFJE+02kanyHtwjWOnwrKYBiwAmM0p4kLJAnXg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=12.0.0"
    },
    "peerDependencies": {
      "picomatch": "^3 || ^4"
    },
    "peerDependenciesMeta": {
      "picomatch": {
        "optional": true
      }
```

```
    }
  },
  "node_modules/tinyglobby/node_modules/picomatch": {
    "version": "4.0.4",
    "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.4.tgz",
    "integrity": "sha512-QP88BAKvMam/3NxH6vj2o21R6MjxZUAd6nlwAS/pnGvN9IVLocLHxGYIzFhg6fUQ+5th6P4dv4eW9jX3DSIj7A==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=12"
    },
    "funding": {
      "url": "https://github.com/sponsors/jonschlinkert"
    }
  },
  "node_modules/to-regex-range": {
    "version": "5.0.1",
    "resolved": "https://registry.npmjs.org/to-regex-range/-/to-regex-range-5.0.1.tgz",
    "integrity": "sha512-65P7iz6X5yEr1cwcgvQxbbIw7Uk3gOy5dIdtZ4rDveLqhrdJP+Li/Hx6tyK0NEb+2GCyneCMJiGqrADCSNk8sQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "is-number": "^7.0.0"
    },
    "engines": {
      "node": ">=8.0"
    }
  },
  "node_modules/ts-api-utils": {
    "version": "2.5.0",
    "resolved": "https://registry.npmjs.org/ts-api-utils/-/ts-api-utils-2.5.0.tgz",
    "integrity": "sha512-OJ/ibxhPlqrMM0UiNHJ/0CKQkoKF243/AEmplt3qpRgkW8VG7IfOS41h7V8TjITqdByHzrjcS/2si+y4lIh8NA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=18.12"
    },
    "peerDependencies": {
      "typescript": ">=4.8.4"
    }
  },
  "node_modules/ts-interface-checker": {
    "version": "0.1.13",
    "resolved": "https://registry.npmjs.org/ts-interface-checker/-/ts-interface-checker-0.1.13.tgz",
    "integrity": "sha512-Y/arvbn+rrz3JCKl9C4kVNfTfSm2/mEp5FSz5EsZSANGPSlQrpRI5M4PKF+mJnE52jOO90PnPSc3Ur3bTQw0gA==",
    "dev": true,
    "license": "Apache-2.0"
  },
  "node_modules/tsconfig-paths": {
    "version": "3.15.0",
    "resolved": "https://registry.npmjs.org/tsconfig-paths/-/tsconfig-paths-3.15.0.tgz",
    "integrity": "sha512-2Ac2RgzDe/cn48GvOe3M+o82pEFewD3UPbyoUHHdKasHwJKjds4fLXWf/Ux5kATBKN20oaFGu+jbElp1pos0mg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@types/json5": "^0.0.29",
      "json5": "^1.0.2",
      "minimist": "^1.2.6",
      "strip-bom": "^3.0.0"
    }
  },
  "node_modules/tslib": {
    "version": "2.8.1",
    "resolved": "https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz",
    "integrity": "sha512-oJFu94HQb+KVduSUQL7wnpmqnfmLsOA/nAh6b6EH0wCEoK0/mPeXU6c3wKDV83MkOuHPRHtSXKKU99IBazS/2w==",
    "license": "0BSD"
  },
  "node_modules/type-check": {
    "version": "0.4.0",
    "resolved": "https://registry.npmjs.org/type-check/-/type-check-0.4.0.tgz",
    "integrity": "sha512-XleUoc9uwGXqjWwXaUTZAmzMcFZ5858QA2vvx1Ur5xIcixXIP+8LnFDgRplU30us6teqdlskFfu+ae4K79Ooew==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
```

```
      "prelude-ls": "^1.2.1"
    },
    "engines": {
      "node": ">= 0.8.0"
    }
  },
  "node_modules/type-fest": {
    "version": "0.20.2",
    "resolved": "https://registry.npmjs.org/type-fest/-/type-fest-0.20.2.tgz",
    "integrity": "sha512-Ne+eE4r0/iWnpAxD852z3A+N0Bt5RN//NjJwRd2VFHEmrywxf5vsZlh4R6lixl6B+wz/8d+maTSAkN1FIkI3LQ==",
    "dev": true,
    "license": "(MIT OR CC0-1.0)",
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/typed-array-buffer": {
    "version": "1.0.3",
    "resolved": "https://registry.npmjs.org/typed-array-buffer/-/typed-array-buffer-1.0.3.tgz",
    "integrity": "sha512-nAYYwfY3qnzX30IkA6AQZjVbtK6duGontcQm1WSG1MD94YLqK0515GNApXkoxKOWMusVssAHWLh9SeaoefYFGw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "es-errors": "^1.3.0",
      "is-typed-array": "^1.1.14"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/typed-array-byte-length": {
    "version": "1.0.3",
    "resolved": "https://registry.npmjs.org/typed-array-byte-length/-/typed-array-byte-length-1.0.3.tgz",
    "integrity": "sha512-BaXgOuIxz8n8pIq3e7Atg/7s+DpiYrxn4vdot3w9KbnBhcRQq6o3xemQdIfynqSeXeDrF32x+WvfzmOjPiY9lg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "for-each": "^0.3.3",
      "gopd": "^1.2.0",
      "has-proto": "^1.2.0",
      "is-typed-array": "^1.1.14"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/typed-array-byte-offset": {
    "version": "1.0.4",
    "resolved": "https://registry.npmjs.org/typed-array-byte-offset/-/typed-array-byte-offset-1.0.4.tgz",
    "integrity": "sha512-bTlAFB/FBYMcuX81gbL4OcpH5PmlFHqlCCpAl8AlEzMz5k53oNDvN8p1PNOWLEmI2x4orp3raOFB51tv9X+MFQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "available-typed-arrays": "^1.0.7",
      "call-bind": "^1.0.8",
      "for-each": "^0.3.3",
      "gopd": "^1.2.0",
      "has-proto": "^1.2.0",
      "is-typed-array": "^1.1.15",
      "reflect.getprototypeof": "^1.0.9"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
```

```
    }
  },
  "node_modules/typed-array-length": {
    "version": "1.0.7",
    "resolved": "https://registry.npmjs.org/typed-array-length/-/typed-array-length-1.0.7.tgz",
    "integrity": "sha512-3KS2b+kL7fsuk/eJZ7EQdnEmQoaho/r6KUef7hxvltNA5DR8NAUM+8wJMbJyZ4G9/7i3v5zPBIMN5aybAh2/Jg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.7",
      "for-each": "^0.3.3",
      "gopd": "^1.0.1",
      "is-typed-array": "^1.1.13",
      "possible-typed-array-names": "^1.0.0",
      "reflect.getprototypeof": "^1.0.6"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/typescript": {
    "version": "5.9.3",
    "resolved": "https://registry.npmjs.org/typescript/-/typescript-5.9.3.tgz",
    "integrity": "sha512-jl1vZzPDinLr9eUt3J/t7V6FgNEw9QjvBPdysz9KfQDD41fQrC2Y4vKQdiaUpFT4bXlb1RHhLpp8wtm6M5TgSw==",
    "dev": true,
    "license": "Apache-2.0",
    "bin": {
      "tsc": "bin/tsc",
      "tsserver": "bin/tsserver"
    },
    "engines": {
      "node": ">=14.17"
    }
  },
  "node_modules/unbox-primitive": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/unbox-primitive/-/unbox-primitive-1.1.0.tgz",
    "integrity": "sha512-nWJ91DjeOkej/TA8pXQ3myruKpKEYgqvpw9lz4OPHj/NWFNluYrjbz9j01CJ8yKQd2g4jFoOkINCTW2I5LEEyw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "has-bigints": "^1.0.2",
      "has-symbols": "^1.1.0",
      "which-boxed-primitive": "^1.1.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/undici-types": {
    "version": "6.21.0",
    "resolved": "https://registry.npmjs.org/undici-types/-/undici-types-6.21.0.tgz",
    "integrity": "sha512-iwDZqg0QAGrg9Rav5H4n0M64c3mkR59cJ6wQp+7C4nI0gsmExaedaYLNO44eT4AtBBwjbTiGPMlt2Md0T9H9JQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/unrs-resolver": {
    "version": "1.11.1",
    "resolved": "https://registry.npmjs.org/unrs-resolver/-/unrs-resolver-1.11.1.tgz",
    "integrity": "sha512-bSjt9pjaEBnNiGgc9rUiHGKv5l4/TGzDmYw3RhnkJGtLhbnnA/5qJj7x3dNDCRx/PJxu774LlH8lCOlB4hEfKg==",
    "dev": true,
    "hasInstallScript": true,
    "license": "MIT",
    "dependencies": {
      "napi-postinstall": "^0.3.0"
    },
    "funding": {
```

```
      "url": "https://opencollective.com/unrs-resolver"
    },
    "optionalDependencies": {
      "@unrs/resolver-binding-android-arm-eabi": "1.11.1",
      "@unrs/resolver-binding-android-arm64": "1.11.1",
      "@unrs/resolver-binding-darwin-arm64": "1.11.1",
      "@unrs/resolver-binding-darwin-x64": "1.11.1",
      "@unrs/resolver-binding-freebsd-x64": "1.11.1",
      "@unrs/resolver-binding-linux-arm-gnueabihf": "1.11.1",
      "@unrs/resolver-binding-linux-arm-musleabihf": "1.11.1",
      "@unrs/resolver-binding-linux-arm64-gnu": "1.11.1",
      "@unrs/resolver-binding-linux-arm64-musl": "1.11.1",
      "@unrs/resolver-binding-linux-ppc64-gnu": "1.11.1",
      "@unrs/resolver-binding-linux-riscv64-gnu": "1.11.1",
      "@unrs/resolver-binding-linux-riscv64-musl": "1.11.1",
      "@unrs/resolver-binding-linux-s390x-gnu": "1.11.1",
      "@unrs/resolver-binding-linux-x64-gnu": "1.11.1",
      "@unrs/resolver-binding-linux-x64-musl": "1.11.1",
      "@unrs/resolver-binding-wasm32-wasi": "1.11.1",
      "@unrs/resolver-binding-win32-arm64-msvc": "1.11.1",
      "@unrs/resolver-binding-win32-ia32-msvc": "1.11.1",
      "@unrs/resolver-binding-win32-x64-msvc": "1.11.1"
    }
  },
  "node_modules/update-browserslist-db": {
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/update-browserslist-db/-/update-browserslist-db-1.2.3.tgz",
    "integrity": "sha512-Js0m9cx+qOgDxo0eMiFGEueWztz+d4+M3rGlmKPT+T4IS/jP4ylw3Nwpu6cpTTP8R1MAC1kF4VbdLt3ARf209w==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/browserslist"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/browserslist"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "escalade": "^3.2.0",
      "picocolors": "^1.1.1"
    },
    "bin": {
      "update-browserslist-db": "cli.js"
    },
    "peerDependencies": {
      "browserslist": ">= 4.21.0"
    }
  },
  "node_modules/uri-js": {
    "version": "4.4.1",
    "resolved": "https://registry.npmjs.org/uri-js/-/uri-js-4.4.1.tgz",
    "integrity": "sha512-7rKUyy33Q1yc98pQ1DAmLtwX109F7TIfWlW1Ydo8Wl1ii1SeHieeh0HHfPeL2fMXK6z0s8ecKs9frCuLJvndBg==",
    "dev": true,
    "license": "BSD-2-Clause",
    "dependencies": {
      "punycode": "^2.1.0"
    }
  },
  "node_modules/use-sync-external-store": {
    "version": "1.6.0",
    "resolved": "https://registry.npmjs.org/use-sync-external-store/-/use-sync-external-store-1.6.0.tgz",
    "integrity": "sha512-Pp6GSwGP/NrPIrxVFAIkOQeyw8lFenOHijQWkUTrDvrF4ALqylP2C/KCkeS9dpUM3KvYRQhna5vt7IL95+ZQ9w==",
    "license": "MIT",
    "peerDependencies": {
      "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
    }
  },
```

```
"node_modules/util-deprecate": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/util-deprecate/-/util-deprecate-1.0.2.tgz",
  "integrity": "sha512-EPD5q1uXyFxJpCrLnCc1nHnq3gOa6DZBocAIiI2TaSCA7VCJ1UJDMagCzIkXNsUYfD1daK//LTEQ8xiIbrHtcw==",
  "dev": true,
  "license": "MIT"
},
"node_modules/which": {
  "version": "2.0.2",
  "resolved": "https://registry.npmjs.org/which/-/which-2.0.2.tgz",
  "integrity": "sha512-BLI3Tl1TW3Pvl70l3yq3Y64i+awpwXqsGBYWkkqMtnbXgrMD+yj7rhW0kuEDxzJaYXGjEW5ogapKNMEKNMjibA==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "isexe": "^2.0.0"
  },
  "bin": {
    "node-which": "bin/node-which"
  },
  "engines": {
    "node": ">= 8"
  }
},
"node_modules/which-boxed-primitive": {
  "version": "1.1.1",
  "resolved": "https://registry.npmjs.org/which-boxed-primitive/-/which-boxed-primitive-1.1.1.tgz",
  "integrity": "sha512-TbX3mj8n0odCBFVlY8AxkqcHASw3L60jIuF8jFP78az3C2YhmGvqbHBpAjTRH2/xqYunrJ9g1jSyjCjpoWzIAA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "is-bigint": "^1.1.0",
    "is-boolean-object": "^1.2.1",
    "is-number-object": "^1.1.1",
    "is-string": "^1.1.1",
    "is-symbol": "^1.1.1"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/which-builtin-type": {
  "version": "1.2.1",
  "resolved": "https://registry.npmjs.org/which-builtin-type/-/which-builtin-type-1.2.1.tgz",
  "integrity": "sha512-6iBczoX+kDQ7a3+YJBnh3T+KZRxM/iYNPXicqk66/Qfm1b93iu+yOImkg0zHbj5LNOcNv1TEADiZ0xa34B4q6Q==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bound": "^1.0.2",
    "function.prototype.name": "^1.1.6",
    "has-tostringtag": "^1.0.2",
    "is-async-function": "^2.0.0",
    "is-date-object": "^1.1.0",
    "is-finalizationregistry": "^1.1.0",
    "is-generator-function": "^1.0.10",
    "is-regex": "^1.2.1",
    "is-weakref": "^1.0.2",
    "isarray": "^2.0.5",
    "which-boxed-primitive": "^1.1.0",
    "which-collection": "^1.0.2",
    "which-typed-array": "^1.1.16"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/which-collection": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/which-collection/-/which-collection-1.0.2.tgz",
```

```
    "integrity": "sha512-K4jVyjnBdgvc86Y6BkaLZEN933SwYOuBFkdmBu9ZfkcAbdVbpITnDmjvZ/aQjRXQrv5EPkTnD1s39GiiqbngCw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "is-map": "^2.0.3",
      "is-set": "^2.0.3",
      "is-weakmap": "^2.0.2",
      "is-weakset": "^2.0.3"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/which-typed-array": {
    "version": "1.1.20",
    "resolved": "https://registry.npmjs.org/which-typed-array/-/which-typed-array-1.1.20.tgz",
    "integrity": "sha512-LYfpUkmqwl0h9A2HL09Mms427Q1RZWuOHsukfVcKRq9q95iQxdw0ix1JQrqbcDR9PH1QDwf5Qo8OZb5lksZ8Xg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "available-typed-arrays": "^1.0.7",
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.4",
      "for-each": "^0.3.5",
      "get-proto": "^1.0.1",
      "gopd": "^1.2.0",
      "has-tostringtag": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/word-wrap": {
    "version": "1.2.5",
    "resolved": "https://registry.npmjs.org/word-wrap/-/word-wrap-1.2.5.tgz",
    "integrity": "sha512-BN22B5eaMMI9UMtjrGd5g5eCYPpCPDUy0FJXbYsaT5zYxjFOckS53SQDE3pWkVoWpHXVb3BrYcEN4Twa55B5cA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/wrap-ansi": {
    "version": "8.1.0",
    "resolved": "https://registry.npmjs.org/wrap-ansi/-/wrap-ansi-8.1.0.tgz",
    "integrity": "sha512-si7QWI6zUMq56bESFvagtmzMdGOtoxfR+Sez11Mobfc7tm+VkUckk9bW2UeffTGVUbOksxmSw0AA2gs8g71NCQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ansi-styles": "^6.1.0",
      "string-width": "^5.0.1",
      "strip-ansi": "^7.0.1"
    },
    "engines": {
      "node": ">=12"
    },
    "funding": {
      "url": "https://github.com/chalk/wrap-ansi?sponsor=1"
    }
  },
  "node_modules/wrap-ansi-cjs": {
    "name": "wrap-ansi",
    "version": "7.0.0",
    "resolved": "https://registry.npmjs.org/wrap-ansi/-/wrap-ansi-7.0.0.tgz",
    "integrity": "sha512-YVGIj2kamLSTxw6NsZjoBxfSwsn0ycdesmc4p+Q21c5zPuZ1pl+NfxVdxPtdHvmNVOQ6XSYG4AUtyt/Fi7D16Q==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
```

```
    "ansi-styles": "^4.0.0",
    "string-width": "^4.1.0",
    "strip-ansi": "^6.0.0"
  },
  "engines": {
    "node": ">=10"
  },
  "funding": {
    "url": "https://github.com/chalk/wrap-ansi?sponsor=1"
  }
},
"node_modules/wrap-ansi-cjs/node_modules/emoji-regex": {
  "version": "8.0.0",
  "resolved": "https://registry.npmjs.org/emoji-regex/-/emoji-regex-8.0.0.tgz",
  "integrity": "sha512-MSjYzcWNOA0ewAHpz0MxpYFvwg6yjy1NG3xteoqz644VCo/RPgnr1/GGt+ic3iJTzQ8Eu3TdM14SawnVUmGE6A==",
  "dev": true,
  "license": "MIT"
},
"node_modules/wrap-ansi-cjs/node_modules/string-width": {
  "version": "4.2.3",
  "resolved": "https://registry.npmjs.org/string-width/-/string-width-4.2.3.tgz",
  "integrity": "sha512-wKyQRQpjJ0sIp62ErSZdGsjMJWsap5oRNihHhu6G7JVO/9jIB6UyevL+tXuOqrng8j/cxKTWyWUwvSTriiZz/g==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "emoji-regex": "^8.0.0",
    "is-fullwidth-code-point": "^3.0.0",
    "strip-ansi": "^6.0.1"
  },
  "engines": {
    "node": ">=8"
  }
},
"node_modules/wrap-ansi/node_modules/ansi-regex": {
  "version": "6.2.2",
  "resolved": "https://registry.npmjs.org/ansi-regex/-/ansi-regex-6.2.2.tgz",
  "integrity": "sha512-Bq3SmSpyFHaWjPk8If9yc6svM8c56dB5BAtW4Qbw5jHTwwXXcTLoRMkpDJp6VL0XzlWaCHTXrkFURMYmD0sLqg==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=12"
  },
  "funding": {
    "url": "https://github.com/chalk/ansi-regex?sponsor=1"
  }
},
"node_modules/wrap-ansi/node_modules/ansi-styles": {
  "version": "6.2.3",
  "resolved": "https://registry.npmjs.org/ansi-styles/-/ansi-styles-6.2.3.tgz",
  "integrity": "sha512-4Dj6M28JB+oAH8kFkTLUo+a2jwOFkuqb3yucU0CANcRRUbxS0cP0nZYCGjcc3BNXwRIsUVmDGgzawme7zvJHvg==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=12"
  },
  "funding": {
    "url": "https://github.com/chalk/ansi-styles?sponsor=1"
  }
},
"node_modules/wrap-ansi/node_modules/strip-ansi": {
  "version": "7.2.0",
  "resolved": "https://registry.npmjs.org/strip-ansi/-/strip-ansi-7.2.0.tgz",
  "integrity": "sha512-yDPMNjp4WyfYBkHnjIRLfca1i6KMyGCtsVgoKe/z1+6vukgaENdgGBZt+ZmKPc4gavvEZ5OgHfHdrazhgNyG7w==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "ansi-regex": "^6.2.2"
  },
  "engines": {
    "node": ">=12"
  },
  "funding": {
    "url": "https://github.com/chalk/strip-ansi?sponsor=1"
  }
```

```
    },
    "node_modules/wrappy": {
      "version": "1.0.2",
      "resolved": "https://registry.npmjs.org/wrappy/-/wrappy-1.0.2.tgz",
      "integrity": "sha512-l4Sp/DRseor9wL6EvV2+TuQn63dMkPjZ/sp9XkghTEbV9KlPS1xUsZ3u7/IQO4wxtcFB4bgpQPRcR3QCvezPcQ==",
      "dev": true,
      "license": "ISC"
    },
    "node_modules/yocto-queue": {
      "version": "0.1.0",
      "resolved": "https://registry.npmjs.org/yocto-queue/-/yocto-queue-0.1.0.tgz",
      "integrity": "sha512-rVksvsnNCdJ/ohGc6xgPwyN8eheCxsiLM8mxuE/t/mOVqJewPuO1miLpTHQiRgTKCLexL4MeAFVagts7HmNZ2Q==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=10"
      },
      "funding": {
        "url": "https://github.com/sponsors/sindresorhus"
      }
    },
    "node_modules/zustand": {
      "version": "4.5.7",
      "resolved": "https://registry.npmjs.org/zustand/-/zustand-4.5.7.tgz",
      "integrity": "sha512-CHOUy7mu3lbD6o6LJLfllpjkzhHXSBlX8B9+qPddUsIfeF5S/UZ5q0kmCsnRqT1UHFQZchNFDDzMbQsuesHWlw==",
      "license": "MIT",
      "dependencies": {
        "use-sync-external-store": "^1.2.2"
      },
      "engines": {
        "node": ">=12.7.0"
      },
      "peerDependencies": {
        "@types/react": ">=16.8",
        "immer": ">=9.0.6",
        "react": ">=16.8"
      },
      "peerDependenciesMeta": {
        "@types/react": {
          "optional": true
        },
        "immer": {
          "optional": true
        },
        "react": {
          "optional": true
        }
      }
    }
  }
}
```


## Arquivo: frontend\package.json


```
{
  "name": "frontend-nextjs",
  "version": "0.1.0",
  "private": true,
  "scripts": {
    "dev": "next dev",
    "build": "next build",
    "start": "next start",
    "lint": "next lint"
  },
  "dependencies": {
    "@tanstack/react-query": "^5.28.0",
    "axios": "^1.6.2",
    "clsx": "^2.0.0",
    "js-cookie": "^3.0.5",
    "lucide-react": "^1.7.0",
    "next": "^14.0.0",
    "react": "^18.2.0",
    "react-dom": "^18.2.0",
```

```
    "zustand": "^4.4.7"
  },
  "devDependencies": {
    "@types/js-cookie": "^3.0.6",
    "@types/node": "^20.10.0",
    "@types/react": "^18.2.42",
    "@types/react-dom": "^18.2.17",
    "autoprefixer": "^10.4.16",
    "eslint": "^8.54.0",
    "eslint-config-next": "^14.0.0",
    "postcss": "^8.4.32",
    "tailwindcss": "^3.4.1",
    "typescript": "^5.3.3"
  }
}
```

## Arquivo: frontend\postcss.config.js

```
module.exports = {
  plugins: {
    tailwindcss: {},
    autoprefixer: {},
  },
};
```

## Arquivo: frontend\postcss.config.mjs

```
const config = {
  plugins: {
    "@tailwindcss/postcss": {},
  },
};

export default config;
```

## Arquivo: frontend\tailwind.config.ts

```
import type { Config } from 'tailwindcss';
import { poppins } from './lib/fonts';

const config: Config = {
  content: [
    './pages/**/*.{js,ts,jsx,tsx,mdx}',
    './components/**/*.{js,ts,jsx,tsx,mdx}',
    './app/**/*.{js,ts,jsx,tsx,mdx}',
  ],
  theme: {
    extend: {
      fontFamily: {
        poppins: ['var(--font-poppins)', 'sans-serif'],
      },
      colors: {
        primary: '#00C853',
        secondary: '#2196F3',
        accent: '#FFC107',
        background: '#1A1A1A',
        surface: '#2C2C2C',
        text: '#E0E0E0',
        textSecondary: '#B0B0B0',
        error: '#D32F2F',
        success: '#388E3C',
        warning: '#FBC02D',
        info: '#0288D1',
      },
    },
  },
  plugins: [],
};

export default config;
```

## Arquivo: frontend\tsconfig.json

```
{
  "compilerOptions": {
    "target": "ES2020",
    "useDefineForClassFields": true,
    "lib": [
      "ES2020",
      "DOM",
      "DOM.Iterable"
    ],
    "module": "ESNext",
    "skipLibCheck": true,
    "esModuleInterop": true,
    "allowSyntheticDefaultImports": true,
    "strict": true,
    "noImplicitAny": true,
    "strictNullChecks": true,
    "strictFunctionTypes": true,
    "noUnusedLocals": true,
    "noUnusedParameters": true,
    "noImplicitReturns": true,
    "moduleResolution": "node",
    "allowImportingTsExtensions": true,
    "resolveJsonModule": true,
    "isolatedModules": true,
    "noEmit": true,
    "jsx": "preserve",
    "incremental": true,
    "paths": {
      "@/*": [
        "./*"
      ]
    },
    "allowJs": true,
    "plugins": [
      {
        "name": "next"
      }
    ]
  },
  "include": [
    "next-env.d.ts",
    "**/*.ts",
    "**/*.tsx",
    ".next/types/**/*.ts"
  ],
  "exclude": [
    "node_modules"
  ]
}
```

# 9. Diretório: frontend\app

## Arquivo: frontend\app\globals.css

```
@import "tailwindcss";

:root {
  --background: #ffffff;
  --foreground: #171717;
}

@theme inline {
  --color-background: var(--background);
  --color-foreground: var(--foreground);
  --font-sans: var(--font-geist-sans);
  --font-mono: var(--font-geist-mono);
}

@media (prefers-color-scheme: dark) {
  :root {
    --background: #0a0a0a;
    --foreground: #ededed;
  }
}

body {
  background: var(--background);
  color: var(--foreground);
  font-family: Arial, Helvetica, sans-serif;
}
```

## Arquivo: frontend\app\layout.tsx

```
// app/layout.tsx
import type { Metadata } from 'next';
import { poppins } from '@/lib/fonts';
import '@/styles/globals.css';
import AuthProvider from '@/components/AuthProvider';

export const metadata: Metadata = {
  title: 'Dr. Tilápia 2.0 - Consultoria de IA',
  description: 'Seu assistente inteligente para piscicultura e aquacultura.',
};

export default function RootLayout({
  children,
}: Readonly<{
  children: React.ReactNode;
}>) {
  return (
    <html lang="pt-BR">
      <body className={`${poppins.variable} font-poppins`}>
        <AuthProvider>
          {children}
        </AuthProvider>
      </body>
    </html>
  );
}
```

## Arquivo: frontend\app\page.tsx

```
// app/page.tsx
'use client';

import { useEffect } from 'react';
import { useRouter } from 'next/navigation';
import { useAuthStore } from '@/store/authStore';
import LoadingSpinner from '@/components/LoadingSpinner';
export default function HomePage() {
```

```
  const { isAuthenticated, isLoading } = useAuthStore();
  const router = useRouter();

  useEffect(() => {
    // Se não está carregando e o estado de autenticação foi verificado
    if (!isLoading) {
      if (isAuthenticated) {
        // Se está autenticado, vai para o hub
        router.replace('/main/hub');
      } else {
        // Se não está autenticado, vai para a landing page
        router.replace('/landing');
      }
    }
  }, [isAuthenticated, isLoading, router]);

  // Exibe spinner enquanto verifica autenticação
  return (
    <div className="flex min-h-screen items-center justify-center bg-background">
      <div className="text-center">
        <LoadingSpinner size="w-12 h-12" color="text-primary" />
        <p className="text-text-secondary mt-4">Carregando Dr. Tilápia...</p>
      </div>
    </div>
  );
}
```

## Arquivo: frontend\app\providers.tsx

```
'use client';

import { ReactNode } from 'react';
import { QueryClient, QueryClientProvider } from '@tanstack/react-query';

// Criar instância única do QueryClient
const queryClient = new QueryClient({
  defaultOptions: {
    queries: {
      staleTime: 1000 * 60 * 5, // 5 minutos
      retry: 1,
    },
    mutations: {
      retry: 1,
    },
  },
});

export function Providers({ children }: { children: ReactNode }) {
  return (
    <QueryClientProvider client={queryClient}>
      {children}
    </QueryClientProvider>
  );
}
```

# 10. Diretório: frontend\app\auth

## Arquivo: frontend\app\auth\layout.tsx

```
■export default function AuthLayout({
  children,
}: {
  children: React.ReactNode;
}) {
  return (
    <div className="min-h-screen flex items-center justify-center px-4 py-12 bg-gradient-to-br from-slate-900 via-slate
      {children}
    </div>
  );
}
```

# 11. Diretório: frontend\app\auth\login

## Arquivo: frontend\app\auth\login\page.tsx

```
■'use client';

import { useState, useEffect } from 'react';
import { useRouter } from 'next/navigation';
import Link from 'next/link';
import { useAuth } from '@/hooks/useAuth';
import { useLoginMutation } from '@/hooks/useLoginMutation';

export default function LoginPage() {
  const router = useRouter();
  const { isAuthenticated } = useAuth();
  const loginMutation = useLoginMutation();

  const [email, setEmail] = useState('');
  const [password, setPassword] = useState('');
  const [validationError, setValidationError] = useState('');
  const [isSubmitting, setIsSubmitting] = useState(false);

  // Se já está autenticado, redireciona para hub
  useEffect(() => {
    if (isAuthenticated) {
      router.push('/main/hub');
    }
  }, [isAuthenticated, router]);

  const handleSubmit = async (e: React.FormEvent) => {
    e.preventDefault();
    setValidationError('');
    setIsSubmitting(true);

    // Validação local
    if (!email.trim()) {
      setValidationError('Email é obrigatório');
      setIsSubmitting(false);
      return;
    }

    if (!password) {
      setValidationError('Senha é obrigatória');
      setIsSubmitting(false);
      return;
    }

    if (email.length < 5 || !email.includes('@')) {
      setValidationError('Email inválido');
      setIsSubmitting(false);
      return;
    }

    if (password.length < 6) {
      setValidationError('Senha deve ter pelo menos 6 caracteres');
      setIsSubmitting(false);
      return;
    }

    // Enviar para autenticação
    loginMutation.mutate({ email, password });
    setIsSubmitting(false);
  };

  const handleInputChange = () => {
    setValidationError('');
  };

  return (
    <div className="w-full max-w-md">
      {/* Card Container com Glassmorphism */}
      <div className="glass p-8 space-y-6 backdrop-blur-md">
```

```
{/* Header */}
<div className="text-center">
  <h1 className="text-4xl font-bold text-white mb-2">
    ■ Dr. Tilápia
  </h1>
  <p className="text-slate-300 text-lg">
    Autenticação Segura
  </p>
</div>

{/* Form */}
<form onSubmit={handleSubmit} className="space-y-4">
  {/* Email Input */}
  <div>
    <label htmlFor="email" className="block text-sm font-medium text-slate-200 mb-2">
      Email
    </label>
    <input
      id="email"
      type="email"
      placeholder="seu@email.com"
      value={email}
      onChange={(e) => {
        setEmail(e.target.value);
        handleInputChange();
      }}
      className="w-full px-4 py-3 bg-slate-700/50 border border-slate-600 rounded-lg text-white placeholder-sla
      disabled={loginMutation.isPending || isSubmitting}
    />
  </div>

  {/* Password Input */}
  <div>
    <label htmlFor="password" className="block text-sm font-medium text-slate-200 mb-2">
      Senha
    </label>
    <input
      id="password"
      type="password"
      placeholder="••••••••"
      value={password}
      onChange={(e) => {
        setPassword(e.target.value);
        handleInputChange();
      }}
      className="w-full px-4 py-3 bg-slate-700/50 border border-slate-600 rounded-lg text-white placeholder-sla
      disabled={loginMutation.isPending || isSubmitting}
    />
  </div>

  {/* Validation Error Message */}
  {validationError && (
    <div className="p-4 bg-red-500/20 border border-red-500/50 rounded-lg animate-pulse">
      <p className="text-red-200 text-sm font-medium">
        ■■ {validationError}
      </p>
    </div>
  )}

  {/* API Error Message */}
  {loginMutation.isError && (
    <div className="p-4 bg-red-500/20 border border-red-500/50 rounded-lg">
      <p className="text-red-200 text-sm font-medium">
        ■{' '}
        {loginMutation.error instanceof Error
          ? loginMutation.error.message
          : 'Erro ao fazer login. Verifique suas credenciais.'}
      </p>
    </div>
  )}

  {/* Success Message (Temporary) */}
  {loginMutation.isSuccess && (
    <div className="p-4 bg-green-500/20 border border-green-500/50 rounded-lg">
```

```
      <p className="text-green-200 text-sm font-medium">
        ■ Login realizado com sucesso! Redirecionando...
      </p>
    </div>
  )}

  {/* Submit Button */}
  <button
    type="submit"
    disabled={loginMutation.isPending || isSubmitting}
    className="w-full py-3 bg-gradient-to-r from-blue-600 to-cyan-500 hover:from-blue-700 hover:to-cyan-600 dis
  >
    {loginMutation.isPending || isSubmitting ? (
      <span className="flex items-center justify-center gap-2">
        <svg
          className="animate-spin h-5 w-5"
          xmlns="http://www.w3.org/2000/svg"
          fill="none"
          viewBox="0 0 24 24"
        >
          <circle
            className="opacity-25"
            cx="12"
            cy="12"
            r="10"
            stroke="currentColor"
            strokeWidth="4"
          />
          <path
            className="opacity-75"
            fill="currentColor"
            d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4zm2 5.291A7.962 7.962 0 014 12H0c0 3.042 1.135 5.824 3
          />
        </svg>
        Entrando...
      </span>
    ) : (
      'Entrar no Sistema'
    )}
  </button>
</form>

{/* Divider */}
<div className="relative">
  <div className="absolute inset-0 flex items-center">
    <div className="w-full border-t border-slate-600/50" />
  </div>
  <div className="relative flex justify-center text-sm">
    <span className="px-2 bg-slate-900 text-slate-400">Ambiente de Testes</span>
  </div>
</div>

{/* Test Credentials */}
<div className="bg-slate-700/30 border border-slate-600/50 rounded-lg p-4">
  <p className="text-xs text-slate-400 mb-2 font-medium">■ Credenciais de Teste:</p>
  <div className="space-y-1 text-xs text-slate-300">
    <p>
      <span className="font-mono bg-slate-800 px-2 py-1 rounded">
        admin@drtilapia.com
      </span>
    </p>
    <p>
      <span className="font-mono bg-slate-800 px-2 py-1 rounded">
        teste123
      </span>
    </p>
  </div>
</div>

{/* Footer */}
<div className="text-center text-sm text-slate-400 space-y-2">
  <p>Ou retorne para a página inicial</p>
  <Link
    href="/"
```

```
            className="inline-block text-cyan-400 hover:text-cyan-300 font-medium transition duration-200"
          >
            ← Voltar ao Início
          </Link>
        </div>

        {/* Info */}
        <div className="pt-4 border-t border-slate-600/30">
          <p className="text-xs text-slate-500 text-center leading-relaxed">
            Este é um sistema seguro de consultoria IA. Seus dados são criptografados
            e armazenados com segurança no Supabase.
          </p>
        </div>
      </div>
    </div>
  );
}
```

# 12. Diretório: frontend\app\landing

## Arquivo: frontend\app\landing\page.tsx

```
'use client';

import React from 'react';
import Link from 'next/link';
import { useRouter } from 'next/navigation';
import { useAuthStore } from '@/store/authStore';
import { useEffect } from 'react';
import { FishIcon, BrainIcon, BarChart3Icon, ShieldIcon, ArrowRightIcon, SparklesIcon } from 'lucide-react';
import Button from '@/components/Button';

const FeatureItem: React.FC<{
  icon: React.ElementType;
  title: string;
  description: string;
}> = ({ icon: Icon, title, description }) => (
  <div className="glass-effect p-8 rounded-xl text-center hover:scale-105 transition-transform duration-300">
    <Icon size={48} className="text-primary mx-auto mb-4" />
    <h3 className="text-xl font-bold text-white mb-3">{title}</h3>
    <p className="text-text-secondary text-sm leading-relaxed">{description}</p>
  </div>
);

export default function LandingPage() {
  const { isAuthenticated } = useAuthStore();
  const router = useRouter();

  useEffect(() => {
    // Se já está autenticado, vai direto para o hub
    if (isAuthenticated) {
      router.replace('/main/hub');
    }
  }, [isAuthenticated, router]);

  const handleEnter = () => {
    router.push('/auth/login');
  };

  return (
    <div className="min-h-screen bg-gradient-to-b from-background via-background to-surface">
      {/* Header */}
      <header className="fixed top-0 left-0 right-0 z-50 backdrop-blur-md border-b border-gray-700/30">
        <div className="max-w-7xl mx-auto px-6 py-4 flex justify-between items-center">
          <div className="flex items-center gap-3">
            <FishIcon size={32} className="text-primary" />
            <h1 className="text-2xl font-bold text-white">Dr. Tilápia</h1>
          </div>
          <Button onClick={handleEnter}>
            Entrar no Sistema
          </Button>
        </div>
      </header>

      {/* Hero Section */}
      <section className="pt-32 pb-20 px-6">
        <div className="max-w-7xl mx-auto text-center">
          <div className="inline-block mb-6">
            <div className="glass-effect px-6 py-2 rounded-full border border-primary/20">
              <p className="text-primary text-sm font-medium">■ Inteligência Artificial para Piscicultura</p>
            </div>
          </div>

          <h2 className="text-6xl font-bold text-white mb-6 leading-tight max-w-4xl mx-auto">
            Consultoria de IA para <span className="text-primary">Piscicultura</span> Inteligente
          </h2>

          <p className="text-xl text-text-secondary mb-12 max-w-2xl mx-auto leading-relaxed">
            Dr. Tilápia 2.0 combina inteligência artificial avançada com expertise em aquacultura para otimizar sua pro
          </p>
```

```
    <div className="flex gap-6 justify-center mb-20">
      <Button onClick={handleEnter} className="px-10 py-4 text-lg">
        Começar Agora
        <ArrowRightIcon size={20} />
      </Button>
      <Button variant="secondary" className="px-10 py-4 text-lg">
        Saiba Mais
      </Button>
    </div>

    {/* Stats */}
    <div className="grid grid-cols-1 md:grid-cols-3 gap-8 mt-20">
      <div className="glass-effect p-8 rounded-xl">
        <p className="text-4xl font-bold text-primary mb-2">1250+</p>
        <p className="text-text-secondary">Consultas Realizadas</p>
      </div>
      <div className="glass-effect p-8 rounded-xl">
        <p className="text-4xl font-bold text-primary mb-2">45</p>
        <p className="text-text-secondary">Documentos na Base</p>
      </div>
      <div className="glass-effect p-8 rounded-xl">
        <p className="text-4xl font-bold text-primary mb-2">98%</p>
        <p className="text-text-secondary">Satisfação dos Usuários</p>
      </div>
    </div>
  </div>
</section>

{/* Features Section */}
<section className="py-20 px-6 bg-gradient-to-b from-transparent to-surface/50">
  <div className="max-w-7xl mx-auto">
    <div className="text-center mb-16">
      <h3 className="text-4xl font-bold text-white mb-4">Funcionalidades Principais</h3>
      <p className="text-text-secondary text-lg">Tudo que você precisa para gerenciar sua piscicultura com IA</p>
    </div>

    <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-8">
      <FeatureItem
        icon={BrainIcon}
        title="Consultoria de IA"
        description="Respostas instantâneas e insights especializados sobre piscicultura baseados em manuais técn
      />
      <FeatureItem
        icon={BarChart3Icon}
        title="Dashboard Analytics"
        description="Visualize métricas e KPIs em tempo real para otimizar sua produção."
      />
      <FeatureItem
        icon={ShieldIcon}
        title="Segurança"
        description="Autenticação segura e proteção de dados com encriptação de nível empresarial."
      />
      <FeatureItem
        icon={SparklesIcon}
        title="Base de Conhecimento"
        description="Banco de dados RAG constantemente atualizado com documentação técnica."
      />
    </div>
  </div>
</section>

{/* How It Works */}
<section className="py-20 px-6">
  <div className="max-w-7xl mx-auto">
    <h3 className="text-4xl font-bold text-white mb-16 text-center">Como Funciona</h3>

    <div className="grid grid-cols-1 md:grid-cols-3 gap-12">
      {/* Step 1 */}
      <div className="relative">
        <div className="glass-effect p-8 rounded-xl text-center h-full flex flex-col justify-center">
          <div className="w-16 h-16 bg-primary/20 rounded-full flex items-center justify-center mx-auto mb-6">
            <span className="text-2xl font-bold text-primary">1</span>
          </div>
          <h4 className="text-xl font-bold text-white mb-3">Faça Login</h4>
```

```
                <p className="text-text-secondary">Acesse sua conta com credenciais seguras.</p>
              </div>
              <div className="hidden md:block absolute top-1/2 -right-6 transform -translate-y-1/2 text-primary text-4x
                →
              </div>
            </div>

            {/* Step 2 */}
            <div className="relative">
              <div className="glass-effect p-8 rounded-xl text-center h-full flex flex-col justify-center">
                <div className="w-16 h-16 bg-secondary/20 rounded-full flex items-center justify-center mx-auto mb-6">
                  <span className="text-2xl font-bold text-secondary">2</span>
                </div>
                <h4 className="text-xl font-bold text-white mb-3">Faça Perguntas</h4>
                <p className="text-text-secondary">Consulte o Dr. Tilápia sobre qualquer aspecto da piscicultura.</p>
              </div>
              <div className="hidden md:block absolute top-1/2 -right-6 transform -translate-y-1/2 text-secondary text-
                →
              </div>
            </div>

            {/* Step 3 */}
            <div>
              <div className="glass-effect p-8 rounded-xl text-center h-full flex flex-col justify-center">
                <div className="w-16 h-16 bg-accent/20 rounded-full flex items-center justify-center mx-auto mb-6">
                  <span className="text-2xl font-bold text-accent">3</span>
                </div>
                <h4 className="text-xl font-bold text-white mb-3">Otimize</h4>
                <p className="text-text-secondary">Aplique as recomendações para melhorar sua produção.</p>
              </div>
            </div>
          </div>
        </div>
      </section>

      {/* CTA Section */}
      <section className="py-20 px-6 bg-gradient-to-b from-surface/50 to-surface">
        <div className="max-w-4xl mx-auto glass-effect p-16 rounded-2xl text-center border border-primary/20">
          <h3 className="text-4xl font-bold text-white mb-6">Pronto para Transformar sua Piscicultura?</h3>
          <p className="text-xl text-text-secondary mb-10">
            Junte-se a centenas de aquacultores que já usam Dr. Tilápia para aumentar produtividade e reduzir custos.
          </p>
          <Button onClick={handleEnter} className="px-12 py-4 text-lg">
            Começar Agora
            <ArrowRightIcon size={20} />
          </Button>
        </div>
      </section>

      {/* Footer */}
      <footer className="py-12 px-6 border-t border-gray-700/30">
        <div className="max-w-7xl mx-auto text-center text-text-secondary">
          <p>&copy; 2026 Dr. Tilápia. Inteligência Artificial para Piscicultura. Todos os direitos reservados.</p>
        </div>
      </footer>
    </div>
  );
}
```

# 13. Diretório: frontend\app\main\admin

## Arquivo: frontend\app\main\admin\page.tsx

```
'use client';

import React, { useState, useRef } from 'react';
import { useUpload } from '@/hooks/useUpload';
import Button from '@/components/Button';
import LoadingSpinner from '@/components/LoadingSpinner';
import { UploadCloudIcon, FileTextIcon, CheckCircleIcon, XCircleIcon } from 'lucide-react';

export default function AdminPage() {
  const [selectedFile, setSelectedFile] = useState<File | null>(null);
  const fileInputRef = useRef<HTMLInputElement>(null);
  const { uploadFile, isUploading, uploadProgress, error, successMessage } = useUpload();

  const handleFileChange = (e: React.ChangeEvent<HTMLInputElement>) => {
    if (e.target.files && e.target.files[0]) {
      setSelectedFile(e.target.files[0]);
    }
  };

  const handleUploadClick = () => {
    if (selectedFile) {
      uploadFile(selectedFile)
        .then(() => {
          setSelectedFile(null);
          if (fileInputRef.current) {
            fileInputRef.current.value = '';
          }
        })
        .catch((err) => {
          console.error('Upload failed:', err);
        });
    }
  };

  return (
    <div className="p-8">
      <h1 className="text-4xl font-bold text-white mb-4">Administração RAG</h1>
      <p className="text-text-secondary text-lg mb-8">
        Faça upload de documentos PDF para expandir a base de conhecimento do consultor de IA.
      </p>

      <div className="glass-effect p-8 rounded-lg max-w-2xl mx-auto">
        <div
          className="border-2 border-dashed border-gray-600 rounded-lg p-10 text-center cursor-pointer hover:border-pri
          onClick={() => fileInputRef.current?.click()}
        >
          <input
            type="file"
            ref={fileInputRef}
            onChange={handleFileChange}
            accept=".pdf"
            className="hidden"
            disabled={isUploading}
          />
          <UploadCloudIcon size={48} className="text-primary mx-auto mb-4" />
          <p className="text-white text-lg font-medium">
            {selectedFile ? selectedFile.name : 'Arraste e solte seu PDF aqui, ou clique para selecionar'}
          </p>
          <p className="text-text-secondary text-sm mt-2">Apenas arquivos .pdf são aceitos.</p>
        </div>

        {selectedFile && (
          <div className="mt-6 flex items-center justify-between bg-background p-4 rounded-lg border border-gray-700">
            <div className="flex items-center">
              <FileTextIcon size={20} className="text-secondary mr-3" />
              <span className="text-white">{selectedFile.name}</span>
            </div>
            <Button onClick={handleUploadClick} isLoading={isUploading} disabled={isUploading}>
```

```
            {isUploading ? 'Enviando...' : 'Fazer Upload'}
          </Button>
        </div>
      )}

      {isUploading && (
        <div className="mt-4">
          <div className="w-full bg-gray-700 rounded-full h-2.5">
            <div className="bg-primary h-2.5 rounded-full" style={{ width: `${uploadProgress}%` }}></div>
          </div>
          <p className="text-text-secondary text-sm mt-2 text-center">{uploadProgress}% Concluído</p>
        </div>
      )}

      {successMessage && (
        <div className="mt-6 flex items-center bg-success/20 text-success p-4 rounded-lg">
          <CheckCircleIcon size={20} className="mr-3" />
          <span>{successMessage}</span>
        </div>
      )}

      {error && (
        <div className="mt-6 flex items-center bg-error/20 text-error p-4 rounded-lg">
          <XCircleIcon size={20} className="mr-3" />
          <span>{error}</span>
        </div>
      )}
    </div>
  </div>
);
}
```

# 14. Diretório: frontend\app\main\consultoria

## Arquivo: frontend\app\main\consultoria\page.tsx

```
'use client';

import React, { useState, useRef, useEffect } from 'react';
import { useChat } from '@/hooks/useChat';
import ChatMessage from '@/components/ChatMessage';
import LoadingSpinner from '@/components/LoadingSpinner';
import Button from '@/components/Button';
import { SendIcon, Trash2Icon, MessageSquareTextIcon } from 'lucide-react';

export default function ConsultoriaPage() {
  const [inputMessage, setInputMessage] = useState('');
  const { messages, isLoading, error, sendMessage, clearChat } = useChat();
  const messagesEndRef = useRef<HTMLDivElement>(null);

  const scrollToBottom = () => {
    messagesEndRef.current?.scrollIntoView({ behavior: 'smooth' });
  };

  useEffect(() => {
    scrollToBottom();
  }, [messages]);

  const handleSubmit = (e: React.FormEvent) => {
    e.preventDefault();
    if (inputMessage.trim()) {
      sendMessage(inputMessage);
      setInputMessage('');
    }
  };

  return (
    <div className="flex flex-col h-[calc(100vh-200px)] gap-6">
      <div>
        <h1 className="text-4xl font-bold text-white mb-2">Consultoria de IA</h1>
        <p className="text-text-secondary">
          Faça perguntas sobre piscicultura e receba respostas baseadas em documentos
        </p>
      </div>

      {/* Área de Mensagens */}
      <div className="flex-1 overflow-y-auto glass-effect rounded-lg p-6 flex flex-col">
        {messages.length === 0 ? (
          <div className="flex flex-col items-center justify-center h-full text-text-secondary">
            <MessageSquareTextIcon size={64} className="mb-4 text-primary" />
            <p className="text-xl font-medium">Comece sua consultoria fazendo uma pergunta!</p>
            <p className="text-sm mt-2">Exemplo: "O que é o BIA?"</p>
          </div>
        ) : (
          <>
            {messages.map((msg) => (
              <ChatMessage
                key={msg.id}
                message={msg.text}
                isUser={msg.sender === 'user'}
              />
            ))}
            {isLoading && (
              <div className="flex justify-start mb-4">
                <div className="flex items-center gap-2 text-text-secondary">
                  <LoadingSpinner size="w-5 h-5" />
                  <span>Consultando a base de conhecimento...</span>
                </div>
              </div>
            )}
          </>
        )}
        <div ref={messagesEndRef} />
      </div>
```

```
      {/* Mensagem de Erro */}
      {error && (
        <div className="bg-error/20 text-error p-4 rounded-lg text-sm">
          ■■ {error}
        </div>
      )}

      {/* Input de Mensagem */}
      <form onSubmit={handleSubmit} className="flex gap-3">
        <input
          type="text"
          value={inputMessage}
          onChange={(e) => setInputMessage(e.target.value)}
          placeholder="Pergunte algo sobre piscicultura..."
          className="flex-1 p-4 rounded-lg bg-surface border border-gray-700 text-white placeholder-text-secondary focu
          disabled={isLoading}
        />
        <Button
          type="submit"
          isLoading={isLoading}
          disabled={isLoading || !inputMessage.trim()}
          className="px-6"
        >
          <SendIcon size={20} />
        </Button>
        <Button
          type="button"
          variant="secondary"
          onClick={clearChat}
          disabled={isLoading || messages.length === 0}
          className="px-6"
        >
          <Trash2Icon size={20} />
        </Button>
      </form>
    </div>
  );
}
```

# 15. Diretório: frontend\app\main\dashboard

## Arquivo: frontend\app\main\dashboard\page.tsx

```
'use client';

import Link from 'next/link';
import { useAuth } from '@/hooks/useAuth';

export default function DashboardPage() {
  const { user } = useAuth();

  return (
    <div className="min-h-screen bg-gradient-to-br from-slate-900 via-slate-800 to-slate-900 p-8">
      <div className="max-w-5xl mx-auto">
        {/* Header */}
        <div className="mb-8">
          <Link href="/main/hub" className="text-cyan-400 hover:text-cyan-300 text-sm font-medium">
            ← Voltar ao Hub
          </Link>
          <h1 className="text-4xl font-bold text-white mt-4 mb-2">
            ■ Dashboard
          </h1>
          <p className="text-slate-400">
            Métricas e estatísticas do sistema Dr. Tilápia
          </p>
        </div>

        {/* Stats Grid */}
        <div className="grid grid-cols-1 md:grid-cols-3 gap-6 mb-8">
          {/* Card 1 */}
          <div className="glass p-6 rounded-xl">
            <div className="flex items-center justify-between">
              <div>
                <p className="text-slate-400 text-sm mb-1">Usuário Logado</p>
                <p className="text-2xl font-bold text-white">
                  {user?.email || 'N/A'}
                </p>
              </div>
              <div className="text-4xl">■</div>
            </div>
          </div>

          {/* Card 2 */}
          <div className="glass p-6 rounded-xl">
            <div className="flex items-center justify-between">
              <div>
                <p className="text-slate-400 text-sm mb-1">Status</p>
                <p className="text-2xl font-bold text-green-400">Online</p>
              </div>
              <div className="text-4xl">■</div>
            </div>
          </div>

          {/* Card 3 */}
          <div className="glass p-6 rounded-xl">
            <div className="flex items-center justify-between">
              <div>
                <p className="text-slate-400 text-sm mb-1">Permissão</p>
                <p className="text-2xl font-bold text-white">
                  {user?.role === 'admin' ? 'Admin' : 'Usuário'}
                </p>
              </div>
              <div className="text-4xl">{user?.role === 'admin' ? '■' : '■'}</div>
            </div>
          </div>
        </div>

        {/* Coming Soon */}
        <div className="glass p-8 rounded-xl text-center">
          <div className="text-6xl mb-4">■</div>
          <h2 className="text-2xl font-bold text-white mb-2">
```

```
            Em Desenvolvimento
          </h2>
          <p className="text-slate-400 mb-6">
            Mais métricas, gráficos e estatísticas em breve!
          </p>
          <div className="inline-block text-sm text-slate-500 bg-slate-700/30 px-4 py-2 rounded-lg">
            Próximas atualizações: Histórico de consultas, Taxa de acurácia, Tempo de resposta
          </div>
        </div>
      </div>
    </div>
  );
}
```

# 16. Diretório: frontend\app\main\hub

## Arquivo: frontend\app\main\hub\page.tsx

```
'use client';

import React from 'react';
import Link from 'next/link';
import { MessageSquareTextIcon, UploadCloudIcon, BarChart2Icon, UserIcon } from 'lucide-react';
import { useAuthStore } from '@/store/authStore';

const FeatureCard: React.FC<{
  icon: React.ElementType;
  title: string;
  description: string;
  href: string;
  disabled?: boolean;
}> = ({ icon: Icon, title, description, href, disabled }) => (
  <Link href={href} className={`block ${disabled ? 'pointer-events-none opacity-50' : ''}`}>
    <div className="glass-effect p-6 rounded-lg flex flex-col items-center text-center h-full transition-all duration-3
      <Icon size={48} className="text-primary mb-4" />
      <h3 className="text-xl font-semibold text-white mb-2">{title}</h3>
      <p className="text-text-secondary text-sm">{description}</p>
    </div>
  </Link>
);

export default function HubPage() {
  const user = useAuthStore((state) => state.user);
  const isAdmin = user?.role === 'admin';

  return (
    <div className="p-8">
      <h1 className="text-4xl font-bold text-white mb-4">Bem-vindo, {user?.email}!</h1>
      <p className="text-text-secondary text-lg mb-8">
        Explore as funcionalidades do Dr. Tilápia, seu assistente de IA para piscicultura.
      </p>

      <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
        <FeatureCard
          icon={MessageSquareTextIcon}
          title="Consultoria de IA"
          description="Obtenha respostas instantâneas e insights especializados sobre piscicultura."
          href="/main/consultoria"
        />
        <FeatureCard
          icon={BarChart2Icon}
          title="Dashboard de Métricas"
          description="Visualize dados e métricas importantes para otimizar sua produção."
          href="/main/dashboard"
        />
        {isAdmin ? (
          <FeatureCard
            icon={UploadCloudIcon}
            title="Administração RAG"
            description="Gerencie e faça upload de documentos para a base de conhecimento da IA."
            href="/main/admin"
          />
        ) : (
          <FeatureCard
            icon={UploadCloudIcon}
            title="Administração RAG"
            description="Funcionalidade exclusiva para administradores."
            href="#"
            disabled
          />
        )}
        <FeatureCard
          icon={UserIcon}
          title="Meu Perfil"
          description="Visualize e edite suas informações de usuário e preferências."
          href="/main/profile"
```

```
        />
      </div>

      <div className="mt-12">
        <h2 className="text-3xl font-bold text-white mb-6">Atividades Recentes</h2>
        <div className="glass-effect p-6 rounded-lg">
          <p className="text-text-secondary">Nenhuma atividade recente para exibir.</p>
        </div>
      </div>
    </div>
  );
}
```

# 17. Diretório: frontend\components

## Arquivo: frontend\components\AuthProvider.tsx

```
// components/AuthProvider.tsx
'use client';

import React, { useEffect } from 'react';
import { useRouter, usePathname } from 'next/navigation';
import { useAuth } from '@/hooks/useAuth';
import LoadingSpinner from './LoadingSpinner';

interface AuthProviderProps {
  children: React.ReactNode;
}

const AuthProvider: React.FC<AuthProviderProps> = ({ children }) => {
  const { isAuthenticated, isLoading } = useAuth();
  const router = useRouter();
  const pathname = usePathname();

  const publicRoutes = ['/', '/auth/login'];
  const protectedRoutes = ['/main'];

  useEffect(() => {
    // Se ainda está carregando, não faz nada
    if (isLoading) {
      return;
    }

    const isPublicRoute = publicRoutes.includes(pathname);
    const isProtectedRoute = protectedRoutes.some(route => pathname.startsWith(route));

    // Se não autenticado e tenta acessar rota protegida, vai para login
    if (!isAuthenticated && isProtectedRoute) {
      router.push('/auth/login');
    }
    // Se autenticado e tenta acessar login, vai para hub
    else if (isAuthenticated && pathname === '/auth/login') {
      router.push('/main/hub');
    }
  }, [isAuthenticated, isLoading, pathname, router]);

  // Se ainda carregando, mostra spinner
  if (isLoading) {
    return (
      <div className="flex items-center justify-center min-h-screen bg-background">
        <LoadingSpinner size="w-12 h-12" color="text-primary" />
      </div>
    );
  }

  return <>{children}</>;
};

export default AuthProvider;
```

## Arquivo: frontend\components\Button.tsx

```
// components/Button.tsx
import React from 'react';

interface ButtonProps extends React.ButtonHTMLAttributes<HTMLButtonElement> {
  variant?: 'primary' | 'secondary' | 'accent';
  isLoading?: boolean;
  children: React.ReactNode;
}

const Button = React.forwardRef<HTMLButtonElement, ButtonProps>(
  (
    {
```

```
      variant = 'primary',
      isLoading = false,
      disabled = false,
      children,
      className = '',
      ...props
    },
    ref
  ) => {
    const baseStyles =
      'px-6 py-3 rounded-lg font-semibold transition-all duration-200 flex items-center justify-center gap-2 disabled:o

    const variants = {
      primary:
        'bg-primary text-white hover:bg-primary/90 hover:scale-105 shadow-lg hover:shadow-xl hover:shadow-primary/30',
      secondary:
        'bg-surface text-white border border-gray-700 hover:border-primary hover:bg-surface/80 hover:scale-105',
      accent: 'bg-accent text-white hover:bg-accent/90 hover:scale-105 shadow-lg hover:shadow-accent/30',
    };

    return (
      <button
        ref={ref}
        disabled={disabled || isLoading}
        className={`${baseStyles} ${variants[variant]} ${className}`}
        {...props}
      >
        {isLoading ? (
          <>
            <div className="w-4 h-4 border-2 border-current border-t-transparent rounded-full animate-spin" />
            Carregando...
          </>
        ) : (
          children
        )}
      </button>
    );
  }
);

Button.displayName = 'Button';

export default Button;
```

## Arquivo: frontend\components\ChatMessage.tsx

```
// components/ChatMessage.tsx
import React from 'react';

interface ChatMessageProps {
  message: string;
  isUser: boolean;
}

const ChatMessage: React.FC<ChatMessageProps> = ({ message, isUser }) => {
  return (
    <div className={`flex mb-6 ${isUser ? 'justify-end' : 'justify-start'}`}>
      <div
        className={`max-w-xs lg:max-w-md xl:max-w-lg px-4 py-3 rounded-lg ${
          isUser
            ? 'bg-primary text-white rounded-br-none'
            : 'bg-surface text-text-secondary border border-gray-700 rounded-bl-none'
        }`}
      >
        <p className="text-sm leading-relaxed whitespace-pre-wrap break-words">{message}</p>
      </div>
    </div>
  );
};

export default ChatMessage;
```

## Arquivo: frontend\components\DocumentCard.tsx

```
// components/DocumentCard.tsx
import React from 'react';
import { FaFilePdf, FaCheckCircle, FaTimesCircle, FaSpinner } from 'react-icons/fa'; // Ícones

interface DocumentCardProps {
  filename: string; // Nome do arquivo<br/>
  status: 'pending' | 'processed' | 'failed'; // Status do documento<br/>
  onDelete?: (filename: string) => void; // Função para deletar (opcional)
}

const DocumentCard: React.FC<DocumentCardProps> = ({ filename, status, onDelete }) => {
  const statusColors = {
    pending: 'text-accent', // Amarelo para pendente<br/>
    processed: 'text-success', // Verde para processado<br/>
    failed: 'text-error', // Vermelho para falha
  };

  const statusIcons = {
    pending: <FaSpinner className="animate-spin" />, // Spinner para pendente<br/>
    processed: <FaCheckCircle />, // Check para processado<br/>
    failed: <FaTimesCircle />, // X para falha
  };

  return (
    <GlassContainer className="flex items-center justify-between p-4 mb-4">
      <div className="flex items-center">
        <FaFilePdf className="text-secondary text-2xl mr-3" /> {/* Ícone de PDF */}
        <span className="text-text font-medium">{filename}</span> {/* Nome do arquivo */}
      </div>
      <div className="flex items-center">
        <span className={`${statusColors[status]} mr-2`}>
          {statusIcons[status]} {/* Ícone de status */}
        </span>
        <span className={`text-sm capitalize ${statusColors[status]}`}>
          {status === 'pending' ? 'Processando...' : status === 'processed' ? 'Processado' : 'Falha'}
        </span>
        {onDelete && status !== 'pending' && ( // Botão de deletar, visível se não estiver pendente
          <button
            onClick={() => onDelete(filename)}
            className="ml-4 text-textSecondary hover:text-error transition-colors duration-200"
            title="Remover documento"
          >
            &times; {/* Ícone de fechar/remover */}
          </button>
        )}
      </div>
    </GlassContainer>
  );
};

export default DocumentCard;
```

## Arquivo: frontend\components\GlassContainer.tsx

```
// components/GlassContainer.tsx
import React from 'react';

interface GlassContainerProps {
  children: React.ReactNode; // Conteúdo a ser renderizado dentro do contêiner<br/>
  className?: string; // Classes CSS adicionais para personalização
}

const GlassContainer: React.FC<GlassContainerProps> = ({ children, className }) => {
  return (
    // Aplica o efeito glassmorphism e classes Tailwind para padding e arredondamento
    // As classes adicionais são mescladas com as classes padrão
    <div className={`glass-effect p-6 rounded-xl ${className || ''}`}>
      {children} {/* Renderiza o conteúdo passado como children */}
    </div>
  );
};
```

```
export default GlassContainer;
```

## Arquivo: frontend\components\LoadingSpinner.tsx

```
// components/LoadingSpinner.tsx
import React from 'react';

interface LoadingSpinnerProps {
  size?: string;
  color?: string;
  text?: string;
}

const LoadingSpinner: React.FC<LoadingSpinnerProps> = ({
  size = 'w-8 h-8',
  color = 'text-primary',
  text,
}) => {
  return (
    <div className="flex flex-col items-center justify-center gap-4">
      <div className={`${size} ${color} animate-spin`}>
        <svg
          className="w-full h-full"
          xmlns="http://www.w3.org/2000/svg"
          fill="none"
          viewBox="0 0 24 24"
        >
          <circle
            className="opacity-25"
            cx="12"
            cy="12"
            r="10"
            stroke="currentColor"
            strokeWidth="4"
          ></circle>
          <path
            className="opacity-75"
            fill="currentColor"
            d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4zm2 5.291A7.962 7.962 0 014 12H0c0 3.042 1.135 5.824 3 7.938l3
          ></path>
        </svg>
      </div>
      {text && <p className="text-text-secondary text-sm">{text}</p>}
    </div>
  );
};

export default LoadingSpinner;
```

# 18. Diretório: frontend\hooks

## Arquivo: frontend\hooks\useAuth.ts

```
// hooks/useAuth.ts
import { useAuthStore } from '@/store/authStore';

export const useAuth = () => {
  const { user, token, isAuthenticated, isLoading, login, logout, updateUser } = useAuthStore(
    (state) => ({
      user: state.user,
      token: state.token,
      isAuthenticated: state.isAuthenticated,
      isLoading: state.isLoading,
      login: state.login,
      logout: state.logout,
      updateUser: state.updateUser,
    })
  );

  return {
    user,
    token,
    isAuthenticated,
    isLoading,
    login,
    logout,
    updateUser,
  };
};

export default useAuth;
```

## Arquivo: frontend\hooks\useChat.ts

```
// hooks/useChat.ts
import { useState, useRef } from 'react';
import api from '@/lib/api';

interface ChatMessage {
  id: string;
  text: string;
  sender: 'user' | 'ai';
  isError?: boolean;
}

interface ChatResponse {
  answer: string;
  sources: string[];
}

export const useChat = () => {
  const [messages, setMessages] = useState<ChatMessage[]>([]);
  const [isLoading, setIsLoading] = useState(false);
  const [error, setError] = useState<string | null>(null);
  const chatHistoryRef = useRef<[string, string][]>([]);

  const sendMessage = async (newMessage: string) => {
    if (!newMessage.trim()) return;

    const userMessage: ChatMessage = {
      id: Date.now().toString(),
      text: newMessage,
      sender: 'user',
    };

    // Adiciona a mensagem do usuário imediatamente
    setMessages((prev) => [...prev, userMessage]);
    setIsLoading(true);
    setError(null);
    try {
```

```
      console.log('Enviando mensagem para o backend...', {
        message: newMessage,
        history: chatHistoryRef.current,
      });

      const response = await api.post<ChatResponse>('/consultoria/chat', {
        message: newMessage,
        history: chatHistoryRef.current,
      });

      console.log('Resposta recebida do backend:', response.data);

      const aiMessage: ChatMessage = {
        id: (Date.now() + 1).toString(),
        text: response.data.answer,
        sender: 'ai',
      };

      // Adiciona a resposta da IA
      setMessages((prev) => [...prev, aiMessage]);

      // Atualiza o histórico para a próxima requisição
      chatHistoryRef.current = [
        ...chatHistoryRef.current,
        [newMessage, response.data.answer],
      ];
    } catch (err: any) {
      console.error('Erro ao enviar mensagem:', err);

      const errorMessage =
        err.response?.data?.detail ||
        err.message ||
        'Erro ao comunicar com a IA. Tente novamente.';

      setError(errorMessage);

      const errorAiMessage: ChatMessage = {
        id: (Date.now() + 1).toString(),
        text: `■ Erro: ${errorMessage}`,
        sender: 'ai',
        isError: true,
      };

      setMessages((prev) => [...prev, errorAiMessage]);
    } finally {
      setIsLoading(false);
    }
  };

  const clearChat = () => {
    setMessages([]);
    chatHistoryRef.current = [];
    setError(null);
  };

  return { messages, isLoading, error, sendMessage, clearChat };
};
```

## Arquivo: frontend\hooks\useLoginMutation.ts

```
// hooks/useLoginMutation.ts
import { useState } from 'react';
import { useAuthStore } from '@/store/authStore';
import api from '@/lib/api';

interface LoginRequest {
  email: string;
  password: string;
}

interface User {
  id: string;
  email: string;
```

```
  role: 'admin' | 'user';
}

interface LoginResponse {
  access_token: string;
  token_type: string;
  user: User;
}

export const useLoginMutation = () => {
  const [isLoading, setIsLoading] = useState(false);
  const [error, setError] = useState<string | null>(null);
  const [data, setData] = useState<LoginResponse | null>(null);
  const setAuth = useAuthStore((state) => state.setAuth);

  const mutate = async (credentials: LoginRequest) => {
    setIsLoading(true);
    setError(null);
    setData(null);
    try {
      const response = await api.post<LoginResponse>('/auth/login', credentials);
      setAuth(response.data.access_token, response.data.user);
      setData(response.data);
      return response.data;
    } catch (err: any) {
      const errorMessage = err.response?.data?.detail || 'Erro ao fazer login. Verifique suas credenciais.';
      setError(errorMessage);
      throw new Error(errorMessage);
    } finally {
      setIsLoading(false);
    }
  };

  return { mutate, isLoading, error, data };
};
```

## Arquivo: frontend\hooks\useUpload.ts

```
// hooks/useUpload.ts
import { useState } from 'react';
import api from '@/lib/api';

export const useUpload = () => {
  const [isUploading, setIsUploading] = useState(false);
  const [uploadProgress, setUploadProgress] = useState(0);
  const [error, setError] = useState<string | null>(null);
  const [successMessage, setSuccessMessage] = useState<string | null>(null);

  const uploadFile = async (file: File) => {
    setIsUploading(true);
    setUploadProgress(0);
    setError(null);
    setSuccessMessage(null);

    const formData = new FormData();
    formData.append('file', file);

    try {
      const response = await api.post('/admin/upload', formData, {
        headers: {
          'Content-Type': 'multipart/form-data',
        },
        onUploadProgress: (progressEvent) => {
          if (progressEvent.total) {
            const percentCompleted = Math.round((progressEvent.loaded * 100) / progressEvent.total);
            setUploadProgress(percentCompleted);
          }
        },
      });
      setSuccessMessage(response.data.message || 'Upload realizado com sucesso!');
      return response.data;
    } catch (err: any) {
      const errorMessage = err.response?.data?.detail || 'Erro ao fazer upload do arquivo.';
```

```
      setError(errorMessage);
      throw new Error(errorMessage);
    } finally {
      setIsUploading(false);
      setUploadProgress(0);
    }
  };

  return { uploadFile, isUploading, uploadProgress, error, successMessage };
};
```

# 19. Diretório: frontend\lib

## Arquivo: frontend\lib\api.ts

```
import axios from 'axios';
import { useAuthStore } from '@/store/authStore';

const API_BASE_URL = process.env.NEXT_PUBLIC_BACKEND_URL || 'http://localhost:8000';

const api = axios.create({
  baseURL: API_BASE_URL,
  headers: {
    'Content-Type': 'application/json',
  },
});

api.interceptors.request.use(
  (config) => {
    const token = useAuthStore.getState().token;
    if (token) {
      config.headers.Authorization = `Bearer ${token}`;
    }
    return config;
  },
  (error) => {
    return Promise.reject(error);
  }
);

api.interceptors.response.use(
  (response) => response,
  (error) => {
    if (error.response && error.response.status === 401 && !error.config.url?.includes('/auth/login')) {
      console.error('Token expirado ou inválido. Realizando logout...');
      useAuthStore.getState().logout();
    }
    return Promise.reject(error);
  }
);

export default api;
```

## Arquivo: frontend\lib\colors.ts

```
// lib/colors.ts
export const colors = {
  primary: '#00C853', // Verde vibrante para ações principais
  secondary: '#2196F3', // Azul para elementos secundários ou informativos
  accent: '#FFC107', // Amarelo para destaques ou avisos
  background: '#1A1A1A', // Fundo escuro principal
  surface: '#2C2C2C', // Superfícies de elementos (cards, modais)
  text: '#E0E0E0', // Cor principal do texto (claro em fundo escuro)
  textSecondary: '#B0B0B0', // Cor secundária do texto (para detalhes)
  glassLight: 'rgba(255, 255, 255, 0.1)', // Cor base para o efeito glassmorphism (claro)
  glassBorder: 'rgba(255, 255, 255, 0.2)', // Cor da borda para o efeito glassmorphism
  error: '#D32F2F', // Vermelho para mensagens de erro
  success: '#388E3C', // Verde para mensagens de sucesso
};
```

## Arquivo: frontend\lib\fonts.ts

```
// lib/fonts.ts
import { Inter, Poppins } from 'next/font/google';

// Configuração da fonte Inter
// Usada para textos de corpo e interfaces mais neutras
export const inter = Inter({
  subsets: ['latin'], // Carrega apenas os caracteres latinos<br/>
  variable: '--font-inter', // Define uma variável CSS para fácil acesso<br/>
  display: 'swap', // Garante que o texto seja visível durante o carregamento da fonte
```

```
});

// Configuração da fonte Poppins
// Usada para títulos e elementos de destaque, com diferentes pesos
export const poppins = Poppins({
  subsets: ['latin'], // Carrega apenas os caracteres latinos<br/>
  variable: '--font-poppins', // Define uma variável CSS para fácil acesso<br/>
  weight: ['300', '400', '500', '600', '700'], // Pesos de fonte disponíveis<br/>
  display: 'swap', // Garante que o texto seja visível durante o carregamento da fonte
});
```

# 20. Diretório: frontend\store

## Arquivo: frontend\store\authStore.ts

```
import { create } from 'zustand';
import Cookies from 'js-cookie';

export interface User {
  id: string;
  email: string;
  role: 'admin' | 'user';
}

export interface AuthStore {
  token: string | null;
  user: User | null;
  isAuthenticated: boolean;

  setAuth: (token: string, user: User) => void;
  clearAuth: () => void;
  restoreAuth: () => void;
}

export const useAuthStore = create<AuthStore>((set) => ({
  token: null,
  user: null,
  isAuthenticated: false,

  setAuth: (token: string, user: User) => {
    Cookies.set('accessToken', token, { expires: 7 });
    Cookies.set('user', JSON.stringify(user), { expires: 7 });

    set({
      token,
      user,
      isAuthenticated: true,
    });
  },

  clearAuth: () => {
    Cookies.remove('accessToken');
    Cookies.remove('user');
    set({
      token: null,
      user: null,
      isAuthenticated: false,
    });
  },

  restoreAuth: () => {
    const token = Cookies.get('accessToken');
    const userStr = Cookies.get('user');

    if (token && userStr) {
      try {
        const user = JSON.parse(userStr);
        set({
          token,
          user,
          isAuthenticated: true,
        });
      } catch {
        Cookies.remove('accessToken');
        Cookies.remove('user');
        set({
          token: null,
          user: null,
          isAuthenticated: false,
        });
      }
    }
  },
```

```
}));
```

# 21. Diretório: frontend\styles

## Arquivo: frontend\styles\globals.css

```
@tailwind base;
@tailwind components;
@tailwind utilities;

:root {
  --color-primary: #00C853;
  --color-secondary: #2196F3;
  --color-accent: #FFC107;
  --color-background: #1A1A1A;
  --color-surface: #2C2C2C;
  --color-text: #E0E0E0;
  --color-text-secondary: #B0B0B0;
  --color-glass-light: rgba(255, 255, 255, 0.1);
  --color-glass-border: rgba(255, 255, 255, 0.2);
  --color-error: #D32F2F;
  --color-success: #388E3C;
  --color-warning: #FBC02D;
  --color-info: #0288D1;
}

html, body {
  height: 100%;
  margin: 0;
  padding: 0;
}

body {
  background-color: #1A1A1A;
  color: #E0E0E0;
  min-height: 100vh;
  display: flex;
  flex-direction: column;
}

.glass-effect {
  background: rgba(255, 255, 255, 0.1);
  backdrop-filter: blur(10px);
  -webkit-backdrop-filter: blur(10px);
  border: 1px solid rgba(255, 255, 255, 0.2);
  box-shadow: 0 4px 30px rgba(0, 0, 0, 0.1);
  border-radius: 12px;
}

::-webkit-scrollbar {
  width: 8px;
  height: 8px;
}

::-webkit-scrollbar-track {
  background: #2C2C2C;
  border-radius: 10px;
}

::-webkit-scrollbar-thumb {
  background: #00C853;
  border-radius: 10px;
}

::-webkit-scrollbar-thumb:hover {
  background: #2196F3;
}
```

# 22. Diretório: frontend\types

## Arquivo: frontend\types\auth.ts

```
// types/auth.ts
export interface User {
  id: string;
  email: string;
  name?: string;
  role: 'admin' | 'user';
  created_at?: string;
}

export interface LoginRequest {
  email: string;
  password: string;
}

export interface LoginResponse {
  access_token: string;
  token_type: string;
  user: User;
}

export interface AuthState {
  user: User | null;
  token: string | null;
  isAuthenticated: boolean;
  isLoading: boolean;
  setAuth: (token: string, user: User) => void;
  logout: () => void;
  restoreAuth: () => void;
}
```

## Arquivo: frontend\types\chat.ts

```
// types/chat.ts
export interface ChatMessage {
  id: string;
  text: string;
  sender: 'user' | 'ai';
  isError?: boolean;
}

export interface ChatRequest {
  message: string;
  history: [string, string][];
}

export interface ChatResponse {
  answer: string;
  sources: string[];
}
```