


Send Components for Review & Seal



[Watch video](#)


Purpose In many jurisdictions, truss components must be reviewed and approved by a registered engineer prior to installation on a building structure. Simpson Strong-Tie provides services by reviewing components and providing an engineering seal. Use the following steps to submit components to Simpson Strong-Tie for comparison.

Steps



To send components for initial review:

1. After designing your components, select the **Engineering** tab.



The **Components > Engineering** window displays, listing the components in the project.

The screenshot shows the Trussco software interface. The top ribbon includes Project Info, Tools, Engineering, Reports, and Help. The Engineering ribbon is active, showing options for sending components, filtering, and project options. The Project View is set to 'P-100 (Acme multi-family)' in 'Multiple Plan' mode. The left sidebar shows a Navigator with Project List, Recent Projects, and Favorite Projects. The main area displays a table of components with columns: Send?, Truss, Span, Date Sent, Transaction, Sequence #, Status, Version, and Truss. The table lists components BV6, C36, C37, CA, and CB, all with a status of 'Passed'.

Send?	Truss	Span	Date Sent	Transaction	Sequence #	Status	Version	Truss
☐	BV6	5-8-8				Passed	2023.5.0.78	Studi
☐	C36	3-0-0				Passed	2023.5.0.78	Studi
☐	C37	3-0-0				Passed	2023.5.0.78	Studi
☐	CA	1-7-14				Passed	2023.5.0.78	Studi
☐	CB	1-10-6				Passed	2023.5.0.78	Studi

2. To filter the list of components displayed, select an option under **Filter Components** on the Engineering toolbar.

- **Unsent components only**: display components that have not been submitted for review.
- **Components in sets**: display the individual components in the list within sets.
- **Exclude if Quantity = 0**: display only those projects containing components; if this is checked, projects with zero components are not displayed.

3. Select the **State or Province**.

The screenshot shows the Trussco software interface with the State or Province dropdown menu open. The menu lists 'Alabama' and 'Colorado'. A red box highlights the dropdown menu with the text 'Select State/Province'.

4. Select a **Priority**. Typical turnaround time for reviews is 12 business hours.

- Normal (12 hours)
- Extended (24 hours)
- Same Day Rush (by end of day if sent before 10 am)
- Priority Rush (as soon as possible)

The screenshot shows the Trussco software interface with the Priority dropdown menu open. The menu lists 'Normal (12 hours)', 'Extended (24 hours)', 'Same Day Rush', and 'Priority Rush'. A red box highlights the dropdown menu with the text 'Select Priority'.

5. Select the **Type** of submission

- **Standard**: any submission that is not an expedited job, or a repair or a reseal.
- **Repair**: repairs require you to send in the original truss along with the reason for the repair. You will receive a new truss with the repair. For example, because someone cut through the bottom chord, you will receive back an A1-REP truss, which contains the repair (your original truss is not over).
- **Reseal**: use this type when you have already submitted designs for seals, and now have a new customer, developer or project #/name you need. The engineers know they already have the original trusses, but need to ensure the new trusses reflect the updated customer and job information.

6. In the **Communication** section of the Engineering ribbon, select the **Carrier**, enter the **Email**, and the **# of Wet Seal Sets**.

7. Enter an e-mail address to submit components for review.

The screenshot shows the Trussco software interface with the Communication section highlighted. A red box highlights the Email field with the text 'An email address is required to submit components for review'.

- Email is the default delivery method. Edits to this field are saved per project, minimizing edits when there are multiple sets of components sent to project.
- You must enter an email to continue processing the components.



Note: The starting value for the **Engineering tab > Email** field is in the project's Design Company's Administration > Our Company > General tab : Engineering Email field.

- If using an alternate method of delivery, specify a delivery lead time requested from the delivery type pull down menu. If using email, this is not required.

- If using a method of delivery other than email, specify an account number (if applicable) for the delivery service to be used.
- In some cases, wet "raised" seals are required. If this is required, specify the **# of Wet Seal Sets** requested.

8. Generate Engineering and other reports (optional):

- **Engineering Report:** displays all submittals within a specific date range
- **Unsealed Report:** displays unsealed components for selected components
- **Joint Detail Report:** displays joint details for selected components
- **Email Engineering:** email a report to Engineering regarding selected components
- **Loadcase Reports:** displays load case information for selected components

Note: If a report fails to generate, verify that all truss component names are valid. Also, engineering drawings do not use embedded fonts. If you contact the Simpson Strong-Tie help desk because you may not have the necessary font installed.

9. If seals are being requested for another company, use the **Send on Behalf Of** field and specify a **Customer ID**.

10. Add **Special Notes**.

To communicate information to the Component Review engineer, notes can be added to the overall project and/or to individual components. The cover sheet for engineering.

Truss Components Engineering Engineering Package

Project Name on Engineering: Customer Name: Truss Mfg Contact:

Special Notes **Project level notes**

Search Components

Send?	Truss	Span	Date Sent	Transaction ID	Sequence #	Status	Version	Truss Design Application	Note	Image
☐	A01	32-0-0				Passed	2016.9.0.112			
☐	A02	32-0-0				Passed	2016.9.0.112			
☒	A03	32-0-0				Passed	2016.9.0.112	Studio	Truss level notes	
☐	A04	32-0-0				Passed	2016.9.0.112	Studio		
☐	A05	32-0-0				Passed	2016.9.0.112	Studio		

11. Select one or more components to send for review. You can also select components by Plan/Elevation or Group.

Project Info Tools Engineering Reports Help

☒ Send Components ☐ Components in sets ☐ Exclude if Quantity = 0

State or Province: Alabama Priority: Normal (12 hours) Type: Standard

☒ Run Design Check Prior to Sending Engineering

Carrier Email JoeWood@Trusco.com # of Wet Seal Sets 0

Select All

Project View - B-104 (Sparks Eng) Mode: Multiple Plan

Project Name on Engineering:

12. When you have finished selecting the desired options, click **Send Components**.

Project Info Tools Engineering Reports Help

☒ Send Components ☐ Components in sets ☐ Exclude if Quantity = 0

State or Province: California Priority: Normal (12 hours) Type: Standard

☒ Run Design Check Prior to Sending Engineering

Carrier Email JoeWood@Trusco.com # of Wet Seal Sets 0

Select Send Components

Project View - P-100 (Smith Residence) Mode: Multiple Plan

Project Name on Engineering:

13. Send components to Simpson Engineering or to Outside Engineering.

Project Info Tools Engineering Reports

☒ Send Components ☐ Components in sets ☐ Exclude if Quantity = 0

State or Province: California Priority: Normal (12 hours) Type: Standard

☒ Run Design Check Prior to Sending Engineering

Carrier Email JoeWood@Trusco.com # of Wet Seal Sets 0

Send to Outside Engineer

Project Name on Engineering:

14. If you choose **Send to Outside Engineering**, the following dialog displays and you can choose to send the file using Outlook or as a Zip file.

Send to Outside Engineering

☒ Outlook Email: Open email with the zip file attached.

☐ Zip File: Generate and save a zip file to be manually sent to Outside Engineering.

OK

15. On the Add Additional Folders or Files to be Sent dialog, attach additional files or folders; the notes entered in the Note field are appended to the pr Engineer side.

D Add Additional Folders or Files to be Sent

Additional Folders

Additional Files

Note

Add Folder Add Files Remove Item Continue Cancel

16. If **Run Design Check Prior to Sending Engineering** is selected, a design check is performed.

If there are errors, a window displays, highlighting the erroneous components.

17. Correct any errors, if necessary. See [Check Designs](#) for more information.

Truss Information

Engineering Sort

General & Standard Loading **Design Check** Wood Data Additional Design Checks Other Information

Drag a column header and drop it here to group by that column

TrussID	Passed	Description	Template Name	Deflection Control	Left Stub	Right Stub	Roof LL Deflection	Floor TL Deflection	Shipping Height	Floor LL Deflection	Web Profile	Left Overhang	Right Overhang
> block 4 508 308		Inconsistency: Building Code - IRC-2012 Inconsistency: Design Standard - TPI-2007 Inconsistency: Cq - 0.80000 Inconsistency: Kcr - 1.50000 Inconsistency: TCDL - 7.0 Inconsistency: BCDL - 10.0	Roof	Roof								0	0
ha 6 sp2 4 5-5-0		Inconsistency: Building Code - IRC-2012 Inconsistency: Design Standard - TPI-2007 Inconsistency: Cq - 0.80000 Inconsistency: Kcr - 1.50000 Inconsistency: TCDL - 7.0 Inconsistency: BCDL - 10.0	Roof	Roof								0	0

OK

After sending the engineering, a message displays with your project's unique ID.

Project Info Tools Engineering Reports Help

Send Components Transmit Filter Components

Unsent components only Components in sets

State or Province: California

Priority: Normal (12 hours)

Type: Standard

Run Design Check Prior to Sending Engineering

Project options Selection Communication

Carrier Email # of Wet Seal Sets

Navigator

Projects

Project List

Recent Projects

P-100 (Smith Residence)

Favorite Projects

Project View - P-100 (Smith Residence) Mode: Multiple Plan

Components Engineering

Special Notes

Send? Truss Span Date Sent Transactio Sequence

Confirmation message appears and a unique ID is assigned.

Send Components for Engineering

Project P-100 successfully sent to Simpson as ID 56647

OK

You can check the status of your project in either the Engineering web portal or on the Status tab in CS Director. See [Engineering Status](#).

**Related
Topics**

- [Engineering Status](#)
 - [Engineering Tab Overview](#)
 - [Send Components > Engineering Reports](#)
 - [Submitting A Sealed Truss For Repair](#)
-