

Project Executable

Date	01 October 2026
Team ID	6ab22737f32d8c9d8b225a8a
Project Name	Implement Client Script & UI Policy (Incident)
Maximum Marks	3 Marks

Problem Statement

In the ServiceNow Incident form, users can currently save incomplete or inconsistent data. Fields such as Short description, Category, Priority and Resolution details are not validated at the time of entry, and the form shows every field to every user regardless of the incident state. This leads to poor data quality, delays in resolution, unnecessary back-and-forth with callers, and a cluttered, error-prone user experience for service desk agents.

The goal of this project is to implement Client Scripts and UI Policies on the Incident table that validate input, dynamically control field behavior (mandatory, read-only and visible), and give users instant feedback on the form without a page reload.

Objectives:

- Make fields mandatory or read-only based on Incident State (for example, Resolution code and Resolution notes become mandatory when State = Resolved).
- Show or hide fields dynamically based on Category, Priority or State.
- Validate form data on load, on field change and on submit using Client Scripts (onLoad, onChange, onSubmit).
- Display clear messages (info and error) to guide the user while filling in the form.
- Test all scenarios and document the results.

Step 1: Submission Checklist

S.No	Item to Submit	Submitted (Yes / No / NA)
1	Complete source code (all files and folders)	Yes – Update Set XML + script files
2	README / Setup Guide (instructions to run the project)	Yes
3	requirements.txt / package.json / dependency file	NA – ServiceNow platform configuration
4	Database schema / seed files (if applicable)	NA – uses OOB Incident table
5	Environment configuration file (.env.example or similar)	NA – instance details in Step 3
6	Deployed application URL (if hosted)	Yes – ServiceNow PDI URL
7	APK / Executable binary (if applicable for mobile/desktop apps)	NA
8	Dockerfile / Containerization config (if applicable)	NA

9	Test files and test results	Yes – test cases and screenshots
10	Demo video or walkthrough (if required)	Yes

Step 2: File / Folder Structure

Overview of the project's file and folder structure:

```

/project-root
  /update-set           - Exported Update Set XML
  /client-scripts       - Client Script files (.js)
  /ui-policies          - UI Policy docs / screenshots
  /tests                - Test cases and test results (screenshots)
  /docs                 - Problem statement, design notes
  README.md             - Setup and run instructions

```

Step 3: Deployment / Access Details

Field	Details
Hosted / Deployed URL	https://devXXXXXX.service-now.com
Login Credentials (Demo)	Username: xxxxxxxx Password: xxxxxxxx (evaluator access)
Platform / Hosting Provider	ServiceNow Personal Developer Instance (PDI)
Repository Link	https://github.com/<username>/<repository>
Demo Video Link	https://<video-link>

Step 4: Run Instructions

Step-by-step instructions for the evaluator to run the project:

Pre-requisites:

ServiceNow Personal Developer Instance (PDI) with admin role; a modern browser (Chrome / Edge); the exported Update Set XML file.

Step 1: Log in to the ServiceNow instance as admin using the credentials in Step 3.

Step 2: Go to System Update Sets > Retrieved Update Sets > Import Update Set from XML, and upload the Update Set file.

Step 3: Open the imported Update Set, click Preview Update Set, resolve any conflicts, then click Commit Update Set.

Step 4: Navigate to Incident > Create New to open the Incident form.

Step 5: Verify the Client Scripts (System Definition > Client Scripts) and UI Policies (System UI > UI Policies) on the Incident table are active.

Step 6: Test the scenarios: change Category and Priority, set State to Resolved, and try to save without mandatory fields. Confirm that messages appear and fields behave as expected.

Step 5: Known Issues / Limitations

S.No	Known Issue / Limitation	Workaround / Status
1	Client Scripts and UI Policies run only in the browser; they do not apply to records created via import sets, REST APIs or background scripts.	Enforce the same rules with Business Rules or Data Policies for server-side coverage.
2	Behavior may differ in Service Operations Workspace unless the UI Type is set to 'All'.	Set UI Type = All on the Client Scripts and UI Policies, and test in both UIs.
3	Rules depend on the OOB Incident fields (Category, Priority, State, Resolution fields); customised field names may need script updates.	Verify field names (backend values) before importing the Update Set.