

\*\*

Product Details	Company Profile	Report Suspicious Activi	
Overview			
Quick Details			
Place of Origin:	Guangdong, China		
Brand Name:	GT Optical		
Model Number:	ADSS-5c86		
Number of Conduc	≥ 10		
Product name:	ADSS		
Application:	Self Supporting Aerial		
Jacket Material:	PE/LSZH		
Central Member:	FRP		
Certification:	SGS/ROHS/ISO9001		
Fiber type:	Single Mode/Multimode		
Wavelength:	1310nm/1550nm		
Cores Number:	2~144cores		

1 de 6

Outer Diameter: 12.0+/-0.3mm Strength Member: Kevlar Aramid Yanrs

**Supply Ability** 

Supply Ability: 80 Kilometer/Kilometers per Day

**Packaging & Delivery** 

Packaging Details standard packing:1/2/4km per wooden spool+wooden battens coveredr+PP tape fixed

Port shenzhen

Lead Time ①:

Quantity(Kilometers)	1 - 20	21 - 100	101 - 500	>500
Est. Time(days)	3	7	10	To be negotiated

**Product Description** 

## G652 adss optic fiber cable fibra ptica optica g652d



GT products have received a lot of positive feedback. We have been awarded the Best Supplier by many of our clients. Hope be your agreeable partner!

#### **Product Detail**

Product name	ADSS
Application	Self Supporting Aerial
Jacket Material	PE/LSZH
Central Member	FRP
Certification	SGS/ROHS/ISO9001
Fiber type	Single Mode/Multimode
Wavelength	1310nm/1550nm
Cores Number	2~144cores
Outer Diameter	12.0+/-0.3mm
Strength Member	Kevlar Aramid Yanrs
Product Keywords	g652 adss optic fiber cable,fibra ptica adss,fibra optica adss g652d

ADSS cable is loose tube stranded. Fibers, 250µm, are positioned into a loose tube made of high modulus plastics. The tubes are filled with a water-resistant filling compound. The tubes (and fillers) are stranded around a FRP (Fiber Reinforced Plastic) as a non-metallic central strength member into a compact and circular cable core. After the cable core is filled with filling compound. it is covered with thin PE (polyethylene) inner sheath. After stranded layer of aramid yarns are applied over the inner sheath as strength member, the cable is completed with PE or AT (anti-tracking) outer sheath.

#### **Characteristics:**

1. Loose tube design

Stable performance and compatibility with all common fiber types

2. Self-supporting

Instead of Aramid yarn or glass yarn, there is no support or messenger wire required.

3. Track-resistant & jacket available

For 10KV and 35KV power lines can use polyethylene(PE), for 110KN and 220KN power line, must by the resistance to corrosion(AT) outer sheath.

2 de 6 13/11/2020 13:46

## 4. Sutable for Aerial self-support installation

Model Number	ADSS
Туре	Coaxial
Number of Conductors	>=10
Application	Aerial fiber cable
Function	Delivery signal light
Certification	ADSS pass ISO9001,TIL,CE
Sheath material	PE or AT for ass fiber optic cable
Fiber type	OS1/OS2,OM1,OM2,OM3,OM4
Length per roll	2km/3km/4km ADSS fiber
Marketing	printing
Fiber count	2core to 288 core
Strength member	FRP

## **Optical Fiber Performance**

G.652D,125.0+-1.0μm	
9.2+-0.2µm at 1310 nm	
125+-1µm	
<=1%	
245+-10µm	
<=0.38dB/km at 1310nm,<=0.22dB/km at 1550nm	
<=3.5ps/nm/km at1285-1330nm,<=18ps/nm/km at	
1550nm	
1300-1322nm	

#### **Company Information**

# **ABOUT US**

3 de 6 13/11/2020 13:46 GT Optical was established in 2009, a high-tech enterprise which specialized in the research and manufacture of fiber optical telecommunication products.Our main high quality products include fiber optical cable, such as ADSS/OPGW/FTTH etc.

and passive optical products as well. Not only manufacturer,we also hope be your long term partner.Contact us now,lets work together!

READ MORE →

**Our Advantages** 

## **OUR ADVANTAGES**



## **PROFESSIONAL**

Over 10+years manufacturing experience

## **TEAM**

Over 200 staff with good educated and technical trained well.Including 10 members are for R&D department.

# **ODM&OEM**

Professional Sales Team & Technical Support Welcome OEM&OEM service.

## **SERVICE**

Competitive Price Support Small Orders Fast delivery in 2-3days All inquiries will be answered in 24hrs.

**Product Category** 

**PRODUCT CATEGORIES** 

→ VIEW ALL

13/11/2020 13:46 4 de 6

Outdoor Fiber Cable ADSS/OPGW/Hybrid Fiber Cable FTTH Drop Fiber Cable Air Blowing Fiber Cable

Certifications

# **OUR CERTIFICATES**



Packaging & Shipping

#### **PACKING:**

wooden or iron wooden drum ,2000 to 5000 m per drum, also according to customers' requirements.



### **DELIVERY TIME:**

3-20 days after confirming order, detail delivery date should be decided according to production season and order quantity.

### **SHIPPING WAYS:**



5 de 6 13/11/2020 13:46

You May Like
Not exactly what you want? 1 request, multiple quotations Get Quotations Now >>

Related Searches:

optica one optica frame fashion optica led optica fashion optica frame central optica for optica 3d optica le patch cord optica

13/11/2020 13:46 6 de 6