

Eurostat data analysis

Geospatial data management project

Federico Garegnani

Università degli Studi di Milano

August 31, 2025



Table of contents

- 1 Datasets presentation
- 2 Study of the Italian territory



Presentation of the datasets used

3 datasets:

- 1 Census grid 2021
- 2 Geographic accessibility
- 3 Communes



Filtering the datasets

Definition of table `it_communes` and indexes for all the tables.



Calculation of the population by municipality

The formula used:

$$P_C = P_G \sum \frac{A(C \cap G)}{A(G)} \quad (1)$$

and the query performed:

```
WITH pop_calc AS (  
  SELECT  
    c."COMM_ID",  
    ROUND(SUM(ST_Area(ST_Intersection(g.geom, c.geom)) / 1000000 *  
      ↪ g."T")) AS pop  
  FROM census_2021 g JOIN it_communes c ON ST_Intersects(g.geom,  
    ↪ c.geom)  
  GROUP BY c."COMM_ID"  
)  
UPDATE it_communes c  
SET pop = p.pop  
FROM pop_calc p  
WHERE c."COMM_ID" = p."COMM_ID";
```



Calculation of mean accessibility value

Computation of the mean accessibility times by commune to the closest healthcare structure and to the 3 closest ones. For years 2020 and 2023.

```
WITH avg_t AS (  
  SELECT  
    c."COMM_ID",  
    AVG(g.health_2020_n1) AS mean_health_2020_n1,  
    AVG(g.health_2020_n3) AS mean_health_2020_n3,  
    ...  
  FROM it_communes c JOIN grid_accessibility_health g ON  
    ↪ st_intersects(c.geom, g.geom)  
  GROUP BY c."COMM_ID"  
)  
UPDATE it_communes as c  
SET  
  mean_health_2020_n1 = ROUND(t.mean_health_2020_n1::NUMERIC, 2),  
  ...  
FROM avg_t t  
WHERE t."COMM_ID"=c."COMM_ID";
```



Da inserire

