

# Lezione Y – GITHUB



Programmazione

Lab di Programmazione

GITHUB

**Filippo Gaudenzi**

---

Università degli Studi di Milano

## Definizione:

**Git è un sistema software di controllo di versione distribuito, creato da Linus Torvalds nel 2005.**



bose1993/CumulusRepo

+ v

securityFeature v

1.537 Uncommitted Changes

History

Pull Request

Filter Repositories

Update from master

View Branch

Sync

master v

securityFeature

GitHub

CertFramework4Cloud

certifyingOpenstack

CumulusRepo

icertify

shopper

TBprototypeInstallation

testAgent

testAgentInstaller

testManager

Other

TestAgent

TestManager

tutorial

1.537 Changes

target/test-clas...ourceTest.class

target/test-clas...rceTest\$1.class

target/test-clas...ourceTest.class

target/test-clas...ourceTest.class

target/test-clas...ourceTest.class

target/test-clas...t/TestUtil.class

target/test-clas...ourceTest.class

target/test-clas...ourceTest.class

Summary

Description

Commit and Sync securityFeature

bower\_components/angular-i18n/angular-locale\_bas-cm.js

@@ -0,0 +1,115 @@

1 + 'use strict';

2 + angular.module("ngLocale", [], ["\$provide", function(\$provide) {

3 + var PLURAL\_CATEGORY = {ZERO: "zero", ONE: "one", TWO: "two", FEW:

4 + function getDecimals(n) {

5 + n = n + '';

6 + var i = n.indexOf('.');

7 + return (i == -1) ? 0 : n.length - i - 1;

8 + }

9 +

10 + function getVF(n, opt\_precision) {

11 + var v = opt\_precision;

12 +

13 + if (undefined === v) {

14 + v = Math.min(getDecimals(n), 3);

15 + }

16 +

17 + var base = Math.pow(10, v);

18 + var f = ((n \* base) | 0) % base;

19 + return {v: v, f: f};



fgaudenzi / **shopper**

Unwatch 1

Star 0

Fork 0

Description

Website

**Save** or [Cancel](#)

1 commit

1 branch

0 releases

1 contributor

Branch: **master**

**shopper** / +

<b>fgaudenzi</b>	eskimo create app	...	Latest commit ac5fc76 21 hours ago
<b>app</b>	eskimo create app		21 hours ago
<b>assets</b>	eskimo create app		21 hours ago
<b>boot</b>	eskimo create app		21 hours ago
<b>etc/init</b>	eskimo create app		21 hours ago
<b>routes</b>	eskimo create app		21 hours ago
<b>test</b>	eskimo create app		21 hours ago
<b>.gitignore</b>	eskimo create app		21 hours ago
<b>.jshintrc</b>	eskimo create app		21 hours ago
<b>Readme.md</b>	eskimo create app		21 hours ago
<b>Vagrantfile</b>	eskimo create app		21 hours ago

<> Code

- [Issues](#) 0
- [Pull requests](#) 0
- [Wiki](#)

[Pulse](#)

[Graphs](#)

[Settings](#)

Subversion checkout URL

You can clone with [HTTPS](#), [SSH](#), or [Subversion](#).

**Clone in Desktop**

**Download ZIP**

## OPERAZIONI:

- **checkout:** scarica il repository nella cartella di destinazione
- **commit:** carica nel repository locale le modifiche effettuate
- **push:** carica nel repository remoto quanto aggiunto tramite commit
- **pull:** scarica eventuali modifiche dal repository remoto sincronizzando i file