
How to manage my files correctly

Wednesday learning about the terminal, sublime, and github

Id love to know how to hack code that already exists into doing what you want it to do. Show us an example!

Dev Tools

*How do you wrap text and align images?
how can ai put the picture in the middle with the text around it?*

<http://tympanus.net/codrops/2012/05/15/making-room-to-breathe-wrapping-text-around-elements/>

How do we change the alignment of the photo

-
-
1. Wrap Img in Div and try text-align center
 2. Margin: 0 auto

*Differences between padding/margin/border/float - how they interact
and when to use which one?*

BOX MODEL

Will we be going over the history of computer programming in the future? Just to get an overview of how far we've come in terms of advancement with technology?

Later in the course we'll vote

You mentioned Google font today and I want to know how to use it if I want it on my website.

GOOGLE FONTS

how do i make an hr (horizontal line) thinner?

Style the height

AGENDA



- Review
- CSS Cascading
- Inheritance
- Classes and Ids
- Nested Selectors
- Specificity
- Box Model
- Lab — Travel Blog

TODAY'S LAB:

On the Road

The Adventure of a Lifetime

[Blog](#) [Events](#) [Snapshots](#) [Store](#) [Contact](#) [About](#)

11/12/15

Camping by Loon Lake



Cray culpa stumptown, flexitarian ex Odd Future do fugiat Wes Anderson proident 3 wolf moon officia bitters small batch. Et consequat do, nulla you probably haven't heard of them High Life somester. Vinyl fugiat High Life, kogi do VHS in aliqua lo-fi leggings gentrify Neutra tumble. Odio vegan PBR, Marfa forage blue bottle try-hard readymade meggings retro delectus Echo Park. Ugh consectetur farm-to-table forage, laboris blue bottle McSweeney's tattooed excepteur yr. Magna ut Schlitz flexitarian, vinyl craft beer proident yr forage 8-bit ethical sustainable placeat retro. Officia pickled beard, adipsicing gluten-free sint craft beer quis thundercats id 3 wolf moon fashion axe.

[Continues...](#)

11/11/15

A Morning Hike in Big Sur



Selfies sunt Tumblr, delectus small batch DIY umami sint, Polaroid chambray selfies McSweeney's Cosby sweater, Pitchfork tattooed assumenda Wes Anderson Blue Bottle twee Carles ennui. Nihil cavore fugiat sapiente salvia aliqua. Shoreditch kogi exercitation fashion axe. Wolf semiotics Pinterest, laboris quis master cleanse tousled small batch street art bespoke fingerstache dreamcatcher ethical labore. Dreamcatcher iPhone typewriter, tote bag four loko fanny pack master cleanse organic PBR reprehenderit actually. Craft beer drinking vinegar wayfarers, pork belly narwhal pariatur polaroid cupidatat in 8-bit distillery anim literally.

[Continues...](#)

[Home](#) | [Blog](#) | [Events](#) | [Snapshots](#) | [Store](#) | [Contact](#) | [About](#) | [Tips](#)

© 2015 Rugged Industries, Inc.

CLASS 4 LAB:

On the Road The Adventure of a Lifetime

[Blog](#)[Events](#)[Snapshots](#)[Store](#)[Contact](#)[About](#)

11/12/15

Camping by Loon Lake



Cray culpa stumptown, flexitarian ex Odd Future do fugiat Wes Anderson proident 3 wolf moon officia bitters small batch. Et consequat do, nulla you probably haven't heard of them High Life scenester. Vinyl fugiat High Life, kogi do VHS in aliqua lo-fi leggings gnomify Neutra tumblr. Odio vegan PBR, Marfa forage blue bottle try hard readymade meggings retro-delectus Echo Park. Ugh consectetur farm-to-table forage, laboris blue bottle McSweeney's tattooed excepteur yr. Magna ut Schlitz flexitarian, vinyl craft beer proident yr forage 8-bit ethical sustainable placeat retro. Officia pickled beard, adipisicing gluten-free sint craft beer quis thundercats id 3 wolf moon fashion awe.

[Continues...](#)

About Us

On the Road is u salvia, fixie mumblecore ex aesthetic qui miron/blog cliché. Retro disrupt keytar PBR, delectus consectetur flexitarian fingerstache selfies nostrud Schlitz. Tempor Wes Anderson banh mi bicycle rights. Eu occaecat Williamsburg yr letterpress, biodiesel plaid tote bag cliché messenger bag kono bespoke sapiente next level.

[More...](#)

Ad

11/11/15

A Morning Hike in Big Sur



Selfies sunt Tumblr, delectus small batch DIY umami sint, Polaroid chambray selfies McSweeney's Cosby sweater, Pitchfork tattooed assumenda Wes Anderson Blue Bottle beer Carles ennui. Nisi locavore fugiat sapiente salvia aliqua. Shoreditch kogi exercitation fashion awe. Wolf semiotics Pinterest, laboris quis master cleanse tousled small batch street art bespoke fingerstache dreamcatcher ethical labore. Dreamcatcher iPhone typewriter, tote bag four loko fanny pack master cleanse organic PBR reprehenderit actually. Craft beer drinking vinegar wayfarers, pork belly narwhal pariatur polaroid cupidatat in 8-bit distillery anim literally.

[Continues...](#)

Popular Posts

- Breakfast in the Bay
- Morning Crescent
- Above the Clouds
- Camper update - Kitchen Rehaul
- Journey through Muir Woods
- Playing in a Travelling Band
- Rocky Mountain High
- Winding our way through Tennessee
- A Flat Tire and a Lesson Learned
- Our Brand new Camper!

LEARNING OBJECTIVES

- ▶ Select nested elements to apply styling
- ▶ Differentiate between classes and IDs and apply best practices when implementing.
- ▶ Apply and explain CSS “cascade” including specificity, importance and inheritance.
- ▶ Define CSS Box Model, and demonstrate the ability to properly manipulate the "box" around elements

FEWD

REVIEW

CSS SYNTAX

Selector

`h1 { color: yellow; }`

Declaration

CSS SYNTAX

```
h1, h2 {  
    color: yellow;  
    font-size: 16px;  
}
```


The diagram illustrates the syntax of a CSS rule. The text is as follows:

- `h1, h2 {`
- `color: yellow;`
- `font-size: 16px;`
- `}`


Below the code, two labels are positioned under horizontal lines:

- `Property` is underlined under `font-size`.
- `Value` is underlined under `16px`.

DOM TREE



DOM TREE



```
<h1>Site title</h1>
<p>Bacon ipsum dolor amet brisket tail frankfurter cupim pig salami.
Biltong beef ribs ribeye short loin flank corned beef tri-tip beef ball tip
sausage jowl swine. Fatback porchetta strip steak doner chicken <a href="
http://www.jamieoliver.com/recipes/pork-recipes/pork-belly-roast/">pork
belly</a>. Rump picanha jowl ground round, pancetta doner boudin landjaeger
prosciutto meatloaf.</p>
<ul>
  <li>Bacon</li>
  <li>Chicken</li>
  <li>Meatloaf</li>
</ul>
```

ADVANCED CSS

LET'S CHAT ABOUT THE
CASCADING NATURE OF CSS

MORE ABOUT CASCADING

GENERAL

STUDENTS


STUDENTS NAMED (FIRST NAME)

SPECIFIC

STUDENTS NAMED (FIRST + LAST NAME)




MORE ABOUT CASCADING - GENERAL TO SPECIFIC



FEWD

INHERITANCE

INHERITANCE



INHERITANCE




- ▶ Certain properties are passed on from a parent element down to its children
- ▶ If you specify the font-family or color properties on the `<body>` element, they will apply to most child elements unless there is a more specific rule that applies. This is because the font-family property is inherited by child elements.

Inherited properties you'll use in this course:


- | | | |
|---------------|------------------|------------------|
| ▶ color | ▶ font-weight | ▶ text-align |
| ▶ font-family | ▶ letter-spacing | ▶ text-indent |
| ▶ font-size | ▶ line-height | ▶ text-transform |
| ▶ font-style | ▶ list-style | ▶ word-spacing |

LET'S TAKE A CLOSER LOOK



MORE ABOUT CASCADING - GENERAL TO SPECIFIC

- ▶ CSS rules cascade downward until they are canceled out by another rule.




- ▶ CSS rules are able to override one another and cancel each other out, depending on their order.

ADVANCED CSS

ADVANCED CSS

CLASSES AND IDS

LET'S TAKE A CLOSER LOOK



TARGETING SPECIFIC ELEMENTS



- Classes and ids allow us to assign ‘labels’ to elements so that we can target them in our stylesheets

TARGETING SPECIFIC ELEMENTS



CLASSES & IDS

CLASSES

- Classes are used to group elements together
- Elements can have multiple classes

```
<li class="emphasis">Content</li>
```

```
.emphasis {  
  color: #ff0000;  
}
```



CLASSES & IDS

IDS


- Ids are used to target one specific element
- Each element can only have one id
- Important: two elements on the same page cannot have the same id

```
<h3 id="about">Content</h3>
```

```
#about {  
  color: #ff0000;  
}
```




LET'S TAKE A CLOSER LOOK



MORE ABOUT CASCADING - GENERAL TO SPECIFIC

- ▶ CSS rules cascade downward until they are canceled out by another rule.



- ▶ CSS rules are able to override one another and cancel each other out, depending on their order.

ACTIVITY



EXERCISE

LOCATION

- ▶ starter_code folder > classes_and_ids folder

KEY OBJECTIVE

- ▶ Use classes and IDs to target elements

TIMING

5 min

1. Follow the instructions under 'Now You Try'

ADVANCED CSS

INLINE STYLES


INLINE STYLES

```
<li style="color: red"></li>
```

BAD!!!!

MORE ABOUT CASCADING - GENERAL TO SPECIFIC

- ▶ CSS rules cascade downward until they are canceled out by another rule.



- ▶ CSS rules are able to override one another and cancel each other out, depending on their order.

ADVANCED CSS

IMPORTANCE


CSS IMPORTANCE

Adding **!important** after any property value indicates that it should be considered more important than other rules that apply to the same element.

```
li {  
  font-size: 100px !important;  
}
```


ONLY WHEN NECESSARY!!!

LET'S TAKE A CLOSER LOOK



MORE ABOUT CASCADING - GENERAL TO SPECIFIC

- ▶ CSS rules cascade downward until they are canceled out by another rule.




- ▶ CSS rules are able to override one another and cancel each other out, depending on their order.

FEWD

NESTED SELECTORS

LET'S TAKE A CLOSER LOOK



SELECTORS

SELECTOR:	MEANING:		EXAMPLE:
	UNIVERSAL	Applies to all elements in the document	* {}
	TYPE	Matches element names	a {}
	DESCENDANT	Matches an element that is a descendent (not just a child) of another element	p a {}
	CHILD	Matches an element that is a direct child of another element	p>a {}
	ADJACENT SIBLING	Matches the element that is directly after another element	p+a {}
	GENERAL SIBLING	Matches the element that is a sibling of another	p~a {}

SELECTORS

Which element here will be italic?

```
p > a {  
  font-style: italic;  
}
```

SELECTORS

The last element in the selector string is always the one that we are styling



The diagram shows a CSS selector `p > a {` in teal. The letter `a` is enclosed in a red square box, and a red arrow points down to the top of this box. Below the selector, the CSS rule `font-style: italic;` and the closing brace `}` are also shown in teal.

```
p > a {  
    font-style: italic;  
}
```

ACTIVITY



EXERCISE

LOCATION

- › starter_code folder > nested_selectors folder

KEY OBJECTIVE

- › Use nested selectors to target selected elements

TIMING

5 min

1. Follow the instructions under 'Now You Try'


NESTED SELECTORS

```
.error p a {  
  color: red;  
}
```

```
#about > p + a {  
  color: blue;  
}
```

MORE ABOUT CASCADING - GENERAL TO SPECIFIC

- ▶ CSS rules cascade downward until they are canceled out by another rule.



- ▶ CSS rules are able to override one another and cancel each other out, depending on their order.


ADVANCED CSS

SPECIFICITY GAME!!!

CONFLICT!! — WHEN TWO RULES APPLY TO THE SAME ELEMENT


SPECIFICITY:

The *more specific rule*
will take precedence over
the more general rule



CSS CASCADING — THE SPECIFICITY GAME

THE SPECIFICITY GAME!





CSS CASCADING — THE SPECIFICITY GAME

SPECIFICITY

a

p a



CSS CASCADING — THE SPECIFICITY GAME



```
p a {  
  font-size: 50px;  
}  
  
a {  
  font-size: 30px;  
}
```

CSS CASCADING

WINNER

#nav li .active > p

.home li h2 + p



CSS CASCADING — THE SPECIFICITY GAME



```
#nav li .active > p { /* Score: 112 */  
  color: purple;  
}  
  
.home li h2 + p { /* Score: 13 */  
  font-size: 30px;  
}
```

CSS CASCADING

WINNER

`<li style="color: red">`

`#about .first h2 + li`



CSS CASCADING — THE SPECIFICITY GAME

```
<li style="color: red"></li>
```

```
#about .first h2 + li { /* Score: 112 */  
  color: blue;  
}
```

CSS CASCADING — THE SPECIFICITY GAME

!IMPORTANT

li {color: green *!important*;}

WINNER!

!important	Style attribute	ID	Class attribute	Elements
1	0	0	0	0
Trumps all!!				

!important can only be overridden by another !important


CSS CASCADING — THE SPECIFICITY GAME

```
li {  
  font-size: 100px !important;  
}
```

CSS CASCADING — THE SPECIFICITY GAME

SPECIFICITY:

The *more specific rule*
will take precedence over
the more general rule



CSS CASCADING — THE SPECIFICITY GAME

CSS Specificity

with icons inspired by "The Shining"

universal selector

1 element

2 elements

3 elements

1 class

1 universal selector
1 class

1 universal selector
1 attribute selector

1 pseudo-class

1 element
1 class

1 element
1 attribute

2 elements
1 pseudo-class

2 elements
1 attribute

1 element
1 class
1 pseudo-class

1 element
1 class
1 attribute

10 class / attribute
pseudo-class

1 ID selector

2 types
2 class / attribute
1 ID selector

2 ID selectors
1 type selector

inline style

important

About

The origin and sorting order of CSS helps browsers to determine which rules will win over others. When one of these methods completely fails, there is a conflict as to which CSS rule should be applied. CSS has in place a way to deal with these conflicts: the specificity of the CSS selector. The higher the specificity of a CSS selector, the greater the likelihood its declarations are used over another CSS rule's declarations.

Legend

- 0-0-0: The number of ID selectors
- 0-0-1: The number of class and attribute, and pseudo-selectors
- 0-0-2: The number of type and pseudo-elements
- *-0-0: The universal selector has no value. When combined with other selectors, they do not increase specificity.
- 0-0-0: The negative selector has no value, but the argument passed increases specificity

Dev Conference

AND ALL THAT Malarky

http://www.stuffandnonsense.co.uk/drives/css/specificity_malarky.html

<p>a</p> <p>1 x element selector</p> <p>Sum: 0, 0, 1</p>	<p>p a</p> <p>2 x element selectors</p> <p>Sum: 0, 0, 2</p>	<p>.whatever</p> <p>1 x class selector</p> <p>Sum: 0, 1, 0</p>	<p>a.whatever</p> <p>1 x element selector 1 x class selector</p> <p>Sum: 0, 1, 1</p>
<p>p a#whatever</p> <p>2 x element selectors 1 x ID selector</p> <p>Sum: 0, 1, 2</p>	<p>.whatever .whatever</p> <p>2 x class selectors</p> <p>Sum: 0, 2, 0</p>	<p>p.whatever a.whatever</p> <p>2 x element selectors 2 x class selectors</p> <p>Sum: 0, 2, 2</p>	<p>#whatever</p> <p>1 x ID selector</p> <p>Sum: 1, 0, 0</p>
<p>a#whatever</p> <p>1 x element selector 1 x ID selector</p> <p>Sum: 1, 0, 1</p>	<p>whatever a#whatever</p> <p>1 x element selectors 1 x class selector 1 x ID selector</p> <p>Sum: 1, 1, 1</p>	<p>whatever .whatever #whatever</p> <p>2 x class selectors 1 x ID selector</p> <p>Sum: 1, 2, 0</p>	<p>#whatever #whatever</p> <p>2 x ID selectors</p> <p>Sum: 2, 0, 0</p>

Presented by Steve Smith - Design by Jeff Smith & Christopher Schmidt - Present in English Language - From a Specificity Game by Nicole Ward

ADVANCED CSS



LAST RULE

LAST RULE

TIE?!

li a

p a




CONFLICT!! — WHEN TWO RULES APPLY TO THE SAME ELEMENT

If the two selectors have the same importance and specificity, the one that comes later in the stylesheet will take precedence.

MORE ABOUT CASCADING - GENERAL TO SPECIFIC

- ▶ CSS rules cascade downward until they are canceled out by another rule.



- ▶ CSS rules are able to override one another and cancel each other out, depending on their order.

ACTIVITY



EXERCISE

KEY OBJECTIVE

- ▶ Explain the principle of "cascading" in CSS. How does inheritance tie in? Specificity?

TYPE OF ACTIVITY

- ▶ Turn and Talk

TASKS

- | | |
|-------|--|
| 2 min | 1. Turn and talk to a partner |
| 2 min | 2. A few pairs will share with the class |

INSPECT ELEMENT



To access the elements panel (in Chrome): Right click > Inspect Element

FEWD

BOX MODEL

REMEMBER THIS?

Muir Woods

Keffiyeh next level retro, brunch *sriracha* dreamcatcher mixtape jean shorts XOXO master cleanse keytar **Kickstarter**. Neutra kale chips Vice health goth ethical, flannel single-origin coffee stumptown meditation Kickstarter mumblecore yr cronut master cleanse keytar.


Bushwick sartorial pickled, quinoa church-key before they sold out drinking vinegar put a bird on it readymade organic lumbersexual. Four dollar toast chia *Intelligentsia* YOLO Marfa. Migas raw denim photo booth authentic, roof party shabby chic pop-up flexitarian *skateboard* blog.

Muir Woods

Keffiyeh next level retro, brunch *sriracha* dreamcatcher mixtape jean shorts XOXO master cleanse keytar **Kickstarter**. Neutra kale chips Vice health goth ethical, flannel single-origin coffee stumptown meditation Kickstarter mumblecore yr cronut master cleanse keytar.

Bushwick sartorial pickled, quinoa church-key before they sold out drinking vinegar put a bird on it readymade organic lumbersexual. Four dollar toast chia *Intelligentsia* YOLO Marfa. Migas raw denim photo booth authentic, roof party shabby chic pop-up flexitarian *skateboard* blog.

CSS — BOX MODEL



CSS BOX MODEL


Every box has three properties that can be adjusted to control its appearance:

1

BORDER


Every box has a border, even if it's not visible or specified to be 0 px wide

CSS — BOX MODEL



BORDERS


BORDER TRIFECTA:



BORDER SHORTHAND

1. Set the border width, [style](#) and color for all sides:


```
p {  
  border: 3px solid #ff0000;  
}
```



Lorem ipsum dolor sit amet

2. Set a border width, [style](#) and color for a specific side:

```
p {  
  border-top: 10px solid #F9D423;  
  border-right: 10px dotted #FF4E50;  
  border-bottom: 10px dashed #FF4E50;  
  border-left: 10px solid #FC913A;  
}
```



Lorem ipsum dolor sit amet

CSS BOX MODEL

Every box has three properties that can be adjusted to control its appearance:

1

BORDER


Every box has a border, even if it's not visible or specified to be 0 px wide

2

MARGIN

Margins sit outside the border. You can set the width of a margin to create a gap between the borders of two adjacent boxes

CSS — BOX MODEL



BOX MODEL — MARGIN SYNTAX

1. Set an even margin on all sides:

```
p {  
  margin: 20px;  
}
```

Title

Lorem ipsum dolor sit amet

2. Set a margin for a specific side:

```
p {  
  margin-top: 20px;  
}
```

```
p {  
  margin-right: 20px;  
}
```

```
p {  
  margin-bottom: 20px;  
}
```

```
p {  
  margin-left: 20px;  
}
```

3. Set different values for multiple sides at once (shorthand)

▸ Values are specified in clockwise order: top, right, bottom, left

```
p {  
  margin: 20px 10px 5px 20px;  
}
```

CSS BOX MODEL

Every box has three properties that can be adjusted to control its appearance:

1

BORDER

Every box has a border, even if it's not visible or specified to be 0 px wide

2

MARGIN


Margins sit outside the border. You can set the width of a margin to create a gap between the borders of two adjacent boxes

3

PADDING

Padding is the space between the border of a box and any content contained within it

CSS — BOX MODEL



BOX MODEL — PADDING SYNTAX

1. Set an even padding on all sides:

```
p {  
  padding: 20px;  
}
```



2. Set the padding on a specific side:

```
p {  
  padding-top: 20px;  
}
```

```
p {  
  padding-right: 20px;  
}
```

```
p {  
  padding-bottom: 20px;  
}
```

```
p {  
  padding-left: 20px;  
}
```

3. Set different values for multiple sides at once (shorthand)

► Values are specified in clockwise order: top, right, bottom, left

```
p {  
  padding: 20px 10px 5px 20px;  
}
```

BOX MODEL — INTERACTIVE MODEL

BOX-SIZING

☒ CONTENT-BOX ☐ BORDER-BOX

PADDING

PADDING-TOP 20px

PADDING-RIGHT 20px

PADDING-BOTTOM 20px

PADDING-LEFT 20px

BORDER

BORDER-TOP 15px

BORDER-RIGHT 15px

BORDER-BOTTOM 15px

BORDER-LEFT 15px

MARGIN

MARGIN-TOP 20px

MARGIN-RIGHT 20px

MARGIN-BOTTOM 20px

MARGIN-LEFT 20px

DIMENSIONS

WIDTH 220px

HEIGHT 220px

GENERATED SIZE

☐ INCLUDE MARGIN

HORIZONTAL: 290px


VERTICAL: 290px

The diagram illustrates the Box Model with four concentric layers:

- CONTENT** (blue): 220 x 220
- PADDING** (green): 20px
- BORDER** (yellow): 15px
- MARGIN** (red): 20px

The total dimensions are 290px horizontally and 290px vertically, including the margin.

CODE ALONG — BOX MODEL



ACTIVITY



EXERCISE

LOCATION

- ▶ starter_code folder > box_model folder

KEY OBJECTIVE

- ▶ Manipulate the "box" around tags

TIMING

5 min

1. Follow the steps under "Now you Try"

CSS PUNS



```
#tower-of-pisa {  
  font-style: italic;  
}
```



CSS PUNS



```
#europe .country {  
border: none;  
}
```



FEWD

TRAVEL BLOG

LAB — TRAVEL BLOG



ACTIVITY



EXERCISE

KEY OBJECTIVE

- ▶ Recreate the Travel Blog site, using Travel_Blog.png as a reference

TASKS

1. Style the provided markup (you'll need to add a css file and link to it from your index.html)
2. Add a webfont (refer to travel_blog_styleguide.pdf)
3. Google and implement the `<article>` and `<footer>` tags.
4. **Bonus:** Add a transition on links to make the hover color fade in (Google)
5. **Super Bonus:** Implement drop caps (hint: look up `::first-letter` pseudo-element)

LEARNING OBJECTIVES

- ▶ Select nested elements to apply styling
- ▶ Differentiate between classes and IDs and apply best practices when implementing.
- ▶ Apply and explain CSS “cascade” including specificity, importance and inheritance.
- ▶ Define CSS Box Model, and demonstrate the ability to properly manipulate the "box" around elements

NEXT CLASS:

On the Road The Adventure of a Lifetime

[Blog](#)[Events](#)[Snapshots](#)[Store](#)[Contact](#)[About](#)

11/12/15

Camping by Loon Lake



Cray culpa stumptown, flexitarian ex Odd Future do fugiat Wes Anderson proident 3 wolf moon officia bitters small batch. Et consequat do, nulla you probably haven't heard of them High Life scenester. Vinyl fugiat High Life, kogi do VHS in aliqua lo-fi leggings gnomify Neutra tumblr. Odio vegan PBR, Marfa forage blue bottle try-hard readymade meggings retro-delectus Echo Park. Ugh consectetur farm-to-table forage, laboris blue bottle McSweeney's tattooed excepteur yr. Magna ut Schlitz flexitarian, vinyl craft beer proident yr forage 8-bit ethical sustainable placeat retro. Officia pickled beard, adipisicing gluten-free sint craft beer quis thundercats id 3 wolf moon fashion awe.

[Continues...](#)

About Us

On the Road is u salvia, fixie mumblecore ex aesthetic qui miron/blog cliché. Retro disrupt keytar PBR, delectus consectetur flexitarian fingerstache selfies nostrud Schlitz. Tempor Wes Anderson banh mi bicycle rights. Eu occaecat Williamsburg yr letterpress, biodiesel plaid tote bag cliché messenger bag kono bespoke sapiente next level.

[More...](#)

Ad

11/11/15

A Morning Hike in Big Sur



Selfies sunt Tumblr, delectus small batch DIY umami sint, Polaris chambray selfies McSweeney's Cosby sweater, Pitchfork tattooed assumenda Wes Anderson Blue Bottle beer Carles enim. Nisi locavore fugiat sapiente salvia aliqua. Shoreditch kogi exercitation fashion awe. Wolf semiotics Pinterest, laboris quis master cleanse tousled small batch street art bespoke fingerstache dreamcatcher ethical labore. Dreamcatcher iPhone typewriter, tote bag four loko fanny pack master cleanse organic PBR reprehenderit actually. Craft beer drinking vinegar wayfarers, pork belly narwhal pariatur polaroid cupidatat in 8-bit distillery anim literally.

[Continues...](#)

Popular Posts

- [Breakfast in the Bay](#)
- [Morning Crescent](#)
- [Above the Clouds](#)
- [Camper update - Kitchen Rehaul](#)
- [Journey through Muir Woods](#)
- [Playing in a Travelling Band](#)
- [Rocky Mountain High](#)
- [Winding our way through Tennessee](#)
- [A Flat Tire and a Lesson Learned](#)
- [Our Brand new Camper!](#)

[Home](#) | [Blog](#) | [Events](#) | [Snapshots](#) | [Store](#) | [Contact](#) | [About](#) | [Tips](#)

© 2015 Rugged Industries, Inc.

FEWD

HOMEWORK

BEFORE WEDNESDAY:

- Finish Travel Blog Part 1
- Have your FEWD folder properly organized

ADVANCED CSS

EXIT TICKETS