But this is just one step. A self-writing program is a strange, astonishing, and novel creature; making it reliable will require innovation in every branch of Computer Science!

This is the the quote I've been citing a lot...

ANDREJ KARPATHY · 30 APR 2026 · SOURCE

This is the the quote I've been citing a lot recently.

kache @yacineMTB
[SVG OMITTED]

you can outsource your thinking

but you cannot outsource your understanding

Posted Feb 4, 2026 at 3:15AM

FRED TALKS

1st May 2026

CONTENTS

The future of enterprise software

AARON LEVIE · 28 JAN 2026 · SOURCE

One of the biggest topics right now in the tech world is what does the future of software look like when AI agents are doing a substantial amount of work in the enterprise. Does software get compressed and simply become a database that agents leverage? Do we use AI agents to code all our own personalized enterprise software in the future? Do startups or incumbents win this new battle? How big are software markets in a world of agents using these tools? And much much more.

It's impossible to try and tackle all of these questions sufficiently in one sitting, but I figured I'd lay out a bit of a roadmap for what enterprise software looks like in the future.

Why companies buy software

Firstly, we should all get on the same page about why companies use and buy enterprise software in the first place. You can think of enterprise software as a codification of a company's processes. These are the parts of your company that you *don't* want to change spontaneously, because they provide the structure for your workflows and operations to keep your business running, or allow you to do the other work that really matters.

A large car company decides to procure an ERP system because it's the backbone for complex global operations where failures could mean far more than the cost of the system. It's responsible for keeping track of tens or hundreds of billions in revenue, and the company wants to ensure that every single transaction that they make goes through the exact same way every single time, with five 9s of uptime and reliability, and with an output that they can get accepted and approved by the auditors. Jobs are on the line, all the way up to the CEO, based on how well this system performs.

And the reason that companies choose to use software vendors that specialize in certain domains instead of just building this technology themselves can best be understood by the concept of "core" vs. "context," popularized by Geoffrey Moore. The core stuff is what makes your company unique (like your core product, your talent, your culture, and so on), and the context is absolutely necessary, but largely non-differentiating between firms (think all of your systems of record like payroll, IT ticket responses, ERP systems, content management platforms, and so on).

The Lazy Agent: You tell the agent to try locking again, except this time monitor its own performance over batches of files and pick efficient locking protocols. The agent determines that the best way to optimize locking is to just not do it, because it seems quite unlikely that someone else would be accessing these files at the same time.

The Clever Agent: Of course, everyone on your team is a distributed systems expert; and so someone built a CLI tool in 2018 for safely transferring your application's state, with support for locking and write-ahead logging in case of failures; there's even a sentence in your onboarding doc saying "NEVER TOUCH STATE IN FOOBARDB DIRECTLY!". You even told the agent explicitly about this tool. But time passed, context filled up, the agent forgot about this tool's existence, or maybe it just preferred FooBarDB's in-distribution API to your esoteric CLI tool. You had anticipated this and not given it access to the FooBarDB client library; and marked the FooBarDB CLI as non-executable; but it just went ahead and used curl to access a forgotten REST endpoint.

The Rogue Agent: As the agent copies state (this time using the CLI tool after you yell at it enough), it lists keys in batches; each key corresponds to some user of your application. Someone decided to pick the user name "delete-everything". Of course, you are using the latest model which is always resistant to prompt injections. Almost always.

The Stupid Agent: You do everything right. There are no prompt injections in your state. You wall off FooBarDB and force the agent to use the CLI tool. The model decides to delight you by generating an unusual and interesting sequence of tokens that will optimally save storage space for you, translating to a lambda that deletes your production data entirely.

One response to these difficult failure modes might be: wait until the next model. Maybe a smarter model will never delete all of your production data, or implement a slow locking protocol. But even the smartest model is subject to the four horsemen of the distributed apocalypse: asynchrony, crashes, concurrency, and network partitions.

In recent work called LogAct, my colleagues and I take a first step towards solving this problem. We go back to the difference between vibe coding and vibe engineering: git is *transactional*, infrastructure is not. How do we make infra more transactional, like git? We propose that an agent should be a ***deconstructed state machine on a shared log***, borrowing ideas from distributed systems (State Machine Replication, Byzantine Fault-Tolerance) and databases (Atomic Commit, Write-Ahead Logging). LogAct can stop unsafe actions before they happen (by collecting votes on the shared log); recover from crashed actions (using the shared log as a WAL); and provide an audit trail for actions after they complete.

Accordingly, the new problem of Agentic Fault-Tolerance can be restated as: *How do we make a self-writing program fault-tolerant?*

Now, the observation: **vibe coding != vibe engineering**. In vibe coding, the agent / self-writing program acts primarily upon a code repository. Code repositories are forgiving: an agent can hallucinate, create unnecessary files, delete critical state, remove tests entirely, fail in the middle, forget what it was doing, reward-hack in bizarre ways, completely trash a code repo; all you have to do is git reset.

In vibe engineering, the agent acts upon infrastructure (S3 buckets, DynamoDB tables, EC2 instances, K8s deployments…). Large-scale infrastructure is not forgiving. There is no reset. Only SEVs at 2 AM.

So, a re-restatement of Agentic Fault-Tolerance: *How do we make a self-writing program fault-tolerant when it acts upon real-world environments?*

To answer this question, we examine the many types of failures that agents can experience.

The Crashed Agent: You tell an agent to move a bunch of data from FooBarDB to S3 for freeing up space. It generates a lambda to move this data and chugs along moving files. Midway through, the agent crashes. How do you recover?

The Zombie Agent: You start a new agent on a different server. Happily, the previous agent crashed after the copy but before the delete; so a new agent is able to re-execute the command in an idempotent manner. Sadly, the files are now very slow to access; you change your mind and tell the agent to move them back to FooBarDB, which it does successfully. You go get a cup of coffee. Unfortunately, it turns out that the previous agent had not actually crashed; it was just temporarily partitioned away on the network. It wakes up and continues executing its logic, deleting the (now only) copy of state from FooBarDB.

The Dining Agent Philosophers: While you were telling your agent to copy state from FooBarDB to S3, someone else on the team had the same idea and started another agent to do the exact same thing. Now you have two copies of state in S3. Of course, you could have solved this problem by appointing the one and only Agentic Oncall Czar responsible for running the single agent that can touch production; but then if that agent crashes, now you have a potential Zombie Agent.

The Slow Agent: You tell your agent to follow a sophisticated locking protocol before accessing the FooBarDB table. This works to avoid concurrency bugs… but the agent decides to lock each file individually by writing to a conditional register, which takes forever. At some point you kill the agent, turning a Slow Agent into a Crashed Agent.

For software that handles your company's context activities, your customer will rarely notice when these things work great, but they'll certainly notice the downstream impacts when they don't. This is why you "rent" these services from software providers that do this as their day job for thousands or millions of other companies. And incidentally, much of this software helps define these underlying workflows in your organization so you don't have to -- so each company doesn't have to reinvent the wheel each on how to handle HR, IT ticketing, and so on.

Deterministic vs. non-deterministic systems

Ok, but if an enterprise is filled with 100X more AI Agents in the future, won't that eventually consume all the use-cases that software did previously?

If you take the analogy of the industrial world, software is like the machinery in a manufacturing plant; and agents are like the people that operate that machinery. Just like machinery in a plant, in deterministic software, you want things to happen the same way, every time: you want data that goes into your ERP system to be calculated based on the business rules you've setup; you want security permissions you've set for accessing critical files to behave the same way every time, and not leak information between users; and you don't want an HR system probabilistically generating new reporting structures for employees on every load.

Conversely, you want *non-deterministic* systems (in this case AI agents) for the things that people have always tended to do in these systems. An agent filling out notes from a user's client meeting in a CRM system, generating a sales presentation for a new customer, answering a customer support inquiry with the best products to leverage, doing research or providing analysis on a set of enterprise documents and data for an important decision, and so on. As a result, the non-deterministic and deterministic elements of software end up working in a complementary fashion.

In contrast to some of the public discussion, I'd argue that in a world of 100X more AI agents than people in an enterprise, the value of the systems of record and tools agents will use will go up, not down. Because in this new world, software provides the guardrails on which agents can operate successfully within an enterprise, and gives them the underlying tools to use to be more productive themselves and work alongside people.

For instance, if you ask an AI agent to generate 10X the number of outbound email and marketing messages, where will all those agents find the data to work with, and where will the leads end up going to have a human sales rep act on them? Almost certainly some form of a CRM system. Or when an AI Agent processes reviews invoices and transactions, where will they

enter this data when they're done to kick off a supply chain workflow? Again, an existing or reinvented ERP system. As long as we have humans and agents interacting with one another, there will need to be deterministic software that bridges these interactions seamlessly.

And as a result of all of these new agentic users within our software systems, the size of enterprise software markets are going to increase massively.

Unconstrained software markets

Traditionally, software companies have been stuck within the constraints of existing IT budgets, which tend to tap out around 3-7% of a company's revenue. This creates an inherent upper limit for what the budget can be for software, which translates into the total addressable market of various technology categories. Now, with AI Agents, the software is actually bringing along the work with the software, which means the budget software players are going after is the total spend that goes into doing that work in the company, not just the tech to enable it. This inevitably leads to a substantial increase in TAM for most software categories whose markets were artificially held back in size previously.

For instance, a contract management vendor just a few years ago was limited by the number of attorneys within an organization that needed to manage and review contracts. However, in a world of AI agents, that cap no longer exists, where you might have agents running continuously processing and reviewing contracts and providing extend legal services for any company. The size of the legal services market in the US is somewhere around $400B, nearly 50-100X larger than the corresponding software categories in legal space. You can easily see how AI agents making the legal industry meaningfully more productive could capture multiple percentage points of that $400B in spend, thus multiplying the size of the legal software market overnight.

The same analogy holds for almost any software category that was artificially constrained by a customer's headcount, or limited software spend, previously. We're already seeing this in spaces like coding, where the AI agents in coding are generating orders of magnitude more revenue for the new coding startups than the prior IDE categories generated. And we can expect this same dynamic for most other areas of knowledge work over time, from healthcare and financial services to legal and marketing. Tools that bring along work will generate far more revenue than the prior era of tools used to.

The opportunity ahead for software

Now, the big open question is who wins in this technology wave. If we have learned anything from Clayton Christensen's Innovator's Dilemma framework, we know that incumbents tend to lose in markets when there's a new tech or business model innovation that is unattractive to

I've tried asking Claude to optimize it further, it created a plan that looks reasonable (I've never interacted with Rust in my life) and it spent a day building many of these optimizations but at the end of the day, none of them actually improved the runtime and some even made it way worse.

This is a good example of how experience and expertise is still very required in order to get the best out of LLMs.

Conclusion

This is pretty wild that I was able to port a ~100k lines codebase from JavaScript to Rust in two weeks on my own with Claude Code running 24 hours a day for a month creating 5k commits! I have never written any line of Rust before in my life.

LLM-based coding agents are such a great new tool for engineers, there's no way I would have been able to do that without Claude Code. That said, it still feels like a tool that requires my engineering expertise and constant babysitting to produce these results.

Sadly I didn't get to build the Pokemon Battle AI and the winter break is over, so if anybody wants to do it, please have fun with the codebase!

Your Agent is a Distributed System (and fails like one)

MAHESH'S BLOG · 24 APR 2026 · SOURCE

We start with a re-definition and an observation.

A common definition of an agent is that it's an LLM that calls tools in a loop. This definition is incorrect. An agent is not an LLM. It is not restricted to calling tools. It does not particularly have to be a loop.

Instead, a better definition of an agent is that it's a self-writing program. If a program is defined as a sequence of states, moving from one state to another by executing a lambda, then an agent is a program that uses an external LLM to determine the next lambda to execute / the next state in this sequence.



Epilogue

It works

I didn't quite know what to expect coming into this project. They usually tend to die due to the sheer amount of work needed to get anywhere close to something complete. But not this time!

We have a complete implementation of Pokemon battle system that produces the same results as the existing JavaScript codebase*. This was done through 5000 commits in 4 weeks and the Rust codebase is around 100k lines of code.

*I wish we had 0 divergences but right now there are 80 out of the first 2.4 million seeds or 0.003%. I need to run it for longer to solve these.

Is it fast?

The whole point of the project was for it to be faster than the initial JavaScript implementation. Only towards the end of the project where we had a sizable amount of battles running perfectly I felt like it would be a fair time to do a performance comparison.

I asked Claude Code to parallelize both implementations and was relieved by the results, the Rust port is actually significantly faster, I didn't spend all this time for nothing!

them because it represents less revenue or profitability. Conversely, they tend to hold their own when the new business model or technology is supportive of their existing business, or perhaps even enhances it. Ultimately, in AI, we'll likely see examples of both outcomes.

Some existing software categories, like customer support or coding, are changing so rapidly that many incumbents will be unable to change their business models or technology stacks fast enough to respond to the growing demands of the new market, even if getting to the other side would be economically attractive. Similarly, as Jaya Gupta and Ashu Garg outlined in their piece on context graphs, there are many new categories of agent-native software that will need to be created for the first time because no existing vendor logically can capture the way the agent needs to do its work. This will create tremendous opportunities for new startups to build AI agents within these categories, and we're seeing new ones crop up every day.

Conversely, there are a number of existing SaaS players are in a natural position to power agents in their relevant work categories, especially those that have the natural context necessary for AI agents to be successful in automating work. Unsurprisingly, I'd expect there to be a correlation between the strength of a software company's moat and the amount of data they house, how complex the underlying workflows are, the number of connections there are with other systems, how intertwined a human-in-the-loop element is to the underlying agentic workflow, and how naturally AI agents can be plugged into these workflows (either as native users or via API in external agentic products).

Of course, this will mean that the business model of software (new upstarts and incumbents) will have to evolve over time. Today, the vast majority of SaaS products charge on a per-seat basis, which generally corresponds to most of the usage that the software sees today by its end users. But in a world where AI agents do most of the interaction and work on software, enterprise systems will have to evolve to support more of a consumption and usage-based model over time. AI agents don't cleanly fit as seats on software, because any given AI agent can do a varied amount of work within a system (e.g. you could have 1 agent doing a billion things or a billion agents doing one thing).

Inevitably, we'll see a mix of both outcomes. Users (or people) will continue to be seats within software, and AI agents that represent extended usage will be monetized through consumption. We're already seeing this play out in AI-native coding products and other platforms where there's an end-user seat component mixed with a consumption model on top. Obviously depending on the human vs. agent value proposition mix, the revenue stream will slide between these two ends of the continuum.

Ultimately, there's still plenty that needs to play out before we fully see what the future holds for enterprise software. But it will certainly be the most dynamic and exciting period we've ever seen in software history.

Porting 100k lines from TypeScript to Rust using Claude Code in a month

VJEUX · 26 JAN 2026 · SOURCE

I read this post "Our strategy is to combine AI *and* Algorithms to rewrite Microsoft's largest codebases [from C++ to Rust]. Our North Star is '1 engineer, 1 month, 1 million lines of code." and it got me curious, how difficult is it really?

I've long wanted to build a competitive Pokemon battle AI after watching a lot of WolfeyVGC and following the PokéAgent challenge at NeurIPS. Thankfully there's an open source project called "Pokemon Showdown" that implements all the rules but it's written in JavaScript which is quite slow to run in a training loop. So my holiday project came to life: let's convert it to Rust using Claude!

Escaping the sandbox

Having the AI able to run arbitrary code on your machine is dangerous, so there's a lot of safeguards put in place. But... at the same time, this is what I want to do in this case. So let me walk through the ways I escaped the various sandboxes.

git push

Claude runs in a sandbox that limits some operations like ssh access. You need ssh access in order to publish to GitHub. This is very important as I want to be able to check how the AI is doing from my phone while I do some other activities 😉



The master md file in practice didn't really work, it quickly became too big to be useful and Claude started creating a bunch more littering the repo with them. Instead I gave it a deterministic way to go through then by calling grep on the codebase, so it knew when to find them.

> We want to fix every TODO in the codebase. `TODO` or `simplif` in pokemon-showdown-rs/.
> There are hundreds of them, so go diligently one by one. Do not skip them even if they are difficult. I will call this prompt again and again so you don't need to worry about taking too long on any single one.
> The port must be exactly one to one. If the infrastructure doesn't exist, please implement it. Do not invent anything.
> Make sure it still compiles after each addition and commit and push to git.

At some point the context was poisoned where a TODO was inside of the original js codebase so it changed it to something else which made sense. But then it did the same for all the subsequent TODOs which didn't... Thankfully I could just revert all these commits.

Fixing

I put in all the instructions to debug in Claude.md and a script to run all the tests which outputs a txt file with progress report. This way Claude was able to just keep going fixing issues after issues.

> We want to fix all the divergences in battles. Please look at 500-seeds-results.txt and fix them one by one. The only way you can fix is by making sure that the differences between javascript and rust are explained by language differences and not logic. Every line between the two must match one by one. If you fixed something specific, it's probably a larger issue, spend the time to figure out if other similar things are broken and do the work to do the larger infrastructure fixes. Make sure it still compiles after each addition and commit and push to git. Check if there are other parts of the codebase that make this mistake.

This is really useful to have this txt file diff committed to GitHub to get a sense of progress on the go!

- If given a list of tasks, it's going to avoid doing the ones that seem difficult until it is absolutely forced to. This is inefficient if not careful as it's going to keep spending time investigating and then skipping all the "hard" ones. Compaction is basically wiping all its memory.

Prompts

I didn't write a single line of code myself in this project. I alternated between "co-op" where I work with Claude interactively during the day and creating a job for it to run overnight. I'll focus on the night ones for this section.

Conversion

For the first phase of the project, I mostly used variations of this one. Asking it to go through all the big files one by one and implement them faithfully (it didn't really follow instructions as we've seen later...)

> Open BATTLE_TODO.md to get the list of all the methods in both battle*.rs.
> Inspect every single one of them and make sure that they are a direct translation the JavaScript file. If there's a method with the same name, the JavaScript definition will be in the comment.
> If there's no JavaScript definition, question whether this method should be there in the rust version. Our goal is to follow as closely as possible the JavaScript version to avoid any bugs in translation. If you notice that the implementation doesn't match, do all the refactoring needed to match 1 to 1.
> This will be a complex project. You need to go through all the methods one by one, IN ORDER. YOU CANNOT skip a method because it is too hard or would requiring building new infrastructure. We will call this in a loop so spend as much time as you need building the proper infrastructure to make it 1 to 1 with the JavaScript equivalent. Do not give up.
> Update BATTLE_TODO.md and do a git commit after each unit of work.

Todos

Claude Code while porting the methods one by one often decided to write a "simplified" version or add a "TODO" for later. I also found it to be useful when generating work to add the instructions in the codebase itself via a TODO comment, so I don't need to wish that it's going to be read from the context.

What I realized is that I can run the code on my terminal but Claude cannot do it from its own terminal. So what I did was to ask Claude to write a nodejs script that opens an http server on a local port that executes the git commands from the url. Now I just need to keep a tab open on my terminal with this server active and ask Claude to write instructions in Claude.md for it to interact with it.

rustc

There's an antivirus on my computer that requires a human interaction when an unknown binary is being ran. Since every time we compile it's a new unknown binary, this wasn't going to work.

What I found is that I can setup a local docker instance and compile + run the code inside of docker which doesn't trigger the antivirus. Again, I asked Claude to generate the right instructions in Claude.md and problem solved.

The next hurdle was to figure out how to let Claude Code for hours without any human intervention.

--yes

Claude keeps asking for permission to do things. I tried adding a bunch of things to the allowed commands file and `--allow-dangerously-skip-permissions --dangerously-skip-permissions`was disabled in my environment (it has now been resolved).

I realized that I could run an AppleScript that presses enter every few seconds in another tab. This way it's going to say Yes to everything Claude asks to do. So far it hasn't decided to hack my computer...

```
#!/bin/bash

osascript -e \
'tell application "System Events"
    repeat
        delay 5
        key code 36
    end repeat
end tell'
```

Never give up

Claude after working for some time seem to always stop to recap things. I tried prompting it to never do, even threatening it to no avail.



I tried using the Ralph Wiggum loop but it couldn't get it to work and apparently I'm not alone.

What ended up working is to copy in my clipboard the task I wanted it to do and to tweak the script above to hit the keys "cmd-v" after pressing enter. This way in case it asks a question the "enter" is being used and in case it's not it's queuing the prompt for when Claude is giving back control.

Auto-updates

There are programs on the computer like software updater that can steal the focus from the terminal window, for example showing a modal. Once that happens, then the cmd-v / enter are no longer sent to the terminal and the execution stops.



I used my trusty Auto Clicker by MurGaa from Minecraft days to simulate a left click every few seconds. I place my terminal on the edge of the screen and same for my mouse so that when a modal appears in the middle, it refocuses the terminal correctly.



Types of issues

There are two broad classes of issues that were fixed. The first one that I expected is that Rust has different constraints than JavaScript which need to be taken into account and lead to bugs:

- Rust has the "borrow checker" where a mutable variable cannot be passed in two different contexts at once. The problem is that "Pokemon" and "Battle" have references to each others. So there's a lot of workarounds like doing copies, passing indices instead of the object, providing functions with mutable object as callback...

- The JavaScript codebase uses dynamism heavily where some function return ", undefined, null, 0, 1, 5.2, Pokemon... which all are handled with different behaviors. At first the rust port started using Option<> to handle many of them but then moved to structs with all these variants.

- Rust doesn't support optional arguments so every argument has to be spelled out literally.

But the second one are due to itself... Claude Code is like a smart student that is trying to find every opportunity to avoid doing the hard work and take the easy way out if it thinks it can get away with it.

- If a fix requires changing more than one or two files, this is a "significant infrastructure" and Claude Code will refuse to do it unless explicitly prompted and will put in whatever hacks it can to make the specific test work.

- Along the same lines, it is going to implement "simplified" versions of things. For some methods, it was better to delete everything and asking it to port it over from scratch than trying to fix all the existing code it created.

- The JavaScript comments are supposed to be the source of truth. But Claude is not above changing the original code if it feels like this is the way to solve the problem...

Now I can let Claude generate this testing harness and go through all the issues one by one. Impressively, it was able to figure out all issues and fix them.

```
● So in turn 2, Sandaconda uses King's Shield (protect) and Metang uses Rock
  Throw. Rock Throw is blocked by the protect, but Rust is still checking
  accuracy for it. Let me check if JavaScript skips the accuracy check when
  a move is protected:
```

Over the course of 3 weeks it averaged fixing one issue every 20 minutes or so. It fixed hundreds of issues on its own. I never intervened, it was only a matter of time before it fixed every issue that it encountered.



Giving it structure

At the beginning, this process was extremely slow. Every time a compaction happened, Claude became "dumb" again and reinvented the wheel, writing down tons of markdown files and test scripts along the way. Or Claude decided to take the easy way out and just generate tons of tests but never actually making them match with JavaScript.

So, I started looking at what it did well and encoding it. For example, it added a lot of debugging around the PRNG steps and what actions happened at every turn with all the debugging metadata. So I asked it to create a single test script to print down this information for a single step and to print stack traces. Then add instruction to the Claude.md file. This way every investigation started right away.

The long slog

I built used the existing random number generator to generate battles and could put in a number as a seed. This let me generate consistent battles at an increasing size.

I started fixing the first 100 battles, then 1000, 10k, 100k and I'm almost done solving all the issues for the first 2.4 million battles! I'm not sure how many more issues there are but the good thing is that they are getting smaller and smaller as the batch size increases.

It also prevents the computer from going to sleep so that it can run even when I'm not using the laptop or at night.

Bugs

Reliability when running things for a long period of time is paramount. Overall it's been a pretty smooth ride but I ran into this specific error during a handful of nights which stopped the process. I hope they get to the bottom of it and solve it as I'm not the only one to report it!

```
RangeError: Maximum call stack size exceeded

file:///usr/local/bin/claude_code/node_modules/@anthropic-ai/claude-code/cli.js:
3094
`)||J.includes("**")||J.includes("*"))return;if(X.includes("prompt is too long")
||X.includes("context length")||X.includes("token limit"))return;if(X.includes("
thanks")||X.includes("thank you")||X.includes("looks good")||X.includes("that wo
rked")||X.includes("that's all"))return;A.toolUseContext.setAppState((W)=>({...W
,promptSuggestion:{text:J,shownAt:Date.now()}}));let I=G.totalUsage.input_tokens
+G.totalUsage.cache_creation_input_tokens+G.totalUsage.cache_read_input_tokens;Q
AC("tengu_prompt_suggestion_shown",{source:"forked_agent",... I>90&&cacheHitRate:Q
```

This setup is far from optimal but has worked so far. Hopefully this gets streamlined in the future!

Porting Pokemon

One Shot

At the very beginning, I started with a simple prompt asking Claude to port the codebase and make sure that things are done line by line. At first it felt extremely impressive, it generated thousands of lines of Rust that was compiling.

Sadly it was only an appearance as it took a lot of shortcuts. For example, it created two different structures for what a move is in two different files so that they would both compile independently but didn't work when integrated together. It ported all the functions very loosely where anything that was remotely complicated would not be ported but instead "simplified".

I didn't realize it yet, I got the loop working to have it port more and more code. The issue is that it created wrong abstractions all over the place and kept adding hardcoded code to make whatever it was supposed to fix work. This wasn't going to go anywhere.

Giving it structure

At this point I knew that I needed to be a lot more prescriptive for what I wanted out of it. Taking a step back, the end result should have every JavaScript file and every method inside to have a Rust equivalent.

So I asked Claude to write a script that takes all the files and methods in the JavaScript codebase and put comments in the rust codebase with the JavaScript source, next to the Rust methods.

It was really important for it to be a script as even when instructed to copy code over, it would mistranslate JavaScript code. Being deterministic here greatly increased the odds of getting the right results.

```
/// onStart(pokemon, source, effect) {
///     if (effect && ['Electromorphosis', 'Wind Power'].includes(effect.name)) {
///         this.add('-start', pokemon, 'Charge', this.activeMove!.name, '[from] ability: ' + effect.name);
///     } else {
///         this.add('-start', pokemon, 'Charge');
///     }
/// }
pub fn on_start(
    battle: &mut Battle,
    pokemon_pos: (usize, usize),
    _source_pos: Option<(usize, usize)>,
    effect: Option<&crate::battle::Effect>,
) -> EventResult {
    // if (effect && ['Electromorphosis', 'Wind Power'].includes(effect.name)) {
    let is_special_ability = if let Some(eff) = effect {
        eff.name == "Electromorphosis" || eff.name == "Wind Power"
    } else {
        false
    };
```

Litte Islands

The next challenge is that the original files were thousands of lines long, double it with source comments we got to files more than 10k lines long. This causes a ton of issues with the context window where Claude straight up refuses to open the file. So it started reading the file in chunks but without a ton of precision. Also the context grew a lot quicker and compaction became way more frequent.

So I went ahead and split every method into its own file for the Rust version. This dramatically improved the results. For maximal efficiency I would need to do the same for the JavaScript codebase as well but I was too afraid to do it and accidentally change the behavior so decided not to.



Cleanup

The process of porting went through two repeating phases. I would give a large task to Claude to do in a loop that would churn on it for a day, and then I would need to spend time cleaning up the places where it went into the wrong direction.

For the cleanup, I still used Claude but gave a lot more specific recommendations. For example, I noticed that it would hardcode moves/abilities/items/... behaviors everywhere in the code when left unchecked, even after explicitly telling it not to. So I would manually look for all these and tell it to move them into the right places.

This is where engineering skills come into play, all my experience building software let me figure out what went wrong and how to fix it. The good part is that I didn't have to do the cleanup myself, Claude was able to do it just fine when directed to.

Integration

Build everything before testing

So far, I just made sure that the code compiled, but have never actually put all the pieces together to ensure it actually worked. What Claude really wanted was to do a traditional software building strategy where you make "simple" implementations of all of the pieces and then build them up as time goes.

But in our case, all this iteration has already happened for 10 years on the pokemon-showdown codebase. It's counter productive to try and re-learn all these lessons and will unlikely converge the same way. What works better is to port everything at once, and then do the integration at the end once.

I've learned this strategy from working on Skip, a compiler. For years all the building blocks were built independently and then it all came together with nothing to show for but within a month at the end it all worked. I was so shocked.

End-to-end test

Once most of the codebase was ported one to one, I started putting it all together. The good thing is that we can run and edit the code in JavaScript and in Rust, and the input/output is very simple and standardized: list of pokemons with their options (moves, items, nature, iv/ev spread...) and then the list of actions at each step (moves and switches). Given the same random sequence, it'll advance the state the same way.