The Rogue Agent: As the agent copies state (this time using the CLI tool after you yell at it enough), it lists keys in batches; each key corresponds to some user of your application. Someone decided to pick the user name “delete-everything”. Of course, you are using the latest model which is always resistant to prompt injections. Almost always.

The Stupid Agent: You do everything right. There are no prompt injections in your state. You wall off FooBarDB and force the agent to use the CLI tool. The model decides to delight you by generating an unusual and interesting sequence of tokens that will optimally save storage space for you, translating to a lambda that deletes your production data entirely.

One response to these difficult failure modes might be: wait until the next model. Maybe a smarter model will never delete all of your production data, or implement a slow locking protocol. But even the smartest model is subject to the four horsemen of the distributed apocalypse: asynchrony, crashes, concurrency, and network partitions.

In recent work called LogAct, my colleagues and I take a first step towards solving this problem. We go back to the difference between vibe coding and vibe engineering: git is *transactional*, infrastructure is not. How do we make infra more transactional, like git? We propose that an agent should be a ***deconstructed state machine on a shared log***, borrowing ideas from distributed systems (State Machine Replication, Byzantine Fault-Tolerance) and databases (Atomic Commit, Write-Ahead Logging). LogAct can stop unsafe actions before they happen (by collecting votes on the shared log); recover from crashed actions (using the shared log as a WAL); and provide an audit trail for actions after they complete.

But this is just one step. A self-writing program is a strange, astonishing, and novel creature; making it reliable will require innovation in every branch of Computer Science!

FRED TALKS

14th October 2026

CONTENTS

Big tech engineers need big egos
SEANGOEDECKE.COM RSS FEED · 1975 WORDS

Every layer of review makes you 10x slower
AVERY PENNARUN · 2841 WORDS

Ownership
THORSTEN BALL · 1122 WORDS

Control the ideas, not the code
ANTIREZ.COM · 1245 WORDS

Your Agent is a Distributed System (and fails like one)
MAHESH'S BLOG · 1053 WORDS

Big tech engineers need big egos

SEANGOEDECKE.COM RSS FEED · 14 MAR 2026 · SOURCE

It's a common position among software engineers that big egos have no place in tech[1]. This is understandable - we've all worked with some insufferably overconfident engineers who needed their egos checked - but I don't think it's correct. In fact, I don't know if it's possible to survive as a software engineer in a large tech company without some kind of big ego.

However, it's more complicated than "big egos make good engineers". The most effective engineers I've worked with are simultaneously high-ego in some situations and surprisingly low-ego in others. What's going on there?

Engineers need ego to work in large codebases

Software engineering is shockingly humbling, even for experienced engineers. There's a reason this joke is so popular:



The minute-to-minute experience of working as a software engineer is dominated by *not knowing things* and *getting things wrong*. Every time you sit down and write a piece of code, it will have several things wrong with it: some silly things, like missing semicolons, and often some major things, like bugs in the core logic. We spend most of our time fixing our own stupid mistakes.

On top of that, even when we've been working on a system for years, we still don't know that much about it. I wrote about this at length in *Nobody knows how large software products work*, but the reason is that big codebases are just that complicated. You simply can't confidently answer questions about them without going and doing some research, even if you're the one who wrote the code.

To answer this question, we examine the many types of failures that agents can experience.

The Crashed Agent: You tell an agent to move a bunch of data from FooBarDB to S3 for freeing up space. It generates a lambda to move this data and chugs along moving files. Midway through, the agent crashes. How do you recover?

The Zombie Agent: You start a new agent on a different server. Happily, the previous agent crashed after the copy but before the delete; so a new agent is able to re-execute the command in an idempotent manner. Sadly, the files are now very slow to access; you change your mind and tell the agent to move them back to FooBarDB, which it does successfully. You go get a cup of coffee. Unfortunately, it turns out that the previous agent had not actually crashed; it was just temporarily partitioned away on the network. It wakes up and continues executing its logic, deleting the (now only) copy of state from FooBarDB.

The Dining Agent Philosophers: While you were telling your agent to copy state from FooBarDB to S3, someone else on the team had the same idea and started another agent to do the exact same thing. Now you have two copies of state in S3. Of course, you could have solved this problem by appointing the one and only Agentic Oncall Czar responsible for running the single agent that can touch production; but then if that agent crashes, now you have a potential Zombie Agent.

The Slow Agent: You tell your agent to follow a sophisticated locking protocol before accessing the FooBarDB table. This works to avoid concurrency bugs… but the agent decides to lock each file individually by writing to a conditional register, which takes forever. At some point you kill the agent, turning a Slow Agent into a Crashed Agent.

The Lazy Agent: You tell the agent to try locking again, except this time monitor its own performance over batches of files and pick efficient locking protocols. The agent determines that the best way to optimize locking is to just not do it, because it seems quite unlikely that someone else would be accessing these files at the same time.

The Clever Agent: Of course, everyone on your team is a distributed systems expert; and so someone built a CLI tool in 2018 for safely transferring your application's state, with support for locking and write-ahead logging in case of failures; there's even a sentence in your onboarding doc saying "NEVER TOUCH STATE IN FOOBARDB DIRECTLY!". You even told the agent explicitly about this tool. But time passed, context filled up, the agent forgot about this tool's existence, or maybe it just preferred FooBarDB's in-distribution API to your esoteric CLI tool. You had anticipated this and not given it access to the FooBarDB client library; and marked the FooBarDB CLI as non-executable; but it just went ahead and used curl to access a forgotten REST endpoint.

Matteo Collina yesterday asked me, in reply to my tweet: but didn’t y

Fable and GPT 5.6 reviews to the sorted sets memory saving are going

:

Your Agent is a Distributed System (and fails like one)

MAHESH’S BLOG · 24 APR 2026 · SOURCE

We start with a re-definition and an observation.

A common definition of an agent is that it’s an LLM that calls tools in a loop. This definition is incorrect. An agent is not an LLM. It is not restricted to calling tools. It does not particularly have to be a loop.

Instead, a better definition of an agent is that it’s a self-writing program. If a program is defined as a sequence of states, moving from one state to another by executing a lambda, then an agent is a program that uses an external LLM to determine the next lambda to execute / the next state in this sequence.

Accordingly, the new problem of Agentic Fault-Tolerance can be restated as: *How do we make a self-writing program fault-tolerant?*

Now, the observation: **vibe coding != vibe engineering**. In vibe coding, the agent / self-writing program acts primarily upon a code repository. Code repositories are forgiving: an agent can hallucinate, create unnecessary files, delete critical state, remove tests entirely, fail in the middle, forget what it was doing, reward-hack in bizarre ways, completely trash a code repo; all you have to do is git reset.

In vibe engineering, the agent acts upon infrastructure (S3 buckets, DynamoDB tables, EC2 instances, K8s deployments…). Large-scale infrastructure is not forgiving. There is no reset. Only SEVs at 2 AM.

So, a re-restatement of Agentic Fault-Tolerance: *How do we make a self-writing program fault-tolerant when it acts upon real-world environments?*

When you have to build something new or fix a tricky problem, it can often feel straight-up impossible to begin, because good software engineers know just how ignorant they are and just how complex the system is. You just have to throw yourself into the blank sea of millions of lines of code and start wildly casting around to try and get your bearings.

Software engineers need the kind of ego that can stand up to this environment. In particular, they need to have a firm belief that they *can* figure it out, no matter how opaque the problem seems; that if they just keep trying, they can break through to the pleasant (though always temporary) state of affairs where they understand the system and can see at a glance how bugs can be fixed and new features added[2].

Engineers need ego to work in big tech companies

What about the non-technical aspects of the job? Nobody likes working with a big ego, right? Wrong. Every great software engineer I’ve worked with in big tech companies has had a big ego - though as I’ll say below, in some ways these engineers were surprisingly low-ego.

You need a big ego to take positions. Engineers love being non-committal about technical questions, because they’re so hard to answer and there’s often a plausible case for either side. However, as I keep saying, engineers have a duty to take clear positions on unclear technical topics, because the alternative is a non-technical decision maker (who knows even less) just taking their best guess. It’s scary to make an educated guess! You know exactly all the reasons you might be wrong. But you have to do it anyway, and ego helps *a lot* with that.

You need a big ego to be willing to make enemies. Getting things done in a large organization means making some people angry. Of course, if you’re making lots of people angry, you’re probably screwing up: being too confrontational or making obviously bad decisions. But if you’re making a large change and one or two people are angry, that’s just life. In big tech companies, any big technical decision will affect a few hundred engineers, and one of them is bound to be unhappy about it. You can’t be so conflict-averse that you let that stop you from doing it, if you believe it’s the right decision. In other words, you have to have the confidence to believe that you’re right and they’re wrong, even though technical decisions always involve unclear tradeoffs and it’s impossible to get absolute certainty.

You need a big ego to correct incorrect or unclear claims. When I was still in the philosophy world, the Australian logician Graham Priest had a reputation for putting his hand up and stopping presentations when he didn’t understand something that was said, and only allowing the seminar to continue when he felt like he understood. From his perspective, this wasn’t rude: after all, if *he* couldn’t understand it, the rest of the audience probably couldn’t either, and so he was doing them a favor by forcing a more clear explanation from the speaker.

This is obviously a sign of a big ego. It's also a trait that you need in a large tech company. People often nod and smile their way past incorrect technical claims, even when they suspect they might be wrong - assuming that they've just misunderstood and that somebody else will correct it, if it's truly wrong. **If you are the most senior engineer in the room, correcting these claims is your job.**

If everyone in the room is so pro-social and low-ego that they go along to get along, decisions will get made based on flatly incorrect technical assumptions, projects will get funded that are impossible to complete, and engineers will burn weeks or months of their careers vainly trying to make these projects work. You have to have a big enough ego to think "actually, I think I'm right and everyone in this room is confused", even when the room is full of directors and VPs.

Sometimes you need to put your ego aside

All of this selects for some pretty high-ego engineers. But in order to actually *succeed* in these roles in large tech companies, you need to have a surprisingly low ego at times. **I think this is why *really* effective big tech engineers are so rare: because it requires such a delicate balance between confidence and diffidence.**

To be an effective engineer, you need to have a towering confidence in your own ability to solve problems and make decisions, even when people disagree. But you also need to be willing to instantly subordinate your ego to the organization, when it asks you to. At the end of the day, your job - the reason the company pays you - is to execute on your boss's and your boss's boss's plans, whether you agree with them or not.

Competent software engineers are allowed quite a lot of leeway about *how* to implement those plans. However, they're allowed almost no leeway at all about the plans themselves. In my experience, being confused about this is a common cause of burnout[3]. Many software engineers are used to making bold decisions on technical topics and being rewarded for it. Those software engineers then make a bold decision that disagrees with the VP of their organization, get immediately and brutally punished for it, and are confused and hurt.

In fact, **sometimes you just get punished and there's nothing you can do.** This is an unfortunate fact of how large organizations function: even if you do great technical work and build something really useful, you can fall afoul of a political battle fought three levels above your head, and come away with a *worse* reputation for it. Nothing to be done! This can be a hard pill to swallow for the high-ego engineers that tend to lead really useful technical projects.

In fact, I don't expect *anybody* to *always* do *all of these things* for *everything*. It's a mental checklist of things to consider — problem, edge cases, tradeoffs, deployment, customers, messaging, … — but for quite a few things there aren't edge cases to consider. Or big tradeoffs to weigh. Or deployment is a solved problem. And maybe someone else does the messaging for you.

And I imagine that most of these things you shouldn't even consider when you work in a company with, say, 5000 employees. I've never worked in a company that large, only startups, so I can't speak to how to successfully ship a software feature at Apple, end to end.

But when you work in a small company in which there's only a single department, when you want to build things you're proud of, when you work with me and you say own something, I expect you to keep these things in mind and run through them before you declare something as done.



You know what *you* should own? A subscription to this newsletter:

Control the ideas, not the code

ANTIREZ.COM · 18 JUL 2026 · SOURCE

```
Look at the past history of this blog. There are many blog posts abou

So mine is a trick. People feel more and more programming is complete

This is why yesterday, on X, I said that I believe many programmers a

1. You can now generate a lot of code, even *not* accounting for the

2. LLMs are very good at writing locally optimal code, and are worse

3. The working day is 8 hours. If you read the code, it is a tradeoff

Controlling the ideas. Do you remember this phrasing from the Mythica
```

- Test it manually. Yes, there's automated tests. But in 99% of cases you can manually test or confirm that what you built works: you can run it yourself, you can ask an agent to run through test scenarios, you can poke at the data before and after, you can take screenshots, you can make a demo. Are you sure that what you did actually solves the problem?

- Make sure it lands in production and *works in production*. Is it deployed? Did the deploy fail? Do you need to activate a feature flag? Does the feature flag work? Can you use it in production? Can you confirm it's actually deployed?

- If you think your colleagues needs to know about this change, because it's new feature they should all test, or it's a new convention in codebase, or maybe it's a tricky thing everybody needs to be aware of, or something else: let them know! Do not underestimate peripheral vision: knowing that person X yesterday changed the behavior of how Z works might save person Y three hours of debugging today when a bug report related to Z comes in.

- Do customers need to know? Who reported the bug? Who's blocked? Let them know.

- Does the world need to know? Announce that it's out.

- Are there follow-ups? Do you need to check on what you shipped in the logs? A week later maybe?

Yes, that's a lot. And there's actually more, because I'm sure I forgot some stuff.

But that's how you build a product in a small team. We don't have PMs, we don't have a Q&A department. We're small, but we're *great*, we can do all of that.

And it's always okay to ask for help, it's okay to ask questions, it's okay to redo things and triple-check. What's not okay is to implicitly assume that someone else will do the things here that you haven't thought about.



"How does this apply juniors? You can't expect them to really do all of that?"

I've been asked these questions, or variations of them, after I shared the thoughts above and here's my answer.

I do *not* expect juniors to *do* all of these things right away. But I would expect them to read through the list and *aspire* to one day be able to do all of these things. Until then, they can and should ask for help.

You also have to be okay with having your projects cancelled at the last minute. It's a very common experience in large tech companies that you're asked to deliver something quickly, you buckle down and get it done, and then right before shipping you're told "actually, let's cancel that, we decided not to do it". This is partly because the decision-making process can be pretty fluid, and partly because many of these asks originate from off-hand comments: the CTO implies that something might be nice in a meeting, the VPs and directors hustle to get it done quickly, and then in the next meeting it becomes clear that the CTO doesn't actually care, so the project is unceremoniously cancelled[4].

Final thoughts

Nobody likes to work with a bully, or with someone who refuses to admit when they're wrong, or with somebody incapable of empathy. But you really do need a strong ego to be an effective software engineer, because software engineering requires you to spend most of your day in a position of uncertainty or confusion. If your ego isn't strong enough to stand up to that - if you don't believe you're good enough to power through - you simply can't do the job.

This is particularly true when it comes to working in a large software company. Many of the tasks you're required to do (particularly if you're a senior or staff engineer) require a healthy ego. However, there's a kind of catch-22 here. If it insults your pride to work on silly projects, or to occasionally "catch a stray bullet" in the organization's political fights, or to have to shelve a project that you worked hard on and is ready to ship, you're too high-ego to be an effective software engineer. But if you can't take firm positions, or if you're too afraid to make enemies, or you're unwilling to speak up and correct people, you're too low-ego.

Engineers who are low-ego in general can't get stuff done, while engineers who are high-ego in general get slapped down by the executives who wield real organizational power. The most successful kind of software engineer is therefore a chameleon: low-ego when dealing with executives, but high-ego when dealing with the rest of the organization[5].

1. What do I mean by "ego", in this context? More or less the colloquial sense of the term: a somewhat irrational self-confidence, a tendency to believe that you're very important, the sense that you're the "main character", that sort of thing

   ↩

2. Why is this "ego", and not just normal confidence? Well, because of just how murky and baffling software problems feel when you start working on them. You really do need a degree of confidence in yourself that feels unreasonable from the inside. It should be

obvious, but I want to explicitly note that you don't *just* need ego: you also have to be technically strong enough to actually succeed when your ego powers you through the initial period of self-doubt.

↩

3. I share the increasingly-common view that burnout is not caused by working too hard, but by hard work unrewarded. That explains why nothing burns you out as hard as being punished for hard work that you expected a reward for.

↩

4. It's more or less exactly this scene from Silicon Valley.

↩

5. This description sounds a bit sociopathic to me. But, on reflection, it's fairly unsurprising that competent sociopaths do well in large organizations. Whether that kind of behavior is worth emulating or worth avoiding is up to you, I suppose.

↩

Every layer of review makes you 10x slower

AVERY PENNARUN · 26 MAR 2026 · SOURCE

2026-03-16 »

Every layer of review makes you 10x slower

We've all heard of those network effect laws: the value of a network goes up with the square of the number of members. Or the cost of communication goes up with the square of the number of members, or maybe it was n log n, or something like that, depending how you arrange the members. Anyway doubling a team doesn't double its speed; there's coordination overhead. Exactly how much overhead depends on how badly you botch the org design.

Just had a (great) conversation about ownership and engineering here and I realized that I often use the phrase "ownership" or allude to it, but haven't explained what "ownership" means to me in a while.

So, ownership.

If I ask you "can you own this?" or "can you take care of this?" or "are you on it?" — what I'm doing is I'm asking you to *own* it, to own the solution of a problem from end to end. From "we have a problem" to "we don't have to think about it again."

That means, when you say that you're owning something, the expectation is that you…

- Think about what the problem actually is. Maybe you already have a solution in mind, without having thought about what we're actually trying to solve here. Maybe you think "the problem is that we need to migrate from using X to using Y", but that's not a problem, that's a solution. The problem is likely something like "performance is bad", "it's not stable", "it fails for customer x". Maybe there's other possible solutions to that? Think about those. What are the tradeoffs? What's the best solution to go with considering these tradeoffs?

- Think about edge cases. What are they? Which ones are important? Which ones can we ignore?

- Think about failures. Network failures are a given, for example. How do we handle them? Retry? Well, how often? How long?

- Think about data flow. How much data is involved here? Does data need to be migrated? Cleaned up? How can I get my hands on data to properly test this? What invariants are in the data? What assumptions do I have about the shape of the data that I haven't confirmed yet?

- Think about how you'd test this. How can I know that what I built is correct or not? Are tests enough? Do I need to manually poke at things? Is the difference visible on a screenshot or in a video?

- How would we announce this? How do we communicate it? Can you picture it? How does it fit into the larger picture of our roadmap? Questions or concerns in that area — push back! ask!

- Do the work, with precision, with care, with a sense of urgency, with calmness. Do not half-ass things. Before you merge, ask yourself: am I proud of this? would I show this to John Carmack and say "here's what I built, under these constraints, with these tradeoffs?"

Every team has some monoliths that are a little too big, and too many layers of reviews. Maybe we won't get all the way to Singularity. But, we can engineer a much better world. Our problems are solvable.

It just takes trust.

Related

Highlights on "quality," and Deming's work as it applies to software development (2016)

Systems design 3: LLMs and the semantic revolution (2025)

Unrelated

SimSWE part 2: The perils of multitasking (2017)

Ownership

THORSTEN BALL · 08 JUL 2026 · SOURCE

Thoughts on ownership I sent to the Amp team in internal note

The following is an internal Slack message I sent to my Amp teammates after I had a conversation with one of them about ownership. It's only lightly edited.

I shared it before, but not here, because I didn't think too much of it. Then today, someone said their CTO shared my post with them and I thought: well, now I have to put it in the newsletter, don't I? So here we are.

Below, after the Slack post, I added some thoughts on juniors on how I see this advice applying to them.



But there's one rule of thumb that someone showed me decades ago, that has stuck with me ever since, because of how annoyingly true it is. The rule is annoying because it doesn't *seem* like it should be true. There's no theoretical basis for this claim that I've ever heard. And yet, every time I look for it, there it is.

Here we go:

Every layer of approval makes a process 10x slower

I know what you're thinking. Come on, 10x? That's a lot. It's unfathomable. Surely we're exaggerating.

Nope.

Just to be clear, we're counting "wall clock time" here rather than effort. Almost all the extra time is spent sitting and waiting.

Look:

- Code a simple bug fix
  30 minutes

- Get it code reviewed by the peer next to you
  300 minutes → 5 hours → half a day

- Get a design doc approved by your architects team first
  50 hours → about a week

- Get it on some other team's calendar to do all that
  (for example, if a customer requests a feature)
  500 hours → 12 weeks → one fiscal quarter

I wish I could tell you that the next step up — 10 quarters or about 2.5 years — was too crazy to contemplate, but no. That's the life of an executive sitting above a medium-sized team; I bump into it all the time even at a relatively small company like Tailscale if I want to change product direction. (And execs sitting above large teams can't actually do work of their own at all. That's another story.)

AI can't fix this

First of all, this isn't a post about AI, because AI's direct impact on this problem is minimal. Okay, so Claude can code it in 3 minutes instead of 30? That's super, Claude, great work.

Now you either get to spend 27 minutes reviewing the code yourself in a back-and-forth loop with the AI (this is actually kinda fun); or you save 27 minutes and submit unverified code to the code reviewer, who will still take 5 hours like before, but who will now be mad that you're making them read the slop that you were too lazy to read yourself. Little of value was gained.

Now now, you say, that's not the value of agentic coding. You don't use an agent on a 30-minute fix. You use it on a monstrosity week-long project that you and Claude can now do in a couple of hours! Now we're talking. Except no, because the monstrosity is so big that your reviewer will be extra mad that you didn't read it yourself, and it's too big to review in one chunk so you have to slice it into new bite-sized chunks, each with a 5-hour review cycle. And there's no design doc so there's no intentional architecture, so eventually someone's going to push back on that and here we go with the design doc review meeting, and now your monstrosity week-long project that you did in two hours is... oh. A week, again.

I guess I could have called this post Systems Design 4 (or 5, or whatever I'm up to now, who knows, I'm writing this on a plane with no wifi) because yeah, you guessed it. It's Systems Design time again.

The only way to sustainably go faster is fewer reviews

It's funny, everyone has been predicting the Singularity for decades now. The premise is we build systems that are so smart that they themselves can build the next system that is even smarter, that builds the next smarter one, and so on, and once we get that started, if they keep getting smarter faster enough, then the incremental time (t) to achieve a unit (u) of improvement goes to zero, so (u/t) goes to infinity and foom.

Anyway, I have never believed in this theory for the simple reason we outlined above: the majority of time needed to get anything done is not actually the time doing it. It's wall clock time. Waiting. Latency.

And you can't overcome latency with brute force.

I know you want to. I know many of you now work at companies where the business model kinda depends on doing exactly that.

Sorry.

But you can't just *not review* things!

Ah, well, no, actually yeah. You really can't.

How? You can fully adopt the new system, in small bites. What if some components of your system can be built the new way? Imagine an old-school U.S. auto manufacturer buying parts from Japanese suppliers; wow, these parts are so well made! Now I can start removing QA steps elsewhere because I can just assume the parts are going to work, and my job of "assemble a bigger widget from the parts" has a ton of its complexity removed.

I like this view. I've always liked small beautiful things, that's my own bias. But, you can assemble big beautiful things from small beautiful things.

It's a lot easier to build those individual beautiful things in small teams that trust each other, that know what quality looks like *to them*. They deliver their things to customer teams who can clearly explain what quality looks like *to them*. And on we go. Quality starts bottom-up, and spreads.

I think small startups are going to do really well in this new world, probably better than ever. Startups already have fewer layers of review just because they have fewer people. Some startups will figure out how to produce high quality components quickly; others won't and will fail. Quality by natural selection?

Bigger companies are gonna have a harder time, because their slow review systems are baked in, and deleting them would cause complete chaos.

But, it's not just about company size. I think engineering teams at any company can get smaller, and have better defined interfaces between them.

Maybe you could have multiple teams inside a company competing to deliver the same component. Each one is just a few people and a few coding bots. Try it 100 ways and see who comes up with the best one. Again, quality by evolution. Code is cheap but good ideas are not. But now you can try out new ideas faster than ever.

Maybe we'll see a new optimal point on the monoliths-microservices continuum. Microservices got a bad name because they were too micro; in the original terminology, a "micro" service was exactly the right size for a "two pizza team" to build and operate on their own. With AI, maybe it's one pizza and some tokens.

What's fun is you can also use this new, faster coding to experiment with different module *boundaries* faster. *Features* are still hard for lots of reasons, but refactoring and automated integration testing are things the AIs excel at. Try splitting out a module you were afraid to split out before. Maybe it'll add some lines of code. But suddenly lines of code are cheap, compared to the coordination overhead of a bigger team maintaining both parts.

Every time something goes wrong, you have to ask, “How did this happen?” and then do a whole post-mortem and the Five Whys (or however many Whys are in fashion nowadays) and fix the underlying Root Causes so that it doesn’t happen again. “The coder did it wrong” is never a root cause, only a symptom. Why was it possible for the coder to get it wrong?

The job of a code reviewer isn't to review code. It's to figure out how to obsolete their code review comment, that whole class of comment, in all future cases, until you don't need their reviews at all anymore.

(Think of the people who first created "go fmt" and how many stupid code review comments about whitespace are gone forever. Now that's engineering.)

By the time your review catches a mistake, the mistake has already been made. The root cause happened already. You're too late.

Modularity

I wish I could tell you I had all the answers. Actually I don’t have much. If I did, I’d be first in line for the Singularity because it sounds kind of awesome.

I think we’re going to be stuck with these systems pipeline problems for a long time. Review pipelines — layers of QA — don’t work. Instead, they make you slower while hiding root causes. Hiding causes makes them harder to fix.

But, the call of AI coding is strong. That first, fast step in the pipeline is *so fast!* It really does feel like having super powers. I want more super powers. What are we going to do about it?

Maybe we finally have a compelling enough excuse to fix the 20 years of problems hidden by code review culture, and replace it with a real culture of quality.

I think the optimists have half of the right idea. Reducing review stages, even to an uncomfortable degree, is going to be needed. But you can’t just reduce review stages without something to replace them. That way lies the Ford Pinto or any recent Boeing aircraft.

The complete package, the table flip, was what Deming brought to manufacturing. You can’t half-adopt a “total quality” system. You need to eliminate the reviews *and* obsolete them, in one step.

There are now many people who have seen the symptom: the start of the pipeline (AI generated code) is so much faster, but all the subsequent stages (reviews) are too slow! And so they intuit the obvious solution: stop reviewing then!

The result might be slop, but if the slop is 100x cheaper, then it only needs to deliver 1% of the value per unit and it's still a fair trade. And if your value per unit is even a mere 2% of what it used to be, you’ve doubled your returns! Amazing.

There are some pretty dumb assumptions underlying that theory; you can imagine them for yourself. Suffice it to say that this produces what I will call the AI Developer’s Descent Into Madness:

1. Whoa, I produced this prototype so fast! I have super powers!
2. This prototype is getting buggy. I’ll tell the AI to fix the bugs.
3. Hmm, every change now causes as many new bugs as it fixes.
4. Aha! But if I have an AI agent also review the code, it can find its own bugs!
5. Wait, why am I personally passing data back and forth between agents
6. I need an agent framework
7. I can have my agent write an agent framework!
8. Return to step 1

It’s actually alarming how many friends and respected peers I’ve lost to this cycle already. Claude Code only got good maybe a few months ago, so this only recenlty started happening, so I assume they will emerge from the spiral eventually. I mean, I hope they will. We have no way of knowing.

Why we review

Anyway we know our symptom: the pipeline gets jammed up because of too much new code spewed into it at step 1. But what's the root cause of the clog? Why doesn’t the pipeline go faster?

I said above that this isn’t an article about AI. Clearly I’m failing at that so far, but let’s bring it back to humans. It goes back to the annoyingly true observation I started with: every layer of review is 10x slower. As a society, we know this. Maybe you haven't seen it before now. But trust me: people who do org design for a living know that layers are expensive... and they still do it.

As companies grow, they all end up with more and more layers of collaboration, review, and management. Why? Because otherwise mistakes get made, and mistakes are increasingly expensive at scale. The average value added by a new feature eventually becomes lower than the average value lost through the new bugs it causes. So, lacking a way to make features produce more value (wouldn't that be nice!), we try to at least reduce the damage.

The more checks and controls we put in place, the slower we go, but the more monotonically the quality increases. And isn’t that the basis of *continuous improvement?*

Well, sort of. Monotonically increasing quality is on the right track. But “more checks and controls” went off the rails. That’s *only one way* to improve quality, and it's a fraught one.

“Quality Assurance” reduces quality

I wrote a few years ago about W. E. Deming and the "new" philosophy around quality that he popularized in Japanese auto manufacturing. (Eventually U.S. auto manufacturers more or less got the idea. So far the software industry hasn’t.)

One of the effects he highlighted was the problem of a “QA” pass in a factory: build widgets, have an inspection/QA phase, reject widgets that fail QA. Of course, your inspectors probably miss some of the failures, so when in doubt, add a second QA phase after the first to catch the remaining ones, and so on.

In a simplistic mathematical model this seems to make sense. (For example, if every QA pass catches 90% of defects, then after two QA passes you’ve reduced the number of defects by 100x. How awesome is that?)

But in the reality of agentic humans, it’s not so simple. First of all, the incentives get weird. The second QA team basically serves to evaluate how well the first QA team is doing; if the first QA team keeps missing defects, fire them. Now, that second QA team has little incentive to produce that outcome for their friends. So maybe they don’t look too hard; after all, the first QA team missed the defect, it’s not unreasonable that we might miss it too.

Furthermore, the first QA team knows there is a second QA team to catch any defects; if I don’t work too hard today, surely the second team will pick up the slack. That's why they're there!

Also, the team making the widgets in the first place doesn’t check their work too carefully; that’s what the QA team is for! Why would I slow down the production of every widget by being careful, at a cost of say 20% more time, when there are only 10 defects in 100 and I can just eliminate them at the next step for only a 10% waste overhead? It only makes sense. Plus they'll fire me if I go 20% slower.

To say nothing of a whole engineering redesign to improve quality, that would be super expensive and we could be designing all new widgets instead.

Sound like any engineering departments you know?

Well, this isn’t the right time to rehash Deming, but suffice it to say, he was on to something. And his techniques worked. You get things like the famous Toyota Production System where they eliminated the QA phase entirely, but gave everybody an “oh crap, stop the line, I found a defect!” button.

Famously, US auto manufacturers tried to adopt the same system by installing the same “stop the line” buttons. Of course, nobody pushed those buttons. They were afraid of getting fired.

Trust

The basis of the Japanese system that worked, and the missing part of the American system that didn’t, is trust. Trust among individuals that your boss Really Truly Actually wants to know about every defect, and wants you to stop the line when you find one. Trust among managers that executives were serious about quality. Trust among executives that individuals, given a system that can work and has the right incentives, will produce quality work and spot their own defects, and push the stop button when they need to push it.

But, one more thing: trust that the system *actually does work*. So first you need a system that will work.

Fallibility

AI coders are fallible; they write bad code, often. In this way, they are just like human programmers.

Deming’s approach to manufacturing didn’t have any magic bullets. Alas, you can’t just follow his ten-step process and immediately get higher quality engineering. The secret is, you have to get your engineers to engineer higher quality into the whole system, from top to bottom, repeatedly. Continuously.