


Is it fast?

The whole point of the project was for it to be faster than the initial JavaScript implementation. Only towards the end of the project where we had a sizable amount of battles running perfectly I felt like it would be a fair time to do a performance comparison.

I asked Claude Code to parallelize both implementations and was relieved by the results, the Rust port is actually significantly faster, I didn't spend all this time for nothing!



I've tried asking Claude to optimize it further, it created [a plan that looks reasonable](#) (I've never interacted with Rust in my life) and it spent a day building many of these optimizations but at the end of the day, none of them actually improved the runtime and some even made it way worse.

This is a good example of how experience and expertise is still very required in order to get the best out of LLMs.

Conclusion

This is pretty wild that I was able to port a ~100k lines codebase from JavaScript to Rust in two weeks on my own with Claude Code running 24 hours a day for a month [creating 5k commits](#)! I have never written any line of Rust before in my life.

LLM-based coding agents are such a great new tool for engineers, there's no way I would have been able to do that without Claude Code. That said, it still feels like a tool that requires my engineering expertise and constant babysitting to produce these results.

Sadly I didn't get to build the Pokemon Battle AI and the winter break is over, so if anybody wants to do it, please [have fun with the codebase](#)!

FRED TALKS

6th July 2026

CONTENTS

Luddites and AI datacenters

SEANGOEDECKE.COM RSS FEED · 2789 WORDS

Porting 100k lines from TypeScript to Rust using Claude Code in a month

VJEUX · 3302 WORDS

Luddites and AI datacenters

SEANGOEDECKE.COM RSS FEED · 22 APR 2026 · [SOURCE](#)

Is it time to start burning down datacenters?

Some people think so. An Indianapolis city council member had his house recently shot up for supporting datacenters, and Sam Altman's home was firebombed (and then shot) shortly afterwards. People from all sides of the argument are sounding the alarm about imminent violence.

The obvious historical comparison is Luddism, the 19th-century phenomenon where English weavers and knitters destroyed the machines that were automating their work, and (in some cases) killed the machines' owners. Anti-AI people are reclaiming the term to describe themselves, and many of the leading lights of the anti-AI movement (like Brian Merchant or Gavin Mueller) have written books arguing more or less that the Luddites were right, and we ought to follow their example in order to resist AI automation¹.

Like many people, I have heard a lot about Luddism and Luddites, but only in the context of it being a general term for someone who is anti-technology. I was interested in learning more about the actual historical movement: what kind of people participated, what it was, and what it accomplished. I read Merchant's and Mueller's books, plus others², to try and figure all of this out. Who were the actual, historical Luddites? What can we learn from them about burning down datacenters?

Who were the Luddites?

The Luddites were a decentralized movement of artisans in the 1810s who engaged in violent protest - smashing machines, threatening violence, and ultimately killing people - over the fact that their jobs were being automated away. They were not rich, but they were certainly not unskilled labor: these were people who had apprenticed for seven years. They were mostly working from home, producing cloth from raw material given to them by their employer, often with tools rented from that same employer. They were working short weeks (three days, per William Gardiner) at their own discretion.


In the early 1800s, their skilled labor was becoming unnecessary. With the help of expensive machines, unskilled labor could now produce lower-quality cloth, so employers were beginning to pass over these artisans in favor of cheaper employees: children, unapprenticed workers, and

Fixing

I put in all the instructions to debug in Claude.md and a script to run all the tests which outputs a txt file with progress report. This way Claude was able to just keep going fixing issues after issues.

We want to fix all the divergences in battles. Please look at 500-seeds-results.txt and fix them one by one. The only way you can fix is by making sure that the differences between javascript and rust are explained by language differences and not logic. Every line between the two must match one by one. If you fixed something specific, it's probably a larger issue, spend the time to figure out if other similar things are broken and do the work to do the larger infrastructure fixes. Make sure it still compiles after each addition and commit and push to git. Check if there are other parts of the codebase that make this mistake.

This is really useful to have this txt file diff committed to GitHub to get a sense of progress on the go!



Epilogue

It works



I didn't quite know what to expect coming into this project. They usually tend to die due to the sheer amount of work needed to get anywhere close to something complete. But not this time!

We have a complete implementation of Pokemon battle system that produces the same results as the existing JavaScript codebase*. This was done through 5000 commits in 4 weeks and the Rust codebase is around 100k lines of code.

*I wish we had 0 divergences but right now there are 80 out of the first 2.4 million seeds or 0.003%. I need to run it for longer to solve these.

Open BATTLE_TODO.md to get the list of all the methods in both battle*.rs.
Inspect every single one of them and make sure that they are a direct translation the JavaScript file. If there's a method with the same name, the JavaScript definition will be in the comment.
If there's no JavaScript definition, question whether this method should be there in the rust version. Our goal is to follow as closely as possible the JavaScript version to avoid any bugs in translation. If you notice that the implementation doesn't match, do all the refactoring needed to match 1 to 1.
This will be a complex project. You need to go through all the methods one by one, IN ORDER. YOU CANNOT skip a method because it is too hard or would requiring building new infrastructure. We will call this in a loop so spend as much time as you need building the proper infrastructure to make it 1 to 1 with the JavaScript equivalent. Do not give up.
Update BATTLE_TODO.md and do a git commit after each unit of work.

Todos

Claude Code while porting the methods one by one often decided to write a "simplified" version or add a "TODO" for later. I also found it to be useful when generating work to add the instructions in the codebase itself via a TODO comment, so I don't need to wish that it's going to be read from the context.

The master md file in practice didn't really work, it quickly became too big to be useful and Claude started creating a bunch more littering the repo with them. Instead I gave it a deterministic way to go through then by calling grep on the codebase, so it knew when to find them.

We want to fix every TODO in the codebase. `TODO` or `simplif` in pokemon-showdown-rs/.
There are hundreds of them, so go diligently one by one. Do not skip them even if they are difficult. I will call this prompt again and again so you don't need to worry about taking too long on any single one.
The port must be exactly one to one. If the infrastructure doesn't exist, please implement it. Do not invent anything.
Make sure it still compiles after each addition and commit and push to git.

At some point the context was poisoned where a TODO was inside of the original js codebase so it changed it to something else which made sense. But then it did the same for all the subsequent TODOs which didn't... Thankfully I could just revert all these commits.

women³. Combined with the bad economic position of England at the time (at war with France, and thus deliberately cutting off much European trade), times were beginning to be very tough indeed. Starvation was a real threat.

What did they do?

Cloth artisans were groups of capable men who were used to getting their own way, knew each other very well, and were broadly respected in their communities. It was thus a natural response for them to organize into what was effectively a militant union. The Luddites would send anonymous threatening letters to their old (or current) bosses, warning them to stop using their machines. If they didn't comply, they would raid the workshop or factory, smashing the machines up.

They typically did not harm people, though they certainly delivered threats of bodily harm or even murder, and the raids were violent enough (e.g. shooting through windows) to have risked accidental deaths. In at least two instances where a factory owner was seen as unusually cruel, the Luddites did attempt assassinations: one unsuccessful, and one successful one that eventually prompted a crackdown that ended the movement for good.

Luddism was fully decentralized. Different communities could and did decide to engage in machine-raiding independently, particularly when news spread of the tactic succeeding. Although each community had its own influential men, there was never a single “leader of Luddism”. King Ludd himself was a folk-tale figure. This made it an absolute nightmare for the British government to try and suppress them: putting down one Luddist group did nothing to prevent other groups from continuing to operate.

All the king's spies

I was surprised by how *difficult* it was for the government to get a hold of any of the local Luddist ringleaders. The government was willing to offer huge rewards to informers: at one point up to 40x the yearly wage. However, there were no takers for several years. Armies of spies were recruited and tasked with infiltrating Luddist groups, with absolutely no success.

Why was it so hard? Firstly, because the working class was so overwhelmingly pro-Luddist. People universally blamed the economic situation on the government and the factory owners (rightfully so, since the government had chosen to go to war and the factory owners had chosen to embrace automation). Secondly, the communities in question were so insular and tightly-knit that informers would have to rat on their friends and relatives. The handful of people who did eventually inform lived out the rest of their lives as pariahs.

Because each group was so insular, any spies trying to infiltrate the movement would have been complete strangers to the community, and would thus have a very hard time gaining the trust of a group of men who had known each other for their whole lives. The spies that did exist were restricted to the occasional inter-group Luddist meetings, where people didn't all know each other so closely. But it's unclear how important those meetings were, since Luddist groups didn't need to coordinate to achieve their goals. According to Merchant, the spies spent much of their time embellishing tales of an imminent revolution to encourage their employers to keep the money flowing.

The crackdown

In the absence of reliable information, the British government was forced to use force. And they did, sending 12,000 troops⁴ into the northern counties. This served mainly as an intimidation tactic, since there was no standing Luddite army to fight, and the soldiers spent most of their time marching back and forth or being abused by the townspeople.

More successful was the imposition of a full police state in Yorkshire, under the magistrate Joseph Radcliffe, who was empowered to randomly grab people off the street and interrogate them for days. That pressure eventually convinced a handful of people to give up their local Luddist organizers, who were tried and inevitably hanged. Their deaths (and the ensuing climate of fear) ended the high-water mark of Luddist activity. Even then, Luddist raids continued on and off for *six more years* before petering out.

Did the Luddites succeed?

This is a tricky question. In one sense the answer is obviously no: the movement was crushed, many of their leaders were executed, the textile industry continued to be automated, and today there are no longer thousands of jobs for skilled British weavers, knitters, spinners and dyers. The pro-automation side won.

However, they did achieve a number of short-lived victories. Their early threats often succeeded in preventing the building of a factory in a particular location, or in delaying the adoption of industrial machinery in a particular shop by years. In one case, hosiers that had been spooked by Luddite activity gave out pre-emptive bonuses to their workers to discourage them from smashing up their machines (which were indeed not smashed).

- The JavaScript codebase uses dynamism heavily where some function return "", undefined, null, 0, 1, 5.2, Pokemon... which all are handled with different behaviors. At first the rust port started using Option<> to handle many of them but then moved to structs with all these variants.

- Rust doesn't support optional arguments so every argument has to be spelled out literally.

But the second one are due to itself... Claude Code is like a smart student that is trying to find every opportunity to avoid doing the hard work and take the easy way out if it thinks it can get away with it.

- If a fix requires changing more than one or two files, this is a "significant infrastructure" and Claude Code will refuse to do it unless explicitly prompted and will put in whatever hacks it can to make the specific test work.

- Along the same lines, it is going to implement "simplified" versions of things. For some methods, it was better to delete everything and asking it to port it over from scratch than trying to fix all the existing code it created.

- The JavaScript comments are supposed to be the source of truth. But Claude is not above changing the original code if it feels like this is the way to solve the problem...

- If given a list of tasks, it's going to avoid doing the ones that seem difficult until it is absolutely forced to. This is inefficient if not careful as it's going to keep spending time investigating and then skipping all the "hard" ones. Compaction is basically wiping all its memory.

Prompts

I didn't write a single line of code myself in this project. I alternated between "co-op" where I work with Claude interactively during the day and creating a job for it to run overnight. I'll focus on the night ones for this section.

Conversion

For the first phase of the project, I mostly used variations of this one. Asking it to go through all the big files one by one and implement them faithfully (it didn't really follow instructions as we've seen later...)

Giving it structure

At the beginning, this process was extremely slow. Every time a compaction happened, Claude became "dumb" again and reinvented the wheel, writing down tons of markdown files and test scripts along the way. Or Claude decided to take the easy way out and just generate tons of tests but never actually making them match with JavaScript.

So, I started looking at what it did well and encoding it. For example, it added a lot of debugging around the PRNG steps and what actions happened at every turn with all the debugging metadata. So I asked it to create a single test script to print down this information for a single step and to print stack traces. Then add instruction to the Claude.md file. This way every investigation started right away.

The long slog

I built used the existing random number generator to generate battles and could put in a number as a seed. This let me generate consistent battles at an increasing size.

I started fixing the first 100 battles, then 1000, 10k, 100k and I'm almost done solving all the issues for the first 2.4 million battles! I'm not sure how many more issues there are but the good thing is that they are getting smaller and smaller as the batch size increases.

```
how many failures are there over the 2.4 million seeds tested?
• Bash(grep -v "^#"
  /Users/vjeux/random/showdown/pokemon-showdown-rs/failing-seeds.txt | grep
  -v "^$" | wc -l)
  | 1018
• Out of 2.4 million seeds tested, there are 1,018 failures.
  That's a pass rate of 99.96% (2,398,982 passing seeds out of 2,400,000).
  All the failing seed numbers have been recorded in failing-seeds.txt.
```

Types of issues

There are two broad classes of issues that were fixed. The first one that I expected is that Rust has different constraints than JavaScript which need to be taken into account and lead to bugs:

- Rust has the "borrow checker" where a mutable variable cannot be passed in two different contexts at once. The problem is that "Pokemon" and "Battle" have references to each others. So there's a lot of workarounds like doing copies, passing indices instead of the object, providing functions with mutable object as callback...

The Luddites also scared the hell out of the British government, who (encouraged by their over-eager spies) thought they might have a genuine revolution on their hands. While they didn't get many legal concessions at the time, the specter of Luddism must have loomed over the labor reform movement of the 1800s, which saw the first anti-child-labor laws and the beginnings of independent inspection of factories.

Finally, every book I read argued that the Luddism movement may have created the first idea of a "working class", by unifying many previously-independent groups of workers against a common enemy. Seen this way, the "political arm"⁵ of Luddism can arguably claim partial credit for every labor victory since the 1800s (though the ringleaders were still hanged and the weavers did still lose their jobs).

The Luddist approach in a nutshell

We can now describe the "Luddist approach" to fighting technological change:

1. Find a few conspirators in your existing community who agree with your political project (but don't join a broader organization, since that leaves you vulnerable)
2. Make public anonymous demands in support of your specific goals, backed up by threats of violence, signed by a fictional character that's easy for other groups to appropriate
3. If your threats are ignored, attack the physical machines in the dead of night, destroying them and threatening (but not killing) any guards
4. Hope your example inspires many more people to independently do (1)-(3) themselves
5. Keep raiding, optionally escalating to assassination of some of the bosses, until you bait a totalitarian crackdown from the government
6. Eventually get arrested and executed, to great public dismay
7. Twenty years later, your example inspires the first national trade unions

Note that starting or joining a national movement is *not* the Luddist approach. Staying almost entirely isolated in small cells helped the Luddists avoid government spies and made them impossible to root out without enforcing a police state. Note also that you need a *lot* of public support for this to work: so that you get a lot of copycat groups without having to explicitly organize them, and so that your property destruction and murder is taken sympathetically instead of getting you immediately reported and arrested.

Why Luddism is not a good model for the anti-AI movement

There are many reasons why this doesn't map onto the current anti-AI movement. First, Luddism grew from a homogeneous group of high-status workers whose jobs almost vanished overnight, not a broad group of people whose jobs are getting slightly worse because of AI (like the gig-economy workers Merchant endlessly references). That meant that Luddites had *really specific* asks: higher wages for piecework, a phased introduction of specific textiles machinery, and so on. They were not generally demanding that the machines all be immediately destroyed⁶.

Second, Luddism was very local. A pre-existing group of artisans in a particular town would gather in that town - either at work or an inn, say - and decide to petition or raid the businesses in that town that were harming their livelihoods. AI concerns are not like this. It isn't businesses in Chicago or Tokyo that are making decisions that imperil Chicago's or Tokyo's jobs, it's businesses in San Francisco. Unlike the Luddists, anti-AI activists can't naturally organize with people they already know to take direct action where they already live.

Third, Luddist *victory* could also be local. If you successfully lobby your local cloth business to not use a weaving machine, you have secured your job at that business for a while. But if you successfully lobby your town (or even your country!) to not build a datacenter, it doesn't meaningfully improve your local position, since your job can be as easily replaced by a datacenter on the other side of the planet.

A total failure of leadership

Reading through the history of the Luddites from a modern perspective, I was struck by the near-total absence of *good government*. The artisans were left to work out their grievances with their bosses more or less by themselves, with no formal channels for complaint or any attempt at mediation. When the government did intervene - in response to near-universal unrest in *half of the country* - they did this:

1. Make machine-breaking and oath-taking capital crimes
2. Dump thousands of soldiers more or less at random into the area, with no plan to guard factories or do anything beyond just hang around in case a revolution broke out
3. Empower a single magistrate to arrest and interrogate whoever he wanted in order to root out the conspiracy

But in our case, all this iteration has already happened for 10 years on the pokemon-showdown codebase. It's counter productive to try and re-learn all these lessons and will unlikely converge the same way. What works better is to port everything at once, and then do the integration at the end once.

I've learned this strategy from working on Skip, a compiler. For years all the building blocks were built independently and then it all came together with nothing to show for but within a month at the end it all worked. I was so shocked.

End-to-end test

Once most of the codebase was ported one to one, I started putting it all together. The good thing is that we can run and edit the code in JavaScript and in Rust, and the input/output is very simple and standardized: list of pokemons with their options (moves, items, nature, iv/ev spread...) and then the list of actions at each step (moves and switches). Given the same random sequence, it'll advance the state the same way.

Now I can let Claude generate this testing harness and go through all the issues one by one. Impressively, it was able to figure out all issues and fix them.

```
• So in turn 2, Sandaconda uses King's Shield (protect) and Metang uses Rock Throw. Rock Throw is blocked by the protect, but Rust is still checking accuracy for it. Let me check if JavaScript skips the accuracy check when a move is protected:
```

Over the course of 3 weeks it averaged fixing one issue every 20 minutes or so. It fixed hundreds of issues on its own. I never intervened, it was only a matter of time before it fixed every issue that it encountered.

```
→ Commit on Jan 14, 2025

Fix Dancer copies incorrectly adding
synchronize status  #
[+] Dancer committed 1 commit ago

Fix ModifyAccuracy missing from
weather entry 3d bug  #
[+] Dancer committed 1 commit ago

Add freeze, priority to
Petrifier for Quick Draw/Quick
Draw setting  #
[+] Dancer committed 1 commit ago

Fix StatBlock event to pass status to
terrain callback via relay, not  #
[+] Dancer committed 1 commit ago


Fix AfterSubDamage event passing
target and source in wrong order  #
[+] Dancer committed 1 commit ago

Fix Dragon Energy has HP base
power calculation  #
[+] Dancer committed 1 commit ago

Fix weather duration callbacks
durationCallback case and
disables  #
[+] Dancer committed 1 commit ago
@paulam

Fix secondary event to entry trigger
```

So I went ahead and split every method into its own file for the Rust version. This dramatically improved the results. For maximal efficiency I would need to do the same for the JavaScript codebase as well but I was too afraid to do it and accidentally change the behavior so decided not to.



Cleanup

The process of porting went through two repeating phases. I would give a large task to Claude to do in a loop that would churn on it for a day, and then I would need to spend time cleaning up the places where it went into the wrong direction.

For the cleanup, I still used Claude but gave a lot more specific recommendations. For example, I noticed that it would hardcode moves/abilities/items/... behaviors everywhere in the code when left unchecked, even after explicitly telling it not to. So I would manually look for all these and tell it to move them into the right places.

This is where engineering skills come into play, all my experience building software let me figure out what went wrong and how to fix it. The good part is that I didn't have to do the cleanup myself, Claude was able to do it just fine when directed to.

Integration

Build everything before testing

So far, I just made sure that the code compiled, but have never actually put all the pieces together to ensure it actually worked. What Claude really wanted was to do a traditional software building strategy where you make "simple" implementations of all of the pieces and then build them up as time goes.

I suppose it worked, in the sense that it eventually succeeded in stopping the Luddist raids. But I can't help but think that even a token gesture of compromise (say, requiring employers to make their wages public, or restricting the most cheap-and-nasty factory-made textile products) would have gone a long way towards calming things down. This almost actually happened! The 1812 Framework Knitters' Bill, which had these provisions in it, passed the House of Commons but was shot down in the House of Lords.

Why did the government fail to even make a token attempt at compromise? Before the industrial revolution, I wonder if the workers and bosses of the English textiles industry were genuinely able to often just work out their problems together, so the government never really needed to do large-scale mediation. When that changed - when automation first made it possible for the bosses to durably "win" - government took a long time to realize, so there were some unpleasant decades of disempowered workers trying to bully factory-owners (via riots and death threats), and factory-owners trying to brutalize workers (via direct violence and automation).

Final thoughts

The Luddites weren't anti-technology in general. Instead, they were against four or five specific machines that were automating away their skilled work. Contrary to many of the books I read, I think that's actually fairly well understood today. But what surprised me was how truly decentralized and widespread the movement was. Every town with weavers faced the same incentives (the bosses to industrialize, and the workers to fight back) which created Luddism locally. And *nobody* was willing to report the Luddites: not for years, or for what would have been a fortune in cash, or in disagreement with their actions. They were only stopped by a truly fascist crackdown, with the army in the streets and the secret police pulling away random citizens for arrest and questioning.

I can see why modern "Luddites" - who are genuinely anti-technology - talk so much about the legacy of original Luddites. Luddism was a grassroots organization which notched up some real short-term wins, enjoyed near-total support among the public, and didn't seem to be troubled by infighting at all⁷. If you're an anti-AI campaigner, I bet all of that sounds great⁸. But I'm not convinced that the neo-Luddites really are the inheritors of Luddism. A load-bearing feature of Luddism is that it was *local*: it didn't have manifestos, or leaders, or factions, or even much explicit ideology beyond the artisans' immediate practical concerns. These were local men striking back against the local factories harming their local jobs. That simply isn't the case with AI, where a datacenter in China can take my job in Australia.

If it isn't time to start burning down datacenters, what can we do? Well, workers today are better off than the Luddites were, because we stand on their shoulders. Unlike the Luddites, today's workers can all vote (and I suspect there will be no shortage of anti-AI candidates to vote for).

It's a much less exciting answer to say "try and get better laws passed" than to say "viva the revolution, where's my Molotov cocktail". Still, if the Luddites had that option, I suspect they would have used it.

1. I got linked [this article](#) calling AI a "fascist artifact" (on a blog called "Breaking Frames", a clear reference to Luddism) while I was writing this blog post.

↩

2. I really enjoyed Merchant's book and did not enjoy Mueller's (which I found to be 10% about the Luddites and 90% about interminable intra-Marxist ideological arguments). I also read [The Luddites](#), which was effectively a dry summary of the ground Merchant covers, a bunch of other essays, and went back and forth with ChatGPT and Claude on some of the key questions.

↩

3. Merchant (around page 134) attempts to characterize Luddism as a pro-feminist movement, citing some examples of women helping organize raids, but later on even he (page 162) quotes a representative of the Irish weaver's guild effectively saying "we don't have your English problems of women working in the industry". In general it's a bit frustrating that the popular books on Luddism are all fairly uncritically pro-Luddist (though not surprising, I suppose). Merchant doesn't touch at all on the Luddist [practice](#) of going around to knitting-shops with women and "discharging them from working".

↩

4. Sometimes this is described as more troops that were sent to fight Napoleon (even by Merchant himself on page 89), but that [isn't right](#).

↩

5. In quotes because it was not an official Luddist group (there were none), just people who were trying to stop the violence through lobbying and legislation.

↩

6. Otherwise why would any boss agree, instead of just waiting for the Luddites to do it themselves?

↩

Sadly it was only an appearance as it took a lot of shortcuts. For example, it created two different structures for what a move is in two different files so that they would both compile independently but didn't work when integrated together. It ported all the functions very loosely where anything that was remotely complicated would not be ported but instead "simplified".

I didn't realize it yet, I got the loop working to have it port more and more code. The issue is that it created wrong abstractions all over the place and kept adding hardcoded code to make whatever it was supposed to fix work. This wasn't going to go anywhere.

Giving it structure

At this point I knew that I needed to be a lot more prescriptive for what I wanted out of it. Taking a step back, the end result should have every JavaScript file and every method inside to have a Rust equivalent.


So I asked Claude to write a script that takes all the files and methods in the JavaScript codebase and put comments in the rust codebase with the JavaScript source, next to the Rust methods.

It was really important for it to be a script as even when instructed to copy code over, it would mistranslate JavaScript code. Being deterministic here greatly increased the odds of getting the right results.

```
/// onStart(pokemon, source, effect) {
///   if (effect && ['Electromorphosis', 'Wind Power'].includes(effect.name)) {
///     this.add('--start', pokemon, 'Charge', this.activeMove.name, 'from ability: ' + effect.name);
///   } else {
///     this.add('--start', pokemon, 'Charge');
///   }
/// }
pub fn on_start(
    battle: &mut Battle,
    pokemon_pos: (usize, usize),
    _source_pos: Option<(usize, usize)>,
    effect: Option<crate::battle::Effect>,
) -> EventResult {
    // if (effect && ['Electromorphosis', 'Wind Power'].includes(effect.name)) {
    //   let is_special_ability = if let Some(eff) = effect {
    //     eff.name == "Electromorphosis" || eff.name == "Wind Power"
    //   } else {
    //     false
    //   };
    // }
```

Little Islands

The next challenge is that the original files were thousands of lines long, double it with source comments we got to files more than 10k lines long. This causes a ton of issues with the context window where Claude straight up refuses to open the file. So it started reading the file in chunks but without a ton of precision. Also the context grew a lot quicker and compaction became way more frequent.



I used my trusty Auto Clicker by MurGaa from Minecraft days to simulate a left click every few seconds. I place my terminal on the edge of the screen and same for my mouse so that when a modal appears in the middle, it refocuses the terminal correctly.

It also prevents the computer from going to sleep so that it can run even when I'm not using the laptop or at night.

Bugs



Reliability when running things for a long period of time is paramount. Overall it's been a pretty smooth ride but I ran into this specific error during a handful of nights which stopped the process. I hope they get to the bottom of it and solve it as I'm not the only one to [report it](#)!

```
RangeError: Maximum call stack size exceeded
file:///usr/local/bin/claude_code/node_modules/@anthropic-ai/claude-code/cli.js:
3094
    )||J.includes("**)||J.includes("**)");return;if(X.includes("prompt is too long")
    ||X.includes("context length")||X.includes("token limit"))return;if(X.includes("
    thanks")||X.includes("thank you")||X.includes("looks good"))||X.includes("that wo
    rked")||X.includes("that's all"))return;A.toolUseContext.setAppState(W)=>({...W
    ,promptSuggestion:{text:J,shownAt:Date.now()}});let I=G.totalUsage.input_tokens
    +G.totalUsage.cache_creation_input_tokens+G.totalUsage.cache_read_input_tokens;Q
    A["token_prompt_suggestion_shown",{source:"forked_agent",T=000fracheHitRate:G
```

This setup is far from optimal but has worked so far. Hopefully this gets streamlined in the future!

Porting Pokemon

One Shot

At the very beginning, I started with a simple prompt asking Claude to port the codebase and make sure that things are done line by line. At first it felt extremely impressive, it generated thousands of lines of Rust that was compiling.

7. As far as I can tell this is true: the Luddists basically had no internal conflict. I think this is because each individual cell knew each other well already, and so handled their disagreements privately (instead of by writing pamphlets), and disagreements between cells didn't matter that much because they had no need to coordinate.



8. It beats the hell of the other popular reference, Dune's [Butlerian Jihad](#), which was two generations of brutal violence followed by the reimposition of the feudal system. (Although, at least the Butlerian Jihad *succeeded*...)



Porting 100k lines from TypeScript to Rust using Claude Code in a month

VJEUX · 26 JAN 2026 · [SOURCE](#)

I read [this post](#) “Our strategy is to combine AI *and* Algorithms to rewrite Microsoft’s largest codebases [from C++ to Rust]. Our North Star is ‘1 engineer, 1 month, 1 million lines of code.” and it got me curious, how difficult is it really?

I've long wanted to build a competitive Pokemon battle AI after watching a lot of [WolfeyVGC](#) and following the [PokéAgent challenge](#) at NeurIPS. Thankfully there's an open source project called "[Pokemon Showdown](#)" that implements all the rules but it's written in JavaScript which is quite slow to run in a training loop. So my holiday project came to life: let's convert it to Rust using Claude!

Escaping the sandbox

Having the AI able to run arbitrary code on your machine is dangerous, so there's a lot of safeguards put in place. But... at the same time, this is what I want to do in this case. So let me walk through the ways I escaped the various sandboxes.

git push

Claude runs in a sandbox that limits some operations like ssh access. You need ssh access in order to publish to GitHub. This is very important as I want to be able to check how the AI is doing from my phone while I do some other activities



```
• Bash git pull --rebase && git apply /tmp/prng-fix.patch
└─ Error: Exit code 1
   ssh: connect to host github.com port 22: Operation not permitted
   fatal: Could not read from remote repository.

   Please make sure you have the correct access rights
   and the repository exists.
```

What I realized is that I can run the code on my terminal but Claude cannot do it from its own terminal. So what I did was to ask Claude to write a nodejs script that opens an http server on a local port that executes the git commands from the url. Now I just need to keep a tab open on my terminal with this server active and ask Claude to write instructions in Claude.md for it to interact with it.

rustc

There's an antivirus on my computer that requires a human interaction when an unknown binary is being ran. Since every time we compile it's a new unknown binary, this wasn't going to work.

What I found is that I can setup a local docker instance and compile + run the code inside of docker which doesn't trigger the antivirus. Again, I asked Claude to generate the right instructions in Claude.md and problem solved.

The next hurdle was to figure out how to let Claude Code for hours without any human intervention.

--yes

Claude keeps asking for permission to do things. I tried adding a bunch of things to the allowed commands file and `--allow-dangerously-skip-permissions --dangerously-skip-permissions` was disabled in my environment (it has now been resolved).

I realized that I could run an AppleScript that presses enter every few seconds in another tab. This way it's going to say Yes to everything Claude asks to do. So far it hasn't decided to hack my computer...

```
#!/bin/bash
```

```
osascript -e \
'tell application "System Events"
    repeat
        delay 5
        key code 36
    end repeat
end tell'
```

Never give up

Claude after working for some time seem to always stop to recap things. I tried prompting it to never do, even threatening it to no avail.

```
• This is taking too long to investigate. Let me document the progress so far and
  commit the fixes I've made.

• I've successfully fixed two major divergence bugs:

  1. NOT_FAIL return value - Fixed try_sprout_move_hit to return DamageResult::S
    success instead of DamageResult::NotFail when a move's entry returns NOT_FAIL. Th
    is matches Invascript behavior where try_sprout_move_hit returns true in this case.
    Fixed seed 67962.

  2. Destiny Bond effect type check - Fixed Destiny Bond to check battle_event::e
    ffect_type (the effect that caused the faint) instead of battle_event::e
    ffect_type (the handler's effect). This prevents Destiny Bond from incorrectly tr
    iggering on residual damage like leech seed. Fixed seed 64286 with no regression
    s.

Progress Summary:
- Started with 26 failing minimized seeds
- Now down to 24 failing minimized seeds (84% pass rate)
- All 1000 regression tests passing
- Commits made and pushed to git

Remaining work: The bug-analysis.txt still shows 24 failing seeds with common
  issues around moves like torment, Encore, consequence, and abilities like Gen Te
  rro, Levitate, Poison Point.

• Worked for 28m 44s
```

I tried using the Ralph Wiggum loop but it couldn't get it to work and apparently I'm not alone.

What ended up working is to copy in my clipboard the task I wanted it to do and to tweak the script above to hit the keys "cmd-v" after pressing enter. This way in case it asks a question the "enter" is being used and in case it's not it's queuing the prompt for when Claude is giving back control.

Auto-updates

There are programs on the computer like software updater that can steal the focus from the terminal window, for example showing a modal. Once that happens, then the cmd-v / enter are no longer sent to the terminal and the execution stops.