

GLOBAL

Handwritten notes at top: "Should be wallplate type", "Should colors be device colors?", "Registration marks superscript", "don't see footnote for #, anyway to have it in rollover for V".

Incand. Cold

Cell: B4  
Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes  
Device Colors: Z, W, T  
Neutral Required: No  
Color Kits: VPKIT-MD, VPKIT-CD  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C4  
Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VRC21-1L, VP00R-1L or VP00R-10 remotes  
Device Colors: Z  
Neutral Required: No  
Color Kits: VPKIT-MD  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: D4  
Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with TT00R remote  
Device Colors: Z, GS  
Neutral Required: No  
Color Kits: TTKIT  
Kit Colors: W, I, T, G, E, WS, GI, BG

Wallplates: Decora screwless or Decora standard, sold separately

Cell: E4  
Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch  
Device Colors: W, I, T, B  
Neutral Required: no  
Wallplates: Standard toggle wallplate, sold separately  
Handwritten notes: "Toggle touch Should be Toggle Touch", "Written twice in rollover", "rollover says 'G' Should be 'B'", "Should not list color kits or kit colors if not an option"

Cell: F4  
Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch  
Device Colors: Z  
Neutral Required: no  
Color Kits: IPKIT-00, IPKIT-LN (For IPL06, no LED)  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: G4  
Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch  
Device Colors: Z  
Neutral Required: no  
Wallplates: Decora screwless or Decora standard, sold separately  
Handwritten notes: "IllumaTech Slid Should be IllumaTech Slid", "These should be listed together w/ one photo & description", "IllumaTech Rotary Should be IllumaTech Rotary", "Should not list color kits or kit colors if not an option"

Cell: H4  
Comment: Multi Location Control: 6631 is Single Pole Only. 6633 and 6674 are Single Pole or 3-way control when used with 3-way switch  
Device Colors: 6631 = W, I, T; 6633 = W, I, T, G, E; 6674 = W, I, T, E, B  
Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: I4  
Comment: Multi Location Control: 6602 and 6681 are Single Pole Only. 6683 is Single Pole or 3-way control when used with 3-way switch  
Device Colors: 6602 = W; 6681 = W, I; 6683 = Z  
Neutral Required: no  
Color Kits: 80400, 26115 (metal insert)  
Kit Colors: W, I, T, E, B  
\* available in brown w/ no suffix  
No light almond kit for 80400  
Wallplates: Standard toggle wallplate, sold separately

Wallplates: Decora screwless or Decora standard, sold separately

Cell: J4  
Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with MS00R remote  
Device Colors: W, I  
Neutral Required: No  
Color Kits: DRKDD-1L  
Kit Colors: W, I, G, E, B  
Wallplates: Decora screwless or Decora standard, sold separately

Wallplates: Decora screwless or Decora standard, sold separately

Handwritten notes on left: "Kase Jan should & separate?", "rollover is wrong", "written twice"

Handwritten note: "Don't list color kits or kit colors"

Handwritten note: "this line is cut off on rollover"

Handwritten note: "Needs picture"

ASK  
rich

Had probs  
seeing entire  
page  
no  
scroll

Cell: K4 6641, 6643, 6691, 6693  
Comments: Multi Location Control: 6641 and 6691 are Single Pole Only. 6643 and 6693 are Single Pole or 3-way control when used with 3-way switch  
Device Colors: 6641 and 6643 = W, I; 6691 and 6693 = Clear  
Neutral Required: no

Wallplates: Standard toggle wallplate, sold separately

Cell: B5 VPM10-1L  
Comments: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes  
Device Colors: Z, T  
Neutral Required: No

Color Kits: VPKIT-MD, VPKIT-CD  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C5 VR10-1L, VRMX1-1L - Should be listed together  
Comments: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VRC21-1L, VP00R-1L or VP00R-10 remotes  
Device Colors: Z  
Neutral Required: VR10 = No; VRMX1 = yes  
Color Kits: VPKIT-MD  
Kit Colors: W, I, T, G, E, B, R - Missing on rollover

Wallplates: Decora screwless or Decora standard, sold separately

Cell: D5 TT10-1L  
Comments: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with TT00R remote  
Device Colors: Z, GS  
Neutral Required: No  
Color Kits: TTKIT - Kit is listed as VTKIT, needs to be TTKIT  
Kit Colors: W, I, T, G, E, WS, GI, BG  
Wallplates: Decora screwless or Decora standard, sold separately

Cell: E5 TB10-1L - Should be Toggle Touch  
Comments: Multi Location Control: Single Pole or 3-way control when used with 3-way switch  
Device Colors: W, I, T, G  
Neutral Required: no  
Wallplates: Standard toggle wallplate, sold separately  
- don't list color kits or kit colors

Cell: F5 IP10-1L - Should be IllumaTech® Slide  
Comments: Multi Location Control: Single Pole or 3-way control when used with 3-way switch  
Device Colors: Z  
Neutral Required: no  
Color Kits: IPKIT-00  
Kit Colors: W, I, T, G, E, B, R  
Wallplates: Decora screwless or Decora standard, sold separately  
- photo should be same as IP106 w/LED

Cell: J5 MPI0-1L  
Comments: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with MS00R remote  
Device Colors: W, I  
Neutral Required: No  
Color Kits: DRKDD-1L  
Kit Colors: W, I, G, E, B  
Wallplates: Decora screwless or Decora standard, sold separately

Global - don't intent  
paragraphs for power  
extenders.

OFFLED  
LV  
Dup

Cell: F8 IPL06-10 IllumaTech® Slide  
Comments: Multi Location Control: Single Pole or 3-way control when used with 3-way switch  
Device Colors: Z  
Neutral Required: no  
Color Kits: IPKIT-LN  
Kit Colors: W, I, T, G, E, B, R  
Wallplates: Decora screwless or Decora standard, sold separately

Cell: H8 6674-10  
Comments: Multi Location Control: Single Pole or 3-way control when used with 3-way switch  
Device Colors: W, I, T, E, B  
Neutral Required: no  
Wallplates: Decora screwless or Decora standard, sold separately  
- Remove color kits + kit colors

Cell: J9 MD03-1LW  
Comments: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with MSE0R remote  
Device Colors: W  
Neutral Required: yes  
Use same photo as MD106



Color Kits: DRKDD-1L  
Kit Colors: W, I, G, E, B

Wallplates: Decora screwless or Decora standard, sold separately

Cell: F10

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

Device Colors: Z  
Neutral Required: yes

Color Kits: IPKIT-00  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

- IllumaTech® Slide  
- Replace photo w/ IP106 (LED light)

Cell: H11

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

Device Colors: W, I  
Neutral Required: yes

Wallplates: Decora screwless or Decora standard, sold separately

- Remove color kits & kit colors

Cell: B12

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes

Device Colors: Z, T  
Neutral Required: Yes

Color Kits: VPKIT-MD, VPKIT-CD  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B13

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes

Device Colors: Z, T  
Neutral Required: yes

Color Kits: VPKIT-MD, VPKIT-CD  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C13

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VRCZ1-1L VP00R-1L or VP00R-10 remotes

Device Colors: Z  
Neutral Required: yes

Color Kits: VPKIT-MD  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

J

Cell: H14

Comment: Multi Location Control: Two Single Pole Loads

Device Colors: W, I  
Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

needs to say this  
Remove "I" this

- Remove color kits & kit colors

Cell: B15

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes

Device Colors: Z, T  
Neutral Required: No

Color Kits: VPKIT-MD, VPKIT-CD  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: F15

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

Device Colors: Z  
Neutral Required: no

Color Kits: IPKIT-00  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Replace Photo w/ IP106 (LED)

- Name should be IllumaTech® Slide

Cell: H15

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

Device Colors: W, I, T

- Remove color kits & kit colors

Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: J15 ~~MDM06-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with MS00R remote

Device Colors: W, I  
Neutral Required: No

Color Kits: DRKDD-1L  
Kit Colors: W, I, G, E, B

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B16 ~~VPM10-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes

Device Colors: Z, T  
Neutral Required: No

Color Kits: VPKIT-MD, VPKIT-CD  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C16 ~~VRM14-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VRCZ1-1L, VP00R-1L or VP00R-10 remotes

Device Colors: Z  
Neutral Required: yes

Color Kits: VPKIT-MD  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: D16 ~~TTM10-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with TT00R remote

Device Colors: Z, GS  
Neutral Required: No

Color Kits: TTKIT  
Kit Colors: W, I, T, G, E, WS, GI, BG

Wallplates: Decora screwless or Decora standard, sold separately

Cell: E16 ~~TGM10-1L~~

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

Device Colors: W, I, T  
Neutral Required: no

Wallplates: Standard toggle wallplate, sold separately

- Should be ToggleTouch®  
- Remove color kits + Kit Colors

Cell: F16 ~~IPM10-1L~~

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

Device Colors: Z  
Neutral Required: no

Color Kits: Z  
Kit Colors: Z

Wallplates: Decora screwless or Decora standard, sold separately

- photo should be same as IP106 (LED)  
- Should be IllumaTech® Slide

Don't understand !!!

- photo on main page of IllumaTech® Rotary is wrong. Should be RPI06. looks like Trimation now

Cell: J16 ~~MDM10-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with MS00R remote

Device Colors: W, I  
Neutral Required: No

Color Kits: DRKDD-1L  
Kit Colors: W, I, G, E, B

Wallplates: Decora screwless or Decora standard, sold separately

- Same photo as MDT06

Don't understand !!!

Don't understand !!!

under 1500 VA  
• ToggleTouch®, IllumaTech® Slide + Rotary  
• Photo of Ill Slide should be LED

Cell: G18 ~~RTDB1-1L~~

Comment: Multi Location Control: Single Pole Only

Device Colors: Z  
Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

- Remove color kits + Kit colors

Don't understand !!!

Cell: B19 ~~VPP01-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes

Device Colors: Z  
Neutral Required: Yes



Color Kits: VPKIT-MD, VPKIT-CD  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C19 ~~VPF01-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VPCZ1-1L, VP00R-1L or VP00R-10 remotes

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: F19 ~~IPF01-1L~~

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

Device Colors: Z

Neutral Required: yes

Color Kits: IPQFK-00

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: G19 ~~RTF01-10~~

Comment: Multi Location Control: Single Pole Only

Device Colors: Z

Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: I19 ~~6629-3~~

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

Device Colors: W, I, T

Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: I19 ~~6629~~

Comment: Multi Location Control: Single Pole Only

Device Colors: Z

Neutral Required: no

Wallplates: Standard toggle wallplate, sold separately

Cell: I19 ~~MDF01-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location control with MSEOR remote

Device Colors: W

Neutral Required: yes

Color Kits: DRKDD-1L

Kit Colors: W, I, G, E, B

Wallplates: Decora screwless or Decora standard, sold separately

Cell: F20 ~~IPF05-1L~~

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

Device Colors: Z

Neutral Required: yes

Color Kits: IPQFK-00

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: H20 ~~6627-1, 6637-P~~

Comment: Multi Location Control: 6627 is Single Pole Only. 6637 is Single Pole or 3-way control when used with 3-way switch

Device Colors: 6627 = W, I, B;

6637 = W, I, T

Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: I20 ~~6616-X~~

Comment: Multi Location Control: Single Pole Only

Device Colors: W, I

Neutral Required: no

Wallplates: Standard toggle wallplate, sold separately

specs + ratings in  
Fan Speed Control  
1.5 Amp } add space  
5 Amp } between # +  
Amp



Photo should be same as IP106 w/LED

- IllumaTech® Slide

wrong text currently, should be

- There are no color kits or kit colors

- IllumaTech® Rotang

where did this go?

- There are no color kits + kit colors

- Remove color kits + kit colors

use MD106 photo

Photo should be same as IP106 w/LED

- IllumaTech® Slide

} separate out multi-control info for  
6627 + 6637

- Remove color kits + kit colors

#### SPECS & RATINGS

Fluorescent Electronic Mark  
10® Powerline 120V

500W  
600VA  
1000VA  
1500VA

Fluorescent Electronic Mark  
10® Powerline 277V

600VA  
1200VA  
2000VA  
3000VA

Fluorescent Electronic  
10VDC Mark 7® or  
Quicktronic® Hellos™

120V 1200VA  
277V 1500VA

Fluorescent Dimmer for Hi-  
Lume® or Eco-10

8A-120VAC  
6A-277VAC



**Jana Alvino**  
Marketing  
Communications  
Manager

T: 631 812-6316  
[jalvino@leviton.com](mailto:jalvino@leviton.com)

Leviton Mfg. Co.  
201 North Service Road  
Melville, NY 11747  
[www.leviton.com](http://www.leviton.com)



See attached hard copy Mark-up

Remove Color Kits → KIT colors

Cell: E24 **6668**  
Comment: Multi Location Control: Single Pole Only  
Device Colors: W, I  
Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: D25 **IPX06-10**  
Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch  
Device Colors: Z  
Neutral Required: yes

Color Kits: IPKIT-ON  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

-IllumaTech® Slide

Cell: B26 **VPX10-1L**  
Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes  
Device Colors: Z, T  
Neutral Required: yes

Color Kits: VPKIT-MD, VPKIT-CD  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C26 **VRMX1-1**  
Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VRCZ1-1L, VP00R-1L or VP00R-10 remotes  
Device Colors: Z  
Neutral Required: yes

Color Kits: VPKIT-MD  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: D26 **IPX10-10**  
Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch  
Device Colors: Z  
Neutral Required: yes

Color Kits: IPKIT-ON  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

IllumaTech® Slide

Cell: D28 **IPX06-70**  
Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch  
Device Colors: Z  
Neutral Required: yes

Color Kits: IPKIT-ON  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

IllumaTech® Slide

Delete the "0"

Cell: B29 **VPX12-7L**  
Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes  
Device Colors: Z, T  
Neutral Required: yes

Color Kits: VPKIT-MD, VPKIT-CD  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: D29 **IPX12-70**  
Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch  
Device Colors: Z  
Neutral Required: yes

Color Kits: IPKIT-ON  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

IllumaTech® Slide

Cell: D2 **IP710-DL**  
Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch  
Device Colors: Z  
Neutral Required: yes

Color Kits: IPKIT-00

IllumaTech® Slide

Photoshopped be same as IP106 W/LED



Change top tab to read  
Switches, Remotes & Controllers

### SPECS & RATINGS

#### Switches

5A Incandescent Only

15A-120VAC

#### Dimmer Remotes

Matching 120VAC

Matching 277VAC

Coordinating 120VAC

#### Switch Remote

Matching 120VAC

Coordinating 120VAC

#### Plug-in Modules

Appliance Module 15A 120VAC

Lamp Dimming Module 300W  
120VAC

RS232 Interface

Receptacle 1800W/1800VA

#### 4-Button Controllers

Scene Controller 120VAC

Scene Combo Controller  
1800W/1800VA, HPC

Zone Controller 120VAC

Zone Combo Controller  
1800W/1800VA, HPC

#### 2-Button Controllers

Scene Controller  
1000W/1000VA, HP per switch

#### 1-Button Controllers

Scene Controller 120VAC

Zone Controller 120VAC

#### Programming and Handheld Remotes

Primary Remote

IR Remote

Installer Tool Software and USB

Controllers

I Can't Scroll to  
View or check these



Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: D33

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

Device Colors: Z

Neutral Required: yes

Color Kits: IPKIT-00

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B34

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MD, VPKIT-CD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B35

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MD, VPKIT-CD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C39

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location control with VRCS1-1L, VP0SR-1L or VP0SR-10 remotes

Device Colors: Z

Neutral Required: no

Color Kits: VPKIT-MS

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B40

Comment: Multi Location Control: Non-dimming electronic switch provides Single Pole, 3-way or Multi-Location control with VP0SR-1L or VP0SR-10 remotes

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MS, VPKIT-CS

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C40

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location control with VRCS1-1L, VP0SR-1L or VP0SR-10 remotes

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MS

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B41

Comment: Multi Location Control: Matching Remote Dimmer for 3-way or up to 5 locations

Device Colors: Z, W

Neutral Required: yes

Color Kits: VPKIT-MD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C41

Comment: Multi Location Control: Non-RF Matching Remote Dimmer for 3-way or up to 5 locations

Device Colors: Z, W

Neutral Required: yes

Color Kits: VPKIT-MD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B42

IP710-DL - photo should be same as IPI06 w/LED  
IllumaTech® Slide

VP008-1L

VP006-7L

VRCS1-1L

VRCS1-1L

VRCS1-1L

VP00R-1L

VP00R-1L

VPOOR-10

✓  
Comment: Multi Location Control: Coordinating Remote Dimmer for 3-way or up to 10 locations

Device Colors: Z

Neutral Required: yes, except when used with incandescent or magnetic low voltage devices

Color Kits: VPKIT-CD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C42

VPOOR-10

✓  
Comment: Multi Location Control: Non-RF Coordinating Remote Dimmer for 3-way or up to 10 locations

Device Colors: Z

Neutral Required: yes, except when used with incandescent or magnetic low voltage devices

Color Kits: VPKIT-CD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: D42

TTPOOR-10

✓  
Comment: Multi Location Control: Coordinating Remote Dimmer for 3-way or up to 10 locations

Device Colors: Z, GS

Neutral Required: no

Color Kits: TTKTR

Kit Colors: W, I, T, G, E, WS, GI, BG

Wallplates: Decora screwless or Decora standard, sold separately

Cell: E42

MSOOR-10

✓  
Comment: Multi Location Control: Coordinating Remote Dimmer/Fan Speed Controls for 3-way or up to 10 locations, no LED

Device Colors: W, I

Neutral Required: no

Color Kits: DRKOR-00

Kit Colors: W, I, G, E, B

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B43

VPOOR-7L

✓  
Comment: Multi Location Control: Matching Remote Dimmer for 3-way or up to 5 locations

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B44

VPOSR-1L

✓  
Comment: Multi Location Control: Matching Remote Switch for 3-way or up to 5 locations

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MS

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C44

VPOSR-1L

✓  
Comment: Multi Location Control: Non-RF Matching Remote Switch for 3-way or up to 5 locations

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MS

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B45

VPOSR-10

✓  
Comment: Multi Location Control: Coordinating Remote Switch for 3-way or up to 10 locations

Device Colors: Z

Neutral Required: yes, except when used with incandescent or magnetic low voltage devices

Color Kits: VPKIT-CS

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C45

VPOSR-10

✓  
Comment: Multi Location Control: Non-RF Coordinating Remote Switch for 3-way or up to 10 locations

Device Colors: Z

Neutral Required: yes, except when used with incandescent or magnetic low voltage devices



Color Kits: VPKIT-CS  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C46 **VRP15-1L**

Comment: Supports beaming which is the ability to communicate with battery operated frequently listening nodes (FLIRS) such as door locks and sensors

Cell: C47 **VRP03-1L**

Comment: Supports beaming which is the ability to communicate with battery operated frequently listening nodes (FLIRS) such as door locks and sensors

Cell: C48 **VRCP-1L**

Comment: Supports beaming which is the ability to communicate with battery operated frequently listening nodes (FLIRS) such as door locks and sensors

Refashable for firmware updates

Cell: C49 **VRR15-1L**

Comment: 3-1P Split Tamper-Resistant Duplex Wall Receptacle with Top Outlet Scene Capable Switch for Single Pole Applications  
Device Colors: Z

Color Kits: VPKIT-R0  
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Remove Multi-Location Control

add 1/2 - Should Read 1/2 HP

Remove Neutral Required

No space between 1/2 + HP

Should be under switches

Cell: C50 **VRCS4-MO**

Comment: Multi-Location Control Scene Controller for Multi-Location Scene Control with IR Remote Capability  
Device Colors: Z  
Neutral Required: yes

Color Kits: VPKIT-S4

Kit Colors: W, I, T, G, E, B, R

Button Label Kits: VPSLB-S4

Custom Engraved Buttons: Visit [www.leviton.com/buttons](http://www.leviton.com/buttons) to download order form

Wallplates: Decora screwless or Decora standard, sold separately

Remove Multi-Location Control:

Where are the colors?

need to separate like on spreadsheet

Cell: C51 **VR CZ4-MO**

Comment: Multi-Location Control Zone Controller for Multi-Location Control with IR Remote Capability  
Device Colors: Z  
Neutral Required: yes

Color Kits: VPKIT-Z4

Kit Colors: W, I, T, G, E, B, R

Button Label Kits: VPSLB-Z4

Custom Engraved Buttons: Visit [www.leviton.com/buttons](http://www.leviton.com/buttons) to download order form

Wallplates: Decora screwless or Decora standard, sold separately

colors are missing?

need to separate out like on spreadsheet

Cell: C52 **VRCS4-MR**

Comment: Multi-Location Control Scene Controller with Single Pole Scene Capable Switch for Multi-Location Scene Control with IR Remote Capability  
Device Colors: Z  
Neutral Required: yes

Color Kits: VPKIT-S4

Kit Colors: W, I, T, G, E, B, R

Button Label Kits: VPSLB-S4

Custom Engraved Buttons: Visit [www.leviton.com/buttons](http://www.leviton.com/buttons) to download order form

Wallplates: Decora screwless or Decora standard, sold separately

colors are missing?

need to separate out like on spreadsheet

Cell: C53 **VR CZ4-MR**

Comment: Multi-Location Control Zone Controller with Single Pole Scene Capable Switch for Multi-Location Zone Control with IR Remote Capability  
Device Colors: Z  
Neutral Required: yes

Color Kits: VPKIT-Z4

Kit Colors: W, I, T, G, E, B, R

Button Label Kits: VPSLB-Z4

Custom Engraved Buttons: Visit [www.leviton.com/buttons](http://www.leviton.com/buttons) to download order form

Wallplates: Decora screwless or Decora standard, sold separately

colors are missing

need to separate out like on spreadsheet

Cell: C54 **VRCS2-MR**

Comment: Multi-Location Control Scene Controller with 2 Single Pole Scene Capable Switches  
Device Colors: Z

Neutral Required: yes

Color Kits: VRKIT-DS

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C55

*VRCSI-1L*

Comment: ~~Multi-Location Control~~ Controller/Virtual Switch Remote 3-Way RF Controller for Multi-Location Control

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MS

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C56

*VRDZ1-1L*

Comment: ~~Multi-Location Control~~ Controller/Virtual Dimming Remote 3-Way RF Controller for Multi-Location Control

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C57

*VRCPG-BSG, VRCPG-DSG*

Comment: VRCPG-BSG = Remote Controller Programmer

VRCPG-DSG = Remote Controller Programmer with Timer

Cell: C58

*VRMRI-DSG*

Comment: IR Handheld Remote Controller for Zone and Scene Control

Cell: C59

*VRUSB-000*

Comment: System Programming:

Download RF Installer Tool from [www.leviton.com/rfinstallertool](http://www.leviton.com/rfinstallertool)

Can't see onscreen  
to view, no  
scrolling  
down to  
view