

Incandescent, LED, CFL, Low Voltage and Fan Speed Controls										
	Vizia +	Vizia RF +	True Touch	Togletouch	IllumaTech Slide	IllumaTech Rotary	SureSlide	Trimatron	Mural	Toggle
Incandescent 600W	✓P106-1L	VR106-1L	✓T106-1L	✓TG106-1L	✓IPI06-1L, IPI06-10	✓RPI06-1L, RPI06-10	6631-L, 6633-PL, 6674-10	6602, 6604, 6683	MD106-1L	6641, 6643, 6691, 6693
Incandescent 1000W	✓PVM10-1L	VR10-1L, VRMX1-1L	✓TT10-1L	✓TG10-1L	✓IPI10-1L	-	-	-	MD110-1L	-
Incandescent 1500W	-	-	-	-	-	-	-	-	-	-
Incandescent 2000W	-	-	-	-	-	-	-	-	-	-
LED and CFL 150W	-	-	-	-	IPL06-10	-	6674-10	-	-	-
Electronic Low Voltage 350VA	-	-	-	-	-	-	-	-	MDE03-11W	-
Electronic Low Voltage 400VA	-	-	-	-	-	-	-	-	-	-
Electronic Low Voltage 300W	-	-	-	-	IPE04-1L	-	6613-P	-	-	-
Electronic Low Voltage 400W	✓PVE04-1L	-	-	-	-	-	-	-	-	-
Electronic Low Voltage 600W	✓PVE06-1L	VRE06-1L	-	-	-	-	-	-	-	-
Magnetic Low Voltage 300VA Dual Slide Dimmer	-	-	-	-	-	-	-	-	-	-
Magnetic Low Voltage 600VA	✓PVM06-1L	-	-	-	IPM06-1L	✓JPM10-1L	6628	-	MDM06-1L	-
Magnetic Low Voltage 1000VA	✓PVM10-1L	VRMX1-1L	✓TT10-1L	✓TGM10-1L	✓JPM10-1L	✓JPM10-1L	6613-PL	-	MDM10-1L	-
Magnetic Low Voltage 1500VA	-	-	-	-	-	-	-	-	-	-
Fan Speed Control 1.5 Amp & Dimmer 300W	-	-	-	-	-	-	RTD01-10	-	-	-
Fan Speed Control Quiet 1.5Amp	✓VPF01-1L	VRF01-1L	-	-	IPF01-1L	RTF01-10	6604-X	6639	MDF01-1L	-
Fan Speed Control Variable 5Amp	-	-	-	-	IPF05-1L	-	6627-1, 6637-P	6646-X	-	-

Fluorescent			
	Vizia +	Vizia RF +	IllumaTech Slide
Fluorescent Electronic Mark 10 Powerline 120V 500W	-	-	-
Fluorescent Electronic Mark 10 Powerline 120V 600VA	-	-	IPX06-10
Fluorescent Electronic Mark 10 Powerline 120V 1000VA	✓VPX10-1L	VRMX4-1	IPX10-10
Fluorescent Electronic Mark 10 Powerline 120V 1500VA	✓	-	-
Fluorescent Electronic Mark 10 Powerline 227V 600VA	-	-	IPX06-70
Fluorescent Electronic Mark 10 Powerline 277V 1200VA	✓VPX12-7L	-	IPX12-70
Fluorescent Electronic Mark 10 Powerline 277V 2000VA	✓	-	-
Fluorescent Electronic Mark 10 Powerline 277V 3000VA	-	-	-
Fluorescent Electronic 0-10VDC Mark 7 or Quicktronic Helios 120V 1200VA	-	-	IP710-DL
Fluorescent Electronic 0-10VDC Mark 7 or Quicktronic Helios 277V 1500VA	-	-	IP710-DL
Fluorescent Dimmer for Hi-Lume or Eco-10 8A-120VAC	✓VPH08-1L	-	-
Fluorescent Dimmer for Hi-Lume or Eco-10 6A-277VAC	✓VPH06-7L	-	-

Switches and Remotes				
	Vizia +	Vizia RF +	True Touch	Mural
Switch 5A Incandescent Only	-	VR5A5-1L	-	-
Switch 15A-120VAC	✓VP15-1L	VR15-1L	-	-
Dimmer Remote Matching 120VAC	✓VP00R-1L	VP00R-1L	-	-
Dimmer Remote Coordinating 120VAC	✓VP00R-10	VP00R-10	TT00R-10	MS00R-10
Dimmer Remote Matching 277VAC	✓VP00R-7L	-	-	-
Switch Remote Matching 120VAC	✓VP05R-1L	VP05R-1L	-	-
Switch Remote Coordinating 120VAC	✓VP05R-10	VP05R-10	-	-
Appliance Module 15A 120VAC	-	VR15-1L	-	-
Lamp Dimming Module 300W 120VAC	-	VRP03-1L	-	-
RS232 Interface	-	VRCP-1L	-	-
Receptacle 1800W/1800VA	-	VR18-1L	-	-
4-Button Scene Controller 120VAC	-	VRCS4-MR	-	-
4-Button Zone Controller 120VAC	-	VRCZ4-MD	-	-
4-Button Scene Combo Controller 1800W/1800VA, ½ HP	-	VRCS4-MR	-	RF + Controllers
4-Button Zone Combo Controller 1800W/1800VA, ½ HP	-	VRCZ4-MR	-	RF + Controllers
2-Button Scene Controller 1000W/1000VA, ¼ HP per switch	-	VRCZ2-MR	-	RF + Combination Controllers
1-Button Scene Controller 120VAC	-	VRCE1-1L	-	RF + Controllers
1-Button Zone Controller 120VAC	-	VRCPZ-1L	-	RF + Controllers
Primary Remote	-	VRCPG-OSG, VRCPG-BSG	-	Programming
IR Remote	-	VRMRW-OSG	-	RF + Controllers
Installer Tool Software & USB	-	VRUSD-000	-	Programming

Switches
 Switches
 Dimmer Remotes
 Dimmer Remotes
 Dimmer Remotes
 Dimmer Remotes
 Switch Remotes
 Switch Remotes
 Plug-in Modules
 Plug-in Modules
 Plug-in Modules
 RF + Controllers
 RF + Controllers
 RF + Combination Controllers
 RF + Combination Controllers
 RF + Controllers
 RF + Controllers
 Programming
 RF + Controllers
 Programming

GLOBAL

- Instead of Lighting Should we say dinner somewhere?
- WallPlates type Should be wallplate type
- Should colors be "device colors"
- Registration marks superscript
- don't see footnote for \$, anyway to have it in rollover pop up?

Cell: B4 VP106

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes

Device Colors: Z, W, T

Neutral Required: No

Color Kits: VPKIT-MD, VPKIT-CD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C4 VR106

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VRCZ1-1L, VP00R-1L or VP00R-10 remotes

Device Colors: Z

Neutral Required: No

Color Kits: VPKIT-MD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: D4 TT106

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with TT00R remote

Device Colors: Z, GS

Neutral Required: No

Color Kits: TTKIT

Kit Colors: W, I, T, G, E, WS, GI, BG

Wallplates: Decora screwless or Decora standard, sold separately

Cell: E4 TG106

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

Device Colors: W, I, T, B

Neutral Required: no

Wallplates: Standard toggle wallplate, sold separately

ToggleTouch®

written twice in rollover

rollover says "G" should be "B"

- should not list color kits or kit colors if not an option

Cell: F4 IP106, IP106-10

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

Device Colors: Z

Neutral Required: no

Color Kits: IPIKIT-00, IPIKIT-LN (For IP106, no LED)

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

written twice

not included
in rollover

These products Should be listed together w/ one photo & description, like on spreadsheet that was submitted

IllumaTechSlide®
Should be

IllumaTech® Slide

- picture should be of IP106 w/ LED

Cell: G4 RP106-1L, RP106-10

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

Device Colors: Z

Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

These should be listed together w/ one photo & description

- IllumaTech Rotary® Should be IllumaTech® Rotary

- should not list color kits or kit colors if not an option

Cell: H4 6631-L, 6633-PL, 6674-10

Comment: Multi Location Control: 6631 is Single Pole Only. 6633 and 6674 are Single Pole or 3-way control when used with 3-way switch

Device Colors: 6631 = W, I, T;

6633 = W, I, T, G, E;

6674 = W, I, T, E, B

Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

- Don't list color kits or kit colors

Cell: I4 6602, 6681, 6683

Comment: Multi Location Control: 6602 and 6681 are Single Pole Only. 6683 is Single Pole or 3-way control when used with 3-way switch

Device Colors: 6602 = W; 6681 = W, I; 6683 = Z

Neutral Required: no

Color Kits: 80400, 26115 (metal insert)

Kit Colors: W, I, T, E, B*

* available in brown w/o suffix

No light almond kit for 80400

Wallplates: Standard toggle wallplate, sold separately

This line is cut off on rollover

Cell: J4 MP106-1L

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with MS00R remote

Device Colors: W, I

Neutral Required: No

Color Kits: DRKDD-1L

Kit Colors: W, I, G, E, B

Wallplates: Decora screwless or Decora standard, sold separately

Need Picture

Cell: K4

~~Karen Rich~~
Cell: K4 (6641, 6643, 6691, 6693)

Comments: ~~Multi Location Control~~: 6641 and 6691 are Single Pole Only. 6643 and 6693 are Single Pole or 3-way control when used with 3-way switch
Device Colors: 6641 and 6643 = W, I; 6691 and 6693 = Clear
Neutral Required: no

~~Toggle~~ Wallplates: Standard toggle wallplate, sold separately

Cell: B5 VPM10-1L

Comments: ~~Multi Location Control~~: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes
Device Colors: Z, T
Neutral Required: No

Color Kits: VPKIT-MD, VPKIT-CD
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C5 VR10-1L, VRMX1-1L - Should be listed together

Comments: ~~Multi Location Control~~: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VRCZ1-1L, VP00R-1L or VP00R-10 remotes
Device Colors: Z
Neutral Required: VR10 = No; VRMX1 = yes

Color Kits: VPKIT-MD
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: D5 TT00-1L

Comments: ~~Multi Location Control~~: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with TT00R remote
Device Colors: Z, GS
Neutral Required: No

Color Kits: TTKIT
Kit Colors: W, I, T, G, E, WS, GI, BG

Wallplates: Decora screwless or Decora standard, sold separately

Cell: E5 TG10-1L - Should be ToggleTouch

Comments: ~~Multi Location Control~~: Single Pole or 3-way control when used with 3-way switch
Device Colors: W, I, T, G
Neutral Required: no

Wallplates: Standard toggle wallplate, sold separately

Cell: F5 IP10-1L - Should be IllumaTech® Slide

Comments: ~~Multi Location Control~~: Single Pole or 3-way control when used with 3-way switch
Device Colors: Z
Neutral Required: no

Color Kits: IPKIT-00
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

- photo should be same as IP10 w/LED

Cell: J5 MD10-1L

Comments: ~~Multi Location Control~~: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with MS00R remote
Device Colors: W, I
Neutral Required: No

Color Kits: DRKDD-1L
Kit Colors: W, I, G, E, B

Wallplates: Decora screwless or Decora standard, sold separately

Cell: F8 IP06-10 IllumaTech® Slide

Comments: ~~Multi Location Control~~: Single Pole or 3-way control when used with 3-way switch
Device Colors: Z
Neutral Required: no

Color Kits: IPKIT-LN
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

- remove color kits & kit colors

Cell: H8 (6674-10) MDPED3-1LW

Comments: ~~Multi Location Control~~: Single Pole or 3-way control when used with 3-way switch
Device Colors: W, I, T, E, B
Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: J9 MDPED3-1LW

Comments: ~~Multi Location Control~~: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with MSE0R remote
Device Colors: W
Neutral Required: yes

use same photo as MD206

Color Kits: DRKDD-1L
Kit Colors: W, I, G, E, B

Wallplates: Decora screwless or Decora standard, sold separately

IPEO4-1L

DUP

Cell: F10
Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

Device Colors: Z
Neutral Required: yes

Color Kits: IPKIT-00
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

- IllumaTech® Slide
- Replace photo w/IPI06 (LED light)

10015-PL

DUP
Cell: H11
Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

Device Colors: W, T
Neutral Required: yes

Wallplates: Decora screwless or Decora standard, sold separately

- Remove Color Kits & Kit Colors

VP204-1L

DUP

Cell: B12
Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes

Device Colors: Z, T
Neutral Required: Yes

Color Kits: VPKIT-MD, VPKIT-CD
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

VP006-1L

DUP

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes

Device Colors: Z, T

Neutral Required: yes

Color Kits: VPKIT-MD, VPKIT-CD
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

VRC06-1L

DUP

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VRCZ1-1L, VP00R-1L or VP00R-10 remotes

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MD
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

10028

DUP

Comment: Multi Location Control: Two Single Pole Loads
needs to say this

Remove "1"

Wallplates: Decora screwless or Decora standard, sold separately

- Remove Color Kits & Kit Colors

VPMO6-1L

DUP

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes

Device Colors: Z, T

Neutral Required: No

Color Kits: VPKIT-MD, VPKIT-CD
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

IPMO6-1L

DUP

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch
Replace Photo w/ IPI06 (LED)

Device Colors: Z

Neutral Required: no

Color Kits: IPKIT-00
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

- Name should be IllumaTech® Slide

10013-PL

DUP

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

Device Colors: W, I, T

- Remove Color Kits & Kit Colors

Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: J15 ~~MDM06-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with MS00R remote

DUP Device Colors: W, I

Neutral Required: No

Color Kits: DRKDD-1L

Kit Colors: W, I, G, E, B

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B16 ~~VPM10-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes

DUP Device Colors: Z, T

Neutral Required: No

Color Kits: VPKIT-MD, VPKIT-CD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C16 ~~VRMX1-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VRCZ1-1L, VP00R-1L or VP00R-10 remotes

DUP Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: D16 ~~TTM10-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with TT00R remote

DUP Device Colors: Z, GS

Neutral Required: No

Color Kits: TTKIT

Kit Colors: W, I, T, G, E, WS, GI, BG

Wallplates: Decora screwless or Decora standard, sold separately

Cell: E16 ~~TGM10-1L~~

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

DUP Device Colors: W, I, T

Neutral Required: no

Wallplates: Standard toggle wallplate, sold separately

-Should be ToggleTouch®
-Remove color kits + Kit Colors

Cell: F16 ~~IPM10-1L~~

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

DUP Device Colors: Z

Neutral Required: no

Color Kits: IPKIT-00

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

-photo should be same as IP10B (LED)
-Should be IllumaTech® Side.
-photo on main page of IllumaTech® rotary
is wrong. Should be RPI0B. looks like Trimline now.

Cell: J16 ~~MDM10-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with MS00R remote

DUP Device Colors: W, I

Neutral Required: No

Color Kits: DRKDD-1L

Kit Colors: W, I, G, E, B

Wallplates: Decora screwless or Decora standard, sold separately

under 1500VA

•ToggleTouch®, IllumaTech® Slide & Rotary.

Photo of IllumaTech® Side should have LED

-Remove color kits + Kit Colors

Cell: G18 ~~RTDB1-1L~~

Comment: Multi Location Control: Single Pole Only

DUP Device Colors: Z

Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B19 ~~VPF01-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes

DUP Device Colors: Z

Neutral Required: Yes

Color Kits: VPKIT-MD, VPKIT-CD
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C19 ~~IPRF01-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VRCZ1-1L, VP00R-1L or VP00R-10 remotes

DUP
Device Colors: Z
Neutral Required: yes

Color Kits: VPKIT-MD
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: F19 ~~IPRF01-1L~~

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

DUP
Device Colors: Z
Neutral Required: yes

Color Kits: IPQFK-00
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: G19 ~~IPF01-10~~

Comment: Multi Location Control: Single Pole Only

DUP
Device Colors: Z
Neutral Required: no
~~or should say "no"~~

Wallplates: Decora screwless or Decora standard, sold separately

Cell: H19 ~~6629-3~~

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

DUP
Device Colors: W, I, T
Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: I19 ~~6629~~

Comment: Multi Location Control: Single Pole Only.

DUP
Device Colors: Z
Neutral Required: no

Wallplates: Standard toggle wallplate, sold separately

Cell: J19 ~~MDFO1-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location control with MSEOR remote

DUP
Device Colors: W
Neutral Required: yes

Color Kits: DRKDD-1L
Kit Colors: W, I, G, E, B

Wallplates: Decora screwless or Decora standard, sold separately

Cell: F20 ~~IPF05-1L~~

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

DUP
Device Colors: Z
Neutral Required: yes

Color Kits: IPQFK-00
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: H20 ~~6627-1~~ ~~6637-P~~ ~~DRKDD-1L~~

Comment: Multi Location Control: 6627 is Single Pole Only. 6637 is Single Pole or 3-way control when used with 3-way switch

Device Colors: 6627 = W, I, B;
6637 = W, I, T
Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: I20 ~~6616-X~~

Comment: Multi Location Control: Single Pole Only.

DUP
Device Colors: W, I
Neutral Required: no

Wallplates: Standard toggle wallplate, sold separately

Specs & Ratings Box

Fan Speed Control

1.5 Amp ~~2 add space~~
5 Amp ~~between #~~ ~~Amp~~

- photo should be same as IP106 w/LED

- IllumaTech® Slide

Cell: F19 ~~IPF01-10~~

Comment: Multi Location Control: Single Pole Only

DUP
Device Colors: Z
Neutral Required: no

Color Kits: IPQFK-00
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: G19 ~~IPF01-10~~

Comment: Multi Location Control: Single Pole Only

DUP
Device Colors: Z
Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: H19 ~~6629-3~~

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

DUP
Device Colors: W, I, T
Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: I19 ~~6629~~

Comment: Multi Location Control: Single Pole Only.

DUP
Device Colors: Z
Neutral Required: no

Wallplates: Standard toggle wallplate, sold separately

Cell: J19 ~~MDFO1-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location control with MSEOR remote

DUP
Device Colors: W
Neutral Required: yes

Color Kits: DRKDD-1L
Kit Colors: W, I, G, E, B

Wallplates: Decora screwless or Decora standard, sold separately

Cell: F20 ~~IPF05-1L~~

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

DUP
Device Colors: Z
Neutral Required: yes

Color Kits: IPQFK-00
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: H20 ~~6627-1~~ ~~6637-P~~ ~~DRKDD-1L~~

Comment: Multi Location Control: 6627 is Single Pole Only. 6637 is Single Pole or 3-way control when used with 3-way switch

Device Colors: 6627 = W, I, B;
6637 = W, I, T
Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: I20 ~~6616-X~~

Comment: Multi Location Control: Single Pole Only.

DUP
Device Colors: W, I
Neutral Required: no

Wallplates: Standard toggle wallplate, sold separately

Specs & Ratings Box

Fan Speed Control

1.5 Amp ~~2 add space~~
5 Amp ~~between #~~ ~~Amp~~

- photo should be same as IP106 w/LED

- IllumaTech® Slide

Cell: F19 ~~IPF01-1L~~

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

DUP
Device Colors: Z
Neutral Required: yes

Color Kits: IPQFK-00
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: G19 ~~IPF01-10~~

Comment: Multi Location Control: Single Pole Only

DUP
Device Colors: Z
Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: H19 ~~6629-3~~

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

DUP
Device Colors: W, I, T
Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: I19 ~~6629~~

Comment: Multi Location Control: Single Pole Only.

DUP
Device Colors: Z
Neutral Required: no

Wallplates: Standard toggle wallplate, sold separately

Cell: J19 ~~MDFO1-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location control with MSEOR remote

DUP
Device Colors: W
Neutral Required: yes

Color Kits: DRKDD-1L
Kit Colors: W, I, G, E, B

Wallplates: Decora screwless or Decora standard, sold separately

Cell: F20 ~~IPF05-1L~~

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

DUP
Device Colors: Z
Neutral Required: yes

Color Kits: IPQFK-00
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: H20 ~~6627-1~~ ~~6637-P~~ ~~DRKDD-1L~~

Comment: Multi Location Control: 6627 is Single Pole Only. 6637 is Single Pole or 3-way control when used with 3-way switch

Device Colors: 6627 = W, I, B;
6637 = W, I, T
Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: I20 ~~6616-X~~

Comment: Multi Location Control: Single Pole Only.

DUP
Device Colors: W, I
Neutral Required: no

Wallplates: Standard toggle wallplate, sold separately

} separate out multi-controls info for
6627 + 6637

SPECS & RATINGS

Fluorescent Electronic [Mark] 10® Powerline 120V

500W

600VA

1000VA

1500VA

Fluorescent Electronic [Mark] 10® Powerline 277V

600VA

1200VA

2000VA

3000VA

Fluorescent Electronic [Mark] 10VDC Mark 7® or

Quicktronic® Helios™

120V 1200VA

277V 1500VA

Fluorescent Dimmer for [Hi-]
Lume® or Eco-10

8A-120VAC

6A-277VAC



Jana Alvino

Marketing
Communications
Manager

T: 631 812-6316

jalvino@leviton.com

Leviton Mfg. Co.
201 North Service Road
Melville, NY 11747
www.leviton.com



Specs & Rating Box

See attached hard copy Mark-up

Cell: E24 6668

Comment: Multi Location Control: Single Pole Only
Device Colors: W, I
Neutral Required: no

Wallplates: Decora screwless or Decora standard, sold separately

Cell: D25 IPX06-10

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch
Device Colors: Z
Neutral Required: yes

Color Kits: IPKIT-0N

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

- IllumaTech® Slide

Cell: B26 VPX10-1L

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes
Device Colors: Z, T
Neutral Required: yes

DUP

Color Kits: VPKIT-MD, VPKIT-CD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C26 VRMx1-1

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VRCZ1-1L, VP00R-1L or VP00R-10 remotes
Device Colors: Z
Neutral Required: yes

Color Kits: VPKIT-MD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: D26 IPX10-10

IllumaTech® Slide

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch
Device Colors: Z
Neutral Required: yes

Color Kits: IPKIT-0N

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: D28 IPX06-70

IllumaTech® Slide

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch
Device Colors: Z
Neutral Required: yes

Color Kits: IPKIT-0N

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B29 VPX12-7L

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes
Device Colors: Z, T
Neutral Required: yes

DUP

Color Kits: VPKIT-MD, VPKIT-CD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: D29 IPX12-70

IllumaTech® Slide

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch
Device Colors: Z
Neutral Required: yes

Color Kits: IPKIT-0N

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: D32 IP710-DL

photoshould be same as IP106 w/LED

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch
Device Colors: Z
Neutral Required: yes

Color Kits: IPKIT-00

IllumaTech® Slide

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: D33 ~~IP710-DL5~~ - photo should become as IP106 w/LED

Comment: Multi Location Control: Single Pole or 3-way control when used with 3-way switch

Device Colors: Z

Neutral Required: yes

Color Kits: IPKIT-00

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

IllumaTech® Slide

Cell: B34 ~~VPH08-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MD, VPKIT-CD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B35 ~~VPH06-7L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location dimming with VP00R-1L or VP00R-10 remotes

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MD, VPKIT-CD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C39 ~~VR505-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location control with VRCS1-1L, VP05R-1L or VP05R-10 remotes

Device Colors: Z

Neutral Required: no

Color Kits: VPKIT-MS

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B40 ~~VPS15-1L~~

Comment: Multi Location Control: Non-dimming electronic switch provides Single Pole, 3-way or Multi-Location control with VP05R-1L or VP05R-10 remotes

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MS, VPKIT-CS

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C40 ~~VR515-1L~~

Comment: Multi Location Control: Digital circuitry provides Single Pole, 3-way or Multi-Location control with VRCS1-1L, VP05R-1L or VP05R-10 remotes

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MS

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B41 ~~VP00R-1L~~

Comment: Multi Location Control: Matching Remote Dimmer for 3-way or up to 5 locations

Device Colors: Z, W

Neutral Required: yes

Color Kits: VPKIT-MD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C41 ~~VP00R-1L~~

Comment: Multi Location Control: Non-RF Matching Remote Dimmer for 3-way or up to 5 locations

Device Colors: Z, W

Neutral Required: yes

Color Kits: VPKIT-MD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B42

VPODR-10

Comment: Multi Location Control: Coordinating Remote Dimmer for 3-way or up to 10 locations

Device Colors: Z

Neutral Required: yes, except when used with incandescent or magnetic low voltage devices

Color Kits: VPKIT-CD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

VJPODR-10

Comment: Multi Location Control: Non-RF Coordinating Remote Dimmer for 3-way or up to 10 locations

Device Colors: Z

Neutral Required: yes, except when used with incandescent or magnetic low voltage devices

Color Kits: VPKIT-CD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C42

TTDOR-10

Comment: Multi Location Control: Coordinating Remote Dimmer for 3-way or up to 10 locations

Device Colors: Z, GS

Neutral Required: no

Color Kits: TTKTR

Kit Colors: W, I, T, G, E, WS, GI, BG

Wallplates: Decora screwless or Decora standard, sold separately

Cell: E42

MSODR-10

Comment: Multi Location Control: Coordinating Remote Dimmer/Fan Speed Controls for 3-way or up to 10 locations, no LED

Device Colors: W, I

Neutral Required: no

Color Kits: DRKOR-00

Kit Colors: W, I, G, E, B

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B43

VPODR-7L

Comment: Multi Location Control: Matching Remote Dimmer for 3-way or up to 5 locations

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MD

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B44

VPOSR-7L

Comment: Multi Location Control: Matching Remote Switch for 3-way or up to 5 locations

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MS

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C44

VPOSR-1L

Comment: Multi Location Control: Non-RF Matching Remote Switch for 3-way or up to 5 locations

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MS

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: B45

VPOSR-10

Comment: Multi Location Control: Coordinating Remote Switch for 3-way or up to 10 locations

Device Colors: Z

Neutral Required: yes, except when used with incandescent or magnetic low voltage devices

Color Kits: VPKIT-CS

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C45

VJPOSR-10

Comment: Multi Location Control: Non-RF Coordinating Remote Switch for 3-way or up to 10 locations

Device Colors: Z

Neutral Required: yes, except when used with incandescent or magnetic low voltage devices

Change top tab to read
Switches, Remotes & Controllers

SPECS & RATINGS	
Switches	
5A Incandescent Only	
15A-120VAC	
Dimmer Remotes	
Matching 120VAC	
Matching 277VAC	
Coordinating 120VAC	
Switch RemoteS	
Matching 120VAC	
Coordinating 120VAC	
Plug-in Modules	
Appliance Module 15A 120VAC	
Lamp Dimming Module 300W 120VAC	
RS232 Interface	
Receptacle 1800W/1800VA	
4-Button Controllers	
Scene Controller 120VAC	
Scene Combo Controller 1800W/1800VA, HPC	
Zone Controller 120VAC	
Zone Combo Controller 1800W/1800VA, HPC	
2-Button Controllers	
Scene Controller 1000W/1000VA, HP per switch	
1-Button Controllers	
Scene Controller 120VAC	
Zone Controller 120VAC	
Programming and Handheld Remotes	
Primary Remote	
IR Remote	
Installer Tool Software and USB	

Color Kits: VPKIT-CS
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

✓ Cell: C46 VRP15-IL

Comment: Supports beaming which is the ability to communicate with battery operated frequently listening nodes (FLIRS) such as door locks and sensors

✓ Cell: C47 VRP03-IL

Comment: Supports beaming which is the ability to communicate with battery operated frequently listening nodes (FLIRS) such as door locks and sensors

✓ Cell: C48 VRCP-TL

Comment: Supports beaming which is the ability to communicate with battery operated frequently listening nodes (FLIRS) such as door locks and sensors

Refashable for firmware updates

Cell: C49 VRR15-IL

Comment: 2-AP Split Tamper-Resistant Duplex Wall Receptacle with Top Outlet Scene Capable Switch for Single Pole Applications

Device Colors: Z

Color Kits: VPKIT-R0
Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

- Remove Multi-location Control

- Add '1/2'

- Remove Neutral Required

Should be under switches?

✓ Cell: C50 VRCS4-MO

Comment: Multi Location Control Scene Controller for Multi-Location Scene Control with IR Remote Capability

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-S4

Kit Colors: W, I, T, G, E, B, R

Button Label Kits: VP5LB-S4

Custom Engraved Buttons: Visit www.leviton.com/buttons to download order form

Wallplates: Decora screwless or Decora standard, sold separately

Where are the colors?

need to separate like on spreadsheet

✓ Cell: C51 VR CZ4-MO

Comment: Multi Location Control Zone Controller for Multi-Location Control with IR Remote Capability

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-Z4

Kit Colors: W, I, T, G, E, B, R

Button Label Kits: VPZLB-Z4

Custom Engraved Buttons: Visit www.leviton.com/buttons to download order form

Wallplates: Decora screwless or Decora standard, sold separately

colors are missing?

need to separate out like on Spreadsheet

✓ Cell: C52 VRCS4-MR

Comment: Multi Location Control Scene Controller with Single Pole Scene Capable Switch for Multi-Location Scene Control with IR Remote Capability

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-S4

Kit Colors: W, I, T, G, E, B, R

Button Label Kits: VP5LB-S4

Custom Engraved Buttons: Visit www.leviton.com/buttons to download order form

Wallplates: Decora screwless or Decora standard, sold separately

colors are missing?

need to separate out like on Spreadsheet

✓ Cell: C53 VR CZ4-MR

Comment: Multi Location Control Zone Controller with Single Pole Scene Capable Switch for Multi-Location Zone Control with IR Remote Capability

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-Z4

Kit Colors: W, I, T, G, E, B, R

Button Label Kits: VPZLB-Z4

Custom Engraved Buttons: Visit www.leviton.com/buttons to download order form

Wallplates: Decora screwless or Decora standard, sold separately

colors are missing?

need to separate out like on Spreadsheet

✓ Cell: C54 VRCS2-MR

Comment: Multi Location Control Scene Controller with 2 Single Pole Scene Capable Switches

Device Colors: Z

Neutral Required: yes

Color Kits: VRKIT-DS

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C55 VRCSI-1L

Comment: Multi Location Control Controller/Virtual Switch Remote 3-Way RF Controller for Multi-Location Control

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MS ~~stet~~

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C56 VRCZI-1L

Comment: Multi Location Control Controller/Virtual Dimming Remote 3-Way RF Controller for Multi-Location Control

Device Colors: Z

Neutral Required: yes

Color Kits: VPKIT-MD ~~stet~~

Kit Colors: W, I, T, G, E, B, R

Wallplates: Decora screwless or Decora standard, sold separately

Cell: C57 VRCPG-BSG, VRCPG-0SG

Comment: VRCPG-BSG = Remote Controller Programmer

VRCPG-0SG = Remote Controller Programmer with Timer

Cell: C58 VRMR1-0SG

Comment: IR Handheld Remote Controller for Zone and Scene Control

Cell: C59 VRUSB-000

Comment: System Programming:

Download RF Installer Tool from www.leviton.com/rfinstallertool