

AsciiDoctor PDF 예제

사용자 가이드

EXEM, Inc.

Version 2.0.0, 2015-07-01

목차

소개.....	1
---------	---

소개

A paragraph followed by a simple list with square bullets.

- Item 1
- Item 2

Here's how you say “Hello, World!” in Prawn:

Listing 1. Create a basic PDF document using Prawn

```
require 'prawn'

Prawn::Document.generate 'example.pdf' do
  text 'Hello, World!'
end
```

Bullet

- level 1
 - level 2
 - level 3
 - level 4
 - level 5

Ordered List

1. Protons
2. Electrons
3. Neutrons

Labeled List

Dairy

- Milk
- Eggs

Bakery

- Bread

Produce

- Bananas

```
# mysql -uroot -p ①
Enter password: ②
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 33819
Server version: 5.5.43

Copyright (c) 2000, 2015, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> show variables like 'c%'; ③
+-----+-----+
| Variable_name | Value |
+-----+-----+
| character_set_client | utf8 |
| character_set_connection | utf8 |
| character_set_database | utf8 |
| character_set_filesystem | binary |
| character_set_results | utf8 |
| character_set_server | utf8 |
| character_set_system | utf8 |
| character_sets_dir | /usr/share/mysql/charsets/ |
| collation_connection | utf8_general_ci |
| collation_database | utf8_unicode_ci |
| collation_server | utf8_unicode_ci |
| completion_type | NO_CHAIN |
| concurrent_insert | AUTO |
| connect_timeout | 10 |
+-----+-----+
14 rows in set (0.00 sec)
```

- ① MySQL 서버에 로그인
- ② MySQL 로그인 패스워드 입력
- ③ 데이터베이스의 character set 확인