






























GitOps



Application code


Application code



Application code code





Application code -----> CI/CD ----->





DevOps in a nutshell

















Benefits

- Familiar tools and processes
- Faster deployment/iteration + easily reproducible
- No cluster drift
- Greater collaboration
- Auditability
- More secure & simplification of access controls
- Cost saving
- Easily revert/rollback changes
- Simple stateless disaster recovery model




Argo CD





















Sync status Current State Desired State

App Health




Argo CD in production demo




application deployment




































Repositories





Deploying an App demo



sync waves







PreSync

















```
apiVersion: v1
       kind: ConfigMap
       metadata:
         name: argocd-cm
       data:
         application.resourceTrackingMethod: annotation
 6
         admin.enabled: 'true'
         statusbadge.enabled: 'true'
 8
         users.anonymous.enabled: 'false'
10
         resource.customizations:
11
           argoproj.io/Application:
             health.lua: |
12
               hs = \{\}
13
14
               hs.status = "Progressing"
               hs.message = ""
15
16
               if obj.status ~= nil then
17
                 if obj.status.health ~= nil then
18
                   hs.status = obj.status.health.status
19
                   if obj.status.health.message ~= nil then
                     hs.message = obj.status.health.message
20
21
                   end
22
                 end
23
               end
24
               return hs
```

surfing the waves demo





resources





argoproj.github.io/cd







