



I DON'T LIKE OPEN SOURCE,  
AND YOU SHOULDN'T LIKE IT EITHER!

Frédéric Harper  
@fharper

[outofcomfortzone.net](http://outofcomfortzone.net)

# sarcasm

sar·casm / sär'kazəm

**the use of irony to mock or convey contempt**

- Google

# I don't like open source



# how many participate?




what

is

open source

# do you know?



# access to the source

```
if( chars[start] == ' ') {  
    start++;  
    continue;  
}
```

# that's it



# open source initiative



why

you

should not

# I'll judge you



# free software



# loosing money



# you'll make new contacts



# community



# save you time



# improving your skills



# new experience



# vulnerability



# add noise to your resume

A close-up, slightly blurred photograph of a blue ink business card. The card features the name "John Smith" in large, bold, blue serif capital letters at the top. Below the name, the address "123 Main St." is printed in a smaller blue serif font. To the right of the address is a blue dot followed by the phone number "(123) 555-5555". Further down the card, there is another blue dot followed by the fax number "(123) 555-5555". To the right of the fax number is the word "State" and below it is the suffix ".E-V". At the bottom of the card, the website "www.johnsmith.com" is printed in blue. The entire card has a light blue background.

MAIL 123456  
Lora

Nulla  
em ipsum

Cum sociis  
nec dui ma-

S. B. S. 10

*penalibus  
miseretur mus.  
nulli  
malesuada  
pendisse*

卷之三

# perpetuity



# creativy



# possibilities



# recognition



to the  
experts

# something bigger than you



# helping others



# taking your time



# it's not secure



# no support



# standards



# vendor lock-in



# regulars deployments



# what matters to you



HEART OF DIXIE

19 ILLINOIS 67


SEP MISSOURI 67

MOUNTAIN STATE

# it's complicated



# customizable



# interoperable



# too many licenses types




# just for the cool kids



# even Microsoft is doing it!



# more than just the source



# creative commons



# open data



# open science



# open education



how

to

avoid

# don't use open libraries



# don't use open software





17

Software

Shredders

# don't report bugs





## LeaVerou / talks

[Watch](#) 3[Unstar](#) 29[Fork](#) 13[Code](#)[Issues 2](#)[Pull requests 2](#)[Wiki](#)[Pulse](#)[Graphs](#)

# No upcoming talk #9

[Edit](#)[New Issue](#)[Open](#)

fharper opened this issue on Nov 27, 2014 · 2 comments



fharper commented on Nov 27, 2014

If there are no upcoming talks, the UI keeps the "Loading talk list..." message. Should be great to keep the usual UI with a message about the fact there is no upcoming talk planned yet.

Putting this here if someone have time before me... Should be simple to fix.



LeaVerou commented on Nov 27, 2014

Owner

Yup, that's a known issue, just zero time to fix it. I know it's easy but I barely have time to breathe these days! Any PRs would be very welcome :)



fharper commented on Nov 27, 2014

No worries, I created an issue as I'm in the same situation as you! I wanted to interest other developers who may have time before us :)

fharper referenced this issue on Dec 4, 2015

[Some minor stuff #16](#)[Open](#)[Write](#)[Preview](#)[AA](#)[B](#)[i](#)[“](#)[”](#)[↔](#)[↶](#)[↷](#)[≡](#)[≡](#)[@](#)[Bookmark](#)

Leave a comment

**Labels**

None yet

**Milestone**

No milestone

**Assignee**

No one assigned

**Notifications**[Unsubscribe](#)

You're receiving notifications because you authored the thread.

**2 participants**

# don't fix documentation



# Shared knowledge for the Open Web

 Search the docs WEB TECHNOLOGIES

Web APIs & DOM  
HTML  
CSS  
JavaScript  
more...

 LEARN

Learn web development  
Getting started with the Web  
Learn HTML  
Learn CSS  
Learn JavaScript

 DEVELOPER TOOLS

Page Inspector  
Web Console  
JavaScript Debugger  
Performance Tools  
more...

## Learn the best of web development

Get the latest and greatest from MDN delivered straight to your inbox.

 you@example.com[SIGN UP NOW](#)

## Hacks Blog

[read more at hacks.mozilla.org](#) →

[Introducing HumbleNet: a cross-platform networking library that works in the browser](#)

Announcing the release of HumbleNet, a project initiated at Humble Bundle in 2015 to port peer-to-peer multiplayer games, originally to asm.js and now to WebAssembly. The current open source version of the library exposes a simple peer-to-peer API that allows for basic peer discovery and the ability to easily send ...

Posted June 29, 2017 by Edward Rudd

[Building the Web of Things](#)

Mozilla is working to create a Web of Things framework of software and services that can bridge the communication gap between connected devices. Today we're announcing the availability of a prototype of the first component of this system, the Things Gateway. We've made available a software image you can use ...

## GET INVOLVED

Join **8692** contributors

in **48** languages and locales

around the world.

# don't publish on GitHub





## Frédéric Harper

fharper

Chief of Awesome @ No ION is born king, former @Microsoft & @mozilla Technical Evangelist, @Apress author, public speaker, #crazyatman & more

[Block](#) or [report user](#)

No ION is born king

Montréal

<http://outofcomfortzone.net>[Overview](#)   [Repositories 29](#)   [Stars 271](#)   [Followers 86](#)   [Following 43](#)

## Pinned repositories

[LeaVerou/talks](#)

Automatic talks list, generated from JSON

JavaScript

★ 30

¥ 14

[kaaes/work\\_from\\_cafe](#)

Guide to dev friendly social places

JavaScript

★ 90

¥ 45

[Firefox-OS-Boilerplate-App](#)

Forked from robynmn/Firefox-OS-Boilerplate-App

Creating Firefox OS apps

JavaScript

[jekyllExternalLinksPlugin](#)

A Jekyll plugin that adds a target blank to all external links in posts and pages.

Ruby

★ 1

¥ 1

[WebPHPMagazine-HTML5\\_Now\\_series-The\\_Canvas](#)

The code I used in my article about the canvas element in the series HTML5 now for Web &amp; PHP magazine

## 23 contributions in the last year



## Contribution activity

Jump to ▾

2017

July 1, 2017

2016

fharper has no activity yet for this period.

2015

January 2017

2014

 Created 1 commit in 1 repository  
[fharper/jekyllExternalLinksPlugin](#) 1 commit

2013

2012

2011

[Show more activity](#)

Seeing something unexpected? Take a look at the GitHub profile guide.

# don't answer questions



Questions Developer Jobs Documentation (beta) Tags Users

user:895232 575 0 2 8

Profile Activity Developer Story Edit Profile & Settings Network Profile sharper

REPUTATION 575 +9 top 53% overall

575 SEP DEC MAR JUN

Top tag #10 firefox-os

Next privilege 1,000 Rep. See votes, expandable usercard

BADGES 2 8

Newest Critic Next badge Custodian 0/1

IMPACT ~7K people reached

0 posts edited

0 helpful flags

15 votes cast

**Job Recommendations**  
Based on your experience, interests, and preferences. Edit preferences.

Minimize job

Senior Full-Stack Engineer Capsule Technologie Paris-13E-Arrondissement, France €50,000 - €60,000 C# C++

Developer.NET EBA CLEARING Paris, France €40,000 - €60,000

Software Developer (C#, .NET) ITG Paris, France C# .net

Architecte / Développeur Senior Infinite Square Paris, France asp.net-core azure

summary answers questions documentation tags badges 2 favorites bounties reputation all actions responses votes

**Answers (32)**

votes activity newest

How to trigger native datepickers from javascript in FirefoxOS?

FxOS Marketplace App Submission. Is it automatically availa...

Determine if user clicked the home button/app is not active[Fi...

What's the recommended way to create a native-looking UI o...

How to keep display active in Firefox OS?

View more →

**Questions (0)**

votes activity newest

You have not asked any questions

**Tags (38)**

38 firefox-os × 32 4 web-applications × 4

14 javascript × 10 4 marketplace

11 firefox × 9 4 app-store

5 mobile × 2 3 html5 × 2

5 datepicker 3 html

View more →

**Accounts (4)**

**Badges (9)**

recent class name

# don't participate



Creative Commons: <https://flic.kr/p/93uF1F>



[Home](#)  
[Chromium](#)  
[Chromium OS](#)

**Quick links**  
[Report bugs](#)  
[Discuss](#)  
[Sitemap](#)

**Other sites**  
[Chromium Blog](#)  
[Google Chrome](#)  
[Extensions](#)  
[Google Chrome Frame](#)

Except as otherwise noted, the content of this page is licensed under a [Creative Commons Attribution 2.5 license](#), and examples are licensed under the [BSD License](#).

[For Developers](#) > [How-Tos](#) >

## Get the Code: Checkout, Build, Run & Submit

Welcome to Chromium! If you're here, you want to learn how to check out the Chromium repository and contribute changes to the Chromium project. This guide will show you how to do that. If you want to know how to go from checking the code out to making a small change and sending it out for review, [here](#) is a very detailed guide that explains all those steps.

### Getting Started

Chromium supports building on Windows, Mac and Linux. You can also build the mobile versions, iOS (from Mac) and Android (from Linux).

There are two main components to your build environment:

1. `depot_tools` - this is our bootstrapped collection of utils that will help you checkout, compile, run and submit changes to the code
2. `src` - a git repo; your local git copy of the chromium code. This will need to be updated regularly as other users submit changes.

### Set up your environment

First, [check out and install the depot\\_tools package](#).

Now, create a chromium directory for the checkout and change to it (you can call this whatever you like and put it wherever you like, as long as the path has no spaces):

```
$ mkdir chromium  
$ cd chromium
```

Mobile builds have their setup documented elsewhere:

- [Building for iOS?](#)
- [Building for Android?](#)

### Check out the source code.

The recommended command to check out the source is:

```
$ fetch --nohooks chromium      # Optionally, --no-history
```

With this command, the checkout will consume ~15GB of disk space.

However, if you choose to clone *without* git history, the checkout will total ~7.2GB. Use `--no-history` with `fetch` to create shallow clones. Use this if you don't need repo history or want a faster clone. Later, `git fetch --unshallow` can be used to deepen these shallow clones.

The fetch can take > 30 min on the fastest connections, and many hours on a slow connection.

### Install any necessary dependencies

If you're on Linux:

# good first bug



you

don't like

open source

are you sure?

NOBODY

EVER GOT FIRED

for choosing

OPEN SOURCE

# stay away!



# spread the hate...



# more seriously



Frédéric Harper

fharper@oocz.net

outofcomfortzone.net

