

1-tabe benevis mavard zir ra peyda kona

- *tedad kalame

- * tedad horof

- * tedad adad

- *por tekar tarin kalame

- * por tekar tarin harf

- *tolani tarin kalame

- *kotah tarin kalame

- * tedad horof bozorg

- * tedad horof kochak

2- tabe benevis sefarsh ra tahlil konad

```
process_order(  
    "Ali",  
    "Laptop",  
    "Mouse",  
    "Keyboard",  
    discount=10,  
    tax=9,  
    shipping=200000  
)
```

3- transactions = [
 ("Ali", "deposit", 5000000),
 ("Ali", "withdraw", 1000000),
 ("Sara", "deposit", 8000000),
 ("Ali", "withdraw", 500000),
 ("Sara", "withdraw", 2000000),

```
        ("Reza", "deposit", 10000000)
    ]
```

Baray har karbar moshakhas konad

- Total Deposits
- Total Withdrawals
- Balance Change
- Number of Transaction

*bishtarin bardasht

* bishtarin varez

*fal tarin karbar

```
4- transactions = [
    ("Ali", "deposit", 50000000, 10),
    ("Ali", "withdraw", 2000000, 11),
    ("Ali", "withdraw", 3000000, 12),
    ("Ali", "withdraw", 4000000, 13),
    ("Ali", "withdraw", 5000000, 14),
    ("Ali", "withdraw", 6000000, 15),
    ("Sara", "deposit", 50000000, 20),
    ("Sara", "withdraw", 60000000, 21),
    ("Reza", "deposit", 150000000, 30)
]
```

**mashkok

*Mablaq bish az 100 milion

* Mablaq bish az mojodi

* bish az 3 bardasht

```
5- logs = [
    ("Ali", "LOGIN", 200),
    ("Ali", "DOWNLOAD", 200),
    ("Sara", "LOGIN", 403),
    ("Reza", "LOGIN", 200),
    ("Sara", "LOGIN", 403),
    ("Sara", "LOGIN", 403),
]
```

*login movafaq

**login na movafaq

*amaliat har karbar

*hadeaql 3 khata mashkok elam