

1-products = {"laptop": 1200,"phone": 800,"tablet": 500,"headphone": 150,"mouse": 50}

*gran tarin mahsol

*arzan tarin mahsol

*myangin qeimat mahsolat

*jam mahsolat

* mahsolat qeimat bish 500 namayesh

2- inventory = {"apple": 20,"banana": 5,"orange": 0,"milk": 12,"bread": 0}

Tedad mahsolat mojud va namojod

3- {"p": 1,"r": 2,"o": 1,"g": 2,"a": 1,"m": 2,"i": 1,"n": 1}

Ba dictionary har harf tekrar shode

4- employees = {"E01": {"name": "Ali","age": 28,"salary": 3000},"E02": {"name": "Sara","age": 32,"salary": 4500},"E03": {"name": "Reza","age": 25,"salary": 280}}

*bish tarin hoqoq

*myangin hoqoq

*hoqoq bash 3000 namayaesh

*kamtarin hoqoq

5- students = {
 "Ali": [18, 17, 20],
 "Sara": [15, 19, 18],
 "Reza": [12, 14, 10],
 "Mina": [20, 20, 19] }

*myangin

*qaboli

*bala tarin nomreh

6- sales = (
 ("Ali", "Laptop", 1200),
 ("Sara", "Phone", 800),
 ("Ali", "Phone", 800),
 ("Reza", "Laptop", 1200),
 ("Sara", "Laptop", 1200),
 ("Ali", "Mouse", 50)
)

*bish tarin kharid

*jam daramad

*har mahsol chand frokhteh

*har cheqader kharid

```
7- orders = [  
    ("Ali", "Laptop"),  
    ("Sara", "Phone"),  
    ("Ali", "Phone"),  
    ("Reza", "Laptop"),  
    ("Sara", "Laptop"),  
    ("Ali", "Tablet"),  
    ("Reza", "Phone")  
]
```

Dictionary har moshtary chi frokhteh

```
8- users = [  
    ("Ali", 25, "Python"),  
    ("Sara", 30, "Java"),  
    ("Reza", 22, "Python"),  
    ("Mina", 28, "C++"),  
    ("John", 35, "Python"),  
    ("David", 30, "Java")  
]
```

*myangin sen

*mosen tarin karbar

*zaban bishtarin karbar

*tamam zaban

```
9- products = {  
    "P01": ("Laptop", 1200, 5),  
    "P02": ("Phone", 800, 0),  
    "P03": ("Tablet", 500, 12),  
    "P04": ("Mouse", 50, 25),  
    "P05": ("Keyboard", 100, 0)  
}
```

*mahsol mojud

*mahsol namojod

*arzesh koli

*arzesh anbar

*arzesh kol mojodi