

kpiWebMvc

Generated by Doxygen 1.8.13

Contents

1	Namespace Index	1
1.1	Namespace List	1
2	Hierarchical Index	3
2.1	Class Hierarchy	3
3	Class Index	5
3.1	Class List	5
4	Namespace Documentation	7
4.1	kpiMvcApi Namespace Reference	7
4.2	kpiMvcApi.Controllers Namespace Reference	7
4.2.1	Detailed Description	7
4.3	kpiMvcApi.DataTransferObjects Namespace Reference	8
4.4	kpiMvcApi.Models Namespace Reference	8
5	Class Documentation	9
5.1	kpiMvcApi.DataTransferObjects.DataDto Class Reference	9
5.2	kpiMvcApi.DataTransferObjects.DataDtoRs Class Reference	9
5.3	kpiMvcApi.DataTransferObjects.DeliveryDataDto Class Reference	10
5.4	kpiMvcApi.DataTransferObjects.DeliveryDataDtoRs Class Reference	10
5.5	kpiMvcApi.Controllers.DiagramdataController Class Reference	11
5.6	kpiMvcApi.DataTransferObjects.DiagramdataDto Class Reference	11
5.7	kpiMvcApi.DataTransferObjects.DiagramdataDtoRepo Class Reference	11
5.8	kpiMvcApi.Models.eCountry Class Reference	12

5.9	kpiMvcApi.Models.eDelivery Class Reference	12
5.10	kpiMvcApi.Models.eKvp Class Reference	12
5.11	kpiMvcApi.Models.eKvpClass Class Reference	13
5.12	kpiMvcApi.Models.eKvpState Class Reference	13
5.13	kpiMvcApi.Models.ePcbClass Class Reference	13
5.14	kpiMvcApi.Models.ePcbDaily Class Reference	13
5.15	kpiMvcApi.Models.ePcbGeneration Class Reference	14
5.16	kpiMvcApi.Controllers.ExportController Class Reference	14
5.16.1	Detailed Description	14
5.16.2	Member Function Documentation	14
5.16.2.1	KvpDataToExcel()	15
5.16.2.2	ProdDataToExcel()	15
5.17	kpiMvcApi.Global Class Reference	15
5.18	kpiMvcApi.Controllers.HomeController Class Reference	16
5.18.1	Detailed Description	16
5.18.2	Member Function Documentation	16
5.18.2.1	Delivery()	17
5.18.2.2	Frame()	18
5.18.2.3	Home()	18
5.18.2.4	Index()	18
5.18.2.5	Kvp()	18
5.18.2.6	ProductionData()	19
5.18.2.7	UserLogin()	19
5.19	kpiMvcApi.Controllers.KpidataController Class Reference	20
5.20	kpiMvcApi.Models.kpidbEntities1 Class Reference	20
5.21	kpiMvcApi.DataTransferObjects.KvpDataDto Class Reference	21
5.22	kpiMvcApi.DataTransferObjects.KvpDataDtoRs Class Reference	21
5.23	kpiMvcApi.DataTransferObjects.KvpDto Class Reference	22
5.24	kpiMvcApi.DataTransferObjects.ProductionDataDto Class Reference	22
5.25	kpiMvcApi.DataTransferObjects.ProductionDataDtoRs Class Reference	23
5.26	kpiMvcApi.RouteConfig Class Reference	24
5.27	kpiMvcApi.Models.SiteModel Class Reference	24

Chapter 1

Namespace Index

1.1 Namespace List

Here is a list of all documented namespaces with brief descriptions:

kpiMvcApi	7
kpiMvcApi.Controllers Implementiert die Controller der Dashboard Api	7
kpiMvcApi.DataTransferObjects	8
kpiMvcApi.Models	8

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

ApiController	
kpiMvcApi.Controllers.DiagramdataController	11
kpiMvcApi.Controllers.KpidataController	20
kpiMvcApi.Controllers.KpidataController	20
Controller	
kpiMvcApi.Controllers.ExportController	14
kpiMvcApi.Controllers.HomeController	16
kpiMvcApi.Controllers.HomeController	16
kpiMvcApi.DataTransferObjects.DataDto	9
kpiMvcApi.DataTransferObjects.DataDtoRs	9
DbContext	
kpiMvcApi.Models.kpidbEntities1	20
kpiMvcApi.Models.kpidbEntities1	20
kpiMvcApi.DataTransferObjects.DeliveryDataDto	10
kpiMvcApi.DataTransferObjects.DeliveryDataDtoRs	10
kpiMvcApi.DataTransferObjects.DiagramdataDto	11
kpiMvcApi.DataTransferObjects.DiagramdataDtoRepo	11
kpiMvcApi.Models.eCountry	12
kpiMvcApi.Models.eDelivery	12
kpiMvcApi.Models.eKvp	12
kpiMvcApi.Models.eKvpClass	13
kpiMvcApi.Models.eKvpState	13
kpiMvcApi.Models.ePcbClass	13
kpiMvcApi.Models.ePcbDaily	13
kpiMvcApi.Models.ePcbGeneration	14
HttpApplication	
kpiMvcApi.Global	15
kpiMvcApi.Global	15
kpiMvcApi.DataTransferObjects.KvpDataDto	21
kpiMvcApi.DataTransferObjects.KvpDataDtoRs	21
kpiMvcApi.DataTransferObjects.KvpDto	22
kpiMvcApi.DataTransferObjects.ProductionDataDto	22
kpiMvcApi.DataTransferObjects.ProductionDataDtoRs	23
kpiMvcApi.RouteConfig	24
kpiMvcApi.Models.SiteModel	24

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

kpiMvcApi.DataTransferObjects.Dto	9
kpiMvcApi.DataTransferObjects.DtoRs	9
kpiMvcApi.DataTransferObjects.DeliveryDataDto	10
kpiMvcApi.DataTransferObjects.DeliveryDataDtoRs	10
kpiMvcApi.Controllers.DiagramdataController	11
kpiMvcApi.DataTransferObjects.DiagramdataDto	11
kpiMvcApi.DataTransferObjects.DiagramdataDtoRepo	11
kpiMvcApi.Models.eCountry	12
kpiMvcApi.Models.eDelivery	12
kpiMvcApi.Models.eKvp	12
kpiMvcApi.Models.eKvpClass	13
kpiMvcApi.Models.eKvpState	13
kpiMvcApi.Models.ePcbClass	13
kpiMvcApi.Models.ePcbDaily	13
kpiMvcApi.Models.ePcbGeneration	14
kpiMvcApi.Controllers.ExportController	
Der Exportkontroller stellt den alle Dienste zur exportierung von Files zur Verfügung.	14
kpiMvcApi.Global	15
kpiMvcApi.Controllers.HomeController	
Webseite Controller Setllt die Views und die Partaialviews bereit	16
kpiMvcApi.Controllers.KpidataController	20
kpiMvcApi.Models.kpidbEntities1	20
kpiMvcApi.DataTransferObjects.KvpDataDto	21
kpiMvcApi.DataTransferObjects.KvpDataDtoRs	21
kpiMvcApi.DataTransferObjects.KvpDto	22
kpiMvcApi.DataTransferObjects.ProductionDataDto	22
kpiMvcApi.DataTransferObjects.ProductionDataDtoRs	23
kpiMvcApi.RouteConfig	24
kpiMvcApi.Models.SiteModel	24

Chapter 4

Namespace Documentation

4.1 kpiMvcApi Namespace Reference

Namespaces

- namespace [Controllers](#)
Implementiert die Controller der Dashboard Api

Classes

- class [Global](#)
- class [RouteConfig](#)
- class **WebApiConfig**

4.2 kpiMvcApi.Controllers Namespace Reference

Implementiert die Controller der Dashboard Api

Classes

- class [DiagramdataController](#)
- class [ExportController](#)
Der Exportkontroller stellt den alle Dienste zur exportierung von Files zur Verfügung.
- class [HomeController](#)
Webseite Controller Setlt die Views und die Partaialviews bereit
- class [KpidataController](#)

4.2.1 Detailed Description

Implementiert die Controller der Dashboard Api

4.3 kpiMvcApi.DataTransferObjects Namespace Reference

Classes

- class [DataDto](#)
- class [DataDtoRs](#)
- class [DeliveryDataDto](#)
- class [DeliveryDataDtoRs](#)
- class [DiagramdataDto](#)
- class [DiagramdataDtoRepo](#)
- class [KvpDataDto](#)
- class [KvpDataDtoRs](#)
- class [KvpDto](#)
- class [ProductionDataDto](#)
- class [ProductionDataDtoRs](#)

4.4 kpiMvcApi.Models Namespace Reference

Classes

- class [eCountry](#)
- class [eDelivery](#)
- class [eKvp](#)
- class [eKvpClass](#)
- class [eKvpState](#)
- class [ePcbClass](#)
- class [ePcbDaily](#)
- class [ePcbGeneration](#)
- class [kpidbEntities1](#)
- class [SiteModel](#)

Chapter 5

Class Documentation

5.1 kpiMvcApi.DataTransferObjects.DataDto Class Reference

Properties

- int **DiagramDataId** [get, set]
- string **DiagramDataLabel** [get, set]
- string **DiagramData** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/DataTransfer↔
Objects/DataDto.cs

5.2 kpiMvcApi.DataTransferObjects.DataDtoRs Class Reference

Public Types

- enum **charts** { **Testchart** = 1, **Debugchart** }

Public Member Functions

- List< [DataDto](#) > **genRandomisedData** (int len)

Properties

- List< [DataDto](#) > **DiagramDataRepo** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/DataTransfer↔
Objects/DataDtoRs.cs

5.3 kpiMvcApi.DataTransferObjects.DeliveryDataDto Class Reference

Properties

- int **DeliveryId** [get, set]
- DateTime **OrderDate** [get, set]
- int **OrderedPc** [get, set]
- int **DeliveredPc** [get, set]
- int **NotdeliveredPc** [get, set]
- float **NotdeliveredRel** [get, set]
- int **CountryId** [get, set]
- string **CountryName** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/DataTransfer↔
Objects/DeliveryDataDto.cs

5.4 kpiMvcApi.DataTransferObjects.DeliveryDataDtoRs Class Reference

Public Types

- enum **dataset** { **Datalabels** = 0, **dataset1**, **dataset2** }
- enum **charttype** { **KvpMonthChart** = 0 }

Public Member Functions

- **DeliveryDataDtoRs** (DateTime startdate, DateTime stopdate)
- void **loadData** ()
- void **loadData** (DateTime startdate, DateTime stopdate)
- List< [DeliveryDataDto](#) > **getData** ()
- List< [DeliveryDataDto](#) > **getData** (DateTime startdate, DateTime stopdate)
- bool **setData** (List< [DeliveryDataDto](#) > deldto)
- string **getDataset** (charttype charttype, dataset dataset, string groupMode)
- List< [DeliveryDataDto](#) > **getKvpList** ()
- string **getDatasetLabel** ()
- string **getDatasetBackgroundColor** ()
- string **getChartTitle** ()
- int **getChartBorderWidth** ()

Properties


- List< [DeliveryDataDto](#) > **DeliveryDataRs** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/DataTransfer↔
Objects/DeliveryDataDtoRs.cs

5.5 kpiMvcApi.Controllers.DiagramdataController Class Reference

Inheritance diagram for kpiMvcApi.Controllers.DiagramdataController:



Public Member Functions

- IEnumerable< [DiagramdataDto](#) > **Get** (int? diagram)

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/obj/Debug/Package/↔ PackageTmp/Controllers/DiagramdataController.cs

5.6 kpiMvcApi.DataTransferObjects.DiagramdataDto Class Reference

Properties

- int **DiagramDataId** [get, set]
- string **DiagramDataLabel** [get, set]
- string **DiagramData** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/obj/Debug/Package/↔ PackageTmp/DataTransferObjects/DiagramdataDto.cs

5.7 kpiMvcApi.DataTransferObjects.DiagramdataDtoRepo Class Reference

Public Types

- enum **charts** { **Testchart** = 1, **Debugchart** }

Public Member Functions

- List< [DiagramdataDto](#) > **genRandomisedData** (int len)

Properties

- List< [DiagramdataDto](#) > **DiagramDataRepo** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/obj/Debug/Package/PackageTmp/DataTransferObjects/DiagramdataDtoRepo.cs

5.8 kpiMvcApi.Models.eCountry Class Reference

Properties

- int **countryId** [get, set]
- string **countryName** [get, set]
- virtual [eDelivery](#) **eDelivery** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/Models/eCountry.cs

5.9 kpiMvcApi.Models.eDelivery Class Reference

Properties

- int **deliveryId** [get, set]
- System.DateTime **orderDate** [get, set]
- int **orderedPc** [get, set]
- int **deliveredPc** [get, set]
- int **countryId** [get, set]
- virtual [eCountry](#) **eCountry** [get, set]
- Nullable< int > **notdeliveredPc** [get, set]
- Nullable< int > **notdeliveredRel** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/Models/eDelivery.cs

5.10 kpiMvcApi.Models.eKvp Class Reference

Properties

- int **kvpld** [get, set]
- string **kvpname** [get, set]
- System.DateTime **kvptime** [get, set]
- int **kvpclassld** [get, set]
- int **kvpcstatld** [get, set]
- virtual [eKvpClass](#) **eKvpClass** [get, set]
- virtual [eKvpState](#) **eKvpState** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/Models/eKvp.cs

5.11 kpiMvcApi.Models.eKvpClass Class Reference

Properties

- int **kvpClassId** [get, set]
- string **kvpClassName** [get, set]
- virtual ICollection< [eKvp](#) > **eKvps** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/Models/eKvpClass.cs

5.12 kpiMvcApi.Models.eKvpState Class Reference

Properties

- int **kvpStateId** [get, set]
- string **kvpStateName** [get, set]
- virtual ICollection< [eKvp](#) > **eKvps** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/Models/eKvpState.cs

5.13 kpiMvcApi.Models.ePcbClass Class Reference

Properties

- int **pcbClassId** [get, set]
- string **ClassName** [get, set]
- virtual ICollection< [ePcbDaily](#) > **ePcbDailies** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/Models/ePcbClass.cs

5.14 kpiMvcApi.Models.ePcbDaily Class Reference

Properties

- int **pcbDailyId** [get, set]
- System.DateTime **productionDay** [get, set]
- int **pcbQuantity** [get, set]
- decimal **pcbSumPrice** [get, set]
- int **pcbGenerationId** [get, set]
- int **pcbClassId** [get, set]
- virtual [ePcbClass](#) **ePcbClass** [get, set]
- virtual [ePcbGeneration](#) **ePcbGeneration** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/Models/ePcbDaily.cs

5.15 kpiMvcApi.Models.ePcbGeneration Class Reference

Properties

- int **pcbGenerationId** [get, set]
- string **genName** [get, set]
- virtual ICollection< [ePcbDaily](#) > **ePcbDailies** [get, set]


The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/Models/ePcbGeneration.cs

5.16 kpiMvcApi.Controllers.ExportController Class Reference

Der Exportkontroller stellt den alle Dienste zur exportierung von Files zur Verfügung.

Inheritance diagram for kpiMvcApi.Controllers.ExportController:



Public Member Functions

- ActionResult [ProdDataToExcel](#) ()
Nimmt daten aus dem Production Data Data Transfer Object Recordset Bindet die Daten in eine Gridview Exportiert die Daten in eine Excell.xls
- ActionResult [KvpDataToExcel](#) ()
Nimmt daten aus dem Kvp Data Data Transfer Object Recordset Bindet die Daten in eine Gridview Exportiert die Daten in eine Excell.xls

5.16.1 Detailed Description

Der Exportkontroller stellt den alle Dienste zur exportierung von Files zur Verfügung.

5.16.2 Member Function Documentation

5.16.2.1 KvpDataToExcel()

```
ActionResult kpiMvcApi.Controllers.ExportController.KvpDataToExcel ( ) [inline]
```

Nimmt daten aus dem Kvp Data Data Transfer Object Recordset Bindet die Daten in eine Gridview Exportiert die Daten in eine Excell.xls

Returns

View() Excell .xls File

5.16.2.2 ProdDataToExcel()

```
ActionResult kpiMvcApi.Controllers.ExportController.ProdDataToExcel ( ) [inline]
```

Nimmt daten aus dem Production Data Data Transfer Object Recordset Bindet die Daten in eine Gridview Exportiert die Daten in eine Excell.xls

Returns


View() Excell .xls File

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/Controllers/ExportController.cs

5.17 kpiMvcApi.Global Class Reference

Inheritance diagram for kpiMvcApi.Global:




The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/Global.asax.cs

5.18 kpiMvcApi.Controllers.HomeController Class Reference

Webseite Controller Setllt die Views und die Partaialviews bereit

Inheritance diagram for kpiMvcApi.Controllers.HomeController:



Public Member Functions

- ActionResult [Index](#) ()
Test Webseite um Funktionen zu testen
- ActionResult [Frame](#) ()
The Dashboard Frame Returns the FrameView withe Menue and Sidebar
- ActionResult [Home](#) ()
The Home View Returns the Home View with Av
- ActionResult [UserLogin](#) ()
The User Login View Returns the View to login a User
- ActionResult [ProductionData](#) (string startDate, string stopDate)
The Production Data View Tries to parse the Date Strings to DateTime Class The Data is filtered by these Parameters For nonvalid Dates the Standarddate will be loaded
- ActionResult [Kvp](#) (string startDate, string stopDate)
The KVP View Tries to parse the Date Strings to DateTime Class The Data is filtered by these Parameters For nonvalid Dates the Standarddate will be loaded
- ActionResult [Delivery](#) (string startDate, string stopDate)
The Delivery View Tries to parse the Date Strings to DateTime Class The Data is filtered by these Parameters For nonvalid Dates the Standarddate will be loaded
- ActionResult **Index** ()
- ActionResult **ExportToExcel** ()
- ActionResult **Frame** ()
- ActionResult **Home** (string startDate, string stopDate)
- ActionResult **UserLogin** ()
- ActionResult **ProductionData** (string startDate, string stopDate)
- ActionResult **QualityData** ()
- ActionResult **Oee** ()

5.18.1 Detailed Description

Webseite Controller Setllt die Views und die Partaialviews bereit

5.18.2 Member Function Documentation

5.18.2.1 Delivery()

```
ActionResult kpiMvcApi.Controllers.HomeController.Delivery (
    string startDate,
    string stopDate ) [inline]
```

The Delivery View Tries to parse the Date Strings to DateTime Class The Data is filtered by these Parameters For nonvalid Dates the Standarddate will be loaded

Parameters

<i>startDate</i>	
<i>stopDate</i>	

Returns

`PartialView("_Delivery", model);` The View Containing all selected Delivery Data, shown as a diagram and a Table. Also provide an Excell export function

5.18.2.2 Frame()

```
ActionResult kpiMvcApi.Controllers.HomeController.Frame ( ) [inline]
```

The Dashboard Frame Returns the FrameView withe Menue and Sidebar

Returns

ActionResult FrameView

5.18.2.3 Home()

```
ActionResult kpiMvcApi.Controllers.HomeController.Home ( ) [inline]
```

The Home View Returns the Home View with Av

Returns

ActionResult HomeView/returns>

5.18.2.4 Index()

```
ActionResult kpiMvcApi.Controllers.HomeController.Index ( ) [inline]
```

Test Webseite um Funktionen zu testen

Returns

ActionResult IndexView

5.18.2.5 Kvp()

```
ActionResult kpiMvcApi.Controllers.HomeController.Kvp (
    string startDate,
    string stopDate ) [inline]
```

The KVP View Tries to parse the Date Strings to DateTime Class The Data is filtered by these Parameters For nonvalid Dates the Standarddate will be loaded

Parameters

<i>startDate</i>	
<i>stopDate</i>	

Returns

`PartialView("_Kvp", model);` The View Containing all selected KVP Data, shown as a diagram and a List. Also provide an Excell export function

5.18.2.6 ProductionData()

```
ActionResult kpiMvcApi.Controllers.HomeController.ProductionData (
    string startDate,
    string stopDate ) [inline]
```

The Production Data View Tries to parse the Date Strings to DateTime Class The Data is filtered by these Parameters For nonvalid Dates the Standarddate will be loaded

Parameters

<i>startDate</i>	The Date the Dataset starts
<i>stopDate</i>	The Date the Dataset stops

Returns

`ActionResult PartialView("_ProductionData", model);` The View containing all selected Production Date, shown as a diagram and a table. Also provide an Excell export function

5.18.2.7 UserLogin()

```
ActionResult kpiMvcApi.Controllers.HomeController.UserLogin ( ) [inline]
```

The User Login View Returns the View to login a User

Returns


`ActionResult UserLoginView`

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/Controllers/HomeController.cs

5.19 kpiMvcApi.Controllers.KpidataController Class Reference

Inheritance diagram for kpiMvcApi.Controllers.KpidataController:



Public Member Functions


- List< [ProductionDataDto](#) > **getProductionData** ()
- HttpResponseMessage **setProductionData** (List< [ProductionDataDto](#) > prodDataList)
- HttpResponseMessage **updateProductionData** (List< [ProductionDataDto](#) > prodDataList)
- HttpResponseMessage **deleteProductionData** (List< [ProductionDataDto](#) > prodDataList)
- List< [KvpDataDto](#) > **getKvpData** ()
- HttpResponseMessage **setKvpData** (List< [KvpDataDto](#) > kvpDataList)
- HttpResponseMessage **updateKvpData** (List< [KvpDataDto](#) > kvpDataList)
- HttpResponseMessage **deleteKvpData** (List< [KvpDataDto](#) > kvpDataList)
- List< [DeliveryDataDto](#) > **getDeliveryData** ()
- HttpResponseMessage **setDeliveryData** (List< [DeliveryDataDto](#) > deliveryDataList)
- HttpResponseMessage **updateDeliveryData** (List< [DeliveryDataDto](#) > deliveryDataList)
- HttpResponseMessage **deleteDeliveryData** (List< [DeliveryDataDto](#) > deliveryDataList)
- List< [ProductionDataDto](#) > **getProductionData** ()
- HttpResponseMessage **setProductionData** (List< [ProductionDataDto](#) > prodDataList)

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/Controllers/KpidataController.cs

5.20 kpiMvcApi.Models.kpidbEntities1 Class Reference

Inheritance diagram for kpiMvcApi.Models.kpidbEntities1:



Protected Member Functions

- override void **OnModelCreating** (DbModelBuilder modelBuilder)
- override void **OnModelCreating** (DbModelBuilder modelBuilder)

Properties

- virtual DbSet< [ePcbClass](#) > **ePcbClasses** [get, set]
- virtual DbSet< [ePcbDaily](#) > **ePcbDailies** [get, set]
- virtual DbSet< [ePcbGeneration](#) > **ePcbGenerations** [get, set]
- virtual DbSet< [eKvp](#) > **eKvps** [get, set]
- virtual DbSet< [eKvpClass](#) > **eKvpClasses** [get, set]
- virtual DbSet< [eKvpState](#) > **eKvpStates** [get, set]
- virtual DbSet< [eCountry](#) > **eCountries** [get, set]
- virtual DbSet< [eDelivery](#) > **eDeliveries** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/Models/azureKpi↔Data.Context.cs

5.21 kpiMvcApi.DataTransferObjects.KvpDataDto Class Reference

Properties

- int **KvpId** [get, set]
- string **KvpName** [get, set]
- DateTime **KvpDate** [get, set]
- int **KvpClassId** [get, set]
- int **KvpStateId** [get, set]
- string **KvpStateName** [get, set]
- string **KvpClassName** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/DataTransfer↔Objects/KvpDataDto.cs

5.22 kpiMvcApi.DataTransferObjects.KvpDataDtoRs Class Reference

Public Types

- enum **dataset** { **Datalabels** = 0, **dataset1** }
- enum **charttype** { **KvpMonthChart** =0 }

Public Member Functions

- **KvpDataDtoRs** (DateTime startdate, DateTime stopdate)
- void **loadData** ()
- void **loadData** (DateTime startdate, DateTime stopdate)
- List< [KvpDataDto](#) > **getData** ()
- List< [KvpDataDto](#) > **getData** (DateTime startdate, DateTime stopdate)
- bool **setData** (List< [KvpDataDto](#) > kvpdto)
- string **getDataset** (charttype charttype, dataset dataset, string groupMode)
- List< [KvpDataDto](#) > **getKvpList** ()
- string **getDatasetLabel** ()
- string **getDatasetBackgroundColor** ()
- string **getChartTitle** ()
- int **getChartBorderWidth** ()

Properties

- List< [KvpDataDto](#) > **KvpDataRs** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/DataTransferObjects/KvpDataDtoRs.cs

5.23 kpiMvcApi.DataTransferObjects.KvpDto Class Reference

Properties

- DateTime **ProductionDay** [get, set]
- int **PcbQuantity** [get, set]
- Decimal **PcbSumPrice** [get, set]
- int **PcbGenerationId** [get, set]
- int **PcbClassId** [get, set]
- string **PcbGenerationName** [get, set]
- string **PcbClassName** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/obj/Debug/Package/PackageTmp/DataTransferObjects/KvpDataDto.cs

5.24 kpiMvcApi.DataTransferObjects.ProductionDataDto Class Reference

Properties

- int **PcbDailyId** [get, set]
- DateTime **ProductionDay** [get, set]
- int **PcbQuantity** [get, set]
- Decimal **PcbSumPrice** [get, set]
- int **PcbGenerationId** [get, set]
- int **PcbClassId** [get, set]
- string **PcbGenerationName** [get, set]
- string **PcbClassName** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/DataTransferObjects/ProductionDataDto.cs

5.25 kpiMvcApi.DataTransferObjects.ProductionDataDtoRs Class Reference

Public Types

- enum **dataset** { **Datalabels** = 0, **dataset1**, **Datalabels** = 0, **dataset1** }
- enum **charttype** { **Prolinechart** =0, **Prolinechart** =0 }
- enum **dataset** { **Datalabels** = 0, **dataset1**, **Datalabels** = 0, **dataset1** }
- enum **charttype** { **Prolinechart** =0, **Prolinechart** =0 }

Public Member Functions

- **ProductionDataDtoRs** (DateTime startdate, DateTime stopdate)
- void **loadData** ()
- void **loadData** (DateTime startdate, DateTime stopdate)
- List< [ProductionDataDto](#) > **getData** ()
- List< [ProductionDataDto](#) > **getData** (DateTime startdate, DateTime stopdate)
- bool **setData** (List< [ProductionDataDto](#) > ppdto)
- string **getDataset** (charttype charttype, dataset dataset)
- string **getDataset** ()
- string **getChartLabels** ()
- string **getDatasetLabel** ()
- string **getDatasetBackgroundColor** ()
- string **getChartTitle** ()
- int **getChartBorderWidth** ()
- string **getChartHeigh** ()
- string **getChartWidth** ()
- **ProductionDataDtoRs** (DateTime startdate, DateTime stopdate)
- void **loadData** ()
- void **loadData** (DateTime startdate, DateTime stopdate)
- List< [ProductionDataDto](#) > **getData** ()
- List< [ProductionDataDto](#) > **getData** (DateTime startdate, DateTime stopdate)
- bool **setData** (List< [ProductionDataDto](#) > ppdto)
- string **getDataset** (charttype charttype, dataset dataset)
- string **getDataset** ()
- string **getChartLabels** ()
- string **getDatasetLabel** ()
- string **getDatasetBackgroundColor** ()
- string **getChartTitle** ()
- int **getChartBorderWidth** ()
- string **getChartHeigh** ()
- string **getChartWidth** ()

Properties

- List< [ProductionDataDto](#) > **ProductionDataRs** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/DataTransferObjects/ProductionDataDtoRs.cs

5.26 kpiMvcApi.RouteConfig Class Reference

Static Public Member Functions

- static void **RegisterRoutes** (RouteCollection routes)
- static void **RegisterRoutes** (RouteCollection routes)

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/App_Start/Route↵
Config.cs

5.27 kpiMvcApi.Models.SiteModel Class Reference

Properties

- string **SiteName** [get, set]

The documentation for this class was generated from the following file:

- C:/Users/Ulysses/Documents/01_StudyFhnw/815_veri/kpiWebMvc/kpiMvc/kpiMvcApi/Models/SiteModel.cs