



## 3.1 Introducción al panel APPLICATION

# ¡BIENVENIDOS!

## Soy Juan Diego Pérez Jiménez

Profesor de Informática en FP



<https://www.linkedin.com/in/juandiegoperez>



@pekechis

# ÍNDICE

- Definición.
- Apariencia.
- Uso.

# Definición



**El panel *Application* me sirve para comprobar *TODOS* los recursos que la página ha cargado. *NO SOLO* imágenes, fuentes, scripts y ficheros. Hablamos de cookies, bases de datos, sesiones etc..**



# Apariencia

The image shows the Chrome DevTools Application tab interface. On the left, a sidebar lists various application components, grouped by pink curly braces and labels:

- PWA**: Manifest, Service Workers, Clear storage
- Almacenamiento**: Local Storage, Session Storage, IndexedDB, Web SQL, Cookies
- Caché**: Cache Storage, Application Cache
- Servicios en Background**: Background Fetch, Background Sync, Notifications, Payment Handler, Periodic Background Sync, Push Messaging
- Ficheros por Frame**: Frames (with a sub-entry for 'top')

The right-hand pane, outlined in pink, displays details for the selected frame ('top'). It includes:

- Document**: URL (<https://openwebinars.net/>), Origin (<https://openwebinars.net>), Owner Element ([<#document>](#))
- Security & Isolation**: Secure Context (Yes), Cross-Origin Embedder Policy (None), Cross-Origin Opener Policy (UnsafeNone)

The text **Zona informativa** is overlaid in pink on the bottom right of the right-hand pane.



Uso



# THANKS!

## Any questions?

You can find me at @pekechis &  
<https://github.com/pekechis>