

JUNE-Germany: An Agent-Based Epidemiology Simulation including Multiple Virus Strains, Vaccinations and Testing Campaigns

Friedemann Neuhaus^{1,3}, Kerem Akdogan¹, Artur Barcsay¹, Lucas Heger¹, Michael Käfer¹, Philip Kennedy¹ and Matthias Schott^{1,2}

¹ Institute of Physics, Johannes Gutenberg University, Mainz, Germany

² Institute of Computer Science, Philipps-University, Marburg, Germany

³ Corresponding author: neuhaus@uni-mainz.de

Abstract. The JUNE software package is an open-source framework for the detailed simulation of epidemics on the basis of social interactions in a virtual population reflecting age, sex, ethnicity, and socio-economic indicators in England. In this work we present a new version of the framework specifically adapted to Germany, which allows simulation of the full German population, using publicly available information on Germany on households, schools, universities, work-places as well as mobility Data. Moreover, JUNE-GERMANY incorporates testing and vaccination strategies within the population as well as the simultaneous handling of several different virus strains.

Contents

1	Introduction	1
2	Summary of the JUNE (v1.0) Framework	1
3	Features of the JUNE-GERMANY Framework	2
4	Population and Properties of Germany	3

1 Introduction

Modelling the spread of transmissible pathogenic diseases within a population has been relevant not only since the occurrence of the Covid-19 pandemic, but also for pandemic preparedness for other potential future outbreaks such as highly pathogenic influenza. It is therefore necessary to investigate which measures could effectively contain an epidemic. Different approaches to modeling have been developed in the previous years and decades. These range from analytical models based on differential equations, compartmental models and purely data-driven parametrisations. For an overview of the different approaches, please refer to the following references [1]–[3].

A particularly promising approach is agent-based models [4]–[6], where each individual in a population is simulated by software agents. Here, the relevant characteristics of the population for the spread of infectious diseases, such as age, living and working conditions, or social context, are inserted into the simulation by external data and the agents are constructed according to the actual statistical distributions. Depending on the infectious disease being simulated, the transmission dynamics are also implemented. Free or undetermined parameters in the model can then be determined in a second step based on the observed data of the real pandemic, such as the number of hospital admissions. The major advantage of agent-based models (ABMs) is the

ability to study different policy mitigation strategies implemented from both geographical and social contexts.

The JUNE framework [7] is an agent-based model for simulating epidemics in a population and was developed during the first and second waves of the Covid-19 pandemic. It incorporates highly granular geographic and sociological resolution for England, which is based on Census data from 2011 [8]. Notably, JUNE was the first model to predict the spread of Covid-19 with high geographic and sociological accuracy.

While the updated version of JUNE (v1.2) [9] allows for the simulation of vaccinations and multiple viruses, this was not the case for the initial version (v1.0), on which JUNE-GERMANY is based on. We therefore developed an independent approach to handle testing strategies and vaccines for a broad population as well as a simultaneous simulation of multiple virus variants.

2 Summary of the June (v1.0) Framework

The JUNE framework is presented and discussed in detail in [7]. As a result, we will only give a brief summary of the main features of the original framework. The features of the JUNE (v1.2) framework are discussed in [9]. The framework is implemented in Python and structured in four inter-connected layers: The population layer contains the necessary information on the individual agents and their static social environment, e.g. households and workplaces. The interaction layer describes daily routines of the agents, e.g. their commuting to work or schools as well as their leisure activities. The disease layers models the characteristics of disease transmission and the effects on the agents within the simulation. Government policies to mitigate the effects of the pandemic are contained within the policy layer of the framework.

The demographics of the virtual population are divided into hierarchical geographic layers, e.g. states/counties, districts/regions and boroughs/parishes. The age and sex distributions of each layer are known. Each individual agent of the simulation is member of a household (e.g. single, couple, family) and lives together with a specific known number of adults aged over 65, other adults, dependent adults, and/or children. Students are associated to nearby schools and universities, depending on their age and location. Working members of a household are associated to three employment categories, i.e. work in companies with employees, work outside fixed company structures and work in hospitals and schools. The distribution of working agents over workplaces depends on their location, the number of working places, as well as their work sectors. Hospitals are treated separately to account for their special importance during a pandemic. Social contact networks are constructed by linking each household to a list of other households, which have a high probability weight to be nearby.

Each day an agent is simulated in discrete time-steps of variable length and distinction is made between weekdays and weekends. For example, a typical weekday consists of 8 hours at the workplace, 10 hours at home and the remaining time on other activities, e.g. meeting other agents in a defined context such as shopping, visits to restaurants, visiting friends or relatives in their homes, etc.. This varies for each agent depending on their age and sex.

It is assumed that almost no disease transmission happens during car journeys by individual agents, hence the focus of the simulation is on public transportation. Major transit cities are represented as nodes defining a simplified model of a transport network. Commuting within cities and regions is modeled as a self-connected loop. Agents are put into carriages of 30-50 agents, when commuting within a city or region. Transmissions can then occur between agents within these carriages.

The frequency and intensity of further in-person contact in different social settings is modeled by social interaction matrices, which are age-dependent. For example, students in schools have a large probability to meet other students of the same age. The social interaction matrix actively depends on the mitigation policies, e.g. school closures applied at a given time-step.

The JUNE framework uses probabilistic infection modelling of the transmission from an infected and transmitting host to a susceptible host. It is assumed that the probability of being infected is a statistical Poisson process. The probability of an actual infection depends on several factors: the number of infectious agents present at a given location, the transmissible probability of the host at a given time, the susceptibility of the potential host, the exposure time interval during which a given group is at the same location, the number of possible contacts, the proportion of physical contacts and the overall intensity of group contact in given location. Sev-

eral of these parameters can be impacted by the certain mitigation policies, testing and vaccination strategies. Once host agents within the simulation are infected they will experience different impacts on their health ranging from asymptomatic individuals, to individuals who need to be treated at a hospital, and those who need to be admitted to an ICU unit.

Government policies can be implemented at a localised level, taking into account geographical regions, type and place of social interactions or workplaces. Therefore, this can model parts of the population who are essential workers and continue going to work, while the remainder stay at home. In addition the JUNE framework allows modelling of the compliance of the general population with government policies to be taken into account. This again depends on various social and demographic parameters.

3 Features of the June-Germany Framework

The original JUNE framework was developed primarily during the first wave and also at the beginning of the second wave of the Covid-19 pandemic in England when only one virus type was present. As a result, only a limited range of testing strategies had been implemented with no vaccinations available for the general population. These three missing aspects of JUNE v1.0 have been implemented within this work and are described in the following section. Subsequently, an updated version of JUNE (v1.2) has become available for England, which allows for modelling of similar features.

3.1 Test Strategies

During the course of the Covid-19 pandemic, several countries have introduced testing policies and strategies. For example, citizens in living in high-incidence regions of Germany have been required to provide proof of a negative test before they can enter restaurants or leisure facilities. This form of rapid testing for asymptomatic agents often takes place in city centres, near leisure facilities and also in schools. People who test positive during this process have to go under quarantine determined by the policies applied by federal or regional government at the given time.

Testing strategies have been now implemented in the JUNE-GERMANY framework, allowing these tests to change the infection status of agents at selected places, e.g. schools, workplaces or shops. By specifying the days and time in a week when the tests are performed, this simulation allows for changes in the frequency of testing. False positive cases are not considered further in the simulation. False negative cases are modeled by sensitivity of the test depending on the symptoms of the infected person, indicating the likelihood for a negative

result even though the agent is known to be infected. Agents who are test positive will stay at their home for the quarantine period defined in the policies however, this behaviour is subject to the social compliance factor of the model.

3.2 Vaccinations

The JUNE-GERMANY framework allows modelling of the vaccination of a given population with one vaccine (BioNTech). For this, the population is divided into priority groups according to their age and co-morbidity. It is also possible to select certain jobs which will be prioritised. The definition of each of these groups is taken from the official STIKO data, which contains detailed data, especially on co-morbidity. For example, a person in the simulated population can have type 2 diabetes mellitus but we do not model differences in severity, which are considered in the STIKO data. We argue that this error can be neglected, since the dominant risk factor is age, which we include in the model.

The vaccination distribution is modelled via doses per day that are then distributed among the priority groups. For a given distribution batch we model the available doses according to RKI data. The increased availability of vaccines is modeled linearly by day, which is part of the vaccination strategy. The time between the first and second vaccination is by default 42 days and does not vary during the simulation. A person who was infected within the preceding six months ago will only receive one dose. The vaccine is parameterised by the reduction-factors for the risks of getting infected, getting hospitalized or dying as well as a reduced risk of onward transmission to other agents. We distinguish between first and second dose to modify these factors. These factors also depend on type of virus variant, with which the agent might be infected. The vaccines are time-dependent from the point of the vaccination, which means it is only effective 14 days after either vaccination.

3.3 Multiple Viruses

In principle, the original JUNE (v1.0) framework allows the simulation of different virus types, but these would have to be carried out sequentially. Consequently interaction between the individual viruses would not be possible. However, the new variants of the SARS-CoV-2 virus that emerged in the course of the COVID-19 pandemic must be taken into account simultaneously during the simulation, since the immunity of recovered agents to one virus type also provides a certain degree of protection against infection with another virus type. The different viruses typically differ in their transmissibility, symptomatology and lethality. To simulate this in JUNE-GERMANY, a new infection class was defined that takes these parameters into account and can be

defined, for any number of virus variants, simultaneously in the simulation. Each infected agent is assigned an additional attribute that defines the variant of the virus. Then, when calculating the probabilities of infection within the interaction class for each group, the probability of each variant is considered separately.

The immunity of an agent after surviving infection from other virus variants is described by a vector. Also, the effects of vaccination and recovery can be adjusted to handle susceptibility to other virus variants differently. Thus, it is now possible to simultaneously study different infectious diseases and their interactions.

In principle, it would also be possible to simulate completely different diseases such as Covid-19 and influenza at the same time.

4 Population and Properties of Germany

4.1 Geography and demography

The geographical model is based on the German administrative areas (from VG250). The geographical model consists of three layers with the most coarse layer being the 16 German states. The next layer is made up by the 413 districts which finally are further split up into a total of 11,564 municipalities. As the most detailed demo-graphical data-set available is the 2011 Census (Zensus) [8] it is chosen to be the geographical basis of this simulation. This data-set also includes a description of the household composition.

The population in each municipality is generated based on the age and sex distribution in age steps of one year between 0 and 100 years. The resulting population density on the municipality level is shown in Figure 1. The highest populated municipality is Berlin with 3.3 million people while the lowest populated municipality is Dierfeld (in the district of Bernkastel-Wittlich) with only 9 individuals. On average each municipality contains 7,073 persons with a large spread ($\sigma = 44000$) which is due to some large cities that are not divided into smaller municipalities. To visualise the different age structures in cities Figure 2 shows coarse age distributions for a medium sized city (Mainz) with 200,000 inhabitants, the largest city (Berlin) and a small county (Lahntal) with less than 10,000 inhabitants. The visible differences between these three cities illustrate the importance for a finely grained resolution of the population statistics as people from different age groups do not only respond differently to an infection, but even more importantly behave differently due to different social interaction patterns.

The German population is generated according to the official demography data. Most of our effort went into gathering data, to fill the attributes of every person. We distribute the co-morbidity of the German population with the data for the English population. We are aware of the differences between these populations,

but argue that the overall effect on the precision will be negligible. The most prominent risk factor for a severe Covid-19 case is age, which we include in our model. Thus, the differences in co-morbidity are negligible.

4.2 Households

The household compositions are extracted from the Zensus 2011 data-set [8] and translated to match the required input needed by the pre-existing household distributor. The households are described by a limited set of categories depending on the number of adults and the number of children living in each household. For households of single and couple occupancy, it is further distinguished between middle and old age people. For middle-age households, variation between households with or without children or young adults is added and the number of children/young adults is also varied. A category exists for households only populated by students. As the Zensus 2011 data-set does not include the definition of university student households, the number of university students is estimated based on the number of students per state and the number of people aged 18-29 in each municipality.

An overview of the household distribution, e.g. which percentage are single, couple, with or without children for three selected municipalities is given in Figure 3. Again, significant differences between larger and smaller municipalities become apparent, which are crucial to model the evolution of infectious diseases.

4.3 Schools, Universities, Hospitals and Care-Homes

No central database for all schools in Germany exists as the data for schools is collected for each state independently. For some states this includes not only the location of the schools, but precise numbers of teachers and students. For the states where this data is not publicly available, the number of teachers and students is sampled using the average of the other states. Universities are modelled based on information from various Wikipedia pages as well as public university and state websites. In total 14,502 primary schools with an average number of 204 students per school are modelled. The secondary schools, of which 13,068 are included in the JUNE-GERMANY framework, have a significantly larger average of students per school, i.e. 506. An average teacher to student ratio of 0.12 is used and a class sizes between 20 and 30 students are assumed.

In total, 418 Universities and applied/technical universities are simulated, where the number of associated students ranges from a few hundred to several ten thousands, yielding an average of 6600 students per university. The university lecture sizes are assumed to be 200 students, taking into account that not all students visit the same lectures and a larger mixing than elementary and secondary schools is expected.

OpenStreepMaps is used to retrieve the location of hospitals while information on the capacity of regular and ICU beds is gathered from Ref. [10].

The number of standard and ICU hospital beds per super area is available but not for each individual hospital. In order to distribute the number of standard and ICU beds, the hospitals have first been grouped by super areas. The hospital beds have been then equally distributed among them. A similar approach has been taken for the ICU beds, however they have been only distributed to hospitals with an ICU capacity.

4.4 Work Places

Jobs are categorised into different sectors as defined by the International Standard Industrial Classification. To create the companies in each district per sector, the average number of employees for a company in the specific sector is multiplied with the number of people working in that sector in the district. While this will not be perfectly accurate for all sectors, we assume that this is of sufficient precision. During generation of the population each person is assigned a workplace in either the super area of residence or a neighbouring super area based on the mobility data discussed in subsection 4.6. The distribution of workers into the five of the total 21 sectors is shown in Figure 5, also divided by sex. This categorisation is highly important for the modelling of mitigation policies against the spread of the virus, as it allows for studying the impact of the closure of selected work places.

4.5 Social Activities and Interactions

The modelling of social activities and interactions is a crucial part of the JUNE framework, as most transmissions happens in this context. These features of JUNE (v1.0) have not been altered.

The daily routines of agents in weekdays are divided into four distinct activities: work/school, shopping, leisure and staying at home. Social activities outside their working hours, range from visits to cinemas and theatres to meeting friends in pubs and restaurants. Shopping activities can be either grocery stores or retail shops. The location as well as the distribution of the various leisure venues are found using publicly available data in OpenStreetMaps.

A person has multiple activities which are, primary (school, work, university), leisure (pubs, grocery, cinema, visits, gym) and residence (household, care homes). Each venue is associated with a typical meeting duration of agents and typical group sizes, e.g. they are significantly larger for cinema visits compared to shopping in grocery stores. The time spent for the different activities depends mainly on the age of the agent. An overview of main activities for three different age groups




Fig. 1: Representation of the population density within Germany used in JUNE-GERMANY.




Fig. 2: Overview of the summarised age distribution of three selected cities of different sizes.




Fig. 3: Overview of the household distribution of three selected cities of different sizes. For improved readability, similar categories are merged.




Fig. 4: Overview of the hospital density used within the JUNE-GERMANY framework.

within the simulation is shown in Figure 6, with no mitigation policies applied. This is an important internal validation test, as the activities are taken directly from the simulation and not from the underlying data. For example, agents in the age-group between 70-80 years do not spend time at work, while increase their time at home.

4.6 Mobility

The granular detail of JUNE also lends itself to the modelling of travel patterns [7]. Commuting is implemented by a directed network graph, where the edges correspond to the transit routes and the nodes are major transit cities in Germany. In total we select 15 ma-

for transit cities, corresponding to the most frequented train stations [11]. The travellers move between these nodes and may share their means of transportation.

JUNE differentiates between two types of transport, public and private. The infection via private transportation are assumed to be negligible, thus only the public transport is modelled and June assigns every agent to either public or private transportation. The spatial distribution of transport modes is taken from data provided by the Federal Ministry of Transport and Digital Infrastructure [12].

JUNE further distinguishes between external and internal commuters. External commuters are those who live in non-metropolitan regions and commute into a metropolitan regions. Internal commuters live and work




Fig. 5: Overview selected work-places or work-categories, separated by male and female.

in the same metropolitan region. The data on commuting in Germany are taken from the Federal Employment Agency [13]. The distribution of commuting distances of agents within Germany is shown in Fig. 7, while Fig. 8 shows the fraction of people commuting from each super area to outside of that respective super area. For the metropolitan regions it can be seen that the number of people commuting out of the super areas is small. To reduce computational time, therefore we only model commutes beginning outside or within metropolitan areas.

Internal commuters are modelled independently of their actual movement inside the city. JUNE assigns them to groups with which they can interact. For external commuters, JUNE identifies shared routes for commuters living in neighbouring areas. The number of possible routes for each metropolitan region is set to four. The commuters are divided between the available routes and commuters sharing a route have a probability to interact.¹

4.7 Policies

The *policies* for JUNE v1.0 were implemented to include both government policy and compliance with them.² For example, *mask wearing* is both implemented to be either on or off depending on the date and a compliance percentage is associated with this. In the modification of these policies to JUNE-GERMANY we do not alter this ability to include behavioural data. We also deactivate any policies that do not apply to Germany. The key sources were Refs. [14], [15]. They help track the

¹ Currently only commutes of adults to and from the workplace are taken into consideration.

² The names of all policies will be italicised.




Fig. 6: Overview the daily activities as a percentage of 24 hours, for selected age groups.

dates when both federal and state policies within Germany, as well as measures taken by the Robert Koch Institut (RKI). These sources provided the information required to implement the *social distancing*, *mask wearing*, *closure of schools*, *closure of universities*, *closure of leisure venues* and *quarantine* policies. For the JUNE-GERMANY we consider *hospitalisation* and *symptoms stay at home* policies to be constant, as was the case for JUNE v1.0.

The parameters, *regional compliance* and *tiered lockdown* were not considered for JUNE-GERMANY due to the variable and limited data available for individual German states. These parameters were set globally for Germany instead. The period in which the policies and compliance were non-uniform across German states was both limited and almost exclusively outside of all 3 major infection waves which occurred prior to publication. Therefore, this decision is expected to have limited effect on the accuracy of our results. *Limiting long commutes* and *shielding* were not federal or state government policy in Germany and are therefore deactivated in this model. Further information on behavioural patterns during the pandemic related to age can be found in Ref. [16].

All remaining variables implemented in the policies rely on behavioural data taken from a range of sources that, at the time of development, provided the most accurate, publicly available data for these probabilistic parameters. It is expected that the accuracy of these parameters could be subsequently improved as a wider range of data-sets becomes available. In Germany the closure of company's physical operations were not mandated or statistically monitored in a similar way to England. Thus, it was necessary to use behavioural data on home-office usage from *statista* to apply the *company closures* variable [17]. The *change of leisure probability* is probabilistic, therefore it was straight forward to




Fig. 7: Distribution of commuting distances of agents within Germany (max. 250km away).

Commuters in relation to the number of employees




Fig. 8: Out-commuters in relation to the number of employees per super area. We consider the 20 super areas in which most commuters work (max. 250km away).

implement using data taken as part of the **Gutenberg Covid-19 Study**. [18]

Acknowledgement

The authors would like to thank Frank Krauss and Joseph Aylett-Bullock from Durham University for their help during our further developments towards JUNE-GERMANY. This work has been supported by the Johannes Gutenberg Startup Research Fund.

Part of the simulations were conducted using the supercomputer Mogon II at Johannes Gutenberg University Mainz (hpc.uni-mainz.de). The authors gratefully acknowledge the computing time granted on the supercomputer.

References

- [1] M. Tracy, M. Cerda, and K. Keyes, "Agent-Based Modeling in Public Health: Current Applications and Future Directions," *Annual Review of Public Health*, vol. 39, Apr. 2018. DOI: 10.1146/annurev-publhealth-040617-014317.
- [2] W. Duan, Z. Fan, P. Zhang, G. Guo, and X. Qiu, "Mathematical and computational approaches to epidemic modeling: a comprehensive review," *Frontiers of Computer Science*, vol. 9, Mar. 2015. DOI: 10.1007/s11704-014-3369-2.
- [3] F. Brauer, "Compartmental Models in Epidemiology," in. Apr. 2008, vol. 1945, pp. 19–79, ISBN: 978-3-540-78910-9. DOI: 10.1007/978-3-540-78911-6_2.
- [4] N. Ferguson, D. Cummings, C. Fraser, *et al.*, "Strategies for mitigating an Influenza pandemic," *Nature*, vol. 442, pp. 448–52, Aug. 2006. DOI: 10.1038/nature04795.
- [5] R. J. Rockett, A. Arnott, C. Lam, *et al.*, "Revealing COVID-19 Transmission by SARS-CoV-2 Genome Sequencing and Agent Based Modelling," *bioRxiv*, 2020. DOI: 10.1101/2020.04.19.048751. eprint: <https://www.biorxiv.org/content/early/2020/04/24/2020.04.19.048751.full.pdf>.
- [6] A. El-Sayed, P. Scarborough, L. Seemann, and S. Galea, "Social network analysis and agent-based modeling in social epidemiology," *Epidemiologic perspectives and innovations : EP+I*, vol. 9, p. 1, Feb. 2012. DOI: 10.1186/1742-5573-9-1.
- [7] J. Bullock *et al.*, "JUNE: open-source individual-based epidemiology simulation," *Royal Society Open Science*, Jul. 2021. medRxiv: <https://doi.org/10.1101/2020.12.15.20248246>.
- [8] Zensus. (2011). "Zensus 2011," [Online]. Available: https://www.zensus2011.de/DE/Home/home_node.html (visited on 09/06/2021).
- [9] C. Cuesta-Lazaro, A. Quera-Bofarull, J. Aylett-Bullock, *et al.*, "Vaccinations or Non-Pharmaceutical Interventions: Safe Reopening of Schools in England," *medRxiv*, 2021. DOI: 10.1101/2021.09.07.21263223. eprint: <https://www.medrxiv.org/content/early/2021/09/13/2021.09.07.21263223.full.pdf>.
- [10] Corona-Daten Plattform. (2020). "Corona-Daten Plattform," [Online]. Available:

- <https://www.corona-datenplattform.de>
(visited on 09/06/2021).
- [11] Wikipedia. (2021). “Bahnhof - Meistfrequentierte Fernbahnhöfe in Deutschland,” [Online]. Available: https://de.wikipedia.org/wiki/Bahnhof#Meistfrequentierte_Fernbahnh%C3%B6fe_in_Deutschland (visited on 09/06/2021).
 - [12] infas Institut für angewandte Sozialwissenschaft GmbH. (2017). “Mobilität in Deutschland 2017,” [Online]. Available: <http://www.mobilitaet-in-deutschland.de/publikationen2017.html> (visited on 09/06/2021).
 - [13] Bundesagentur für Arbeit. (2021). “Pendlerverflechtungen der sozialversicherungspflichtig Beschäftigten nach Kreisen - Deutschland (Jahreszahlen),” [Online]. Available: <https://statistik.arbeitsagentur.de> (visited on 09/06/2021).
 - [14] Bundesministerium für Gesundheit. (2021). “Chronik zum Coronavirus,” [Online]. Available: <https://www.bundesgesundheitsministerium.de/coronavirus/chronik-coronavirus.html> (visited on 09/06/2021).
 - [15] Robert Koch-Institut. (2020). “Archiv der Situationsberichte des Robert Koch-Instituts zu COVID-19 (ab 4.3.2020),” [Online]. Available: https://www.rki.de/DE/Content/InfAZ/N/Neuartiges_Coronavirus/Situationsberichte/Archiv.html (visited on 05/18/2021).
 - [16] N. C. Lages, K. Villinger, J. E. Koller, *et al.*, “The Relation of Threat Level and Age With Protective Behavior Intentions During Covid-19 in Germany,” *Health Education And Behavior*, vol. 48, no. 2, pp. 118–122, 2021.
 - [17] statista. (2021). “Homeoffice und mobiles Arbeiten - ein Überblick,” [Online]. Available: <https://de.statista.com/themen/6093/homeoffice/> (visited on 09/06/2021).
 - [18] Universitäts Medizin Mainz. (2021). “Gutenberg Covid-19 Study,” [Online]. Available: <https://www.unimedizin-mainz.de/GCS/dashboard/#/app/pages/AktuelleErgebnisse/ergebnisse> (visited on 09/06/2021).