

FIBERAI

Channel setup guide

WhatsApp · Instagram · Gmail · Shopify

Hosted platform

<https://cep-svasthyaa.fybud.com>

Credentials are created in Meta, Google Cloud, or Shopify, then entered under Settings.

Confidential · for brand operators

How to use this guide

Follow each channel in order. Create credentials in the provider console, then paste them into CEP Settings.

Hosted CEP Frontend URL: <https://cep-svasthyaa.fybud.com> (PLATFORM_WEB_BASE_URL)

Hosted CEP API URL: <https://api.cep-svasthyaa.fybud.com> (PLATFORM_API_BASE_URL)

Brands configure WhatsApp, Instagram, Gmail, and Shopify in Settings. Credentials are created in Meta, Google Cloud, or Shopify Admin, then entered in CEP. No local install is required.

A printable copy of this guide is available in CEP: Settings > Download setup guide (PDF).

Fixed URLs

Register these values in provider consoles. Trailing slashes and host must match.

Purpose	URL
Agent UI / login	https://cep-svasthyaa.fybud.com
WhatsApp webhook	https://api.cep-svasthyaa.fybud.com/webhooks/whatsapp
Instagram webhook	https://api.cep-svasthyaa.fybud.com/webhooks/instagram
Gmail Pub/Sub push	https://api.cep-svasthyaa.fybud.com/webhooks/email/pubsub
Gmail OAuth redirect	https://api.cep-svasthyaa.fybud.com/oauth/gmail/callback
Instagram OAuth redirect	https://api.cep-svasthyaa.fybud.com/oauth/instagram/callback
Instagram deauthorize	https://api.cep-svasthyaa.fybud.com/oauth/instagram/deauthorize
Instagram data deletion	https://api.cep-svasthyaa.fybud.com/oauth/instagram/data-deletion
Privacy policy	https://api.cep-svasthyaa.fybud.com/privacy

The same list appears under Settings > Callback URLs (dropdown + Copy).

Suggested order of work: enable APIs/scopes below > WhatsApp > Instagram > Gmail > Shopify.

Replies sent outside CEP (phone / app)

Agents sometimes reply in Instagram, Gmail, or WhatsApp Business instead of CEP. Whether those replies appear in the portal depends on the channel:

Channel	Extra Meta / Google config for "echoes"?	What you need
---------	--	---------------

Instagram	No change	Same webhook as today (messages). CEP already treats app replies as outgoing.
Gmail	No change	Same Connect + Start watch. CEP already picks up SENT mail.
WhatsApp	Yes - Coexistence is required	Without Coexistence, Meta never sends phone/app replies to your webhook. Subscribing a field alone is not enough. See §2.9.

In short: Instagram and Gmail work with the normal setup you already do. WhatsApp phone replies only work if Meta Coexistence is on.

0. APIs, scopes, and permissions (required)

Do this before clicking Connect in CEP. Missing APIs or scopes is the most common setup failure.

● WhatsApp (Meta)

Item	What to enable
Product	WhatsApp on the Meta app
System User token scopes	whatsapp_business_messaging, whatsapp_business_management, and business_management if listed
Webhook fields	messages (required for inbox). To also show replies sent from the WhatsApp Business phone/app, subscribe smb_message_echoes - and the number must use Meta Coexistence (§2.9). Without Coexistence, echoes never arrive.
Assets	System User must be assigned the Meta App + WhatsApp Business Account with manage permissions

● Instagram (Meta)

Item	What to enable
Product	Instagram > API setup with Instagram login (Business Login)
OAuth scopes (CEP requests these)	instagram_business_basic, instagram_business_manage_messages, instagram_business_manage_comments
Webhook fields	messages only. No separate "echo" field - Instagram app replies use the same webhook.
Business login URLs	OAuth redirect, deauthorize, and data deletion (see Fixed URLs)
Account type	Instagram Professional (Business or Creator)

Use the Instagram app ID / Instagram app secret from the Instagram product page - not the global Meta App ID/Secret under App settings > Basic.

● Gmail (Google Cloud)

Item	What to enable
APIs	Gmail API + Cloud Pub/Sub API (both must be enabled on the project)
OAuth scopes (consent screen)	https://www.googleapis.com/auth/gmail.modify and https://www.googleapis.com/auth/gmail.send
OAuth client	Web application client; redirect = Gmail OAuth URL above
Pub/Sub topic IAM	Principal gmail-api-push@system.gserviceaccount.com role Pub/Sub Publisher on the topic
Pub/Sub subscription	Push to Gmail Pub/Sub URL above
Your Google identity	Prefer a project Owner or role that can enable APIs, create OAuth clients, and edit Pub/Sub IAM (e.g. roles/pubsub.admin or Owner on the project)

● Shopify

Item	What to enable
Admin API scopes	read_customers, read_orders (minimum)

1. Open Settings

- 1 Sign in at <https://cep-svasthyaa.fybud.com>.
- 2 Open Settings in the left navigation.
- 3 Channels lists WhatsApp, Instagram, and Gmail (Connect / Disconnect).
- 4 Shopify is listed under Channels for store customers and orders.
- 5 After Connect, details are stored securely. Disconnect clears that connection.
- 6 Gmail and Instagram tokens are automatic. You never paste Access or Refresh tokens. After you Connect and finish Google or Instagram login, they are stored for you (see §§3.3 and 4.5).

2. WhatsApp

● Fields in Settings > Connect WhatsApp

Field	Meaning
Phone Number ID	Cloud API id of the business number (numeric id from Meta, not +91...)
Access Token	Bearer token used for Graph API send/receive

Verify Token	Shared secret you choose; must match the Meta webhook config
App Secret	Meta app secret (App settings > Basic; see 2.4)
Business Account ID	WhatsApp Business Account (WABA) id

Connect only enables after required fields are filled. Save happens when you click Connect. Disconnect clears credentials.

● 2.1 Meta app and WhatsApp product

- 1 Open <https://developers.facebook.com/apps/>
- 2 Create an app (Business) or select an existing one.
- 3 Add the WhatsApp product.
- 4 Open WhatsApp > API Setup

https://developers.facebook.com/apps/{APP_ID}/whatsapp-business/wa-dev-console/

● 2.2 Phone Number ID

- 1 On API Setup, locate the connected business phone number.
- 2 Copy Phone number ID.
- 3 Paste into CEP > Phone Number ID.

● 2.3 Business Account ID

- 1 On API Setup, copy WhatsApp Business Account ID, or find it in WhatsApp Manager for that WABA.
- 2 Paste into CEP > Business Account ID.

● 2.4 App ID and App Secret

These values live on Meta's App settings > Basic page (not under WhatsApp API Setup).

- 1 Open your app in <https://developers.facebook.com/apps/>
- 2 Left sidebar: App settings > Basic
- 3 Copy App ID.
- 4 Next to App secret, click Show, then copy.
- 5 Paste App Secret into CEP WhatsApp settings.

Instagram uses a different App ID/Secret pair - see section 3.

● 2.5 Verify Token

- 1 Choose a string without spaces (example: cep-wa-verify-<brand>).
- 2 Enter it in CEP > Verify Token.

- 3 Enter the same string when configuring the Meta webhook (section 2.7).

● 2.6 Access Token (System User) - scopes

Tokens shown on API Setup often expire in about 24 hours. Use a System User token.

- 1 Business Settings: <https://business.facebook.com/latest/settings>
- 2 Users > System users > Add (Admin).
- 3 Assign assets: Meta app (Full control) + WhatsApp account (manage WABA).
- 4 Generate token for the same Meta app with at least:
 - whatsapp_business_messaging
 - whatsapp_business_management
 - business_management (if listed)
- 5 Prefer non-expiring when Meta offers it.
- 6 Paste into CEP > Access Token > Connect.

● 2.7 WhatsApp webhook

- 1 Meta app > Webhooks or WhatsApp > Configuration.
- 2 Callback URL: <https://api.cep-svasthyaa.fybud.com/webhooks/whatsapp>
- 3 Verify token: same as CEP.
- 4 Verify and save.
- 5 Subscribe fields:
 - messages - required (customer messages into CEP)
 - smb_message_echoes - only useful if the number is on Coexistence (§2.9). If the number is Cloud API-only, this field stays quiet and CEP will never see phone replies.

● 2.8 Smoke test

- 1 Send a WhatsApp message to the business number from a customer phone.
- 2 Confirm the thread in CEP Inbox (WhatsApp) and reply within the messaging window.

● 2.9 WhatsApp phone / Business app replies - Coexistence required

If an agent replies from the WhatsApp Business app on the phone, CEP can show that message - but only when Meta Coexistence is enabled. This is a Meta product requirement, not a CEP toggle.

Why it matters

- With a normal Cloud API-only number, Meta does not send the text of phone replies to your webhook.
- CEP cannot invent those messages. No amount of Settings clicks will fix a Cloud API-only number.
- Coexistence means the same phone number stays on WhatsApp Business app and Cloud API together. Then Meta can send smb_message_echoes when someone replies from the app.

What you must have

- 1 The business number onboarded with Meta's Coexistence / WhatsApp Business app onboarding (not "API number only").

Guide: <https://developers.facebook.com/docs/whatsapp/embedded-signup/custom-flows/onboarding-business-app-users/>

- 2 Webhook field `smb_message_echoes` subscribed (§2.7).
- 3 WhatsApp Business app still installed on the phone - open it at least every ~13 days so Meta keeps the link alive.

Quick check

- Phone app still works on that number after Cloud API setup > you may already be on Coexistence > subscribe `smb_message_echoes` and test a phone reply.
- Phone app stopped / number is API-only > Coexistence was never enabled > phone replies will never appear in CEP until the number is re-onboarded with Coexistence.

Instagram and Gmail do not need an equivalent step - their outside-app replies use the normal webhook / Start watch setup above.

3. Instagram

CEP uses Business Login for Instagram. You enter App ID, App Secret, and Verify Token only. Access Token and Username are filled automatically after Connect - do not type them by hand, and do not enter a Page ID.

● Fields in Settings > Connect Instagram

Field	Who fills it
Instagram App ID	You (from Meta Instagram API setup page)
Instagram App Secret	You (same page)
Verify Token	You (choose any shared secret)
Access Token	CEP - automatic after Instagram login (not shown for you to paste)
Username	CEP - automatic after Instagram login

Important: Instagram App ID and Instagram App Secret are not the Meta App ID / App Secret from App settings > Basic.

● 3.1 APIs / product / scopes

- 1 Meta app > add Instagram product.
- 2 Open Instagram > API setup with Instagram login.
- 3 Copy Instagram app ID and Instagram app secret into CEP.

- 4 When the agent completes Connect, CEP requests these scopes:
 - `instagram_business_basic`
 - `instagram_business_manage_messages`
 - `instagram_business_manage_comments`
- 5 In Meta App Review / Instagram permissions, ensure messaging-related permissions for your use case are requested/approved as Meta requires for production.

● 3.2 Business login URLs in Meta

- 1 Still under Instagram > API setup with Instagram login > Business login settings.
- 2 Set:

Field	URL
OAuth redirect URIs	https://api.cep-svasthyaa.fybud.com/oauth/instagram/callback
Deauthorize callback URL	https://api.cep-svasthyaa.fybud.com/oauth/instagram/deauthorize
Data deletion request URL	https://api.cep-svasthyaa.fybud.com/oauth/instagram/data-deletion

- 3 Save in Meta.

Also set Privacy policy URL if asked: <https://api.cep-svasthyaa.fybud.com/privacy>

● 3.3 Connect Instagram (Access Token is automatic)

You do not paste an Access Token. CEP gets it from Meta after login.

- 1 Settings > Instagram > Connect.
- 2 In the modal, enter Instagram App ID, Instagram App Secret, and Verify Token (Connect stays disabled until these are filled).
- 3 Click Connect - CEP saves those three fields, then opens Instagram login.
- 4 Approve as the business Instagram account that should receive DMs.
- 5 Meta returns a code; CEP exchanges it for a short-lived token, then upgrades it to a long-lived Access Token (~60 days) and stores it only on the server, along with the Instagram Username.
- 6 You land back on Settings with Instagram Connected. You never see or type the Access Token in the form.

If Connect fails, check Business login URLs (§3.2) and that you used the Instagram app ID/secret (not Meta App ID from Basic).

Replies sent in the Instagram app show in CEP as outgoing automatically. You do not enable a separate echo setting - keep the normal messages webhook (§3.4).

● 3.4 Instagram webhook

- 1 Meta Webhooks (Instagram messaging).
- 2 Callback: <https://api.cep-svasthyaa.fybud.com/webhooks/instagram>

- 3 Verify token: Instagram Verify Token from CEP.
- 4 Subscribe messages.

● 3.5 Smoke test

- 1 From a customer Instagram account, DM the business account.
- 2 Confirm Inbox > Instagram; reply from CEP and optionally from the Instagram app.

4. Gmail

● Fields in Settings > Connect Gmail

Field	Who fills it
Client ID	You (Google Cloud OAuth web client)
Client Secret	You (same client)
Pub/Sub Topic	You (projects/{PROJECT_ID}/topics/{TOPIC})
Refresh Token	CEP - automatic after Google login (never paste this)
Access Token	CEP - automatic after Google login; CEP refreshes it later using the refresh token

After Connect succeeds, click Start watch so push mail (INBOX + SENT) can arrive.

● 4.1 Project role and APIs (enable these)

Use a Google account that can administer the project (Owner, or Editor + ability to change IAM).

- 1 Open <https://console.cloud.google.com/> and select (or create) a project.
- 2 Enable Gmail API:

URL

<https://console.cloud.google.com/apis/library/gmail.googleapis.com>

- 3 Enable Cloud Pub/Sub API:

URL

<https://console.cloud.google.com/apis/library/pubsub.googleapis.com>

Both APIs must show Enabled. If either is off, Connect / watch will fail.

● 4.2 OAuth consent screen - scopes

- 1 <https://console.cloud.google.com/apis/credentials/consent>

- 2 Configure External (typical) app details and support email.
- 3 Add scopes (Edit app > Scopes):
 - <https://www.googleapis.com/auth/gmail.modify>
 - <https://www.googleapis.com/auth/gmail.send>
- 4 Publish the app, or until published add the support mailbox under Test users.

CEP requests exactly those two scopes at Connect time.

● 4.3 OAuth client

- 1 <https://console.cloud.google.com/apis/credentials>
- 2 Create credentials > OAuth client ID > Web application.
- 3 Authorized redirect URI:
<https://api.cep-svasthyaa.fybud.com/oauth/gmail/callback>
- 4 Copy Client ID and Client Secret for CEP.

● 4.4 Pub/Sub topic, admin permission, and push subscription

You need permission to create topics and edit topic IAM (project Owner, or a role such as Pub/Sub Admin roles/pubsub.admin).

- 1 Topics: <https://console.cloud.google.com/cloudpubsub/topic/list>
- 2 Create topic (example name: gmail-events).
- 3 Open the topic > Permissions (or Show info panel > Permissions).
- 4 Grant access:
 - Principal: gmail-api-push@system.gserviceaccount.com
(this is Google's Gmail push service account - not your user)
 - Role: Pub/Sub Publisher (roles/pubsub.publisher)
- 5 Create a subscription on that topic:
 - Delivery type: Push
 - Endpoint URL: <https://api.cep-svasthyaa.fybud.com/webhooks/email/pubsub>
 - Leave authentication / payload unwrapping off unless your ops standard requires otherwise
- 6 Copy the full topic resource name into CEP:
`projects/{PROJECT_ID}/topics/{TOPIC}`

Without the Publisher grant to gmail-api-push@system.gserviceaccount.com, Gmail users.watch fails or never pushes.

● 4.5 Connect Gmail and Start watch (tokens are automatic)

You do not paste Refresh Token or Access Token. CEP gets both from Google after login.

- 1 Settings > Gmail > Connect.

- 2 In the modal, enter Client ID, Client Secret, and Pub/Sub Topic (Connect stays disabled until these are filled).
- 3 Click Connect - CEP saves those fields, then opens Google login.
- 4 Sign in as the support mailbox and approve the Gmail scopes.
- 5 Google returns tokens; CEP stores Refresh Token and Access Token only on the server (and the mailbox address when available).
- 6 You land back on Settings with Gmail Connected. Token fields are not something you type or copy into the UI.
- 7 Click Start watch (INBOX + SENT). Watch lasts up to ~7 days - renew before expiry.

Day to day, CEP uses the refresh token to get new access tokens when the short-lived access token expires (~1 hour). You only click Connect again if Google revoked the app (password change, permissions removed, etc.).

If Google does not issue a refresh token, revoke the app at <https://myaccount.google.com/permissions> and Connect again.

Replies sent in Gmail web or the Gmail app show in CEP as outgoing automatically (via SENT). You do not enable a separate echo setting - Connect + Start watch is enough.

● 4.6 Watch ops

Google's Gmail push watch is not permanent. Call watch at least every 7 days or push stops.

- 1 Start watch in Settings after Connect.
- 2 Send a test message to the mailbox; confirm Inbox > Email.
- 3 CEP renews watch on API container restart; if the API stays up longer than a week, click Start watch again.

5. Shopify

Connect Shopify to show customers and orders in the inbox.

● Fields in Settings > Shopify

Field	Value
Shop subdomain	Subdomain only (yourbrand from yourbrand.myshopify.com)
Client ID	App client id
Client Secret	App client secret

● Required Admin API scopes

Minimum:

- read_customers

- read_orders

- 1 Create or open the app in Shopify Partner / Dev dashboard.
- 2 Install on the store with those scopes.
- 3 CEP Settings > Shopify > Connect with subdomain, Client ID, Client Secret.

Inbound linking: WhatsApp/Email can attach Shopify email/phone onto the contact. Instagram has no phone/email lookup.

6. Inbox: clear chat and delete messages

• Clear the whole channel thread

- 1 Open the contact in Inbox and select the channel tab.
- 2 Open the "⋮" menu > Clear chat > confirm.
- 3 Messages for that channel are removed and tombstoned so sync does not resurrect them.

• Delete specific messages

- 1 "⋮" > Select > pick messages > Delete > confirm.

7. Keeping channels online

• WhatsApp

Item	What you do
Temporary API Setup token	Do not use in production (~24h)
System User token	Prefer non-expiring; paste into Connect
App Secret / Phone Number ID / Verify Token	Update Settings if you rotate them in Meta

• Instagram

Item	What you do
Access Token	Filled automatically on Connect; lasts ~60 days. Click Connect again before it expires (you still only enter App ID / Secret / Verify Token - token is fetched again).
Instagram App ID / Secret	Re-enter if reset in Meta

● Gmail

Item	What you do
Access Token	Filled automatically on Connect; expires ~hourly - CEP refreshes it using the refresh token (no manual step)
Refresh Token	Filled automatically on Connect; click Connect again only if Google revoked the app
users.watch	Renew with Start watch at least weekly if the API is not restarted often

8. Verification

Step	WhatsApp	Instagram	Gmail	Shopify
APIs / scopes	Token scopes + webhook fields	IG product + OAuth scopes + messages	Gmail API + Pub/Sub API + OAuth scopes + topic Publisher	read_customers, read_orders
Credentials in Settings	Connect (paste WA token)	Connect (App ID/ Secret/Verify only - Access Token automatic)	Connect (Client ID/ Secret/Topic only - Refresh + Access Token automatic) + Start watch	Connect
Provider config	Webhook verified	Business login URLs + webhook	Redirect URI + push subscription	App installed
Functional check	Inbound + reply	Customer DM + reply	Inbound email + reply	Customer panel shows orders

9. Common failures

Symptom	Likely cause
Webhook verification failed	Callback URL or Verify Token mismatch; API unreachable
WhatsApp stops after ~24h	Temporary API Setup token; use System User token
WhatsApp phone replies missing in CEP	Coexistence not enabled (Cloud API-only number), and/or smb_message_echoes not subscribed. Instagram/Gmail do not need an extra echo config.
Send fails, receive works	Token/scopes/Phone Number ID
Instagram Connect error	Redirect / deauthorize / data-deletion URL still on old host; or used Meta App ID from Basic
IG DMs not arriving	Webhook URL/token mismatch, or messages not subscribed
Gmail API / Pub/Sub "not enabled"	Enable both APIs on the Google project (§4.1)

Gmail watch / push errors	Topic missing Pub/Sub Publisher for gmail-api-push@system.gserviceaccount.com (\$4.4)
Gmail redirect_uri_mismatch	OAuth client missing hosted Gmail callback URL
Gmail access_denied	Consent screen not published / mailbox not a test user
New Gmail stops after ~7 days	Watch expired; click Start watch
Empty Shopify panel	Wrong shop, missing scopes, or email/phone mismatch

URL reference

Copy this URL

<https://cep-svasthyaa.fybud.com>

Copy this URL

<https://api.cep-svasthyaa.fybud.com/webhooks/whatsapp>

Copy this URL

<https://api.cep-svasthyaa.fybud.com/webhooks/instagram>

Copy this URL

<https://api.cep-svasthyaa.fybud.com/webhooks/email/pubsub>

Copy this URL

<https://api.cep-svasthyaa.fybud.com/oauth/gmail/callback>

Copy this URL

<https://api.cep-svasthyaa.fybud.com/oauth/instagram/callback>

Copy this URL

<https://api.cep-svasthyaa.fybud.com/oauth/instagram/deauthorize>

Copy this URL

<https://api.cep-svasthyaa.fybud.com/oauth/instagram/data-deletion>

Copy this URL

<https://api.cep-svasthyaa.fybud.com/privacy>