

FIBER AI

Channel setup guide

WhatsApp · Instagram · Gmail · Shopify

Need a URL?

Settings > Callback URLs

Copy the one you need and paste it into Meta or Google.

How to use this guide

Follow each channel in order. Create credentials in the provider console, then paste them into CEP Settings.

Connect WhatsApp, Instagram, Gmail, and Shopify in Settings. Create the credentials in Meta, Google Cloud, or Shopify Admin, then enter them here.

Whenever Meta or Google asks for a URL, open Settings > Callback URLs, pick the matching item, and copy it. Paste that into the provider console.

A printable copy of this guide is in CEP: Settings > Download setup guide.

Suggested order: enable APIs and scopes below > WhatsApp > Instagram > Gmail > Shopify.

Replies sent outside CEP (phone / app)

Agents sometimes reply in Instagram, Gmail, or WhatsApp Business instead of CEP. Whether those replies appear in the portal depends on the channel:

Channel	Extra Meta / Google setup?	What you need
Instagram	No	Same webhook as today (messages). App replies already show as outgoing.
Gmail	No	Same Connect + Start watch. Sent mail already shows up.
WhatsApp	Yes - Coexistence is required	Without Coexistence, Meta never sends phone/app replies to your webhook. Subscribing a field alone is not enough. See §2.9.

Instagram and Gmail work with the normal setup. WhatsApp phone replies only work if Meta Coexistence is on.

1. Before you start

You need:

- Access to CEP Settings (and the PDF from there, if you want a printout)
- Meta Business / Developer access (WhatsApp + Instagram)
- A Google Cloud project you can administer (Gmail)
- Shopify Partner or store admin (optional, for orders)

Open Settings > Callback URLs and keep that page handy. Every webhook, login redirect, and privacy URL you paste into Meta or Google comes from there.

2. WhatsApp

● Fields in Settings > Connect WhatsApp

Field	Where it comes from
Phone Number ID	Meta > WhatsApp > API Setup
Access Token	System User token (see 2.6) - not the short-lived token on API Setup
Verify Token	You choose this; same value in Meta webhook
App Secret	Meta App settings > Basic (WhatsApp Meta app)
Business Account ID	WABA id (optional but useful)

Click Connect when the required fields are filled.

● 2.1 Create / select the Meta app

- 1 <https://developers.facebook.com/apps/>
- 2 Use an existing app with WhatsApp or create one (Business type).
- 3 Add product WhatsApp.

● 2.2 Phone Number ID

- 1 WhatsApp > API Setup.
- 2 Copy Phone number ID into CEP.

● 2.3 WhatsApp Business Account ID

- 1 Same API Setup page, or Business Settings > WhatsApp accounts.
- 2 Paste into CEP if shown.

● 2.4 App Secret (WhatsApp Meta app)

- 1 App settings > Basic.
- 2 Show App Secret, copy it.
- 3 Paste into CEP > App Secret.

Instagram uses a different App ID/Secret pair - see section 3.

● 2.5 Verify Token

- 1 Choose a string without spaces (example: cep-wa-verify-<brand>).

- 2 Enter it in CEP > Verify Token.
- 3 Enter the same string when configuring the Meta webhook (section 2.7).

● 2.6 Access Token (System User) - scopes

Tokens shown on API Setup often expire in about 24 hours. Use a System User token.

- 1 Business Settings: <https://business.facebook.com/latest/settings>
- 2 Users > System users > Add (Admin).
- 3 Assign assets: Meta app (Full control) + WhatsApp account (manage WABA).
- 4 Generate token for the same Meta app with at least:
 - whatsapp_business_messaging
 - whatsapp_business_management
 - business_management (if listed)
- 5 Prefer non-expiring when Meta offers it.
- 6 Paste into CEP > Access Token > Connect.

● 2.7 WhatsApp webhook

- 1 Meta app > Webhooks or WhatsApp > Configuration.
- 2 Callback URL: copy WhatsApp webhook from CEP Settings > Callback URLs.
- 3 Verify token: same as CEP.
- 4 Verify and save.
- 5 Subscribe fields:
 - messages - required (customer messages into CEP)
 - smb_message_echoes - only useful if the number is on Coexistence (\$2.9). If the number is Cloud API-only, this field stays quiet and CEP will never see phone replies.

● 2.8 Try it

- 1 Send a WhatsApp message to the business number from a customer phone.
- 2 Confirm the thread in Inbox (WhatsApp) and reply within the messaging window.

● 2.9 WhatsApp phone / Business app replies - Coexistence required

If an agent replies from the WhatsApp Business app on the phone, CEP can show that message - but only when Meta Coexistence is enabled. This is a Meta product requirement, not a CEP toggle.

Why it matters

- With a normal Cloud API-only number, Meta does not send the text of phone replies to your webhook.
- CEP cannot invent those messages. No amount of Settings clicks will fix a Cloud API-only number.

- Coexistence means the same phone number stays on WhatsApp Business app and Cloud API together. Then Meta can send `smb_message_echoes` when someone replies from the app.

What you must have

- 1 The business number onboarded with Meta's Coexistence / WhatsApp Business app onboarding (not "API number only").

Guide: <https://developers.facebook.com/docs/whatsapp/embedded-signup/custom-flows/onboarding-business-app-users/>

- 2 Webhook field `smb_message_echoes` subscribed (\$2.7).
- 3 WhatsApp Business app still installed on the phone - open it at least every ~13 days so Meta keeps the link alive.

Quick check

- Phone app still works on that number after Cloud API setup > you may already be on Coexistence > subscribe `smb_message_echoes` and test a phone reply.
- Phone app stopped / number is API-only > Coexistence was never enabled > phone replies will never appear in CEP until the number is re-onboarded with Coexistence.

Instagram and Gmail do not need an equivalent step - their outside-app replies use the normal webhook / Start watch setup above.

3. Instagram

CEP uses Business Login for Instagram. You enter App ID, App Secret, and Verify Token only. Access Token and Username are filled automatically after Connect - do not type them by hand, and do not enter a Page ID.

• Fields in Settings > Connect Instagram

Field	Who fills it
Instagram App ID	You (from Meta Instagram API setup page)
Instagram App Secret	You (same page)
Verify Token	You (choose any shared secret)
Access Token	Filled for you after Instagram login
Username	Filled for you after Instagram login

Important: Instagram App ID and Instagram App Secret are not the Meta App ID / App Secret from App settings > Basic.

• 3.1 APIs / product / scopes

- 1 Meta app > add Instagram product.

- 2 Open Instagram > API setup with Instagram login.
- 3 Copy Instagram app ID and Instagram app secret into CEP.
- 4 When the agent completes Connect, CEP requests these scopes:
 - instagram_business_basic
 - instagram_business_manage_messages
 - instagram_business_manage_comments
- 5 In Meta App Review / Instagram permissions, ensure messaging-related permissions for your use case are requested/approved as Meta requires for production.

● 3.2 Business login URLs in Meta

- 1 Still under Instagram > API setup with Instagram login > Business login settings.
- 2 Copy each value from CEP Settings > Callback URLs and paste into Meta:

Field in Meta	Pick this in Callback URLs
OAuth redirect URIs	Instagram OAuth redirect
Deauthorize callback URL	Instagram deauthorize
Data deletion request URL	Instagram data deletion
Privacy policy URL (if asked)	Privacy policy

- 3 Save in Meta.

● 3.3 Connect Instagram (Access Token is automatic)

You do not paste an Access Token. CEP gets it from Meta after login.

- 1 Settings > Instagram > Connect.
- 2 In the modal, enter Instagram App ID, Instagram App Secret, and Verify Token (Connect stays disabled until these are filled).
- 3 Click Connect - CEP saves those three fields, then opens Instagram login.
- 4 Approve as the business Instagram account that should receive DMs.
- 5 After you approve, CEP fetches a long-lived Access Token and the Instagram Username for you.
- 6 You land back on Settings with Instagram Connected. You never see or type the Access Token.

If Connect fails, check Business login URLs (§3.2) and that you used the Instagram app ID/secret (not Meta App ID from Basic).

Replies sent in the Instagram app show in CEP as outgoing automatically. You do not enable a separate echo setting - keep the normal messages webhook (§3.4).

● 3.4 Instagram webhook

- 1 Meta Webhooks (Instagram messaging).
- 2 Callback: copy Instagram webhook from Settings > Callback URLs.
- 3 Verify token: Instagram Verify Token from CEP.
- 4 Subscribe messages.

● 3.5 Try it

- 1 From a customer Instagram account, DM the business account.
- 2 Confirm Inbox > Instagram; reply from CEP and optionally from the Instagram app.

4. Gmail

● Fields in Settings > Connect Gmail

Field	Who fills it
Client ID	You (Google Cloud OAuth web client)
Client Secret	You (same client)
Pub/Sub Topic	You (projects/{PROJECT_ID}/topics/{TOPIC})
Refresh Token	Filled for you after Google login
Access Token	Filled for you after Google login; CEP refreshes it later

After Connect succeeds, click Start watch so new mail (inbox and sent) can arrive.

● 4.1 Project role and APIs (enable these)

Use a Google account that can administer the project (Owner, or Editor + ability to change IAM).

- 1 Open <https://console.cloud.google.com/> and select (or create) a project.
- 2 Enable Gmail API:

URL

<https://console.cloud.google.com/apis/library/gmail.googleapis.com>

- 3 Enable Cloud Pub/Sub API:

URL

<https://console.cloud.google.com/apis/library/pubsub.googleapis.com>

Both APIs must show Enabled. If either is off, Connect / watch will fail.

● 4.2 OAuth consent screen - scopes

- 1 <https://console.cloud.google.com/apis/credentials/consent>
- 2 Configure External (typical) app details and support email.
- 3 Add scopes (Edit app > Scopes):
 - <https://www.googleapis.com/auth/gmail.modify>
 - <https://www.googleapis.com/auth/gmail.send>
- 4 Publish the app, or until published add the support mailbox under Test users.

CEP requests exactly those two scopes at Connect time.

● 4.3 OAuth client

- 1 <https://console.cloud.google.com/apis/credentials>
- 2 Create credentials > OAuth client ID > Web application.
- 3 Authorized redirect URI: copy Gmail OAuth redirect from Settings > Callback URLs.
- 4 Copy Client ID and Client Secret for CEP.

● 4.4 Pub/Sub topic, admin permission, and push subscription

You need permission to create topics and edit topic IAM (project Owner, or a role such as Pub/Sub Admin roles/pubsub.admin).

- 1 Topics: <https://console.cloud.google.com/cloudpubsub/topic/list>
- 2 Create topic (example name: gmail-events).
- 3 Open the topic > Permissions (or Show info panel > Permissions).
- 4 Grant access:
 - Principal: gmail-api-push@system.gserviceaccount.com(this is Google's Gmail push service account - not your user)
 - Role: Pub/Sub Publisher (roles/pubsub.publisher)
- 5 Create a subscription on that topic:
 - Delivery type: Push
 - Endpoint URL: copy Gmail push URL from Settings > Callback URLs
 - Leave authentication / payload unwrapping off unless your ops standard requires otherwise
- 6 Copy the full topic resource name into CEP:

`projects/{PROJECT_ID}/topics/{TOPIC}`

Without the Publisher grant to gmail-api-push@system.gserviceaccount.com, Gmail users.watch fails or never pushes.

● 4.5 Connect Gmail and Start watch (tokens are automatic)

You do not paste Refresh Token or Access Token. CEP gets both from Google after login.

- 1 Settings > Gmail > Connect.
- 2 In the modal, enter Client ID, Client Secret, and Pub/Sub Topic (Connect stays disabled until these are filled).
- 3 Click Connect - CEP saves those fields, then opens Google login.
- 4 Sign in as the support mailbox and approve the Gmail scopes.
- 5 After you approve, CEP saves the tokens and mailbox for you.
- 6 You land back on Settings with Gmail Connected. You never type token fields.
- 7 Click Start watch (inbox + sent). Watch lasts up to ~7 days - renew before it expires.

Day to day, CEP keeps the connection alive. You only click Connect again if Google revoked the app (password change, permissions removed, etc.).

If Google does not issue a refresh token, revoke the app at <https://myaccount.google.com/permissions> and Connect again.

Replies sent in Gmail web or the Gmail app show in CEP as outgoing automatically. You do not enable a separate echo setting - Connect + Start watch is enough.

● 4.6 Watch ops

Google's Gmail push watch is not permanent. Call watch at least every 7 days or push stops.

- 1 Start watch in Settings after Connect.
- 2 Send a test message to the mailbox; confirm Inbox > Email.
- 3 CEP renews watch when the API restarts; if it stays up longer than a week, click Start watch again.

5. Shopify

Connect Shopify to show customers and orders in the inbox.

● Fields in Settings > Shopify

Field	Value
Shop subdomain	Subdomain only (yourbrand from yourbrand.myshopify.com)
Client ID	App client id
Client Secret	App client secret

● Required Admin API scopes

Minimum:

- read_customers

- read_orders

- 1 Create or open the app in Shopify Partner / Dev dashboard.
- 2 Install on the store with those scopes.
- 3 CEP Settings > Shopify > Connect with subdomain, Client ID, Client Secret.

WhatsApp and Email can match a Shopify customer by email or phone. Instagram cannot, because there is no phone or email on the thread.

6. Inbox: clear chat and delete messages

• Clear the whole channel thread

- 1 Open the contact in Inbox and select the channel tab.
- 2 Open the "⋮" menu > Clear chat > confirm.
- 3 Messages for that channel are removed and will not come back from a later sync.

• Delete specific messages

- 1 "⋮" > Select > pick messages > Delete > confirm.

7. Keeping channels online

• WhatsApp

Item	What you do
Temporary API Setup token	Do not use in production (~24h)
System User token	Prefer non-expiring; paste into Connect
App Secret / Phone Number ID / Verify Token	Update Settings if you rotate them in Meta

• Instagram

Item	What you do
Access Token	Filled for you on Connect; lasts ~60 days. Click Connect again before it expires (you still only enter App ID / Secret / Verify Token).
Instagram App ID / Secret	Re-enter if reset in Meta

● Gmail

Item	What you do
Access Token	Filled for you on Connect; CEP refreshes it on its own
Refresh Token	Filled for you on Connect; click Connect again only if Google revoked the app
users.watch	Renew with Start watch at least weekly if the API is not restarted often

8. Verification

Step	WhatsApp	Instagram	Gmail	Shopify
APIs / scopes	Token scopes + webhook fields	IG product + OAuth scopes + messages	Gmail API + Pub/Sub API + OAuth scopes + topic Publisher	read_customers, read_orders
Credentials in Settings	Connect (paste WA token)	Connect (App ID / Secret / Verify only - Access Token is automatic)	Connect (Client ID / Secret / Topic only - tokens are automatic) + Start watch	Connect
Provider config	Webhook verified	Business login URLs + webhook	Redirect URI + push subscription	App installed
Try it	Inbound + reply	Customer DM + reply	Inbound email + reply	Customer panel shows orders

9. Common failures

Symptom	Likely cause
Webhook verification failed	Copied the wrong Callback URL, or Verify Token mismatch
WhatsApp stops after ~24h	Temporary API Setup token; use System User token
WhatsApp phone replies missing in CEP	Coexistence not enabled (Cloud API-only number), and/or smb_message_echoes not subscribed. Instagram/Gmail do not need extra echo config.
Send fails, receive works	Token / scopes / Phone Number ID
Instagram Connect error	Redirect / deauthorize / data-deletion URL copied from a different site; or used Meta App ID from Basic
IG DMs not arriving	Webhook URL/token mismatch, or messages not subscribed
Gmail API / Pub/Sub "not enabled"	Enable both APIs on the Google project (§4.1)

Gmail watch / push errors	Topic missing Pub/Sub Publisher for gmail-api-push@system.gserviceaccount.com (\$4.4)
Gmail redirect_uri_mismatch	OAuth client missing this site's Gmail OAuth redirect (copy from Settings)
Gmail access_denied	Consent screen not published / mailbox not a test user
New Gmail stops after ~7 days	Watch expired; click Start watch
Empty Shopify panel	Wrong shop, missing scopes, or email/phone mismatch

Where the URLs live

Every URL you need is under Settings > Callback URLs. Copy from there.