

FIBERAI

Channel setup guide

WhatsApp · Instagram · Gmail · Shopify

Hosted platform

<https://cep.logback-backend-services.online>

Credentials are created in Meta, Google Cloud, or Shopify, then entered under Settings.

Confidential · for brand operators

How to use this guide

Follow each channel in order. Create credentials in the provider console, then paste them into CEP Settings.

Hosted CEP Frontend URL: <https://cep.logback-backend-services.online>

Hosted CEP base API URL: <https://cep-api.logback-backend-services.online>

Brands configure WhatsApp, Instagram, Gmail, and Shopify in Settings. Credentials are created in Meta, Google Cloud, or Shopify Admin, then entered in CEP. No local install is required.

A printable copy of this guide is available in CEP: Settings > Download setup guide (PDF).

Fixed URLs

Register these values in provider consoles. Trailing slashes and host must match.

Purpose	URL
Agent UI / login	https://cep.logback-backend-services.online
WhatsApp webhook	https://cep.logback-backend-services.online/webhooks/whatsapp
Instagram webhook	https://cep.logback-backend-services.online/webhooks/instagram
Gmail Pub/Sub push	https://cep.logback-backend-services.online/webhooks/email/pubsub
Gmail OAuth redirect	https://cep.logback-backend-services.online/oauth/gmail/callback
Instagram OAuth redirect	https://cep.logback-backend-services.online/oauth/instagram/callback
Privacy policy	https://cep.logback-backend-services.online/privacy

The same list appears under Settings > Callback URLs (click a row to copy).

Suggested order of work: WhatsApp > Instagram > Gmail > Shopify.

1. Open Settings

- 1 Sign in at <https://cep.logback-backend-services.online>.
- 2 Open Settings in the left navigation.
- 3 Use the Channels tab for WhatsApp, Instagram, and Gmail.
- 4 Use the Shopify tab for store API credentials.

2. WhatsApp

● Fields in Settings > WhatsApp

Field	Meaning
Phone Number ID	Cloud API id of the business number (numeric id from Meta, not +91...)
Access Token	Bearer token used for Graph API send/receive
Verify Token	Shared secret you choose; must match the Meta webhook config
App Secret	Meta app secret (same page as App ID; see 2.4)
Business Account ID	WhatsApp Business Account (WABA) id

Save the WhatsApp card in CEP after filling the fields. Save before clicking Verify on Meta's webhook form so verification can succeed.

● 2.1 Meta app and WhatsApp product

- 1 Open <https://developers.facebook.com/apps/>
- 2 Create an app (Business) or select an existing one.
- 3 Add the WhatsApp product.
- 4 Open WhatsApp > API Setup

https://developers.facebook.com/apps/{APP_ID}/whatsapp-business/wa-dev-console/

● 2.2 Phone Number ID

- 1 On API Setup, locate the connected business phone number.
- 2 Copy Phone number ID.
- 3 Paste into CEP > Phone Number ID.

● 2.3 Business Account ID

- 1 On API Setup, copy WhatsApp Business Account ID, or find it in WhatsApp Manager for that WABA.
- 2 Paste into CEP > Business Account ID.

● 2.4 App ID and App Secret

These values live on Meta's App settings > Basic page (not under WhatsApp API Setup).

- 1 Open your app in <https://developers.facebook.com/apps/>
- 2 In the left sidebar: App settings > Basic

Direct URL: https://developers.facebook.com/apps/{APP_ID}/settings/basic/

- 3 Copy App ID (visible on that page; also shown in the top app toolbar).
- 4 Next to App secret, click Show, confirm your password, then copy the secret.
- 5 Paste App Secret into CEP > App Secret.

Paste App Secret into CEP WhatsApp settings. (Instagram uses a different App ID/Secret pair - see section 3.)

Meta reference: App Dashboard / Basic settings

URL

<https://developers.facebook.com/docs/development/create-an-app/app-dashboard/>

● 2.5 Verify Token

- 1 Choose a string without spaces (example format: cep-wa-verify-<brand>).
- 2 Enter it in CEP > Verify Token and Save.
- 3 Enter the same string again when configuring the Meta webhook (section 2.7).

● 2.6 Access Token (System User)

Tokens shown on API Setup usually expire within about 24 hours. For ongoing use, generate a System User token.

- 1 Open Business Settings: <https://business.facebook.com/latest/settings>

Select the correct business. You need Admin access.

- 2 Go to Users > System users > Add.
- 3 Name the user (for example CEP WhatsApp), role Admin, create it.
- 4 Select the user > Assign assets:
 - Apps: select your Meta app > Full control / Manage app.
 - WhatsApp accounts: select the WABA > Full control / Manage WhatsApp Business accounts.
 - Confirm assign.
- 5 Generate token:
 - Select the same Meta app.
 - Include at least: whatsapp_business_messaging, whatsapp_business_management, and business_management if listed.
 - Prefer non-expiring if Meta offers it; otherwise take the longest expiry available.
- 6 Copy the token when shown (often only once).
- 7 Paste into CEP > Access Token > Save.

Reference: Meta "Get started", step on system user tokens:

URL

<https://developers.facebook.com/docs/whatsapp/business-management-api/get-started>

● 2.7 WhatsApp webhook

- 1 In the Meta app open Webhooks or WhatsApp > Configuration:

https://developers.facebook.com/apps/{APP_ID}/webhooks/

- 2 Callback URL:

<https://cep.logback-backend-services.online/webhooks/whatsapp>

- 3 Verify token: same value as CEP Verify Token.

- 4 Verify and save.

- 5 Subscribe to messages.

● 2.8 Smoke test

- 1 Send a WhatsApp message to the connected business number from a customer handset.
- 2 Confirm the thread in CEP Inbox (WhatsApp) and send a reply within the messaging window.

3. Instagram

CEP uses Business Login for Instagram via Connect Instagram. After connect, Access Token and Username are stored automatically. You do not enter a Page ID.

Important: Instagram App ID and Instagram App Secret are not the Meta App ID / App Secret from App settings > Basic. They are a separate pair shown on the Instagram product page (see 3.1).

● Fields in Settings > Instagram

Field	Source
Instagram App ID	Instagram app ID from Instagram > API setup with Instagram login
Instagram App Secret	Instagram app secret from the same Instagram setup page
Verify Token	Chosen by you (may differ from WhatsApp)
Access Token	Set by Connect Instagram (do not invent one)
Username	Set by Connect Instagram

Requirements: Instagram account must be Professional (Business or Creator). Instagram product enabled on the Meta app.

Useful docs:

- <https://developers.facebook.com/docs/instagram-platform/overview> (Instagram app ID vs Meta app ID)
- <https://developers.facebook.com/docs/instagram-platform/instagram-api-with-instagram-login/business-login/>
- <https://developers.facebook.com/docs/graph-api/webhooks/getting-started/webhooks-for-instagram>

● 3.1 Instagram App ID and App Secret

- 1 Open your Meta app: <https://developers.facebook.com/apps/>
- 2 Left sidebar: Instagram > API setup with Instagram login
(Meta may label this API setup with Instagram business login.)
- 3 At the top of that page, copy:
 - Instagram app ID > CEP Settings > Instagram > Instagram App ID
 - Instagram app secret > CEP Settings > Instagram > Instagram App Secret(Use Copy / Show on that page; do not use App secret from App settings > Basic.)
- 4 Enter a Verify Token of your choosing.
- 5 Save the Instagram card in CEP before clicking Connect Instagram.

Do not paste the global Meta App ID from the top toolbar (or App settings > Basic) into Instagram Settings. That ID is for Facebook Login / other products; Connect Instagram will fail or misbehave if you mix them.

Meta reference: apps using Business Login for Instagram must use the Instagram app ID from this dashboard section:

URL

<https://developers.facebook.com/docs/instagram-platform/overview>

● 3.2 OAuth redirect in Meta

- 1 Still under Instagram > API setup with Instagram login, open Set up Instagram business login (Business login settings).
- 2 Add OAuth redirect URI:
<https://cep.logback-backend-services.online/oauth/instagram/callback>
- 3 Save in Meta.

If Meta requests additional URLs:

Field	URL
Deauthorize	https://cep.logback-backend-services.online/oauth/instagram/deauthorize
Data deletion	https://cep.logback-backend-services.online/oauth/instagram/data-deletion
Privacy	https://cep.logback-backend-services.online/privacy

● 3.3 Connect Instagram

- 1 In CEP Settings > Instagram, click Connect Instagram.
- 2 Approve access as the business Instagram account that should receive DMs.
- 3 Return to Settings and confirm success. Access Token and Username are filled automatically.

● 3.4 Instagram webhook

- 1 Open Meta Webhooks (and Messenger > Instagram if that is where Instagram messaging is configured).
- 2 Callback URL:
`https://cep.logback-backend-services.online/webhooks/instagram`
- 3 Verify token: Instagram Verify Token from CEP.
- 4 Verify and save; subscribe to messages.

● 3.5 Smoke test

- 1 From a customer Instagram account, send a text DM to the connected business account.
- 2 Confirm the thread in CEP Inbox > Instagram and send a reply.

4. Gmail

● Fields in Settings > Email

Field	Source
Client ID	Google Cloud OAuth web client
Client Secret	Same client
Pub/Sub Topic	projects/{PROJECT_ID}/topics/{TOPIC}
Refresh / Access Token	Set by Connect Gmail

● 4.1 Project and APIs

- 1 Open `https://console.cloud.google.com/` and select a project.
- 2 Enable Gmail API:

URL

`https://console.cloud.google.com/apis/library/gmail.googleapis.com`

- 3 Enable Pub/Sub API:

URL

`https://console.cloud.google.com/apis/library/pubsub.googleapis.com`

● 4.2 OAuth consent screen

- 1 `https://console.cloud.google.com/apis/credentials/consent`

- 2 Configure External (typical) app details.
- 3 Add scopes:
 - <https://www.googleapis.com/auth/gmail.modify>
 - <https://www.googleapis.com/auth/gmail.send>
- 4 Publish the app (or, until it is published, add the support mailbox under Test users so Connect Gmail can complete).

● 4.3 OAuth client

- 1 <https://console.cloud.google.com/apis/credentials>
- 2 Create credentials > OAuth client ID > Web application.
- 3 Authorized redirect URI:
<https://cep.logback-backend-services.online/oauth/gmail/callback>
- 4 Copy Client ID and Client Secret into CEP and Save.

● 4.4 Connect Gmail

- 1 Click Connect Gmail.
- 2 Sign in as the support mailbox and approve scopes.
- 3 Confirm return to Settings.

If no refresh token is issued, revoke the app under <https://myaccount.google.com/permissions> and connect again.

● 4.5 Pub/Sub

- 1 Topics: <https://console.cloud.google.com/cloudpubsub/topic/list>
- 2 Create a topic (for example gmail-events).
- 3 Topic permissions: grant Pub/Sub Publisher to
gmail-api-push@system.gserviceaccount.com
- 4 Create a push subscription:
 - Endpoint: <https://cep.logback-backend-services.online/webhooks/email/pubsub>
 - Authentication off; payload unwrapping off (unless your ops standard differs)
- 5 Put the full topic name into CEP > Pub/Sub Topic > Save.

● 4.6 Watch

Google's Gmail push watch is not permanent. You must call `users.watch` at least every 7 days or push notifications stop. Maximum expiry is about 7 days (Google API limit; CEP cannot make it forever).

- 1 Click Start Gmail watch in Settings (runs `users.watch`).
- 2 Send a test message to the connected mailbox.
- 3 Confirm CEP Inbox > Email.

CEP also renews the watch when the API container restarts. If the API stays up longer than a week without a restart, click Start Gmail watch again before expiry, or new mail push may stop silently.

5. Shopify

Shopify access is read-only. CEP does not create or update Shopify customers or orders. Lookups support the Inbox customer panel and inbound contact linking for WhatsApp/Email.

● Fields in Settings > Shopify

Field	Value
Shop subdomain	Subdomain only (yourbrand from yourbrand.myshopify.com)
Client ID	App client id
Client Secret	App client secret

Required Admin API scopes (minimum): read_customers, read_orders.

- 1 Create or open the app in the Shopify Dev / Partner dashboard.
- 2 Install it on the store with the scopes above.
- 3 Enter subdomain, Client ID, and Client Secret in CEP > Shopify > Save.

Inbound linking behaviour:

- WhatsApp message: search Shopify by phone, use returned email to match an existing CEP contact when possible.
- Email message: search by email, use returned phone the same way.
- Instagram: no Shopify lookup.

6. Keeping channels online

Providers rotate or expire some credentials. Use this as the ops checklist after go-live.

● WhatsApp

Item	What happens	What you do
Access Token from API Setup (temporary)	Often dies in about 24 hours	Do not rely on this in production

System User access token	Can be set not to expire, or with a long expiry	Create and paste this into Settings (section 2.6). Prefer non-expiring when Meta offers it
App Secret / Phone Number ID / Verify Token	Stable until you rotate them	Update Settings if you reset secrets in Meta

If outbound WhatsApp suddenly fails after a day of working, the usual cause is still using a temporary API Setup token. Replace it with a System User token.

● Instagram

Item	What happens	What you do
Access Token from Connect Instagram	Starts short-lived; CEP exchanges it for a long-lived token (about 60 days)	Before it lapses, click Connect Instagram again (or after Meta revokes the app)
Instagram App ID / App Secret	Stable until you reset them in Meta	Re-enter in Settings if you click Reset on the Meta Instagram setup page
Verify Token	You chose it	Change only if you also update the Meta webhook

Instagram tokens are not permanent like a WhatsApp System User token. Plan a reconnect every couple of months, or sooner if DMs stop sending.

● Gmail

Item	What happens	What you do
Access Token	Expires in about 1 hour	Nothing day to day - CEP refreshes it using the refresh token
Refresh Token	Long-lived; not on a fixed clock	Click Connect Gmail again if Google revoked access (password change, app removed under Google Account permissions, long unused, or consent reset)
Gmail users.watch (push)	Max about 7 days. Google requires calling watch again or push stops	Click Start Gmail watch in Settings before expiry. CEP also renews watch when the API restarts

Access Token and Refresh Token are not the same as the 7-day watch. Short-lived access tokens are normal. Missing new mail with no errors often means the watch expired - renew it.

● Quick ops rhythm

- WhatsApp: confirm a System User token once; revisit only if Meta rotates it or send starts failing.
- Instagram: reconnect before ~60 days, or when Connect / send errors appear.
- Gmail: rely on refresh token for API calls; renew Start Gmail watch at least weekly if the server is not restarted often.

7. Verification

Step	WhatsApp	Instagram	Gmail	Shopify
Credentials in Settings	Saved	Saved + Connect	Saved + Connect + Topic	Saved
Provider config	Webhook verified, messages subscribed	Webhook + OAuth redirect	Redirect URI + push subscription + watch	App installed with read scopes
Functional check	Inbound + reply	Customer DM + reply	Inbound email + reply	Customer panel shows orders for a matched contact

8. Common failures

Symptom	Likely cause
Webhook verification failed	Callback URL or Verify Token does not match CEP; API unreachable
WhatsApp stops after ~24h	Temporary API Setup token; replace with System User token
Send fails, receive works	Token/scopes/Phone Number ID
Instagram Connect error	Redirect URI mismatch, or Instagram App ID/Secret (from Instagram API setup page) not saved before Connect; used Meta App ID from Basic by mistake
IG DMs not arriving	Webhook URL/token mismatch, or messages not subscribed
Instagram send fails after weeks	Long-lived token expired; Connect Instagram again
Gmail redirect_uri_mismatch	Client missing the hosted Gmail callback URL
Gmail access_denied	Consent screen not published / mailbox not allowed
New Gmail stops arriving after ~7 days	users.watch expired; click Start Gmail watch
Gmail Connect required again	Refresh token revoked (password change, app removed, unused too long)
Gmail watch errors	Topic missing Publisher for gmail-api-push@system.gserviceaccount.com
Empty Shopify panel	Wrong shop, missing scopes, or email/phone mismatch with Shopify customer

URL reference

Copy this URL

<https://cep.logback-backend-services.online>

Copy this URL

<https://cep.logback-backend-services.online/webhooks/whatsapp>

Copy this URL

<https://cep.logback-backend-services.online/webhooks/instagram>

Copy this URL

<https://cep.logback-backend-services.online/webhooks/email/pubsub>

Copy this URL

<https://cep.logback-backend-services.online/oauth/gmail/callback>

Copy this URL

<https://cep.logback-backend-services.online/oauth/instagram/callback>

Copy this URL

<https://cep.logback-backend-services.online/privacy>