FICO

Reading and Writing



Reading and writing a problem

Reading a problem

- A problem can be read from a file via the problem.readProb() method, which takes the file name as its argument:

```
p.readProb(filename)
```

  - `filename` must be a string of up to 200 characters with the name of the file to be read
    - In case no file extension is passed, the method will search for the MPS and LP extensions of the file name

Reading a problem

- A problem can be read from a file via the problem.readProb() method, which takes the file name as its argument:

```
p.readProb(filename)
```

  - `filename` must be a string of up to 200 characters with the name of the file to be read
    - In case no file extension is passed, the method will search for the MPS and LP extensions of the file name
  - Read problem in file `problem1.lp` and output an optimal solution:

```
p.readProb("problem1.lp")
p.optimize()
print("solution of problem1:", p.getSolution())
```

Writing a problem

- A user-built problem can be written to a file with the problem.writeProb() method:

```
p.writeProb(filename)
```

  - `filename` must be a string of up to 200 characters with the name of the file to which the problem is to be written
    - If extension is omitted, the default problem name is used with a `.mps` extension (recommended)
    - If the `.lp` extension is used, the problem is written in LP format

  - Example writing a problem in LP format:

```
p.optimize()
p.writeProb("problem2.lp")
```

Thank You

www.fico.com/optimization