




Installation





Installing the Xpress Python module

Installing the Xpress Python module

- The Xpress Python module can be installed from the Python Package Index (PyPI):
 - Installing the Xpress Python interface **does not require** one to install the whole Xpress suite, as all necessary libraries are provided

Installing the Xpress Python module

- The Xpress Python module can be installed from the Python Package Index (PyPI):
 - Installing the Xpress Python interface **does not require** one to install the whole Xpress suite, as all necessary libraries are provided
- The install comes with a copy of the *community* license, which allows for solving problems of size up to 5000 variables and constraints:
 - If you already have an Xpress license, please make sure to set the `XPAUTH_PATH` environment variable to the full path to the license file `xpauth.xpr`
 - For example, if the license file is `/home/brian/xpauth.xpr`, then `XPAUTH_PATH` should be set to `/home/brian/xpauth.xpr` in order for the module to locate the right license
 - For nonlinear problems, including non-quadratic and non-conic, a limit of 200 variables and constraints applies

Installation from the Python Package Index (PyPI)

- The Xpress Python interface is available on the PyPI server and can be installed with the following command:

```
pip install xpress
```

- Earlier versions of the module can be installed by appending a "==VERSION" string to the module name, for instance:

```
pip install xpress==9.2.5
```

Installation from the Python Package Index (PyPI)

- The Xpress Python interface is available on the PyPI server and can be installed with the following command:

```
pip install xpress
```

- Earlier versions of the module can be installed by appending a "==VERSION" string to the module name, for instance:

```
pip install xpress==9.2.5
```

- Packages for Python 3.10 to 3.14 are available, each package contains:
 - Xpress Solver libraries
 - Python interface module
 - Documentation in PDF format
 - Various examples of use
 - A copy of the community license (see <https://www.fico.com/fico-xpress-community-license>)

Important consideration

- If you installed the Xpress Optimization suite before downloading the Xpress PyPI package, the Xpress Python interface will try to use the license file in your Xpress installation automatically:
 - *Windows*: the Xpress installer sets the `XPRESSDIR` environment variable to the installation directory, and the Xpress Python interface will look for a license file at `%XPRESSDIR%\bin\xpauth.xpr`

Important consideration

- If you installed the Xpress Optimization suite before downloading the Xpress PyPI package, the Xpress Python interface will try to use the license file in your Xpress installation automatically:
 - *Windows*: the Xpress installer sets the `XPRESSDIR` environment variable to the installation directory, and the Xpress Python interface will look for a license file at `%XPRESSDIR%\bin\xpauth.xpr`
 - *Linux and MacOS*: the Xpress installer creates a script named `xpvars.sh` in the `bin` folder of the Xpress installation:
 - This script sets `XPRESSDIR` to the installation directory, and sets `XPAUTH_PATH` to the location of the license file
 - The Xpress Python interface will use the `XPAUTH_PATH` value to locate the license from your Xpress installation. If for some reason `XPAUTH_PATH` is not set, the Xpress Python interface will look for a license file at `$XPRESSDIR/bin/xpauth.xpr`



Thank You

www.fico.com/optimization