Online Books Order API v1.0 specification

Company XXX

Document information

Project name:	Online Books Order
Document name:	API Documentation

Version

Version	Date	Author(s)	Comments
1.0	06.11.2026	Fidan Abdullayeva	Initial version

Auditoria

Participants:	Business Analysts Frontend developers Backend developers QA Engineers

Table of contents

1.Introduction 4
1.1 Document purpose 4
1.2 Base path 4
1.3 Resource description 4
2. Endpoint and method 4
2. 1 GET /home- Get home page data 4
2. 2 GET/ books/{ID}- Get book details 7
2. 3 POST/orders- Create order 11
2. 4 GET/orders/tracking- Track orders 17
2. 5 DELETE/orders- Cancel order 19
3. Error codes 22
3.1 Error codes returned by endpoint 22

1.Introduction

1.1 Document purpose

This document provides an overview of the available API endpoints, HTTPS methods, and resources of the Online Books Order System

1.2 Base path

The **base path** for all URLs in the document should be in the following format:
https://{host}/api/v1

1.3 Resource description

The Online Books Order API enables customers to browse books, view book details, manage their orders, track deliveries, and submit reviews. It also provides access to book categories, customer information, and order-related resources.

2. Endpoint and method

2. 1 GET /home- Get home page data

Description	Retrieves the data displayed on the home page, including book sections and available book categories.			
Methods	GET			
URL-Endpoint	/home			
Path parameters	**Field**		**Description**	
	-		-	
Header parameters	Content-type			
	Field	**Type**	**Required**	**Description**

	Accept	**String**	**Yes**	**Specifies that the client expects a JSON response**
Request example	GET /home Accept: application/json			
Response type	application/json			

Response example	{
	"status": "success",
	"data": {
	"sections": [
	"Best Sellers",
	"New Arrivals",
	"On Sale"
	],
	"categories": [
	"Fiction",
	"Non-fiction",
	"Science",
	"History",
	"Romance",
	"Horror",
	"Fantasy",
	"Children's Books"			

	] } }			
Response scheme	**Field**	**Type**	**Required**	**Description**
	Status	String	Yes	Indicates the result of the API request.
	Data	object	Yes	Contains the home page data.
	Data.sections	Array of sting	Yes	Contains the sections displayed on the home page.
	Data.categories	Array of string	Yes	Contains the available book categories.

Error response	{
	"status": "error",
	"error": {
	"code": "Internal Server Error"
	"message": "An unexpected error occurred."
	}
	}			

Response description	**Field**	**Type**	**Required**	**Description**

(error)				
	Status	String	Yes	Indicates that the API request failed.
	Error	Object	Yes	Contains error details.
	Error.code	String	Yes	Identifies the error type.
	Error.message	String	Yes	Provides a description of the error.

2. 2 GET/ books/{ID}- Get book details

Description	Retrieves detailed information about a specific book based on its unique book ID.			
Methods	GET			
URL-Endpoint	/books/{id}			
Path parameters	**Field**		**Description**	
	book_id		The unique identifier of the selected book.	
Header parameters	Content-type			
	Field Accept	**Type** **String**	**Required** **Yes**	**Description**

				Specifies that the client expects a JSON response
Request example	GET /books/1 Accept: application/json			
Response type	application/json			
Response example	Response GET /books/1 { "cover_image_url": "xxxxxxxxxxxx", "book_name": "xxxxx", "author": " Nick Cutter", "summary": "xxxxxxxxxxxxxxxx", "total_pages": 297, "category": "Fiction", "genre": "horror", "origin": "Canada", "book_language": "English", "publication_year": 1987, "publisher": "xxx", "reviews_url": "/books/1/reviews", "price": 12.00, "discounted_price": 8.99,			

	"currency": "AZN", "rating": 4.6, "is_available": true, "stock_status": "available" }			
Response scheme	**Field**	**Type**	**Required**	**Description**
	cover_image_url	String	Yes	Contains the URL of the book cover image.
	book_name	String	Yes	Specifies the name of the book.
	author	String	Yes	Specifies the author's name.
	summary	String	Yes	Provides a summary of the book.
	total_pages	Number	Yes	Specifies the total number of pages.
	category	String	Yes	Specifies the book category.
	genre	String	Yes	Specifies the book genre.
	origin	String	Yes	Specifies the book's country of origin.

	book_language	String	Yes	Specifies the language of the book.
	publication_year	Number	Yes	Specifies the year of publication.
	publisher	String	Yes	Specifies the book publisher.
	reviews_url	String	Yes	Contains the URL of the book's reviews.
	price	Number	Yes	Specifies the original price of the book.
	discounted_price	Number	No	Specifies the discounted price of the book.
	currency	String	Yes	Specifies the currency of the book price.
	rating	Number	Yes	Specifies the book's average rating.
	is_available	Boolean	Yes	Indicates whether the book is available.
	stock_status	String	Yes	Indicates the current stock status of the book.

Error response	{
	"status": "error",
	"error": {
	"code": "Book_Not_Found",
	"message": "The requested book was not found."
	}
	}			

Response description(error)	**Field**	**Type**	**Required**	**Description**
	Status	String	Yes	Indicates that the API request failed.
	Error	Object	Yes	Contains error details.
	Error.code	String	Yes	Identifies the error type.
	Error.message	String	Yes	Provides a description of the error.

2. 3 POST/orders- Create order

Description	Creates a new order using the selected books, delivery details, and payment information.
Methods	POST
URL-Endpoint	/orders

<table>
<tr><td>Path parameters</td><td colspan="2">Field</td><td colspan="2">Description</td></tr>
<tr><td></td><td colspan="2">-</td><td colspan="2">-</td></tr>
<tr><td rowspan="3">Header parameters</td><td colspan="2">Content-type</td><td colspan="2">application/json</td></tr>
<tr><td>Field
Accept</td><td>Type
String</td><td>Required
Yes</td><td>Description
Specifies that the client expects a JSON response</td></tr>
<tr><td>Request example</td><td colspan="4">POST/orders
Accept: application/json</td></tr>
<tr><td>Request body</td><td colspan="4">{
"items": [
{
"book_id": 1,
"quantity": 1
}
],
"promo_code": "X51s9E",
"loyalty_card_number": "12345678",
"country": "Azerbaijan",
"city": "Baku",
"address": "xxxxxxxx",
"delivery_type": "home delivery",
"delivery_date": "11/07/2026",</td></tr>
</table>

	"delivery_time": "17:00-20:00", "phone_number": "+99450123456", "payment_method": "card", "special_notes": "xxxxxxxxxxxxxxxxxxx" }			
Request scheme	**Field**	**Type**	**Required**	**Description**
	items	Array of objects	Yes	Contains the books included in the order.
	items.book_id	Integer	Yes	Specifies the unique ID of the selected book.
	items.quantity	Integer	Yes	Specifies the quantity of the selected book.
	promo_code	String	No	Specifies the promotional code, if applicable.
	loyalty_card_number	String	No	Specifies the customer's loyalty card number, if applicable.
	country	String	Yes	Specifies the delivery country.
	city	String	Yes	Specifies the delivery city.

	address	String	Yes	Specifies the delivery address.
	delivery_type	String	Yes	Specifies the selected delivery type.
	delivery_date	String	Yes	Specifies the requested delivery date.
	delivery_time	String	Yes	Specifies the requested delivery time slot.
	phone_number	String	Yes	Specifies the recipient's phone number.
	payment_method	String	Yes	Specifies the selected payment method.
	special_notes	String	No	Contains additional delivery instructions, if provided.
Response type	application/json			
Response example	POST/orders Accept: application/json			
Response body	{ "order_status": "Created!",			

	"order_id": 135, "total_price": 8.99, "currency": "AZN", "tracking_number": "xxxxxxxxxxxx", "message": "Sifarişiniz uğurla yaradıldı!", "created_at": "10/07/2026 10:53" }

Response scheme	**Field**	**Type**	**Required**	**Description**
	order_status	String	Yes	Indicates the status of the order.
	order_id	Integer	Yes	Specifies the unique identifier of the created order.
	total_price	Number	Yes	Specifies the total price of the order.
	currency	String	Yes	Specifies the currency of the order.
	tracking_number	String	Yes	Contains the tracking number assigned to the order.
	message	String	Yes	Provides a confirmation

				message about the order creation.
	created_at	String	Yes	Specifies the date and time when the order was created.
Error response	{ "status": "error", "error": { "code": "Invalid_Order_Data", "message": "The provided order information is invalid. " } }			
Response description(error)	**Field**	**Type**	**Required**	**Description**
	Status	String	Yes	Indicates that the API request failed.
	Error	Object	Yes	Contains error details.
	Error.code	String	Yes	Identifies the error type.
	Error.message	String	Yes	Provides a description of the error.

2. 4 GET/orders/tracking- Track orders

<table>
<tr><td>Description</td><td colspan="4">Retrieves the tracking information and status of a specific order based on its unique order ID.</td></tr>
<tr><td>Methods</td><td colspan="4">GET</td></tr>
<tr><td>URL-Endpoint</td><td colspan="4">/orders/{ID}/tracking</td></tr>
<tr><td rowspan="2">Path parameters</td><td colspan="2">Field</td><td colspan="2">Description</td></tr>
<tr><td colspan="2">order_id</td><td colspan="2">Specifies the unique identifier of the order.</td></tr>
<tr><td rowspan="3">Header parameters</td><td colspan="2">Content-type</td><td colspan="2"></td></tr>
<tr><td>Field</td><td>Type</td><td>Required</td><td>Description</td></tr>
<tr><td>Accept</td><td>String</td><td>Yes</td><td>Specifies that the client expects a JSON response</td></tr>
<tr><td>Request example</td><td colspan="4">POST/orders
Accept: application/json</td></tr>
<tr><td>Response type</td><td colspan="2">application/json</td><td colspan="2"></td></tr>
<tr><td>Response body</td><td colspan="4">{
"order_id": 135,
"tracking_number": "xxxxxxx",
"order_status": "processing",
"status_description": "Sifarişiniz hazırlanır.",
"delivery_date": "11/07/2026",</td></tr>
</table>

	"delivery_time": "17:00-20:00", "last_updated": "10/07/2026 14:30" }			
Response scheme	**Field**	**Type**	**Required**	**Description**
	order_id	Integer	Yes	Specifies the unique identifier of the order.
	tracking_number	String	Yes	Contains the tracking number assigned to the order.
	order_status	String	Yes	Indicates the status of the order.
	status_description	String	Yes	Provides a description of the order status.
	delivery_date	String	Yes	Specifies the scheduled delivery date.
	delivery_time	String	Yes	Specifies the scheduled delivery time slot.
	last_updated	String	Yes	Specifies the date and time when the order status was last updated.

Error response	{
	"status": "error",
	"error": {
	"code": "Order_Not_Found",
	"message": "The requested order was not found. "
	}
	}			

Response description(error)	**Field**	**Type**	**Required**	**Description**
	Status	String	Yes	Indicates that the API request failed.
	Error	Object	Yes	Contains error details.
	Error.code	String	Yes	Identifies the error type.
	Error.message	String	Yes	Provides a description of the error.

2. 5 DELETE/orders- Cancel order

Description	Cancels an existing order based on its unique order ID.
Methods	DELETE
URL-Endpoint	/orders/{ID}

Path parameters	**Field**		**Description**	
	order_id		Specifies the unique identifier of the order.	
Header parameters	Content-type			
	Field Accept	**Type** **String**	**Required** **Yes**	**Description** **Specifies that the client expects a JSON response**
Request example	DELETE/orders/135 Accept: application/json			
Response type	application/json			

Response body	{
	"status": "cancelled",
	"refund_amount": 8.99,
	"refund_destination": "card",
	"message": "Sifarişiniz uğurla ləğv edildi. Ödənilmiş məbləğ 7-14 iş günü ərzində kart hesabınıza geri qaytarılacaq."
	}			

Response scheme	**Field**	**Type**	**Required**	**Description**
	status	String	Yes	Indicates the cancellation status of the order.

	refund_amount	String	Yes	Specifies the amount to be refunded to the customer.
	refund_destination	String	Yes	Specifies the destination to which the refund will be sent.
	message	String	Yes	Provides a confirmation message about the order cancellation and refund process.

Error response	{
	"status": "error",
	"error": {
	"code": "Order_Not_Found",
	"message": "The requested order was not found. "
	}
	}			

Response description(error)	**Field**	**Type**	**Required**	**Description**
	Status	String	Yes	Indicates that the API request failed.
	Error	Object	Yes	Contains error details.

	Error.code	String	Yes	Identifies the error type.
	Error.message	String	Yes	Provides a description of the error.

3. Error codes

3.1 Error codes returned by endpoint

Error code	Description
400 Bad Request	The request contains missing, invalid, or incorrectly formatted order information.
404 Not Found	The requested book does not exist.
409 Conflict	The requested quantity of one or more books exceeds the available stock.
500 Internal Server Error	An unexpected server-side error occurred while processing the request.
503 Service Unavailable	The server is temporarily unavailable.