

# Why our HTML Docs don't just Print and what to do about it

---



Nikolaj Potashnikov

PhD in Economics, Solution architect, Course-IT

✉ consulting@yandex.ru 📧 @nmpotashnikoff



# 1. Way in converting simple text markup to print formats

---

- <https://github.com/CourseOrchestra/course-doc>: XSL-FO templates for AsciiDoctor → Docbook backend
- <https://github.com/CourseOrchestra/asciidoctor-open-document>: Open Document Converter for AsciiDoc
- <https://github.com/fiddlededee/unidoc-publisher>: UniDoc Publisher – any markup to any printing rendering engine

Why our HTML Docs don't  
just Print and what to do  
about it



## 2. Print, Export to Word, Export to PDF are very often just a trap

---

**What to do with long line in listing?**

Why our HTML Docs don't  
just Print and what to do  
about it



## 2. Print, Export to Word, Export to PDF are very often just a trap

---

### What to do with long line in listing?

- We may scale

Why our HTML Docs don't  
just Print and what to do  
about it



## 2. Print, Export to Word, Export to PDF are very often just a trap

---

### **What to do with long line in listing?**

- We may scale
- Or use landscape orientation



## 2. Print, Export to Word, Export to PDF are very often just a trap

---

### **What to do with long line in listing?**

- We may scale
- Or use landscape orientation
- Or both, but would it be enough?



## 2. Print, Export to Word, Export to PDF are very often just a trap

---

### **What to do with long line in listing?**

- We may scale
- Or use landscape orientation
- Or both, but would it be enough?
- If not, we may fire error for long lines



## 2. Print, Export to Word, Export to PDF are very often just a trap

---

### **What to do with long line in listing?**

- We may scale
- Or use landscape orientation
- Or both, but would it be enough?
- If not, we may fire error for long lines
- Or wrap them





## 2. Print, Export to Word, Export to PDF are very often just a trap

---

### **What to do with long line in listing?**

- We may scale
- Or use landscape orientation
- Or both, but would it be enough?
- If not, we may fire error for long lines
- Or wrap them
- With linefeed and spaces? And how to copy?



## 2. Print, Export to Word, Export to PDF are very often just a trap

---

### **What to do with long line in listing?**

- We may scale
- Or use landscape orientation
- Or both, but would it be enough?
- If not, we may fire error for long lines
- Or wrap them
- With linefeed and spaces? And how to copy?
- With indents? Still impossible to copy from PDF



## 2. Print, Export to Word, Export to PDF are very often just a trap

---

### What to do with long line in listing?

- We may scale
- Or use landscape orientation
- Or both, but would it be enough?
- If not, we may fire error for long lines
- Or wrap them
- With linefeed and spaces? And how to copy?
- With indents? Still impossible to copy from PDF



And in web we can just add horizontal scroll bar.

---



### 3. Main formats for printing

---

Why our HTML Docs don't  
just Print and what to do  
about it



### 3. Main formats for printing

---

#### 1. PDF

Why our HTML Docs don't  
just Print and what to do  
about it



### 3. Main formats for printing

---

1. PDF

2. Text processing formats (Open XML – MS Office, Open Document – LibreOffice)

Why our HTML Docs don't  
just Print and what to do  
about it



### 3. Main formats for printing

---

1. PDF
2. Text processing formats (Open XML – MS Office, Open Document – LibreOffice)
3. HTML?

Why our HTML Docs don't  
just Print and what to do  
about it



### 3. Main formats for printing

---

1. PDF
2. Text processing formats (Open XML – MS Office, Open Document – LibreOffice)
3. HTML?



CSS Paged Media – CSS extension, defining style specific for printing

---

Why our HTML Docs don't  
just Print and what to do  
about it





## 3.1. Most widespread rendering approaches

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 3.1. Most widespread rendering approaches

---

- PDF ← native PDF-generating libraries

Why our HTML Docs don't  
just Print and what to do  
about it



## 3.1. Most widespread rendering approaches

---

- PDF ← native PDF-generating libraries
- PDF ← XSL-FO with FOP-processors

Why our HTML Docs don't  
just Print and what to do  
about it



## 3.1. Most widespread rendering approaches

---

- PDF ← native PDF-generating libraries
- PDF ← XSL-FO with FOP-processors
- PDF ← via TeX

Why our HTML Docs don't  
just Print and what to do  
about it



## 3.1. Most widespread rendering approaches

---

- PDF ← native PDF-generating libraries
- PDF ← XSL-FO with FOP-processors
- PDF ← via TeX
- PDF ← HTML + Paged Media CSS

Why our HTML Docs don't  
just Print and what to do  
about it



## 3.1. Most widespread rendering approaches

---

- PDF ← native PDF-generating libraries
- PDF ← XSL-FO with FOP-processors
- PDF ← via TeX
- PDF ← HTML + Paged Media CSS
- DOCX/ODT, PDF ← +/- text processors (MS Word, LO Writer)

Why our HTML Docs don't  
just Print and what to do  
about it



## 3.1. Most widespread rendering approaches

---

- PDF ← native PDF-generating libraries
- PDF ← XSL-FO with FOP-processors
- PDF ← via TeX
- PDF ← HTML + Paged Media CSS
- DOCX/ODT, PDF ← +/- text processors (MS Word, LO Writer)

---

These technologies are not aligned in infinite details like:



- Apache FOP has problems with Leader alignment (dots in a table of contents)
- LO Writer doesn't support typography (like keep with next) within table cells
- Microsoft doesn't recommend to run automation tasks (like saving PDF) on a server



## 4. Some brief conclusions

---

Why our HTML Docs don't  
just Print and what to do  
about it





## 4. Some brief conclusions

---



Feel like speleologist?

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 4. Some brief conclusions

---



Feel like speleologist?

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 4. Some brief conclusions

---



Feel like speleologist?

---

- The world of printing is the world of constraints

Why our HTML Docs don't  
just Print and what to do  
about it



## 4. Some brief conclusions

---



Feel like speleologist?

---

- The world of printing is the world of constraints
- And that constraints differ for each technology, you often need to support several chains (exquisitely looking PDF with TeX and LibreOffice for coordination)

Why our HTML Docs don't  
just Print and what to do  
about it



## 4. Some brief conclusions

---



Feel like speleologist?

---

- The world of printing is the world of constraints
- And that constraints differ for each technology, you often need to support several chains (exquisitely looking PDF with TeX and LibreOffice for coordination)
- With no universal solutions

Why our HTML Docs don't  
just Print and what to do  
about it



## 5. UniDoc Publisher approach suits best if at least one of

---

- You don't prepare documentation especially for printing purposes
- You are automating documentation generation and hope it will look good, no matter what will be generated
- Your output format is one of text processing formats

Why our HTML Docs don't  
just Print and what to do  
about it



## 6. In search for flexibility: AsciiDoctor open document

---

### Automation on the writer side

Why our HTML Docs don't  
just Print and what to do  
about it



## 6. In search for flexibility: AsciiDoctor open document

---

### **Automation on the writer side**

1. AsciiDoctor parses markup into AST (Abstract Syntax Tree)

Why our HTML Docs don't  
just Print and what to do  
about it





## 6. In search for flexibility: AsciiDoctor open document

---

### **Automation on the writer side**

1. AsciiDoctor parses markup into AST (Abstract Syntax Tree)
2. You may transform AST with AsciiDoctor AST processing

Why our HTML Docs don't  
just Print and what to do  
about it



## 6. In search for flexibility: AsciiDoctor open document

---

### **Automation on the writer side**

1. AsciiDoctor parses markup into AST (Abstract Syntax Tree)
2. You may transform AST with AsciiDoctor AST processing
3. AsciiDoctor runs writer template for each AST node recursively

Why our HTML Docs don't  
just Print and what to do  
about it



## 6. In search for flexibility: AsciiDoctor open document

---

### **Automation on the writer side**

1. AsciiDoctor parses markup into AST (Abstract Syntax Tree)
2. You may transform AST with AsciiDoctor AST processing
3. AsciiDoctor runs writer template for each AST node recursively
4. You may write you code in pure Ruby or with special Slim templates

Why our HTML Docs don't  
just Print and what to do  
about it



## 6.1. A simplified processing AST example

---

```
- !<OrderedList>
  roles:
  - "arabic"
  id: "ol-1"
  captioned_title:
    children:
      - !<Text>
        text: "Automation"
  children:
  - !<ListItem>
    children:
      - !<Paragraph>
        children:
          - !<Text>
            text: "Asciidoctor..."
  - !<ListItem>
    ...
```

```
- list_style = "#{get_basic_style}"
- if captioned_title?
  text:p text:style-name="#{list_style}"
  text:bookmark text:name="#{id}"
  =captioned_title

text:list text:style-name="#{list_style}"
- items.each_with_index do |item, index|
```

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 6.2. Great, but

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 6.2. Great, but

---

- You can't override part of a template

Why our HTML Docs don't  
just Print and what to do  
about it



## 6.2. Great, but

---

- You can't override part of a template
- You should invent styling approach

Why our HTML Docs don't  
just Print and what to do  
about it



## 6.2. Great, but

---

- You can't override part of a template
- You should invent styling approach

**Styling? But text processors do support styling!**

---



Why our HTML Docs don't  
just Print and what to do  
about it





## 6.2. Great, but

---

- You can't override part of a template
- You should invent styling approach

**Styling? But text processors do support styling!**



- `<span class="bold green">bold, green</span>` – impossible to apply two styles to one element
- 

Why our HTML Docs don't  
just Print and what to do  
about it



## 6.2. Great, but

---

- You can't override part of a template
- You should invent styling approach

**Styling? But text processors do support styling!**



- `<span class="bold green">bold, green</span>` – impossible to apply two styles to one element



- AsciiDoctor Open Document introduces some extended Open Document format to preserve AsciiDoctor AST contents
- Each function checks, if style should be applied, and if yes, applies it

Why our HTML Docs don't  
just Print and what to do  
about it



## 6.3. And still

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 6.3. And still

---

- Unexpectedly transforming this extended Open Document format became one of the most used feature of AsciiDoctor Open Document

Why our HTML Docs don't  
just Print and what to do  
about it



## 6.3. And still

---

- Unexpectedly transforming this extended Open Document format became one of the most used feature of AsciiDoctor Open Document
- Styling as separate task of writing proved also to be useful

Why our HTML Docs don't  
just Print and what to do  
about it



## 6.3. And still

---

- Unexpectedly transforming this extended Open Document format became one of the most used feature of Asciidoctor Open Document
- Styling as separate task of writing proved also to be useful
- The Gradle was magnificent in gluing all parts together

Why our HTML Docs don't  
just Print and what to do  
about it



## 7. Thoughts before the second step

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 7. Thoughts before the second step

---

- If creating universal converter impossible...

Why our HTML Docs don't  
just Print and what to do  
about it





## 7. Thoughts before the second step

---

- If creating universal converter impossible...
- We should create meta converter – platform for building converters

Why our HTML Docs don't  
just Print and what to do  
about it



## 7. Thoughts before the second step

---

- If creating universal converter impossible...
- We should create meta converter – platform for building converters

### **Estimated requirements**

Why our HTML Docs don't  
just Print and what to do  
about it



## 7. Thoughts before the second step

---

- If creating universal converter impossible...
- We should create meta converter – platform for building converters

### **Estimated requirements**

- Native converter as a reader



## 7. Thoughts before the second step

---

- If creating universal converter impossible...
- We should create meta converter – platform for building converters

### **Estimated requirements**

- Native converter as a reader
- Great ways of transforming AST

Why our HTML Docs don't  
just Print and what to do  
about it



## 7. Thoughts before the second step

---

- If creating universal converter impossible...
- We should create meta converter – platform for building converters

### **Estimated requirements**

- Native converter as a reader
- Great ways of transforming AST
- A good approach for styling as a separate focus



## 7. Thoughts before the second step

---

- If creating universal converter impossible...
- We should create meta converter – platform for building converters

### **Estimated requirements**

- Native converter as a reader
- Great ways of transforming AST
- A good approach for styling as a separate focus
- 99% generic writer



## 7. Thoughts before the second step

---

- If creating universal converter impossible...
- We should create meta converter – platform for building converters

### **Estimated requirements**

- Native converter as a reader
- Great ways of transforming AST
- A good approach for styling as a separate focus
- 99% generic writer
- Good integration with CI/CD



## 8. Native converter as a reader?

---

Why our HTML Docs don't  
just Print and what to do  
about it





## 8. Native converter as a reader?

---



Each converter outputs HTML. HTML is quite semantic, why shouldn't we use it?

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 9. Let's convert this presentation to LO Writer

### Why our HTML Docs don't just Print and what to do about it



Nikolaj Potashnikov  
PhD in Economics

consulting@yandex.ru @nmpotashnikoff



### Why our HTML Docs don't just **Print** and what to do about it



Nikolaj Potashnikov  
PhD in Economics, Solution architect, Course-IT  
consulting@yandex.ru @nmpotashnikoff

- As a solution architect I need to create targeted docs for each stakeholder. What is the easiest way to share them? Via email, messenger... as a PDF, a Word file. In short, in a 'print' format.

#### List of slides

1. Print, Export to Word, Export to PDF are very often just a trap.....	2
2. Main formats for printing.....	3
2.1. Most widespread rendering approaches.....	3
3. Inconvenience holiday goes on.....	4
4. Convenience and open options.....	4
5. AsciiDoctor open document.....	5
5.1. Great, but.....	5
5.2. And still.....	6
6. To put it together.....	6

Why our HTML Docs don't  
just Print and what to do  
about it



## 10. Notes on this demo

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 10. Notes on this demo

---

- Everything is in a single `build.gradle.kts` file

Why our HTML Docs don't  
just Print and what to do  
about it



## 10. Notes on this demo

---

- Everything is in a single `build.gradle.kts` file
- All Kotlin code examples are just includes from this `build.gradle.kts`

Why our HTML Docs don't  
just Print and what to do  
about it



## 11. Boilerplate

---

```
FodtConverter {  
    html = AsciiDocHtmlFactory()  
        .getHtmlFromFile(File("${project.projectDir}/${presentationFile.adoc}"), true)  
    template = File("${project.projectDir}/template-1.fodt").readText()  
    adaptWith(AsciiDoctorOdAdapter)  
    unknownTagProcessingRule = unknownTagProcessingRuleRevealJs()  
    parse()  
        // Processing AST  
    ast2fodt()  
    File("${project.projectDir}/output/ast.yaml").writeText(ast().toYamlString())  
    File("${project.projectDir}/output/${presentationFile-notes-v$version.fodt").writeTe  
}
```

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 12. Processing AST

---

```
ast().descendant { section ->
  section.sourceTagName == "section" &&
    section.descendant { it is Heading && it.level == 1 }
    .isEmpty()
}.first().also { it.insertBefore(makeTitle(it)) }.remove() 1
```

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 13. Rearranging title (AsciiDoc source)

---

```
|===
a|
[.title-photo]
image::images/nmp1.jpg[]
a|
[.full-name]
Nikolaj Potashnikov

[.bio]
PhD in Economics, Solution architect, Course-IT
.2+>.>a|{nbsp}
[.logo]
image::images/fosdem-logo.svg[]
2+a|
[.contact]
icon:envelope[] consulting@yandex.ru icon:telegram[] {nbsp}@nmpotashnikoff
|===
```

---

Why our HTML Docs don't  
just Print and what to do  
about it





## 14. Rearranging title, extracting semantics

---

```
val title = sourceNode.descendant { it is Heading && it.level == 1 }.first()
val notes = sourceNode.descendant { it.sourceTagName == "aside" }.first()
val (fullName, bio, photo, contact, logo) =
    arrayOf("full-name", "bio", "title-photo", "contact", "logo")
        .map { role -> sourceNode.descendant { it.roles.contains(role) }.first() }

logo.descendant { it is Image }.first().let { it as Image }
    .width = Length(1000F, LengthUnit.cmm)
photo.descendant { it is Image }.first().let { it as Image }
    .width = Length(1500F, LengthUnit.cmm)
```

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 15. Rearranging title, constructing title

---

```
appendChild(logo)
appendChild(title)
table {
  col(Length(18F)); col(Length(152F))
  roles("about-me")
  tableRowGroup(TRG.body) {
    tr {
      td { appendChild(photo) }
      td { arrayOf(fullName, bio, contact).forEach { appendChild(it) } }
    }
  }
}
appendChild(notes)
appendChild(Toc(2, "List of slides"))
normalizeImageDimensions()
```

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 16. Let's return to the result



### Why our HTML Docs don't just **Print** and what to do about it



**Nikolaj Potashnikov**  
PhD in Economics, Solution architect, Course-IT  
[consulting@yandex.ru](mailto:consulting@yandex.ru) @nmpotashnikoff

- As a solution architect I need to create targeted docs for each stakeholder. What is the easiest way to share them? Via email, messenger... as a PDF, a Word file. In short, in a 'print' format.

#### List of slides

1. Print, Export to Word, Export to PDF are very often just a trap.....	2
2. Main formats for printing.....	3
2.1. Most widespread rendering approaches.....	3
3. Inconvenience holiday goes on.....	4
4. Convenience and open options.....	4
5. AsciiDoctor open document.....	5
5.1. Great, but.....	5
5.2. And still.....	6
6. To put it together.....	6

Why our HTML Docs don't  
just Print and what to do  
about it



## 17. And a little bit of styling

---

```
OdtStyle { p ->
  if (p !is Paragraph) return@OdtStyle
  if (p.ancestor { it.roles.contains("logo") }.isEmpty()) return@OdtStyle
  attributes("style:master-page-name" to "First_20_Page")
},
OdtStyle { tableCell ->
  if (tableCell !is TableCell) return@OdtStyle
  if (tableCell.ancestor { it.roles.contains("about-me") }.isEmpty()) return@OdtStyle
  tableCellProperties {
    arrayOf("top", "right", "bottom", "left")
      .forEach { attributes("fo:border-$it" to "none") }
  }
},
```

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 18. Let's return to processing AST

---

```
ast().descendant { it.roles.contains("notes") } ❶
    .forEach { it.insertBefore(HorizontalLine()) }
ast().descendant { it.is Heading && it.level > 1 }
    .forEach {
        it.insertBefore(
            Paragraph().apply { roles("slide-finish") }
        )
    } ❷
odtStyleList.add(odtStyles())
odtStyleList.add(rougeStyles()) ❸
```

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 19. Extending AST

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 19. Extending AST

---

```
class HorizontalLine() : NoWriterNode() {  
    override val isInline: Boolean get() = false  
}
```

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 19. Extending AST

```
class HorizontalLine() : NoWriterNode() {  
    override val isInline: Boolean get() = false  
}
```

```
OdtCustomWriter { horizontalLine ->  
    if (horizontalLine !is HorizontalLine) return@OdtCustomWriter  
    preOdNode.apply {  
        "text:p" {  
            attributes("text:style-name" to "Horizontal Line")  
            process(horizontalLine)  
        }  
    }  
},
```

Why our HTML Docs don't  
just Print and what to do  
about it





## 19.1. Testing

Content type	The result	
paragraph	Paragraph 1 Paragraph 2	
list	1. Item 1 1. Subitem 1. Subitem 1. Subitem 2. Item 2	
table	<table><tr><td>Subtable</td></tr></table>	Subtable
Subtable		

Some paragraph after table.  
Some paragraph after table.

Why our HTML Docs don't  
just Print and what to do  
about it



## 20. Conclusion

---

Why our HTML Docs don't  
just Print and what to do  
about it



## 20. Conclusion

---

- If you need to get doc in printing format, don't pursue universality, limit, limit and limit

Why our HTML Docs don't  
just Print and what to do  
about it



## 20. Conclusion

---

- If you need to get doc in printing format, don't pursue universality, limit, limit and limit
- Don't search for solution with options, prepare to code

Why our HTML Docs don't  
just Print and what to do  
about it



## 20. Conclusion

---

- If you need to get doc in printing format, don't pursue universality, limit, limit and limit
- Don't search for solution with options, prepare to code
- Ecosystem is crucial. Gradle + Kotlin stack is just a coincidence, where syntax, wide ecosystem and CI accidentally met

Why our HTML Docs don't  
just Print and what to do  
about it



## 20. Conclusion

---

- If you need to get doc in printing format, don't pursue universality, limit, limit and limit
- Don't search for solution with options, prepare to code
- Ecosystem is crucial. Gradle + Kotlin stack is just a coincidence, where syntax, wide ecosystem and CI accidentally met
- Still more coincidence, they met Asciidoctor

Why our HTML Docs don't  
just Print and what to do  
about it



## 20. Conclusion

---

- If you need to get doc in printing format, don't pursue universality, limit, limit and limit
- Don't search for solution with options, prepare to code
- Ecosystem is crucial. Gradle + Kotlin stack is just a coincidence, where syntax, wide ecosystem and CI accidentally met
- Still more coincidence, they met Asciidoctor
- Still more coincidence, they met LibreOffice API

Why our HTML Docs don't  
just Print and what to do  
about it



## 20. Conclusion

---

- If you need to get doc in printing format, don't pursue universality, limit, limit and limit
- Don't search for solution with options, prepare to code
- Ecosystem is crucial. Gradle + Kotlin stack is just a coincidence, where syntax, wide ecosystem and CI accidentally met
- Still more coincidence, they met Asciidoctor
- Still more coincidence, they met LibreOffice API
- Too much coincidence for coincidence?

Why our HTML Docs don't  
just Print and what to do  
about it





## 21. Questions?

---

Why our HTML Docs don't  
just Print and what to do  
about it



Why our HTML Docs don't  
just Print and what to do  
about it



## 22.1. Comparison

Technology	Strengths	Weaknesses
Native	<ul style="list-style-type: none"><li>• The technology is typically used by converters with a low entry barrier</li></ul>	<ul style="list-style-type: none"><li>• Most often has a unique configuration approach</li><li>• High likelihood of encountering unexpected limitations</li></ul>
XSL-FO	<ul style="list-style-type: none"><li>• Time-tested technology, W3C standard</li></ul>	<ul style="list-style-type: none"><li>• Different processors yield different results (e.g., varying typography limitations)</li><li>• Better to stick to FO; XSLT is outdated and hard to maintain</li><li>• Slow build performance (at least with Apache FOP)</li></ul>



## 23. Comparison #2

Technology	Strengths	Weaknesses
TeX	<ul style="list-style-type: none"><li>• Best-in-class typography, suitable for mass printing</li><li>• Mature, albeit complex, ecosystem</li></ul>	<ul style="list-style-type: none"><li>• ...albeit complex ecosystem</li></ul>
Paged Media CSS	<ul style="list-style-type: none"><li>• W3C standard</li><li>• Takes HTML as input, so it's practically applicable everywhere</li></ul>	<ul style="list-style-type: none"><li>• Browser support remains very limited</li><li>• Among free tools, I would recommend only WeasyPrint</li></ul>

Why our HTML Docs don't  
just Print and what to do  
about it



## 24. Comparison #3

---

Technology	Strengths	Weaknesses
Word processors	<ul style="list-style-type: none"><li>• Format is designed for manual editing of the output document</li><li>• Fastest way to produce output (even when PDF is required)</li></ul>	<ul style="list-style-type: none"><li>• Only LibreOffice aligns with the DocOps paradigm</li><li>• Imposes numerous constraints, including on typography</li><li>• Saving to a word processor format almost always requires extensive custom adjustments and limitations</li></ul>

---



