04

Fractions and decimals

Part I · The grammar of number

CHAPTER 4 · OPENER

Fractions and decimals

The same quantity can be written as a fraction, a decimal or a measurement; choosing a representation makes comparison and calculation more reliable.

ENGAGEMENT

A recipe must serve nine people instead of six. How can every ingredient change proportionally without changing the taste?

Learning goals

- Simplify and compare fractions.
- Use all four operations with fractions and decimals.
- Round with stated precision and convert representations.
- Scale a recipe and justify exact versus rounded measurements.

MYP lens

Key concept: Relationships

Related concepts: Equivalence, Representation

Global context: Scientific and technical innovation

ATL focus. In order for a student to transfer mathematical knowledge, students must connect representations and apply a known method in a new measurement or recipe context.

Language bank: numerator · denominator · equivalent · simplest form · common denominator · reciprocal · terminating · repeating · precision

CHAPTER 4 · START HERE

Ready check and chapter map

Use the ready check to find the ideas you already control. Then follow the chapter map from concrete examples to explanations and decisions.

READY CHECK

Try these without a calculator. They check the ideas this chapter builds on.

R1	Simplify 6/8.	READY
R2	Calculate 24÷6 and 7×8.	READY
R3	Which is larger, 0.3 or 0.25?	READY
R4	Find half of 18.	READY
R5	Write 1 as a fraction with denominator 7.	READY

Chapter map

1. **4.1 Equivalent fractions and simplest form** — Multiply or divide numerator and denominator by the same nonzero number.
2. **4.2 Comparing and ordering fractions** — Use a common whole, a common denominator, a benchmark or a common numerator.
3. **4.3 Adding and subtracting fractions** — Make the parts the same size before combining or comparing amounts.
4. **4.4 Multiplying and dividing fractions** — Use “a fraction of” for multiplication and “how many groups?” for division.
5. **4.5 Decimal place value, ordering and rounding** — Read place value, compare from left to right and round only at the requested stage.
6. **4.6 Fractions, decimals and measurement** — A fraction bar means division; choose the representation that makes the task clearer.

EXPLAIN HOW YOU KNOW

For every answer, be ready to give a method, a diagram or a reason. A correct result without a check is only half an explanation.

CHAPTER 4 · MATHEMATICAL DEVELOPMENT


4.1 Equivalent fractions and simplest form

BIG IDEA

Multiply or divide numerator and denominator by the same nonzero number.

Fractions describe equal parts of one whole. 1/2, 2/4 and 4/8 name the same amount when the wholes are the same size. The number of pieces changes, but the covered amount does not.

To simplify, divide top and bottom by a common factor. A fraction is in simplest form when its numerator and denominator have HCF 1.



Three equal wholes. The same amount is shaded in each bar.

WORKED EXAMPLE · SIMPLIFY 36/48

Find a common factor, or divide by the HCF.

1. HCF(36,48) = 12.
2. 36÷12 = 3 and 48÷12 = 4.

3/4.

CHAPTER 4 · PRACTICE

4.1 Guided and independent practice

WATCH FOR THIS MISCONCEPTION

Equivalent fractions use the same whole. Half of a small pizza is not the same amount as half of a large pizza.

GUIDED PRACTICE · FIRST STEPS

4.1.1 Complete 2/3 = ☐/12. FLUENCY

4.1.2 Simplify 18/24, 35/49 and 36/48. FLUENCY

4.1.3 A student changes 3/5 to 5/7 by adding 2 to both parts. Is it equivalent? REASONING

INDEPENDENT PRACTICE · EXPLAIN AND APPLY

4.1.4 Write three fractions equivalent to 4/6, including its simplest form. REASONING

4.1.5 A recipe uses 12 cups of flour out of 16 cups of dry ingredients. What fraction is flour, in simplest form? APPLICATION

4.1.6 A fraction simplifies to 3/5 and its denominator is 40. Find the numerator. CHALLENGE

Check one answer with a different representation or an inverse operation. Record the check in your working.

CHAPTER 4 · MATHEMATICAL DEVELOPMENT

4.2 Comparing and ordering fractions

BIG IDEA

Use a common whole, a common denominator, a benchmark or a common numerator.

With equal denominators, more parts means a larger fraction. With equal numerators, more parts means each part is smaller. For 3/7 and 3/5, fifths are larger than sevenths.

For unlike parts, use a common denominator: 3/4 = 9/12 and 5/6 = 10/12, so 5/6 is larger. A benchmark such as 1/2 can make comparison faster.

WORKED EXAMPLE · ORDER 2/3, 3/5 AND 7/10

Use denominator 30.

1. 2/3 = 20/30; 3/5 = 18/30; 7/10 = 21/30.

3/5 < 2/3 < 7/10.

CHAPTER 4 · PRACTICE

4.2 Guided and independent practice

WATCH FOR THIS MISCONCEPTION

A larger denominator does not automatically mean a larger fraction. Always check the numerator and the size of the whole.

GUIDED PRACTICE · FIRST STEPS

4.2.1 Compare 3/7 and 3/5 using <, > or =. FLUENCY

4.2.2 Compare 3/4 and 5/6. FLUENCY

4.2.3 Order 2/3, 3/5 and 7/10 from smallest to largest. FLUENCY

INDEPENDENT PRACTICE · EXPLAIN AND APPLY

4.2.4 Which is closer to 1: 7/8 or 8/9? Explain. REASONING

4.2.5 Amina reads 5/8 of a book and Ben reads 2/3 of an identical book. Who has read more? APPLICATION

4.2.6 Find a fraction strictly between 1/3 and 1/2 with denominator 12. CHALLENGE

Check one answer with a different representation or an inverse operation. Record the check in your working.

CHAPTER 4 · MATHEMATICAL DEVELOPMENT

4.3 Adding and subtracting fractions

BIG IDEA

Make the parts the same size before combining or comparing amounts.

For like denominators, add or subtract numerators and keep the denominator. For unlike denominators, first write equivalent fractions with a common denominator.

Mixed numbers can be handled as whole and fractional parts or as improper fractions. Borrowing one whole means borrowing denominator/denominator, not 1/10.

WORKED EXAMPLE · ADD 3/4 AND 5/6

Use denominator 12.

1. 3/4 = 9/12 and 5/6 = 10/12.
2. 9/12 + 10/12 = 19/12.

19/12 = 1 7/12.

CHAPTER 4 · PRACTICE

4.3 Guided and independent practice

WATCH FOR THIS MISCONCEPTION

Do not add denominators: 1/2 + 1/3 is not 2/5. It must be more than 1/2.

GUIDED PRACTICE · FIRST STEPS

4.3.1 Calculate 3/8 + 1/8 and 7/9 − 2/9. FLUENCY

4.3.2 Calculate 3/4 + 5/6. FLUENCY

4.3.3 Calculate 5 1/3 − 2 3/4. FLUENCY

INDEPENDENT PRACTICE · EXPLAIN AND APPLY

4.3.4 Explain why 1/2 + 1/3 cannot equal 2/5. REASONING

4.3.5 A jug contains 3/4 litre. Another 1/3 litre is added. How much is in the jug? APPLICATION

4.3.6 Find the missing addend: 2/5 + ☐ = 1 1/10. CHALLENGE

Check one answer with a different representation or an inverse operation. Record the check in your working.

CHAPTER 4 · MATHEMATICAL DEVELOPMENT


4.4 Multiplying and dividing fractions

BIG IDEA

Use “a fraction of” for multiplication and “how many groups?” for division.

To multiply fractions, multiply numerators and denominators: $a/b \times c/d = ac/bd$. An area model shows why: a rectangle split into b by d equal parts has ac shaded parts.

Dividing by a nonzero fraction asks how many of those fractional groups fit. Dividing by c/d is multiplying by d/c. For example, $3/4 \div 1/8 = 6$.



The overlap is 6 of 15 cells: $2/3 \times 3/5 = 2/5$.

WORKED EXAMPLE · FIND 2/3 OF 3/5

Use a rectangle split into thirds one way and fifths the other.

1. The whole has 15 equal cells.
2. The overlap has $2 \times 3 = 6$ cells.
3. 6/15 simplifies to 2/5.

$2/3 \times 3/5 = 2/5$.

CHAPTER 4 · PRACTICE

4.4 Guided and independent practice

WATCH FOR THIS MISCONCEPTION

Multiplying by a proper fraction makes a positive amount smaller. Dividing by a proper fraction can make it larger.

GUIDED PRACTICE · FIRST STEPS

4.4.1 Calculate 2/3 × 3/5 and 4/7 × 7/8. FLUENCY

4.4.2 Calculate 3/4 ÷ 1/8 and 5/6 ÷ 5/3. FLUENCY

4.4.3 A recipe needs 3/4 cup of milk. How much is needed for half a recipe? APPLICATION

INDEPENDENT PRACTICE · EXPLAIN AND APPLY

4.4.4 How many 1/4-litre cups fill a 3/2-litre jug? APPLICATION

4.4.5 Explain why 6 ÷ 1/2 is 12, not 3. REASONING

4.4.6 Calculate (2/3 + 1/4) ÷ 5/6. CHALLENGE

Check one answer with a different representation or an inverse operation. Record the check in your working.

CHAPTER 4 · MATHEMATICAL DEVELOPMENT

4.5 Decimal place value, ordering and rounding

BIG IDEA

Read place value, compare from left to right and round only at the requested stage.

Digits right of the decimal point represent tenths, hundredths, thousandths and so on. Trailing zeros can record precision: 0.40 and 0.4 have equal value but different stated precision.

Compare equal place values from left to right. To round, inspect the next digit: 0–4 rounds down, 5–9 rounds up. Keep trailing zeros when they show the requested decimal places.

WORKED EXAMPLE · ROUND 0.995 TO TWO DECIMAL PLACES

The third decimal digit is 5.

1. The hundredths digit 9 rounds up and carries through the tenths digit.
2. Write two digits after the point.

1.00.

CHAPTER 4 · PRACTICE

4.5 Guided and independent practice

WATCH FOR THIS MISCONCEPTION

0.35 is larger than 0.4? Compare tenths first: 3 tenths is less than 4 tenths. Length in digits is not size.

GUIDED PRACTICE · FIRST STEPS

4.5.1 Write the value of the 7 in 3.072. FLUENCY

4.5.2 Order 0.35, 0.4, 0.305 and 0.45 from smallest to largest. FLUENCY

4.5.3 Calculate 3.7 + 0.48 and 5 − 2.36. FLUENCY

INDEPENDENT PRACTICE · EXPLAIN AND APPLY

4.5.4 Calculate 0.6 × 0.4 and 2.4 ÷ 0.3. FLUENCY

4.5.5 Round 0.995 to two decimal places and explain the zeros. APPLICATION

4.5.6 A length is 4.7 cm to one decimal place. Give the interval of possible exact lengths under the usual half-up convention. CHALLENGE

Check one answer with a different representation or an inverse operation. Record the check in your working.

CHAPTER 4 · MATHEMATICAL DEVELOPMENT


4.6 Fractions, decimals and measurement

BIG IDEA

A fraction bar means division; choose the representation that makes the task clearer.

To convert a fraction to a decimal, divide numerator by denominator, or rewrite with denominator 10, 100 or 1,000 when possible. 3/8 = 0.375.

A reduced fraction terminates exactly when its denominator has no prime factors except 2 and 5. Otherwise its decimal repeats: 1/3 = 0.333.... Use an exact fraction when a rounded decimal would hide the value.



A common scale makes 3/8 = 0.375 and 0.4 directly comparable.

WORKED EXAMPLE · COMPARE 3/8 INCH AND 0.4 INCH

Convert to the same representation.

1. 3/8 = 0.375.
2. 0.4 = 0.400.

0.4 inch is larger by 0.025 inch.

CHAPTER 4 · PRACTICE

4.6 Guided and independent practice

WATCH FOR THIS MISCONCEPTION

A calculator display is often rounded. 0.333 is an approximation to 1/3, not exactly equal to it.

GUIDED PRACTICE · FIRST STEPS

4.6.1 Write 3/8, 7/20 and 2/5 as decimals. FLUENCY

4.6.2 Write 0.24 and 1.125 as fractions in simplest form. FLUENCY

4.6.3 Which of 3/8, 7/20 and 5/6 has a repeating decimal? Explain. REASONING

INDEPENDENT PRACTICE · EXPLAIN AND APPLY

4.6.4 Compare 3/8 inch and 0.4 inch. Which is larger and by how much? APPLICATION

4.6.5 One cup is defined here as 240 mL. How many mL are in 3/4 cup and 1 1/2 cups? APPLICATION

4.6.6 Calculate 0.75 + 2/5 − 0.3 exactly. CHALLENGE

Check one answer with a different representation or an inverse operation. Record the check in your working.

CHAPTER 4 · EXPLORATION

Which fractions stop?

A terminating decimal ends after finitely many digits. A repeating decimal continues a repeating block forever.

> **INVESTIGATION**
> Criterion B. Test reduced fractions, record patterns and justify a rule using prime factors.

REDUCED FRACTION	DECIMAL	STOPS?
1/2	0.5	Yes
3/8		
7/20		
5/6		
7/15		

EXPLORATION · WHICH FRACTIONS STOP?

Criterion B. Test reduced fractions, record patterns and justify a rule using prime factors.

B1 Convert 3/8, 7/20, 5/6 and 7/15 to decimals. Identify which terminate. INVESTIGATION

B2 Factor the denominators 8, 20, 6 and 15. INVESTIGATION

B3 State the rule for a fraction already in simplest form. INVESTIGATION

B4 Predict whether 13/40 and 13/30 terminate, then check. INVESTIGATION

B5 Why must the fraction be reduced before applying the denominator rule? Give an example. CHALLENGE

CHAPTER 4 · CHECKPOINT

Checkpoint and reflection

CHECKPOINT

Answer, then explain one result to a partner.

C1	Simplify 24/36.	CHECK
C2	Calculate 1/2 + 1/3.	CHECK
C3	Calculate 2/3 ÷ 4/9.	CHECK
C4	Write 5/8 as a decimal.	CHECK

Reflection

- Which representation made the idea clearest: a diagram, a table, symbols or words?
- Where did you check an answer instead of trusting it?
- Write one question you would ask a partner to test understanding.

CHAPTER 4 · APPLICATION

The scaling kitchen

A community kitchen scales a recipe for different group sizes. The original recipe serves 6 people and uses 3/4 cup milk, 1 1/2 cups rice and 2/3 cup oil.

REAL-LIFE APPLICATION

Criterion D. Simulated recipe. In this task, 1 cup = 240 mL. Keep exact amounts until the final measurement.

INGREDIENT	FOR 6 PEOPLE
Milk	3/4 cup
Rice	1 1/2 cups
Oil	2/3 cup

APPLICATION · THE SCALING KITCHEN

Criterion D. Simulated recipe. In this task, 1 cup = 240 mL. Keep exact amounts until the final measurement.

D1 Scale the recipe to 9 people. Give each ingredient in cups. APPLICATION

D2 Convert the 9-person milk and oil amounts to mL. APPLICATION

D3 A cook adds the scale factors for two ingredients instead of multiplying each amount. Explain the error. REASONING

D4 For 4 people, the cook has 100 mL milk. Is it enough? Find the surplus or shortage. CHALLENGE

CHAPTER 4 · ASSESSMENT PRACTICE

The measurement explainer

MYP ASSESSMENT PRACTICE

Criteria A and C. Use a diagram, exact fractions and a clear comparison for a workshop card.

A fitting is labelled 3/8 inch; another is labelled 0.4 inch. A learner must choose the larger without rounding too early.

ASSESSMENT PRACTICE · THE MEASUREMENT EXPLAINER

Criteria A and C. Use a diagram, exact fractions and a clear comparison for a workshop card.

S1	Convert 3/8 inch to a decimal and compare with 0.4 inch.	ASSESSMENT
S2	Calculate 2/3 + 1/4 and explain a diagram that checks the result.	ASSESSMENT
S3	Write one misconception warning and one check question with its answer.	ASSESSMENT

Success criteria

- Use correct mathematical language and notation.
- Show a method or representation that another student can follow.
- Check the result and explain why it is reasonable.

CHAPTER 4 · MIXED PRACTICE

Mixed practice 4

Connect ideas across the chapter. Give units and reasons where requested.

MIXED PRACTICE 4

Connect ideas. Give units and reasons where requested.

M1	Simplify 45/60.	FLUENCY
M2	Compare 5/9 and 4/7.	FLUENCY
M3	Calculate 2 1/2 + 3/4.	FLUENCY
M4	Calculate 7/10 − 1/4.	FLUENCY
M5	Calculate 3/5 × 10/9 and 4/5 ÷ 2/3.	FLUENCY
M6	Calculate 1.25 × 0.8 and 3.6 ÷ 0.6.	FLUENCY
M7	Round 2.675 to two decimal places using half-up rounding.	APPLICATION
M8	Explain why 0.333 is not exactly 1/3.	REASONING
M9	Find 3/4 of a number if the result is 18.	CHALLENGE
M10	Calculate (1/2 + 1/3) × 6/5.	CHALLENGE

FINAL REFLECTION

Choose one item you solved confidently and one that needed a revision. Explain the difference in your method.

CHAPTER 4 · ANSWERS AND REASONING

Answers · Ready check and Checkpoint

READY CHECK

R1 **3/4.**
Divide both parts by 2.

R2 **4 and 56.**
Use known multiplication facts.

R3 **0.3.**
3 tenths is 0.30, greater than 0.25.

R4 **9.**
18÷2 = 9.

R5 **7/7.**
Seven sevenths make one whole.

CHECKPOINT

C1 **2/3.**
Divide by HCF 12.

C2 **5/6.**
Use sixths.

C3 **3/2 = 1 1/2.**
Multiply by 9/4.

C4 **0.625.**
5÷8 = 0.625.

CHAPTER 4 · ANSWERS AND REASONING

Answers · 4.1 and 4.2

PRACTICE 4.1 · EQUIVALENCE

4.1.1 **8/12.**
Multiply numerator and denominator by 4.

4.1.2 **3/4, 5/7 and 3/4.**
Divide by HCFs 6, 7 and 12.

4.1.3 **No. 3/5 = 0.6, while 5/7 ≈ 0.714. Multiply or divide both parts by the same nonzero number.**
Adding equal amounts does not preserve a ratio.

4.1.4 **Examples: 2/3, 8/12 and 12/18.**
Simplify by 2, or scale both parts.

4.1.5 **3/4.**
Simplify 12/16 by 4.

4.1.6 **24.**
40÷5 = 8, so multiply 3 by 8.

PRACTICE 4.2 · COMPARE

4.2.1 **3/7 < 3/5.**
Equal numerators: fifths are larger pieces than sevenths.

4.2.2 **3/4 < 5/6.**
9/12 < 10/12.

4.2.3 **3/5, 2/3, 7/10.**
Use thirtieths: 18/30, 20/30, 21/30.

4.2.4 **8/9 is closer: its gap is 1/9, smaller than 1/8.**
Compare the missing parts, not just the numerators.

4.2.5 **Ben: 2/3 = 16/24, while 5/8 = 15/24.**
The books are the same size, so the fractions can be compared.

4.2.6 **5/12.**
1/3 = 4/12 and 1/2 = 6/12.

CHAPTER 4 · ANSWERS AND REASONING

Answers · 4.3 and 4.4

PRACTICE 4.3 · ADD AND SUBTRACT

4.3.1 **4/8 = 1/2; 5/9.**
Like denominators: combine numerators.

4.3.2 **19/12 = 1 7/12.**
Use twelfths: 9/12 + 10/12.

4.3.3 **31/12 = 2 7/12.**
16/3 − 11/4 = 64/12 − 33/12.

4.3.4 **2/5 is less than 1/2, but adding a positive amount to 1/2 must increase it. The correct sum is 5/6.**
Use a benchmark to detect an unreasonable result.

4.3.5 **13/12 litres = 1 1/12 litres.**
Add using twelfths.

4.3.6 **7/10.**
11/10 − 4/10 = 7/10.

PRACTICE 4.4 · MULTIPLY AND DIVIDE

4.4.1 **2/5 and 1/2.**
Multiply across, then simplify.

4.4.2 **6 and 1/2.**
Multiply by the reciprocal of the divisor.

4.4.3 **3/8 cup.**
Half of 3/4 is 1/2 × 3/4.

4.4.4 **6 cups.**
3/2 ÷ 1/4 = 3/2 × 4.

4.4.5 **There are two halves in each whole, so six wholes contain 12 halves.**
Division counts groups of size 1/2.

4.4.6 **11/10 = 1 1/10.**
First add to get 11/12, then multiply by 6/5.

CHAPTER 4 · ANSWERS AND REASONING

Answers · 4.5 and 4.6

PRACTICE 4.5 · DECIMALS

4.5.1 **7 hundredths = 0.07.**
The first digit after the point is tenths; the second is hundredths.

4.5.2 **0.305, 0.35, 0.4, 0.45.**
Compare place values; 0.35 = 0.350 and 0.4 = 0.400.

4.5.3 **4.18 and 2.64.**
Align decimal points; write 5 as 5.00.

4.5.4 **0.24 and 8.**
6×4 = 24 with two decimal places; 24 tenths ÷ 3 tenths.

4.5.5 **1.00. The zeros show accuracy to two decimal places.**
The 5 causes a carry through both 9s.

4.5.6 **4.65 ≤ length < 4.75 cm.**
Values at 4.65 round up; 4.75 rounds to 4.8.

PRACTICE 4.6 · CONVERT AND CONNECT

4.6.1 **0.375, 0.35 and 0.4.**
Divide, or scale to thousandths/hundredths/tenths.

4.6.2 **6/25 and 9/8 (= 1 1/8).**
24/100 and 1125/1000, then simplify.

4.6.3 **5/6 repeats. Its reduced denominator contains a factor 3.**
Terminating denominators contain only 2s and 5s.

4.6.4 **0.4 inch, by 0.025 inch.**
0.375 < 0.400.

4.6.5 **180 mL and 360 mL.**
Multiply 240 by 3/4 and by 3/2.

4.6.6 **0.85 = 17/20.**
Use 3/4 + 2/5 − 3/10 with denominator 20.

CHAPTER 4 · ANSWERS AND REASONING

Answers · Exploration

EXPLORATION · WHICH FRACTIONS STOP?

B1 **0.375 and 0.35 terminate; 0.8333… and 0.4666… repeat.**
Divide numerator by denominator and mark repetition.

B2 **$8=2^3$; $20=2^2\times5$; $6=2\times3$; $15=3\times5$.**
Prime factors explain the stopping behaviour.

B3 **It terminates exactly when its denominator has no prime factors other than 2 and 5.**
Powers of 10 contain only 2 and 5.

B4 **13/40 terminates (0.325); 13/30 repeats (0.4333…).**
$40=2^3\times5$; $30=2\times3\times5$.

B5 **A non-reduced denominator may hide a cancelling factor. 3/6 = 1/2 terminates even though 6 contains 3.**
The rule concerns the reduced denominator.

CHAPTER 4 · ANSWERS AND REASONING

Answers · Application and Assessment

APPLICATION · THE SCALING KITCHEN

D1 **Milk 9/8 = 1 1/8 cups; rice 9/4 = 2 1/4 cups; oil 1 cup.**
Multiply every amount by 9/6 = 3/2.

D2 **Milk 270 mL; oil 240 mL.**
Multiply cups by 240.

D3 **Each ingredient must be multiplied by the same scale factor 3/2. Adding 3/2 changes the amount by a fixed quantity, not proportionally.**
Equivalent ratios preserve the recipe.

D4 **Not enough. The recipe needs 1/2 cup = 120 mL, so 100 mL is 20 mL short.**
Scale first, then convert.

ASSESSMENT PRACTICE · THE MEASUREMENT EXPLAINER

S1 **0.375 inch < 0.4 inch; difference 0.025 inch.**
Use a common decimal representation.

S2 **11/12. A 3-by-4 rectangle has 8 shaded columns for 2/3 and 3 more rows for 1/4, covering 11 of 12 cells.**
A common denominator makes parts equal.

S3 **Sample warning: “Do not add denominators.” Check: 1/2 + 1/4 = 3/4, not 2/6.**
The answer should expose the error and show a correct alternative.

CHAPTER 4 · ANSWERS AND REASONING

Answers · Mixed practice

MIXED PRACTICE 4

M1 **3/4.**
Divide by 15.

M2 **5/9 < 4/7.**
35/63 < 36/63.

M3 **13/4 = 3 1/4.**
10/4 + 3/4.

M4 **9/20.**
14/20 − 5/20.

M5 **2/3 and 6/5 = 1 1/5.**
Multiply; for division use the reciprocal.

M6 **1 and 6.**
Use place value or equivalent fractions.

M7 **2.68.**
The third decimal digit is 5.

M8 **1/3 = 0.3333…; stopping after three digits loses the remaining amount.**
0.333 = 333/1000, which is slightly smaller.

M9 **24.**
18 ÷ 3/4 = 24.

M10 **1.**
First 5/6, then multiply by 6/5.