


Early in the paper

A compact two-up demonstration figure (physics vs. false belief):




Appendix: all families

Minds-free substrate

Physics — a body moves [physics] (step v d)

val=4, dir=up



Desire — seek a goal [desire] (optimize (neg_dist gv) av)


av=1, gv=2



Independent extension — fork / sync, no belief

Overlay — motion blur [overlay] (fork (step v d) overlay)

val=4, dir=right



Registration — snap one object [registration] (sync_to_world v)

val=4




Belief — theory of mind

False belief — act on a stale map [belief]

(fork (compose (wall_at r c) (optimize (neg_dist gv) av)) (sync_to_world av))


av=1, gv=2, aw=5, gw=4, pw=(1, 3)



Symmetric corners — one minds-free task per cube axis


Flee — avoid a hazard [flee]
(optimize (distance hv) av)

av=1, hv=4




Deletion — punch one hole [deletion]
(clear_at r c)

val=1, cell=(1, 3)




Denoise — drop a noise value [denoise]
(erase nv)

noise=4, signal=2




Perception — record into the map [perception]
(sync_to_model v)

val=4




Multi-registration — snap all [multi_reg]
sync_all

vals=[1, 5]




Registration-except — all but one [reg_except]
(sync_except a)

anchor=1



Inpainting — fill holes, keep pixels [inpaint]
underlay



Readout — report the model [readout]
snd_gg

