



TABLE OF CONTENTS

EXECUTIVE SUMMARY	E.1
RINGKASAN EKSEKUTIF	R.1
CHAPTER	PAGE
CHAPTER 1 INTRODUCTION	1.1
1.1 Title Of Project	1.1
1.2 Project Proponent And Qualified Persons	1.3
1.3 Legal Aspects	1.5
1.4 Scope Of EIA Study	1.6
1.5 Purpose Of EIA Report	1.7
1.6 Study Approach And Methodology	1.7
1.7 Report Content	1.8
1.8 Approval Sought	1.9
CHAPTER 2 TERMS OF REFERENCE OF EIA STUDY	2.1
2.1 TOR Requirement	2.1
2.2 Scoping Notes	2.1
CHAPTER 3 STATEMENT OF NEEDS	3.1
3.1 Development Plans And Policies	3.1
3.2 Project Benefits	3.5
CHAPTER 4 PROJECT OPTIONS	4.1
4.1 Site Options	4.1
4.2 Redevelopment Options	4.1
4.3 Reclamation Options	4.5
4.4 Shape For Reclamation	4.6
4.5 'Build' Or 'No Build' Option	4.15
CHAPTER 5 PROJECT DESCRIPTION	5.1
5.1 Location	5.1
5.2 Project Concept	5.2
5.3 Project Features	5.2
5.4 Implementation Schedule	5.16
5.5 Project Activities	5.16
5.6 Comparison With Existing Project In Malaysia	5.54






TABLE OF CONTENTS

CHAPTER		PAGE
CHAPTER 6	EXISTING ENVIRONMENT	6.1
6.1	Zone Of Study	6.1
6.2	Physical-Chemical Environment	6.1
6.3	Biological Environment	6.53
6.4	Social And Economy Setting	6.71
6.5	Baseline Environmental Quality	6.103
CHAPTER 7	EVALUATION OF IMPACTS	7.1
7.1	Identification And Prediction Of Impacts	7.1
7.2	Details Of Impact Assessment	7.4
7.3	Residual Impacts	7.253
7.4	Project Abandonment	7.253
7.5	Project Evaluation	7.253
CHAPTER 8	MITIGATION MEASURES	8.1
8.1	Adherence To Requirement	8.1
8.2	Proposed Mitigation Measures	8.1
8.3	Summary Of Mitigation Measures	8.63
8.4	Abandonment And Rehabilitation Plan	8.63
CHAPTER 9	ENVIRONMENTAL MANAGEMENT PLAN	9.1
9.1	Guided Self Regulation	9.1
9.2	Environmental Management Plan	9.1
9.3	Environmental Monitoring Programs	9.4
9.4	Reporting Requirements	9.17
9.5	Environmental Auditing	9.17
9.6	Environmental Contingency Plans	9.18
9.7	Abandonment	9.18
CHAPTER 10	STUDY FINDINGS	10.1
10.1	Overview	10.1
10.2	Findings	10.1


REFERENCES





LIST OF FIGURES

FIGURES		PAGE
1.1	Key Plan	1.1
1.2	Location Plan	1.2
1.3	Location Of Sensitive Receptors	1.2
1.4	EIA Approach	1.8
3.1	Areas For Development In Penang	3.4
4.1	Layout Option 1	4.7
4.2	Layout Option 2	4.8
4.3	Layout Option 3	4.8
4.4	Typical Current Flow Pattern For Spring Flood And Ebb Tides Within Penang Strait	4.10
4.5	Typical Current Flow Pattern For Neap Flood And Ebb Tides Within Penang Strait	4.11
4.6	Mean And Maximum Current Flow Within Penang Strait	4.12
4.7	Optimization Study For Layout Options Based On Maximum Current Speed	4.13
4.8	Optimization Study For Layout Options Based On Mean Current Speed	4.14
5.1	Access To The Jelutong Landfill	5.1
5.2	Proposed Reclamation Site	5.2
5.3	Master Zoning Plan For Proposed Project	5.3
5.4	Location Of New Proposed Jetty	5.7
5.5	Road And Drainage Plan	5.12
5.6	Sewerage Reticulation Plan	5.15
5.7	Rehabilitation And Reclamation Layout Plan	5.20
5.8	Reclamation Cross Section (Section A-A) & (Section B-B)	5.21
5.9	Process Flowchart Of Recycling Of Excavated Wastes	5.25
5.10	Layout Plan For Stage 1 Recycling Area On Jelutong Landfill	5.28
5.11	Layout Plan For Stage 2 Recycling Area On Jelutong Landfill	5.29
5.12	Layout Plan For Stage 3 Recycling Area On Jelutong Landfill	5.30
5.13	Layout Plan For Stage 4 Recycling Area On Jelutong Landfill	5.31
5.14	Layout Plan For Stage 5 Recycling Area On Jelutong Landfill	5.32





LIST OF FIGURES


FIGURES		PAGE
5.15	Layout Plan For Stage 6 Recycling Area On Jelutong Landfill	5.33
5.16	Typical Layout For Recycling Plant With Stockpile Areas	5.34
5.17	Reclamation Construction Stages	5.35
5.18	Location Of Double Layer Silt Curtains For Erosion And Sediment Control Plan	5.37
5.19	Overall Work Flow Of The Rehabilitation And Reclamation Plan	5.38
5.20	Working Platform Diagram	5.39
5.21	Layout Of Rehabilitation Area To Be Excavated Layer By Layer With Each Layer Being 2m In Height Up To Platform Level +3.35m NGVD	5.40
5.22	Rehabilitation & Reclamation Phase For Year 0-1	5.42
5.23	Rehabilitation & Reclamation Phase For Year 1-2	5.43
5.24	Rehabilitation & Reclamation Phase For Year 1-2 (Continue)	5.44
5.25	Rehabilitation & Reclamation Phase For Year 2-3	5.45
5.26	Rehabilitation & Reclamation Phase For Year 2-3 (Continue)	5.46
5.27	Rehabilitation & Reclamation Phase For Year 3-4	5.47
5.28	Proposed Temporary Drainage Alignment And Temporary Outlet During The Construction Phase	5.48
6.1	Survey Plan Of Jelutong Landfill	6.2
6.2	Aerial View Of Proposed Project	6.3
6.3	Bathymetry Survey Plan	6.4
6.4	3D Seabed Topography	6.5
6.5	Net Fill Height	6.6
6.6	Geological Map	6.8
6.7	Subsurface Investigation Layout Plan At Rehabilitation Site	6.9
6.8	Subsurface Investigation Layout Plan At Reclamation Site	6.10
6.9	Simplified Borelog (Rehabilitation Site)	6.13
6.10	Simplified Borelog (Reclamation Site)	6.14
6.11	Plasticity Chart (Rehabilitation Site)	6.15
6.12	Plasticity Chart (Reclamation Site)	6.16
6.13	Unit Weight (Rehabilitation Site)	6.18
6.14	Unit Weight Of Clay (Reclamation Site)	6.19





LIST OF FIGURES

FIGURES		PAGE
6.15	Unit Weight Of Sand (Reclamation Site)	6.20
6.16	Chloride Content (Reclamation Site)	6.21
6.17	pH Value (Reclamation Site)	6.22
6.18	Total Sulphate Content (Reclamation Site)	6.23
6.19	Organic Content (Reclamation Site)	6.24
6.20	Undrained Shear Strength (Reclamation Site n)	6.26
6.21	Electrical Resistivity Survey Alignment Point	6.28
6.22	2D Ground Resistivity Result For Line 1 Using Res2DINV Software	6.29
6.23	2D Ground Resistivity Result For Line 2 Using Res2DINV Software	6.30
6.24	2D Ground Resistivity Result For Line 3 Using Res2DINV Software	6.31
6.25	2D Ground Resistivity Result For Line 4 Using Res2DINV Software	6.32
6.26	2D Ground Resistivity Result For Line 5 Using Res2DINV Software	6.33
6.27	Seismic Hazards Map	6.36
6.28	Surface Drainage In The Vicinity	6.37
6.29	Offshore Wind Rose (BMT) at (6°N, 98.75°E).	6.39
6.30	Offshore Wave Rose (BMT) At (6°N, 98.75°E). Direction Read As "Going To".	6.40
6.31	Detailed Annual Wind Rose Plot At The Offshore Of Northern Malacca Strait. Direction Read As "Coming From".	6.41
6.32	Wind Rose For Every Monsoon Seasons. Direction Read As "Coming From".	6.42
6.33	Detailed Annual Wave Rose Plot At The Offshore Of Northern Malacca Strait. Direction Read As "Going To".	6.44
6.34	Wave Rose For Every Monsoon Seasons. Direction Read As "Going To"	6.44
6.35	Location Of ADCPs For Water Level And Current Flow Measurements	6.46
6.36	Recorded Measured Water Level, Current Speed And Direction For ADCP 1	6.47
6.37	Recorded Measured Water Level, Current Speed And Direction For ADCP 2	6.48





LIST OF FIGURES


FIGURES		PAGE
6.38	Rose Plot For Current Profile At ADCP 1 And ADCP 2 (direction read as “going to”).	6.50
6.39	Zoning Under The Fisheries Act 1985 (Act 317) Whereby Below Is The New Fishing Zone That Comprises Only Kedah, Perak And Selangor	6.54
6.40	Quantity (kg) And Value (RM) Of Landing By Year From January To August From 2019 To 2022 At Jelutong Fish Landing Site	6.56
6.41	Number Of Marine Species Landed By Year From January To August From 2019 To 2022 At Jelutong Fish Landing Site	6.56
6.42	Fishing Survey At Fish Landing Sites	6.58
6.43	Fish Landing Jetty Near To The Proposed Project Site	6.58
6.44	Fish Measurement	6.59
6.45	List Of Fishes Identified	6.61
6.46	Length-Weight Relationship	6.63
6.47	LKIM Complex Jetty At Jelutong Next To Proposed Project	6.64
6.48	LKIM Complex At Jelutong	6.65
6.49	Environmental Sensitive Areas In Pulau Pinang	6.69
6.50	Environmental Sensitive Receptors Surrounding The Project Site	6.70
6.51	Surrounding Activities	6.72
6.52	500 m Radius Land Use Plan	6.73
6.53	5 Km Radius Land Use Plan	6.74
6.54	Recorded Travel Demands During Morning Peak Hour In 2020	6.77
6.55	Recorded Travel Demands During Evening Peak Hour In 2020	6.78
6.56	Zone Of Influence (ZOI)	6.83
6.57	Location Of Fishing Pier	6.87
6.58	Location Of Housing And Commercial Area Within 2 Km Radius	6.88
6.59	Location Of Survey Area In Persiaran Karpal Singh	6.89
6.60	Level Of Agreement	6.90
6.61	Passage Plan From Sand Source Area To Reclamation Site	6.96
6.62	AIS Track Plot Of Passenger Vessels (2022)	6.99
6.63	AIS Track Plot Of Pleasure Crafts (2022)	6.100





LIST OF FIGURES

FIGURES		PAGE
6.64	AIS Track Plot Of Fishing Vessels (2022)	6.100
6.65	AIS Track Plot Of Tug And Tow (2022)	6.101
6.66	AIS Track Plot Of Bulk Carriers (2022)	6.101
6.67	AIS Track Plot Of Tankers (2022)	6.102
6.68	AIS Track Plot Of Container Vessels (2022)	6.102
6.69	Location Of Baseline Environmental Quality Sampling Stations	6.104
6.70	Noise Output Trend For NL1	6.109
6.71	Noise Output Trend For NL2	6.109
6.72	Noise Output Trend For NL3	6.109
6.73	Marine Water Sampling Stations	6.111
6.74	Location Of Soil, Groundwater And Air Quality Sampling Stations	6.115
6.75	Ammonia	6.127
6.76	Carbon Dioxide	6.128
6.77	Hydrogen Sulfide	6.128
6.78	Methane	6.128
6.79	NMVOC (Halogenated Compounds)	6.129
6.80	NMVOC (Non-Halogenated Compounds)	6.129
6.81	Location Of TSS Water Sampling Points	6.131
6.82	Particle Size Distributions At Sampling Stations	6.134
7.1	Annual Average Methane Incremental Concentration (mg/m^3) Peak Emission At Closure Of Site	7.20
7.2	Annual Average Methane Incremental Concentration (mg/m^3) 25 Years After Closure	7.21
7.3	Maximum 1-Hour Average NMOC Incremental Concentration (mg/m^3) Peak Emission At Closure Of Site	7.23
7.4	Maximum 24-Hour Average NMOC Incremental Concentration (mg/m^3) Peak Emission At Closure Of Site	7.24
7.5	Maximum 1-Hour Average NMOC Incremental Concentration (mg/m^3) 25 Years After Closure	7.25
7.6	Maximum 24-Hour Average NMOC Incremental Concentration (mg/m^3) 25 Years After Closure	7.26
7.7	Maximum 1-Hour Average H_2S Incremental Concentration ($\mu\text{g}/\text{m}^3$) Peak Emission At Closure Of Site	7.28





LIST OF FIGURES


FIGURES		PAGE
7.8	Maximum 24-Hour Average H ₂ S Incremental Concentration ($\mu\text{g}/\text{m}^3$) Peak Emission At Closure Of Site	7.29
7.9	Maximum 1-Hour Average H ₂ S Incremental Concentration ($\mu\text{g}/\text{m}^3$) 25 Years After Closure	7.30
7.10	Maximum 24-Hour Average H ₂ S Incremental Concentration ($\mu\text{g}/\text{m}^3$) 25 Years After Closure	7.31
7.11	Maximum 1-Hour Average Benzene Incremental Concentration ($\mu\text{g}/\text{m}^3$) Peak Emission At Closure Of Site	7.33
7.12	Maximum 24-Hour Average Benzene Incremental Concentration ($\mu\text{g}/\text{m}^3$) Peak Emission At Closure Of Site	7.34
7.13	Maximum 1-Hour Average Benzene Incremental Concentration ($\mu\text{g}/\text{m}^3$) 25 Years After Closure	7.35
7.14	Maximum 24-Hour Average Benzene Incremental Concentration ($\mu\text{g}/\text{m}^3$) 25 Years After Closure	7.36
7.15	Maximum 1-Hour Average Toluene Incremental Concentration ($\mu\text{g}/\text{m}^3$) Peak Emission At Closure Of Site	7.37
7.16	Maximum 24-Hour Average Toluene Incremental Concentration ($\mu\text{g}/\text{m}^3$) Peak Emission Art Closure Of Site	7.38
7.17	Maximum 1-Hour Average Toluene Incremental Concentration ($\mu\text{g}/\text{m}^3$) 25 Years After Closure	7.40
7.18	Maximum 24-Hour Average Toluene Incremental Concentration ($\mu\text{g}/\text{m}^3$) 25 Years After Closure	7.41
7.19	Groundwater Model Domain Including The Landfill And Reclamation Area	7.43
7.20	Simulated Groundwater Level Distribution At The Existing Landfill	7.46
7.21	Simulated Groundwater Flow Direction At The Existing Landfill	7.46
7.22	Simulated Groundwater Level Distribution After Rehabilitation And Reclamation	7.48
7.23	Simulated Groundwater Flow Direction After Rehabilitation And Reclamation	7.48





LIST OF FIGURES


FIGURES		PAGE
7.24	Mean concentration distribution of Aluminium in the groundwater, upper panel for the existing condition and lower panel for the post reclamation condition	7.49
7.25	Mean concentration distribution of Arsenic (III) in the groundwater, upper panel for the existing condition and lower panel for the post reclamation condition	7.50
7.26	Mean concentration distribution of Boron in the groundwater, upper panel for the existing condition and lower panel for the post reclamation condition	7.51
7.27	Mean concentration distribution of Iron in the groundwater, upper panel for the existing condition and lower panel for the post reclamation condition	7.52
7.28	Mean concentration distribution of Lead in the groundwater, upper panel for the existing condition and lower panel for the post reclamation condition	7.53
7.29	Mean concentration distribution of Manganese in the groundwater, upper panel for the existing condition and lower panel for the post reclamation condition	7.54
7.30	Mean concentration distribution of Potassium in the groundwater, upper panel for the existing condition and lower panel for the post reclamation condition	7.55
7.31	Mean concentration distribution of Selenium in the groundwater, upper panel for the existing condition and lower panel for the post reclamation condition	7.56
7.32	Mean concentration distribution of Vanadium in the groundwater, upper panel for the existing condition and lower panel for the post reclamation condition	7.57
7.33	Mean concentration distribution of Zinc in the groundwater, upper panel for the existing condition and lower panel for the post reclamation condition	7.58
7.34	Mean concentration distribution of Total Dissolved Solids (TDS) in the groundwater, upper panel for the existing condition and lower panel for the post reclamation condition	7.59





LIST OF FIGURES


FIGURES		PAGE
7.35	Mean concentration distribution of Total Suspended Solids (TSS) in the groundwater, upper panel for the existing condition and lower panel for the post reclamation condition	7.60
7.36	Mean concentration distribution of Biochemical Oxygen Demand (BOD) in the groundwater, upper panel for the existing condition and lower panel for the post reclamation condition	7.61
7.37	Mean concentration distribution of Oil and Grease in the groundwater, upper panel for the existing condition and lower panel for the post reclamation condition	7.62
7.38	Mean concentration distribution of Ammonia in the groundwater, upper panel for the existing condition and lower panel for the post reclamation condition	7.63
7.39	Mean concentration distribution of Chemical Oxygen Demand (COD) in the groundwater, upper panel for the existing condition and lower panel for the post reclamation condition	7.64
7.40	Sub-Catchment For Jelutong Rehabilitation Site	7.67
7.41	Mean and maximum dispersion for Aluminium (mg/L) for Baseline Condition	7.69
7.42	Mean and maximum dispersion for Aluminium (mg/L) for Proposed Condition	7.70
7.43	Mean and maximum dispersion for Arsenic (III) (mg/L) for Baseline Condition	7.71
7.44	Mean and maximum dispersion for Arsenic (III) (mg/L) for Proposed Condition	7.72
7.45	Mean and maximum dispersion for Boron (mg/L) for Baseline Condition	7.73
7.46	Mean and maximum dispersion for Boron (mg/L) for Proposed Condition	7.74
7.47	Mean and maximum dispersion for Iron (mg/L) for Baseline Condition	7.75
7.48	Mean and maximum dispersion for Iron (mg/L) for Proposed Condition	7.76
7.49	Mean and maximum dispersion for Lead (mg/L) for Baseline Condition	7.77





LIST OF FIGURES

FIGURES		PAGE
7.50	Mean and maximum dispersion for Lead (mg/L) for Proposed Condition	7.78
7.51	Mean and maximum dispersion for Manganese (mg/L) for Baseline Condition	7.79
7.52	Mean and maximum dispersion for Manganese (mg/L) for Proposed Condition	7.80
7.53	Mean and maximum dispersion for Potassium (mg/L) for Baseline Condition	7.81
7.54	Mean and maximum dispersion for Potassium (mg/L) for Proposed Condition	7.82
7.55	Mean and maximum dispersion for Selenium (mg/L) for Baseline Condition	7.83
7.56	Mean and maximum dispersion for Selenium (mg/L) for Proposed Condition	7.84
7.57	Mean and maximum dispersion for Vanadium (mg/L) for Baseline Condition	7.85
7.58	Mean and maximum dispersion for Vanadium (mg/L) for Proposed Condition	7.86
7.59	Mean and maximum dispersion for Zinc (mg/L) for Baseline Condition	7.87
7.60	Mean and maximum dispersion for Zinc (mg/L) for Proposed Condition	7.88
7.61	Mean and maximum dispersion for TDS (mg/L) for Baseline Condition	7.89
7.62	Mean and maximum dispersion for TDS (mg/L) for Proposed Condition	7.90
7.63	Mean and maximum dispersion for TSS (mg/L) for Baseline Condition	7.91
7.64	Mean and maximum dispersion for TSS (mg/L) for Proposed Condition	7.92
7.65	Mean and maximum dispersion for BOD (mg/L) for Baseline Condition	7.93
7.66	Mean and maximum dispersion for BOD (mg/L) for Proposed Condition	7.94
7.67	Mean and maximum dispersion for Oil & Grease (mg/L) for Baseline Condition	7.95





LIST OF FIGURES

FIGURES		PAGE
7.68	Mean and maximum dispersion for Oil & Grease (mg/L) for Proposed Condition	7.96
7.69	Mean and maximum dispersion for Ammonia (mg/L) for Baseline Condition	7.97
7.70	Mean and maximum dispersion for Ammonia (mg/L) for Proposed Condition	7.98
7.71	Mean and maximum dispersion for COD (mg/L) for Baseline Condition	7.99
7.72	Mean and maximum dispersion for COD (mg/L) for Proposed Condition	7.100
7.73	Methodology Used For Estimating Risks	7.106
7.74	Fault Tree Analysis For General Fires	7.110
7.75	Emergency Response To Control Fires	7.114
7.76	Modeled Maximum Water Level (WL) Profile Comparing Between The Existing And During Construction Scenarios For Various 100-year ARI Storm Durations	7.117
7.77	Modeled Maximum Discharge (Q) Profile Comparing Between The Existing And During Construction Scenarios For Various 100-year ARI Storm Durations	7.119
7.78	Mean Water Level For (i) Existing Condition; (ii) Proposed Condition (Phase 1); And (iii) Differences In Mean Water Level Between (i) And (ii).	7.122
7.79	Mean Water Level For (i) Existing Condition; (ii) Proposed Condition (Phase 2); And (iii) Differences In Mean Water Level Between (i) And (ii).	7.123
7.80	Mean Water Level For (i) Existing Condition; (ii) Proposed Condition (Phase 1) With Committed Developments; And (iii) Differences In Mean Water Level Between (i) And (ii).	7.124
7.81	Mean Water Level For (i) Existing Condition; (ii) Proposed Condition (Phase 2) With Committed Developments; And (iii) Differences In Mean Water Level Between (i) And (ii).	7.125





LIST OF FIGURES

FIGURES		PAGE
7.82	Mean Water Level For (i) Existing With Committed Developments; (ii) Proposed Condition (Phase 1) With Committed Developments; And (iii) Differences In Mean Water Level Between (i) And (ii).	7.126
7.83	Mean Water Level For (i) Existing With Committed Developments; (ii) Proposed Condition (Phase 2) With Committed Developments; And (iii) Differences In Mean Water Level Between (i) And (ii).	7.127
7.84	Maximum Water Level For (i) Existing Condition; (ii) Proposed Condition (Phase 1); And (iii) Differences In Maximum Water Level Between (i) And (ii).	7.130
7.85	Maximum Water Level For (i) Existing Condition; (ii) Proposed Condition (Phase 2); And (iii) Differences In Maximum Water Level Between (i) And (ii).	7.131
7.86	Maximum Water Level For (i) Existing Condition; (ii) Proposed Condition (Phase 1) With Committed Developments; and (iii) Differences In Maximum Water Level Between (i) And (ii).	7.132
7.87	Maximum Water Level For (i) Existing Condition; (ii) Proposed Condition (Phase 2) With Committed Developments; and (iii) Differences In Maximum Water Level Between (i) And (ii).	7.133
7.88	Maximum Water Level For (i) Existing With Committed Developments (ii) Proposed Condition (Phase 1) With Committed Developments; and (iii) Differences In Maximum Water Level Between (i) And (ii).	7.134
7.89	Maximum Water Level For (i) Existing With Committed Developments; (ii) Proposed Condition (Phase 2) With Committed Developments; and (iii) Differences In Maximum Water Level Between (i) And (ii).	7.135
7.90	Mean Current Speed For (i) Existing Condition; (ii) Proposed Condition (Phase 1); And (iii) Differences In Mean Current Speed Between (i) And (ii).	7.137
7.91	Mean Current Speed For (i) Existing Condition; (ii) Proposed Condition (Phase 2); And (iii) Differences In Mean Current Speed Between (i) And (ii).	7.138





LIST OF FIGURES

FIGURES		PAGE
7.92	Mean Current Speed For (i) Existing Condition; (ii) Proposed Condition (Phase 1) With Committed Developments; And (iii) Differences In Mean Current Speed Between (i) And (ii).	7.139
7.93	Mean Current Speed For (i) Existing Condition; (ii) Proposed Condition (Phase 2) With Committed Developments; And (iii) Differences In Mean Current Speed Between (i) And (ii).	7.140
7.94	Mean Current Speed For (i) Existing With Committed Developments; (ii) Proposed Condition (Phase 1) With Committed Developments; And (iii) Differences In Mean Current Speed Between (i) And (ii).	7.141
7.95	Mean Current Speed For (i) Existing With Committed Developments; (ii) Proposed Condition (Phase 2) With Committed Developments; And (iii) Differences In Mean Current Speed Between (i) And (ii).	7.142
7.96	Maximum Current Speed For (i) Existing Condition; (ii) Proposed Condition (Phase 1); And (iii) Differences In Maximum Current Speed Between (i) And (ii).	7.145
7.97	Maximum Current Speed For (i) Existing Condition; (ii) Proposed Condition (Phase 2); And (iii) Differences In Maximum Current Speed Between (i) And (ii).	7.146
7.98	Maximum Current Speed For (i) Existing Condition; (ii) Proposed Condition (Phase 1) With Committed Developments; And (iii) Differences In Maximum Current Speed Between (i) And (ii).	7.147
7.99	Maximum Current Speed For (i) Existing Condition; (ii) Proposed Condition (Phase 2) With Committed Developments; And (iii) Differences In Maximum Current Speed Between (i) And (ii).	7.148
7.100	Maximum Current Speed For (i) Existing With Committed Developments; (ii) Proposed Condition (Phase 1) With Committed Developments; And (iii) Differences In Maximum Current Speed Between (i) And (ii).	7.149





LIST OF FIGURES


FIGURES		PAGE
7.101	Maximum Current Speed For (i) Existing With Committed Developments; (ii) Proposed Condition (Phase 2) With Committed Developments; And (iii) Differences In Maximum Current Speed Between (i) And (ii).	7.150
7.102	Significant Wave Height For Wind Of 5 m/s Speed From 225 Degree Direction For (i) Existing Condition; (ii) Proposed Condition (Phase 1); And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.152
7.103	Significant Wave Height For Wind Of 5 m/s Speed From 225 Degree Direction For (i) Existing Condition; (ii) Proposed Condition (Phase 2); And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.153
7.104	Significant Wave Height For Wind Of 5 m/s Speed From 225 Degree Direction For (i) Existing Condition; (ii) Proposed Condition (Phase 1) With Committed Developments; And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.154
7.105	Significant Wave Height For Wind Of 5 m/s Speed From 225 Degree Direction For (i) Existing Condition; (ii) Proposed Condition (Phase 2) With Committed Developments; And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.155
7.106	Significant Wave Height For Wind Of 5 m/s Speed From 225 Degree Direction For (i) Existing With Committed Developments; (ii) Proposed Condition (Phase 1) With Committed Developments; And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.156
7.107	Significant Wave Height For Wind Of 5 m/s Speed From 225 Degree Direction For (i) Existing With Committed Developments; (ii) Proposed Condition (Phase 2) With Committed Developments; And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.157





LIST OF FIGURES


FIGURES		PAGE
7.108	Significant Wave Height For Wind Of 7 m/s Speed From 315 Degree Direction For (i) Existing Condition; (ii) Proposed Condition (Phase 1); And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.160
7.109	Significant Wave Height For Wind Of 7 m/s Speed From 315 Degree Direction for (i) Existing Condition; (ii) Proposed Condition (Phase 2); And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.161
7.110	Significant Wave Height For Wind Of 7 m/s Speed From 315 Degree Direction For (i) Existing Condition; (ii) Proposed Condition (Phase 1) With Committed Developments; And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.162
7.111	Significant Wave Height For Wind Of 7 m/s Speed From 315 Degree Direction For (i) Existing Condition; (ii) Proposed Condition (Phase 2) With Committed Developments; And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.163
7.112	Significant Wave Height For Wind Of 7 m/s Speed From 315 Degree Direction For (i) Existing With Committed Developments; (ii) Proposed Condition (Phase 1) With Committed Developments; And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.164
7.113	Significant Wave Height For Wind Of 7 m/s Speed From 315 Degree Direction For (i) Existing With Committed Developments; (ii) Proposed Condition (Phase 2) With Committed Developments; And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.165
7.114	Significant Wave Height For Wind Of 9 m/s Speed From 67.5 Degree Direction For (i) Existing Condition; (ii) Proposed Condition (Phase 1); And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.167





LIST OF FIGURES


FIGURES		PAGE
7.115	Significant Wave Height For Wind Of 9 m/s Speed From 67.5 Degree Direction For (i) Existing Condition; (ii) Proposed Condition (Phase 2); And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.168
7.116	Significant Wave Height For Wind Of 9 m/s Speed From 67.5 Degree Direction For (i) Existing Condition; (ii) Proposed Condition (Phase 1) With Committed Developments; And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.169
7.117	Significant Wave Height For Wind Of 9 m/s Speed From 67.5 Degree Direction For (i) Existing Condition; (ii) Proposed Condition (Phase 2) With Committed Developments; And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.170
7.118	Significant Wave Height For Wind Of 9 m/s Speed From 67.5 Degree Direction For (i) Existing With Committed Developments; (ii) Proposed Condition (Phase 1) With Committed Developments; And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.171
7.119	Significant Wave Height For Wind Of 9 m/s Speed From 67.5 Degree Direction For (i) Existing With Committed Developments; (ii) Proposed Condition (Phase 2) With Committed Developments; And (iii) Differences In Significant Wave Height Between (i) And (ii).	7.172
7.120	Mean Sediment Transport For (i) Existing Condition; (ii) Proposed Condition (Phase 1); And (iii) Differences In Mean Sediment Transport Between (i) And (ii).	7.173
7.121	Mean Sediment Transport Tor (i) Existing Condition; (ii) Proposed Condition (Phase 2); And (iii) Differences In Mean Sediment Transport Between (i) And (ii).	7.174





LIST OF FIGURES


FIGURES		PAGE
7.122	Mean Sediment Transport For (i) Existing Condition; (ii) Proposed Condition (Phase 1) With Committed Developments; And (iii) Differences In Mean Sediment Transport Between (i) And (ii).	7.175
7.123	Mean Sediment Transport For (i) Existing Condition; (ii) Proposed Condition (Phase 2) With Committed Developments; And (iii) Differences In Mean Sediment Transport Between (i) And (ii).	7.176
7.124	Mean Sediment Transport For (i) Existing With Committed Developments; (ii) Proposed Condition (Phase 1) With Committed Developments; And (iii) Differences In Mean Sediment Transport Between (i) And (ii).	7.177
7.125	Mean Sediment Transport For (i) Existing With Committed Developments; (ii) Proposed Condition (Phase 2) With Committed Developments; And (iii) Differences In Mean Sediment Transport Between (i) And (ii).	7.178
7.126	Maximum Sediment Transport For (i) Existing Condition; (ii) Proposed Condition (Phase 1); And (iii) Differences In Maximum Sediment Transport Between (i) And (ii).	7.181
7.127	Maximum Sediment Transport For (i) Existing Condition; (ii) Proposed Condition (Phase 2); And (iii) Differences In Maximum Sediment Transport Between (i) And (ii).	7.182
7.128	Maximum Sediment Transport For (i) Existing Condition; (ii) Proposed Condition (Phase 1) With Committed Developments; And (iii) Differences In Maximum Sediment Transport Between (i) And (ii).	7.183
7.129	Maximum Sediment Transport For (i) Existing Condition; (ii) Proposed Condition (Phase 2) With Committed Developments; And (iii) Differences In Maximum Sediment Transport Between (i) And (ii).	7.184
7.130	Maximum Sediment Transport For (i) Existing With Committed Developments; (ii) Proposed Condition (Phase 1) With Committed Developments; And (iii) Differences In Maximum Sediment Transport Between (i) And (ii).	7.185





LIST OF FIGURES


FIGURES		PAGE
7.131	Maximum Sediment Transport For (i) Existing With Committed Developments; (ii) Proposed Condition (Phase 2) With Committed Developments; And (iii) Differences In Maximum Sediment Transport Between (i) And (ii).	7.186
7.132	Predicted Seabed Elevation Contours For Each Modelled Scenarios For 1-Yr, 2-Yr, 5-Yr And 10-Yr	7.191
7.133	Mean And Maximum Sediment Plume Dispersion For Phase 1 Reclamation (Pure Tide Condition) Without Silt Curtain (Overall, Morning & Night Times)	7.194
7.134	Mean And Maximum Sediment Plume Dispersion For Phase 1 Reclamation (Northeast Monsoon) Without Silt Curtain (Overall, Morning & Night Times)	7.195
7.135	Mean And Maximum Sediment Plume Dispersion For Phase 1 Reclamation (Southwest Monsoon) Without Silt Curtain (Overall, Morning & Night Times)	7.196
7.136	Mean And Maximum Sediment Plume Dispersion For Phase 2 Reclamation (Pure Tide condition) Without Silt Curtain (Overall, Morning & Night Times)	7.197
7.137	Mean And Maximum Sediment Plume Dispersion For Phase 2 Reclamation (Northeast Monsoon) Without Silt Curtain (Overall, Morning & Night Times)	7.198
7.138	Mean And Maximum Sediment Plume Dispersion For Phase 2 Reclamation (Southwest Monsoon) Without Silt Curtain (Overall, Morning & Night Times)	7.199
7.139	Mean And Maximum Sediment Plume Dispersion For Phase 1 Reclamation (Pure Tide Condition) With Silt Curtain Installed (Overall, Morning & Night Times)	7.201
7.140	Mean And Maximum Sediment Plume Dispersion For Phase 1 Reclamation (Northeast Monsoon) With Silt Curtain Installed (Overall, Morning & Night Times)	7.202
7.141	Mean And Maximum Sediment Plume Dispersion For Phase 1 Reclamation (Southwest Monsoon) With Silt Curtain Installed (Overall, Morning & Night Times)	7.203
7.142	Mean And Maximum Sediment Plume Dispersion For Phase 2 Reclamation (Pure Tide condition) With Silt Curtain Installed (Overall, Morning & Night Times)	7.204





LIST OF FIGURES


FIGURES		PAGE
7.143	Mean And Maximum Sediment Plume Dispersion For Phase 2 Reclamation (Northeast Monsoon) With Silt Curtain Installed (Overall, Morning & Night Times)	7.205
7.144	Mean And Maximum Sediment Plume Dispersion For Phase 2 Reclamation (Southwest Monsoon) With Silt Curtain Installed (Overall, Morning & Night Times)	7.206
7.145	Exceedance Probability For Excess Suspended Sediment Concentration (SCC) Of 5mg/L, 10 mg/L, 25 mg/L And 50 mg/L For Phase 1 Reclamation Work During Pure Tide Condition Without Silt Curtain.	7.208
7.146	Exceedance Probability For Excess Suspended Sediment Concentration (SCC) Of 5mg/L, 10 mg/L, 25 mg/L And 50 mg/L For Phase 1 Reclamation Work During Northeast Monsoon Without Silt Curtain.	7.209
7.147	Exceedance Probability For Excess Suspended Sediment Concentration (SCC) Of 5mg/L, 10 mg/L, 25 mg/L And 50 mg/L For Phase 1 Reclamation Work During Southwest Monsoon Without Silt Curtain.	7.210
7.148	Exceedance Probability For Excess Suspended Sediment Concentration (SCC) Of 5mg/L, 10 mg/L, 25 mg/L And 50 mg/L For Phase 2 Reclamation Work During Pure Tide Condition Without Silt Curtain.	7.211
7.149	Exceedance Probability For Excess Suspended Sediment Concentration (SCC) Of 5mg/L, 10 mg/L, 25 mg/L And 50 mg/L For Phase 2 Reclamation Work During Northeast Monsoon Without Silt Curtain.	7.212
7.150	Exceedance Probability For Excess Suspended Sediment Concentration (SCC) Of 5mg/L, 10 mg/L, 25 mg/L And 50 mg/L For Phase 2 Reclamation Work During Southwest Monsoon Without Silt Curtain.	7.213
7.151	Exceedance Probability For Excess Suspended Sediment Concentration (SCC) Of 5mg/L, 10 mg/L, 25 mg/L And 50 mg/L For Phase 1 Reclamation Work During Pure Tide Condition With Silt Curtain.	7.215
7.152	Exceedance Probability For Excess Suspended Sediment Concentration (SCC) Of 5mg/L, 10 mg/L, 25 mg/L And 50 mg/L For Phase 1 Reclamation Work During Northeast Monsoon With Silt Curtain.	7.216





LIST OF FIGURES

FIGURES		PAGE
7.153	Exceedance Probability For Excess Suspended Sediment Concentration (SCC) Of 5mg/L, 10 mg/L, 25 mg/L And 50 mg/L For Phase 1 Reclamation Work During Southwest Monsoon With Silt Curtain.	7.217
7.154	Exceedance Probability For Excess Suspended Sediment Concentration (SCC) Of 5mg/L, 10 mg/L, 25 mg/L And 50 mg/L For Phase 2 Reclamation Work During Pure Tide Condition With Silt Curtain.	7.218
7.155	Exceedance Probability For Excess Suspended Sediment Concentration (SCC) Of 5mg/L, 10 mg/L, 25 mg/L And 50 mg/L For Phase 2 Reclamation Work During Northeast Monsoon With Silt Curtain.	7.219
7.156	Exceedance Probability For Excess Suspended Sediment Concentration (SCC) Of 5mg/L, 10 mg/L, 25 mg/L And 50 mg/L For Phase 2 Reclamation Work During Southwest Monsoon With Silt Curtain.	7.220
7.157	Overall Siltation Rate From Sediment Plume Dispersion During Phase 1 Reclamation Work After 190 Days	7.222
7.158	Overall Siltation Rate From Sediment Plume Dispersion During Phase 2 Reclamation Work After 320 Days	7.223
7.159	Land Phase Of The Water Cycle	7.235
7.160	Single Vehicle Noise Output As A Function Of Speed	7.239
7.161	Sound Pressure Level	7.239
7.162	Location Of Nearest Receptors	7.242
8.1	Cross Section Layout	8.3
8.2	Cross Section A-A	8.4
8.3	Cross Section B-B	8.5
8.4	Seismic Hazard Map By US Geological Survey (USGS)	8.8
8.5	Passive Gas Collection System	8.10
8.6	Typical Excavation And Passive Gas Collection System And Installation Sequence	8.11
8.7	Example Of Dust Collector Diagram	8.16
8.8	Labels To Be used For Scheduled Wastes	8.17
8.9	Accident Notification and Reporting Flowchart	8.19
8.10	Erosion And Sediment Control Plan	8.22





LIST OF FIGURES


FIGURES		PAGE
8.11	Proposed Hoarding Details	8.24
8.12	Proposed Silt Curtain Details	8.25
8.13	Typical Details Of Temporary Revertment	8.26
8.14	Proposed Silt Fence, Wash Trough And Temporary Earth Drain Details	8.28
8.15	Extend Of Siltation with 500m of Proposed Project Site	8.33
8.16	Passage Plan From Sand Source Area To Reclamation Site	8.34
8.17	Flow Chart of Complaint Management by Project Operators	8.38
8.18	Examples of Surface Damping and Wetting During Construction	8.54
8.19	Hoarding	8.55
8.20	Labels for Scheduled Wastes	8.60
8.21	Sewerage Reticulation Plan	8.64
9.1	Proposed Structure For Environmental Performance And Monitoring Committee	9.3
9.2	Loation Of Silt Curtains	9.6
9.3	Location Of TSS Sampling Stations In Marine Waters	9.7
9.4	Proposed Location Of Impact Monitoring Stations For Air, Noise, Drain Water And Landfill Gas	9.8
9.5	Marine Water Quality Sampling Stations	9.10
9.6	Area Involved With Shoreline Monitoring	9.11
9.7	Process Flowchart For Fires At Site	9.19
9.8	Process Flowchart For High Sediment Release	9.20
9.9	Process Flowchart For Incidents At Site	9.21
9.10	Accident Notification and Reporting Flowchart	9.22





LIST OF TABLES

TABLES		PAGE
1.1	EIA Study Team Member	1.4
1.2	List Of Other Consultant Involved In Proposed Project	1.5
1.3	Report Structure	1.8
3.1	Core Thrusts In RSNPP 2030	3.3
3.2	Population Distribution In Pulau Pinang According To District ('000) Year 2012-2014 And Population Projected Per Year 2020 And 2030	3.3
4.1	Acreage Of The Proposed Options	4.7
5.1	Details Of Land Involved With Proposed Project	5.1
5.2	Development Data For Proposed Project	5.4
5.3	Estimated Population For Proposed Project	5.6
5.4	Estimated Utility Demands	5.9
5.5	Water Demands Calculation	5.9
5.6	Trip Generation	5.13
5.7	Proposed Work Programme And Implementation For The Rehabilitation And Reclamation	5.17
5.8	List Of Project Activities Related To Proposed Project	5.16
5.9	Estimated Volume Of Wastes	5.22
5.10	Performance Criteria Of Recycling Machines	5.23
5.11	Estimated Quantity Of Reusable Material And Anticipated Rehabilitation Time Frame	5.24
5.12	Crusher Equipment Specification	5.26
5.13	Separation Equipment Specification	5.27
5.14	List of Other Equipment	5.27
5.15	Quantity Of Sand Required For Land Reclamation Area	5.36
6.1	Summary Of Borehole At Landfill Site	6.11
6.2	Summary of Borehole At Proposed Reclamation Site	6.11
6.3	Summary Of Piezocone	6.12
6.4	Bulk Unit Weight	6.17
6.5	Electrical Resistivity Survey Alignment Point	6.27
6.6	Water Level Monitoring Data	6.34
6.7	Tide Level At Kedah Pier	6.38
6.8	Tidal Chart	6.38
6.9	Offshore Wind Speed Annual Distribution For Data Covering The Period From Year 1992 To 2013	6.42
6.10	Offshore Wave Height Annual Distribution For Data Covering The Period From Year 1992 To 2013	6.45
6.11	Detail Localities Of ADCP 1 And ADCP 2	6.45
6.12	Summary Of Water Level Measured At ADCP 1 And ADCP 2	6.49





LIST OF TABLES


TABLES		PAGE
6.13	Summary Of Currents Measured At ADCP 1 And ADCP 2	6.49
6.14	Tide Level At Kedah Pier, Pulau Pinang Standard Port	6.51
6.15	Highest Landing According To Marine Species From 2019 To 2022	6.57
6.16	List Of Fishes During The Survey	6.60
6.17	Length-Weight Relationship Of 4 Species Of Fish From Jelutong Fish Landing	6.64
6.18	Aquaculture Data, 2018	6.66
6.19	Number of Turtle Landing Recorded in Penang, 2001-2017	6.67
6.20	5 Km Radius Land Use	6.71
6.21	Population Distribution In Pulau Pinang According To District ('000) Year 2012-2014 And Population Projected Per Year 2020 And 2030	6.80
6.22	Human Resource Contribution In Penang According To Sector From 2012 To 2025	6.81
6.23	Number Of Housing And Commercial Respondents	6.82
6.24	Number Of Fishermen Respondents	6.85
6.25	Number Of Visitor Respondents	6.86
6.26	Summary Of Sample Size	6.86
6.27	Summary Of Acceptance The Proposed Development According To ZOI	6.91
6.28	Details Of Public Engagement Sessions	6.92
6.29	Issues Discussed During Public Engagement Sessions	6.92
6.30	Summary Of Expected Positive And Negative Impact Findings	6.93
6.31	Passage Plan For Sand Carriers To Reclamation Site	6.97
6.32	Number Of Licensed Fishing Boats At Hilir Perak	6.98
6.33	Number Of Licensed Fishing Boats At Timur Laut, Penang	6.98
6.34	Number Of Licensed Fishing Boats At Barat Daya, Penang	6.98
6.35	Number Of Ship Calls By Types Of Ship In 2022	6.99
6.36	Description Of Baseline Environmental Quality Sampling Stations	6.103
6.37	Drain Water Quality Data	6.105
6.38	Air Quality Data	6.107
6.39	Noise Levels	6.108
6.40	Marine Water Quality Data	6.110
6.41	Summary Of MMWQI	6.113
6.42	Marine Water Quality Classifications, Based On MMWQI	6.114





LIST OF TABLES

TABLES		PAGE
6.43	Baseline Sampling Stations At Jelutong Landfill Site	6.114
6.44	Soil Quality Data	6.116
6.45	Groundwater Quality Data	6.118
6.46	Groundwater Categories Based On Groundwater Quality Index IKAT Score	6.126
6.47	Input Parameters And Calculation Results Of IKAT For The Dumpsire Groundwater	6.126
6.48	Landfill Gas Data	6.127
6.49	Description Of Coastal Environmental Quality Sampling Stations	6.130
6.50	Coordinates Of Water Sampling Locations And Results Of TSS Analysis From S1 To S13	6.132
6.51	Laboratory Results Of The Seabed Sediment At G1 To G12	6.133
7.1	Summary Of Impact Assessment	7.5
7.2	Peak Annual Amount And Emission Rate	7.14
7.3	Sensitive And Discrete Receptors	7.17
7.4	Emission Rates	7.19
7.5	Predicted CH ₄ Concentration	7.22
7.6	Predicted NMOC Concentration	7.27
7.7	Predicted Hydrogen Sulphide Concentration	7.27
7.8	Predicted Benzene Concentration	7.32
7.9	Predicted Toluene Concentration	7.39
7.10	Comparison Between Measured And Simulated Groundwater Levels	7.44
7.11	Estimation Of Contaminant Concentration Percentage	7.45
7.12	Groundwater Budget	7.45
7.13	Catchment Area For Demarcated Jelutong Site	7.66
7.14	Discharge Flow For Each Studied Rainfall Duration	7.66
7.15	List Of Modelled Parameters	7.68
7.16	Dispersed Values from Existing Jelutong Dumpsite for Aluminium, Arsenic (III), Boron and Iron at nearby identified ESRs	7.101
7.17	Dispersed Values from Existing Jelutong Dumpsite for Lead, Manganese, Potassium and Selenium at nearby identified ESRs	7.101
7.18	Dispersed Values from Existing Jelutong Dumpsite for Vanadium, Zinc, Total Dissolved Solids (TDS) and Total Suspended Solids (TSS) at nearby identified ESRs	7.101





LIST OF TABLES

TABLES		PAGE
7.19	Dispersed Values from Existing Jelutong Dumpsite for BOD, Oil & Grease, Ammonia and COD at nearby identified ESRs	7.101
7.20	Dispersed Values from Jelutong Rehabilitated Site for Aluminium, Arsenic (III), Boron and Iron at nearby identified ESRs	7.102
7.21	Dispersed Values from Jelutong Rehabilitated Site for Lead, Manganese, Potassium and Selenium at nearby identified ESRs	7.102
7.22	Dispersed Values from Jelutong Rehabilitated Site for Vanadium, Zinc, Total Dissolved Solids (TDS) and Total Suspended Solids (TSS) at nearby identified ESRs	7.102
7.23	Dispersed Values from Jelutong Rehabilitated Site for BOD, Oil & Grease, Ammonia and COD at nearby identified ESRs	7.102
7.24	Unsuitable Material Generated From Recycling Process	7.104
7.25	Summary Of Hazards Identified For Each Unit Process	7.108
7.26	Inventory Of Unsuitable Material Stored On Site	7.109
7.27	Levels Of Consequence	7.110
7.28	Levels Of Likelihood	7.110
7.29	Summary Of Risk Ranking For Individual Process	7.111
7.30	Summary Of Risk For Worse Case Scenario	7.111
7.31	Frequency (F)	7.112
7.32	Likelihood (L)	7.112
7.33	Consequence Intensivity (I)	7.112
7.34	Consequence Extensivity (Persons)(EP)	7.112
7.35	Consequence Extensivity (Area)(EA)	7.112
7.36	Risk Reference Table For Proposed Project	7.113
7.37	Mitigation Measures To Manage Risks Due To Transportation, Storage And Handling Of Excavated Wastes	7.113
7.38	Potential Environmental Impacts Of Reclamation Activities	7.115
7.39	Statistics Of Maximum Water Level Comparing Between The Existing And During Construction Scenarios For Various 100-year ARI Storm Durations	7.116
7.40	Statistics Of Maximum Water Level Comparing Between The Existing And During Construction Scenarios For Various 100-year ARI Storm Durations	7.118





LIST OF TABLES


TABLES		PAGE
7.41	List Of ESR Points	7.121
7.42	Mean And Maximum Water Level (m) At Identified ESRs For Each Scenario And Their Differences	7.129
7.43	Mean And Maximum Water Level (m) At Identified ESRs For Each Scenario And Their Differences	7.143
7.44	Differences In Significant Wave Heights Between The Scenarios	7.158
7.45	Mean And Maximum Sediment Transport Rate (m ³ /s/m) At Identified ESRs For Each Scenario And Their Differences.	7.180
7.46	Impact On Sedimentation/Erosion Rate	7.187
7.47	Summary Of Impacts From The Proposed Project Compared To Baseline Condition	7.189
7.48	Modeling Scenario	7.189
7.49	Impact Severity Matrix For Suspended Sediment Impact On Seagrass	7.224
7.50	Impact Severity Matrix For Sedimentation Impact On Seagrass	7.224
7.51	Initial Risk Score For Marine Risk	7.225
7.52	Residual Risk Score	7.226
7.53	Potential Impact Of Suspended Solids On Fisheries (EIFAC, 1964)	7.228
7.54	Effects Of Suspended Sediment Levels By Species	7.229
7.55	Summary Of Significance Impact During Construction Stage	7.231
7.56	RUSLE Annual Soil Loss	7.233
7.57	Soil Loss Tolerance Rates from Erosion Risk Map Of Malaysia	7.234
7.58	Pollutant Removal Efficiency Of Retention Basins	7.234
7.59	In-Stream Water Quality Processes	7.235
7.60	MUSLE Sediment Yield per Design Storm Event	7.236
7.61	Influent Values For Sewage	7.237
7.62	Noise Levels From Construction Equipment	7.240
7.63	WHO Recommended Noise Exposure Limits	7.241
7.64	Noise Prediction At Mutiara Idaman 1	7.243
7.65	Noise Prediction At Project Site	7.244
7.66	Noise Prediction At Summer Place	7.245
7.67	Summary of Noise Levels Without Control	7.246
7.68	Noise Reduction Estimation	7.246
7.69	Summary Of Noise Levels With Control	7.247





LIST OF TABLES


TABLES		PAGE
7.70	Mean EMC Values For selected Landuses	7.249
7.71	Waste Composition According To Category	7.250
7.72	Summary Of Potential Impacts	7.251
7.73	Environmental Pressures And Impact Categories	7.254
8.1	Settlement Analysis Summary (Reclamation)	8.6
8.2	Factors Of safety	8.6
8.3	Stability Analysis Summary (Reclamation)	8.7
8.4	Stability Analysis Summary For Landfill Site	8.9
8.5	Removal Efficiency Of Physicochemical Treatment Methods	8.13
8.6	Removal Efficiency Of Physicochemical Treatment Methods	8.14
8.7	Proposed Construction Sequence	8.21
8.8	Specification Of Silt Curtain	8.23
8.9	Passage Plan For Sand Carriers To Reclamation Site	8.36
8.10	Social Impact Management Plan	8.39
8.11	Proposed Site BMP	8.51
8.12	Frequency And Schedule Of Maintenance (Housekeeping)	8.53
8.13	Mitigation Measures To Control Noise From Machinery and Equipment	8.56
8.14	Waste Management Plan	8.59
8.15	Summary Of Potential Impacts And Recommended Pollution Prevention And Mitigating Measures	8.65
8.16	Abandonment Plan	8.88
9.1	Main Elements In An EMP	9.2
9.2	Roles and Responsibility of Project Proponent	9.3
9.3	Responsibilities Of Environmental Officer	9.4
9.4	Proposed Performance Monitoring During Rehabilitation And Reclamation Works	9.5
9.5	Proposed Compliance Monitoring During Rehabilitation And Reclamation Works	9.5
9.6	Proposed Impact Monitoring During Rehabilitation And Reclamation Works	9.9
9.7	Proposed Performance Monitoring Program During Construction On New Landmass	9.13
9.8	Proposed Performance Monitoring Program For LD-P2M2	9.14





LIST OF TABLES

TABLES		PAGE
9.9	Proposed Compliance Monitoring Program During Construction On New Landmass	9.15
9.10	Proposed Impact Monitoring Program During Construction On New Landmass	9.16
9.11	Management Of Surface Water Quality At Operation Stage	9.17
9.12	Summary Of Reporting Requirements Normally Imposed By DOE	9.17





LIST OF APPENDICES

DOCUMENT	REFERENCE
APPENDIX A	
SUPPORTING DOCUMENTS	
Supporting Letters	A-001
Project Proponent Company's ROC Registration	A-002
Joint Development Agreement	A-003
APPENDIX B	
SUPPORTING DOCUMENTS AND PLANS	
Master Zoning Layout Plan	B-001
Road And Drainage Plan	B-002
Traffic Master Plan Study	B-003
Sewerage Planning Report	B-004
Rehabilitation And Reclamation Layout Plan, Implementation Schedule And Photographs Of Recycling Machine	B-005
Extract Of Technical Report Jelutong Dumpsite Penang Preliminary Investigation & Conceptual Closure Options Appraisal	B-006
Topography And Bathymetry Survey Plan	B-007
Geotechnical Design Report	B-008
Subsurface Investigation Works And Soil Investigation Report	B-009
Sub Surface Characterization Using Electrical Resistivity Method	B-010
APPENDIX C	
SUPPORTING DATA	
Meteorology Data	C-001
Supporting Plans	C-002
Analytical Results	C-003
APPENDIX D	
SUPPORTING TECHNICAL DOCUMENTS AND PLANS	
LD-P2M2 And ESCP	D-001

