Deriving the Gravitational Constant from Spacetime Topology
The Dual Tetrahedral Field Chambers

Stephen Nelson[1,*]

[1] *Independent Researcher*

ORCID: 0009-0008-6190-3269[†]

(Dated: February 2026)

Abstract

Why does the gravitational constant take its particular value? Newton introduced G in 1687; Cavendish first measured it in 1798. For over three centuries, no theory has calculated this constant from first principles. This paper provides a topological derivation with zero adjustable parameters.

The derivation rests on a structural requirement that has been present in established physics for over 50 years, though its geometric implications have not been widely recognized. Four independent results from gravitational theory all require the same configuration: two tetrahedra with opposite orientations. Spinor theory demands the SL(2,C) double cover (Weinberg 1995; Geroch 1968). Gravity's chiral decomposition requires both A^+ and A^- connections (Ashtekar 1986). Ghost-free bimetric gravity requires two metrics (Hassan-Rosen 2012). Stability analysis shows single-tetrahedral gravity is unstable (Alexander et al. 2014). These results span 50 years of research with over 2,300 combined citations. What has not been recognized is that they all point to the same geometric structure.

The unique realization satisfying all constraints is the stellated octahedron (Coxeter 1973): two tetrahedra sharing a central octahedral core where the symmetric vielbein condition is satisfied (Deffayet et al. 2013). From this topology, we derive the gravitational constant:

$$G = \frac{(3+1)^2+1}{3(3+1)+1} \times \alpha^{1+(3+1)+(3+1)^2} \times \frac{\hbar c}{m_e^2}$$

Spacetime is 3+1 dimensional. All topological factors are the (3+1) recursion. The formula predicts $G = 6.67 \times 10^{-11}$ m^3/(kg·s^2), matching the measured value to 0.12%.

The same structure yields a second result: electron spin. The stellated octahedron has 8 coupling faces, 2 pointing inward (TIME) and 6 pointing outward (SPATIAL). The ratio $2/8 = 1/4$, multiplied by total angular momentum $2\hbar$, gives $S = \hbar/2$ exactly.

The hierarchy problem, why gravity is $\sim 10^{43}$ times weaker than electromagnetism, becomes a consequence of the (3+1) coupling structure.

The dual tetrahedral requirement is established in the literature. This paper's contributions are: identifying the stellated octahedron as the unique realization, deriving electron spin from the face structure, and deriving the gravitational constant from the polyhedral combinatorics.

PACS numbers: 04.60.-m, 04.50.Kd, 04.20.Cv, 06.20.Jr

* Contact author: stephen@fielddynamics.org

† Corresponding author

I. INTRODUCTION

Why does the gravitational constant have the value it does? Newton introduced G in 1687; for over three centuries, no theory has derived this constant from first principles. This paper provides a topological derivation: the gravitational constant emerges from the geometry of how gravitational fields must be structured.

The key insight is that this geometry has been present in established physics for over 50 years. Four independent results from gravitational theory, each developed to address different problems, all require the same structural configuration: two tetrahedra with opposite orientations. The requirement appears in Weinberg's textbook treatment of spinors, in Ashtekar's chiral reformulation of gravity, in the Hassan-Rosen proof of ghost-free bimetric theory, and in stability analyses of chiral gravity. What has not been widely recognized is that these results all point to the same geometric structure. This paper identifies the convergence and extracts its consequences.

The preceding papers in this series established the foundation. Paper IV demonstrated that gravitational field closure requires exactly four coupling channels ($k = 4$), with three independent methods converging on this value: ADM constraints, tetrad formalism, and LIGO polarization measurements [1]. Paper V showed that four coupling channels arranged on a spherical surface produce a tetrahedral topology [2]. This structure appears throughout the literature under different names: the "quantum tetrahedron" in Loop Quantum Gravity [3], the "3-simplex" in Regge calculus [4], and the "tetrad" in tetrad gravity. We term it the Field Chamber.

This paper addresses the next question: **Is one tetrahedron sufficient?**

The answer is no. Four independent arguments from established physics (stability, spinor double cover, chirality, and bimetric theory) all require the gravitational field to have *two* tetrahedra with opposite orientations. The arrangement satisfying all constraints is unique: the stellated octahedron (Coxeter, 1973) [5]. This identification follows from the requirements; it is not a choice.

A. The Single Field Chamber Problem

Paper V established that one Field Chamber equals one tetrahedron equals one complete coupling unit. The Field Chamber has $k = 4$ Coupling Ports (faces) through which Settlement occurs. However, a single Field Chamber presents an inherent structural limitation: it has a preferred direction.

Unlike a sphere (the Field Envelope), a tetrahedron lacks full rotational symmetry. One vertex, the apex, is farthest from the opposing face, creating an inherent asymmetry. This built-in directionality violates isotropy: physics should appear the same in all directions, but a structure with a preferred direction distinguishes one direction from others.

The Isotropy Problem. Isotropy requires that physics appear the same in all directions. A Field Chamber (tetrahedron) has an apex that defines a preferred direction. This direction is physically distinguished from others, violating isotropy. How can Field Closure maintain isotropy if the Field Chamber is inherently asymmetric?

The difficulty extends beyond topological asymmetry. Single-metric theories of gravity yield 6 degrees of freedom (DOF), the independent ways the gravitational field can vary. Only 5 can be physical; the 6th is a *ghost*: a field with negative kinetic energy that renders the vacuum unstable, leading to spontaneous particle-antiparticle pair creation [6].

This ghost problem presented challenges for massive gravity research for over 70 years (1939–2010). Every attempt to give the graviton mass introduced the Boulware-Deser ghost [7]. The resolution came from Alexander, Marcianò, and Smolin (2014):

The Instability of Single-Orientation Gravity. "The parity symmetric phase yields... a scalar ghost. Because of the latter **this phase is unstable**." [8]

The terminology requires clarification. A **parity symmetric phase** is a configuration where space appears the same under mirror reflection; a single tetrahedron with one definite orientation exemplifies this. A **scalar ghost** is an extra degree of freedom with negative energy that destabilizes the vacuum, causing unbounded particle-antiparticle pair creation. **Unstable** indicates runaway behavior: any perturbation grows without limit.

A single tetrahedron (one Field Chamber) therefore produces a ghost instability. The theory cannot terminate at one tetrahedron; additional structure is required to eliminate the instability. Section III develops this stability argument in detail (Road 1).

The question becomes: what structure restores stability?

B. The Dual Field Chamber Solution

Four independent arguments from the literature converge on the same answer: *two tetrahedra*. Section III develops these four approaches in detail:

1. **Stability (Road 1):** A second tetrahedron with opposite orientation cancels the first's preferred direction [8]
2. **Double Cover (Road 2):** Spinor physics requires two distinct elements (SL(2,C) double cover of Lorentz group) [9, 10]
3. **Chirality (Road 3):** Full gravity requires both chiral halves ($A^+ \oplus A^-$) [11]
4. **Bimetric (Road 4):** Ghost-free massive gravity requires two metrics, hence two tetrahedra [7, 12]

Section III develops each road in detail, establishing that these four independent lines of reasoning converge on identical structural requirements. The key result is summarized here.

The second tetrahedron, oriented opposite to the first, restores isotropy. Together, the two Field Chambers have $2 \times 4 = 8$ Coupling Ports. The combined structure has 7 DOF: 2 for the massless graviton plus 5 for a massive graviton. The ghost is eliminated; stability is restored.

The Parity-Breaking Solution. "Parity breaking to a stable phase reorganizes these degrees of freedom as the massless graviton coupled to an SU(2) triplet of chirally coupled Yang-Mills fields." [8]

The transition from one tetrahedron (unstable, with ghost) to two tetrahedra (stable) reorganizes the mathematical structure. The **massless graviton** (2 degrees of freedom) remains, corresponding to standard general relativity. The additional structure organizes into an **SU(2) triplet**: three fields with the same mathematical symmetry as the weak nuclear force. These fields are **chirally coupled**, meaning they couple differently to left-handed and right-handed particles.

The two-tetrahedron structure therefore does more than eliminate the ghost; it naturally produces a connection between gravity and weak-force-like fields. The topology of Field Closure may provide insight into why the weak force exists.

The stellated octahedron is well known in classical geometry (Coxeter, 1973) [5]. The requirement for two tetrahedra is established by Weinberg, Geroch, Ashtekar, and Hassan-Rosen.

C. This Paper's Contributions

The requirement for dual tetrahedral structures is established by the sources above. This paper contributes three results:

1. Identifying the stellated octahedron as the unique topological realization of these requirements
2. Deriving electron spin $S = \hbar/2$ from the resulting face structure
3. Deriving the gravitational constant G from the polyhedral combinatorics

D. Paper Objective and Structure

This paper answers the question: **How must two tetrahedra be arranged for gravitational Field Closure?**

We identify the answer from established physics and geometry: the stellated octahedron, two tetrahedra in centrally symmetric arrangement with antipodal apexes. This is the *unique* structure satisfying all requirements. From this structure, we derive electron spin-1/2:

$$S = \frac{N_{\text{TIME}}}{N_{\text{total}}} \times L_{\text{orbit}} = \frac{2}{8} \times 2\hbar = \frac{\hbar}{2} \tag{1}$$

The paper proceeds as follows:

- **Section 2:** Theoretical foundations (the established physics)
- **Section 3:** Four roads to two tetrahedra (convergent evidence)
- **Section 4:** The stellated octahedron (the unique solution)

- **Section 5:** The central null point (derived, not assumed)
- **Section 6:** Face structure and angular momentum
- **Section 7:** Spin-1/2 derivation (the first result)
- **Section 8:** The gravitational constant from spacetime topology (the second result)
- **Section 9:** Discussion
- **Section 10:** Conclusion

Scope: This paper derives the gravitational constant from the static structure of the dual Field Chambers.

II. THEORETICAL FOUNDATIONS

This section establishes the theoretical basis for our derivation, drawing on results from gravitational physics spanning 50 years of research (1968–2014). We distinguish between what is established in the literature and what constitutes this paper's contribution.

A. The Spinor Structure Requirement

The mathematical foundation for fermions in curved spacetime is established in standard graduate textbooks. Weinberg's *The Quantum Theory of Fields* [9] (Vol. 1, Cambridge University Press, 2,200+ citations) devotes Chapter 2 to this topic, establishing that the SL(2,C) double cover is essential for describing fermions.

The connection to spacetime structure was proven by Geroch [10]: "Spinor structure of space-times in general relativity" (*J. Math. Phys.* 9, 1739; 611 citations). The theorem states that spinor structure exists if and only if spacetime admits a global tetrad field. This result is now taught in graduate courses on mathematical relativity.

B. The Chiral Decomposition of Gravity

Ashtekar's 1986 reformulation [11] ("New variables for classical and quantum gravity," *Phys. Rev. Lett.* 57, 2244; 1,055 citations) forms the foundation of Loop Quantum Gravity. The key result: gravity naturally decomposes into self-dual and anti-self-dual parts, $A^+ \oplus A^-$. Full gravity requires both chiralities.

C. Ghost-Free Bimetric Gravity

The ghost problem in massive gravity persisted for 70 years, from Fierz-Pauli (1939) until de Rham, Gabadadze, and Tolley [13] ("Resummation of massive gravity," *Phys. Rev. Lett.* 106, 231101; 1,360 citations) identified the ghost-free structure. Boulware and Deser [7] ("Can gravitation have a finite range?" *Phys. Rev. D* 6, 3368; 916 citations) had identified the fundamental obstruction.

The resolution came from Hassan and Rosen [12] ("Bimetric gravity from ghost-free massive gravity," *JHEP* 02, 126; 696 citations): ghost-free massive gravity requires two dynamical metrics. The symmetric vielbein condition for consistent interaction between two tetrads was established by Deffayet, Mourad, and Zahariade [15] ("A note on 'symmetric' vielbeins," *JHEP* 03, 086).

D. The Dual Tetrahedral Requirement

Alexander, Marcianò, and Smolin [8] ("Gravitational origin of the weak interaction's chirality," *Phys. Rev. D* 89, 065017; 50 citations) demonstrated that single-orientation gravity produces a scalar ghost, requiring two frame fields for stability.

The geometric foundation is provided by Coxeter's *Regular Polytopes* [5] (3rd ed., Dover), the definitive textbook on polytope geometry. Chapter 6 proves that the stellated octahedron is the unique compound of two tetrahedra, with their intersection forming a regular inner octahedron.

Summary. The four results above are established in the literature: spinor structure requires tetrads (Weinberg, Geroch); gravity decomposes chirally (Ashtekar); ghost-free gravity re-

quires two metrics (Hassan, Rosen); and single-orientation gravity is unstable (Alexander et al.). What remains is to show what these results imply. Section III demonstrates that all four, developed independently for different purposes over 50 years, converge on the same structural requirement: two tetrahedra with opposite orientations.

III. FOUR ROADS TO TWO TETRAHEDRA

Gravity has a topology. This statement may appear novel, but the topology has been encoded in established physics for over 50 years. Four independent results from gravitational theory, each developed to address a different problem, all arrive at the same structural requirement: two tetrahedra with opposite orientations. The requirement appears in Weinberg's textbook, in Ashtekar's foundational reformulation of gravity, in the Hassan-Rosen proof of ghost-free bimetric theory, and in stability analyses of chiral gravity. These results have accumulated over 2,300 citations. What has not been recognized is that they all point to the same geometric structure.

This section develops each argument in full. The convergence of four independent roads matters because the structural requirement does not depend on any single theoretical framework. Stability analysis, spinor mathematics, chiral field theory, and bimetric gravity emerge from different branches of physics. They address different problems. They were developed by different researchers over five decades. None references the others. Yet all four require the same topology: dual tetrahedra.

A. Road One: Stability (The Parity Argument)

Why would a single tetrahedron fail as a field structure? The answer lies in symmetry: a tetrahedron has a preferred direction, and this preference creates instability. To see why, we must examine how field flux distributes across the faces.

A tetrahedron has 4 faces. In the context of spacetime structure, one face differs from the others: the face opposite the apex. We designate this the *TIME face* and the remaining three as *SPATIAL faces*. (This naming is motivated in Section IV E and justified in Section V D; for now, the key point is that one face is structurally distinguished.)

Each face carries a field intensity (flux). Let Φ_{TIME} and Φ_{SPATIAL} denote these fluxes, with $\delta\phi = \Phi_{\text{TIME}} - \Phi_{\text{SPATIAL}}$ as their difference. Let $\hat{n}_{\text{TIME}}$ be the outward normal vector of the TIME face.

The Stability Calculation. For a single tetrahedron with face fluxes:

- Net flux vector: $\vec{F}_{\text{net}} = \sum_i \Phi_i \times \hat{n}_i$
- For a tetrahedron, face normals sum to zero: $\sum \hat{n}_i = 0$
- Therefore: $\vec{F}_{\text{net}} = (\Phi_{\text{TIME}} - \Phi_{\text{SPATIAL}}) \times \hat{n}_{\text{TIME}} = \delta\phi \times \hat{n}_{\text{TIME}}$
- Since $\delta\phi \neq 0$: $\vec{F}_{\text{net}} \neq 0$ (NOT EQUILIBRIUM)

The solution is to add a second tetrahedron with opposite orientation. The second tetrahedron has its TIME face pointing in the opposite direction: $\hat{n}^B_{\text{TIME}} = -\hat{n}^A_{\text{TIME}}$.

Single tetrahedron (UNSTABLE):

$$\vec{F}_{\text{net}} = \delta\phi \times \hat{n}_{\text{TIME}} \neq 0 \tag{2}$$

Two tetrahedra (STABLE):

$$\vec{F}_{\text{total}} = \delta\phi \cdot \hat{n}_A + \delta\phi \cdot \hat{n}_B = \delta\phi \cdot (\hat{n}_A + \hat{n}_B) = 0 \tag{3}$$

since $\hat{n}_B = -\hat{n}_A$ gives $\hat{n}_A + \hat{n}_B = 0$.

Equilibrium is restored. The two opposite orientations cancel, eliminating the ghost and stabilizing the structure. Road 1 establishes that stability requires two tetrahedra with opposite orientations.

B. Road Two: The Double Cover (Spinor Requirement)

Road 1 approached the problem from stability. Road 2 approaches it from a different direction: the existence of electrons. Whatever structure we propose for the gravitational field must be capable of supporting electrons and other fermions. This requirement is not optional; it is an observational constraint. The question is: what mathematical structure does the existence of fermions demand?

The answer has been known since the 1960s and is standard textbook material. Weinberg's *The Quantum Theory of Fields* (1995) [9], one of the most cited physics textbooks with over 2,200 citations, devotes Chapter 2 to this topic. The necessary mathematical background involves three key concepts:

- **SO(1,3):** The Lorentz group, comprising all rotations and velocity boosts in 4D spacetime
- **SL(2,C):** The group of 2×2 complex matrices with determinant 1
- **Double cover:** SL(2,C) "covers" SO(1,3) twice; for every Lorentz transformation g, there are TWO corresponding SL(2,C) elements ($\pm s$)

Established physics: Spinors (like electrons) transform under SL(2,C), not SO(1,3). This means a spinor requires 720° rotation, not 360°, to return to its original state [9, 10].

The Spinor Structure Theorem (Foundational Result). "A necessary and sufficient condition for a non-compact spacetime to admit a spinor structure is that it possesses a global field of orthonormal tetrads." [10]

The theorem has three key components:

- **Spinor structure:** The mathematical machinery needed to describe particles like electrons. Without spinor structure, quantum mechanics cannot be formulated on that spacetime.
- **Orthonormal tetrads:** Four perpendicular basis vectors at each point in space. Paper V showed these correspond to $k = 4$ coupling channels, which produce a tetrahedral Field Chamber.
- **Necessary and sufficient:** This is the strongest possible statement. Tetrads are not merely helpful for spinors; they are required.

The connection to two tetrahedra follows from the double-cover structure. For every rotation $g \in \mathrm{SO}(1,3)$, there exist *two distinct* elements $\pm s \in \mathrm{SL}(2,C)$. These differ by a sign. They are genuinely different, not the same element counted twice.

Structural translation: Define a "closure" as one complete field cycle through a tetrahedron. Then:

- One tetrahedron traversed twice gives *identical* closures (same field configuration repeated)
- Two *different* tetrahedra give two *distinct* closures (genuinely different configurations)

The double cover requires two distinct structures, not one structure traversed twice. Road 2 establishes that spinor physics demands two tetrahedra.

C. Road Three: Chirality (Ashtekar Decomposition)

Road 1 showed that a single tetrahedron is unstable. Road 2 showed that spinors require a double cover. Road 3 approaches the question from yet another angle: What does the internal mathematical structure of gravity reveal?

The answer comes from Ashtekar's 1986 reformulation of general relativity, published in *Physical Review Letters* with over 1,055 citations [11]. This foundational paper, which forms the basis of Loop Quantum Gravity and is taught in graduate courses on canonical quantum gravity, revealed something fundamental: gravity naturally decomposes into two halves.

Instead of describing gravity using the metric (distances and angles), Ashtekar used connection variables (how vectors change as you move through space). This reformulation exposed a structure that the metric formulation obscures. The key terms are:

- **Chirality:** Handedness. Your left and right hands are mirror images of each other but cannot be superimposed. Objects with this property are "chiral."
- **Self-dual (A^+):** The right-handed half of the gravitational connection
- **Anti-self-dual (A^-):** The left-handed half of the gravitational connection
- $\oplus$ **(direct sum):** Means "combined from both parts"

The gravitational connection naturally splits into two pieces:

$$A = A^+ \oplus A^- \tag{4}$$

This is not a choice or a mathematical convenience. The decomposition is forced by the structure of spacetime itself. Jacobson and Smolin [14] explored what happens if you attempt to use only one half: you can write down a consistent theory using only the left-handed connection A^-, but this "chiral gravity" describes only half of the physics. To describe the full gravitational field, you need both A^+ and A^-.

Why does this require two tetrahedra? A tetrahedron has an orientation, analogous to a screw that can be left-handed or right-handed. One tetrahedron can represent one chirality. To represent both chiralities, two tetrahedra with opposite orientations are required.

Structural translation:

- Tetrahedron A (one orientation) $\leftrightarrow$ one chirality (A^+)
- Tetrahedron B (opposite orientation) $\leftrightarrow$ opposite chirality (A^-)
- The stellated octahedron naturally realizes both chiralities

Road 3 establishes that the chiral decomposition of gravity requires both chiralities. Structurally, this means two tetrahedra with opposite orientations.

D. Road Four: Bimetric Theory (Ghost Elimination)

Roads 1–3 approached the two-tetrahedra requirement from stability, spinor mathematics, and chiral decomposition. Road 4 arrives from a completely different direction: the problem of giving mass to the graviton.

The 70-year problem: In 1939, Fierz and Pauli attempted to give the graviton a mass. The theory immediately developed a fundamental inconsistency: an extra degree of freedom with negative energy, called the Boulware-Deser ghost [7]. Every attempt to resolve this failed. For over 70 years (1939–2010), massive gravity appeared intractable.

The resolution: In 2010–2011, de Rham, Gabadadze, and Tolley (dRGT) [13] identified a specific mathematical structure that eliminates the ghost. Then came the foundational proof: Hassan and Rosen (2012) [12], published in *JHEP* with 696 citations, demonstrated that promoting the "reference metric" (a fixed background) to a dynamical field (a second metric that can change) yields a fully consistent, ghost-free theory.

The result is called bimetric gravity. It has two metrics, g and f, that interact with each other:

$$S = M_g^2 \int \sqrt{-g}\, R[g] + M_f^2 \int \sqrt{-f}\, R[f] + m^2 \int \sqrt{-g}\, V(g, f) \tag{5}$$

Each term has a physical meaning:

- **First term:** The dynamics of metric g (one tetrahedron)
- **Second term:** The dynamics of metric f (another tetrahedron)
- **Third term:** How the two metrics interact with each other

The theory is ghost-free, with exactly 7 degrees of freedom: 2 for a massless graviton (normal gravity) plus 5 for a massive graviton (the new physics).

Why does this require two tetrahedra? Paper V proved that one metric corresponds to one tetrahedron (the $k = 4$ coupling channels of a single metric produce a tetrahedral Field Chamber). Bimetric gravity requires two metrics. The logic is direct:

One metric $\rightarrow$ one tetrahedron (Paper V)
Two metrics required (Hassan-Rosen 2012)
Therefore: two tetrahedra required

E. The Convergence: Why Four Roads Matter

Having traversed four separate roads, we now examine why the convergence matters. A single argument, however compelling, can always be questioned. But when four completely independent lines of reasoning, developed by different researchers for different purposes, all arrive at the same conclusion, the result has a different character.

Here is what each road established:

- **Road 1 (Stability):** A single tetrahedron creates a preferred direction, producing an unstable ghost. Two opposite orientations restore equilibrium.
- **Road 2 (Double Cover):** Spinors require 720° to return to their original state. This means two distinct elements for every rotation, realized by two tetrahedra.

- **Road 3 (Chirality):** Gravity decomposes into left-handed and right-handed parts. Full gravity requires both. Two tetrahedra with opposite orientations provide both.
- **Road 4 (Bimetric):** Ghost-free massive gravity requires two metrics. Each metric corresponds to one tetrahedron.

The independence of these arguments: These four roads have nothing to do with each other. They come from completely different branches of physics: stability comes from force balance (classical mechanics); double cover comes from group theory (pure mathematics); chirality comes from connection formalism (differential geometry); bimetric theory comes from degrees of freedom counting (field theory).

None of these arguments references the others. They were developed independently, often decades apart, by researchers who were not thinking about tetrahedra at all. Yet they all point to the same structure.

When four independent roads lead to the same destination, the destination is not an accident. It is telling us something about reality. The requirement for two tetrahedra with opposite orientations is not a feature of any single theory. It is a structural fact about gravity itself.

F. The Compatibility Condition

The four roads establish that two tetrahedra are required. They do not, however, specify how the two tetrahedra must relate to each other. Can they be placed at arbitrary positions? Can they have any relative orientation? Or are there constraints?

There are constraints. If two tetrahedra must coexist and interact, they cannot be positioned arbitrarily. They must fit together in a specific way, analogous to two gears in a machine: they can mesh only if their teeth are compatible.

In bimetric theory, this constraint has a precise mathematical form called the *symmetric vielbein condition* [15]:

$$g^{\mu\nu} E^A_\mu L^B_\nu = g^{\mu\nu} E^B_\mu L^A_\nu \tag{6}$$

The symbols E and L represent the tetrad (basis vectors) of each metric. The condition says that when you combine them using metric g, the result must be symmetric. In plain language: the two tetrahedra must be "mirror compatible" at their interface.

The symmetric vielbein condition is equivalent to requiring that the matrix $\sqrt{g^{-1}f}$ be real. Topologically, this means there must exist a well-defined "middle ground" between the two metrics, a region where they can consistently interact.

This raises the central question for Section IV: What arrangement of two tetrahedra satisfies all four roads AND the compatibility condition? Is there one solution, many solutions, or no solution?

The answer, as we will prove, is that there is exactly one solution: the stellated octahedron.

IV. THE STELLATED OCTAHEDRON: THE UNIQUE SOLUTION

Section III established that gravitational field theory requires two tetrahedra with opposite orientations. Four independent sources (Alexander et al., Weinberg, Ashtekar, Hassan-Rosen) converge on this requirement. What these sources leave unspecified is the topological arrangement: how exactly should the two tetrahedra be positioned relative to each other?

This section derives the answer. Imposing all four requirements simultaneously (stability, double cover, chirality, bimetric compatibility) determines the arrangement uniquely. There is exactly one way to place two tetrahedra that satisfies all constraints: the **stellated octahedron** (Coxeter, 1973) [5], a classical polyhedral compound. We derive this structure from the physics; we do not assume it.

A. Structural Requirements from the Four Roads

The four roads do not merely suggest that two tetrahedra are needed; they constrain how those tetrahedra must be arranged. Before searching for a structure, we must be precise about what the physics demands. Each road imposes a constraint:

1. **Two tetrahedra:** All four roads require this. A single tetrahedron is insufficient.

2. **Opposite orientations:** Road 1 (stability) established that a single orientation creates a preferred direction, leading to instability. Road 3 (chirality) requires both left-handed and right-handed parts. The two tetrahedra must point in opposite directions.

3. **A shared coupling point:** Road 4 (bimetric) established that the two metrics interact through a potential $V(g, f)$. Road 3 (chirality) requires both halves to combine into one gravitational field. The two tetrahedra must meet at a common interaction region.

4. **Central symmetry:** Road 1 (stability) requires isotropy to be restored. The structure must exhibit the same symmetry in all directions, which requires a center of symmetry.

These four requirements follow as logical consequences of established physics. Any proposed structure must satisfy all four simultaneously.

B. Definition and Properties

Does any structure satisfy all four requirements? There is exactly one: the **stellated octahedron**.

Consider a cube with eight corners. Two tetrahedra can be inscribed such that each tetrahedron uses four of these eight corners. When the corners are chosen appropriately, the two tetrahedra interlock, sharing the same center but pointing in opposite directions.

The Stellated Octahedron (Dual Field Chamber). Two regular tetrahedra with vertices at the eight corners of a cube. One tetrahedron uses the four "odd-parity" vertices; the other uses the four "even-parity" vertices (we define parity precisely in Section IV C). The resulting structure has:

- **8 vertices:** All eight corners of the cube are used
- **8 faces:** 4 from each tetrahedron (these become our Coupling Ports)
- **Central symmetry:** If you flip the structure through its center, it maps onto itself (satisfying Requirement 4)
- **Self-duality:** The "dual" of this shape is another stellated octahedron

Why is this the only arrangement? The constraints are specific: two tetrahedra must have opposite orientations (Roads 1 and 3), must share a common interaction region (Road

4), and must restore isotropy through central symmetry (Road 1). Topology confirms the uniqueness. The stellated octahedron is the unique regular compound of two tetrahedra (Coxeter, 1973) [5]. No other arrangement of two tetrahedra achieves central symmetry with opposite orientations.

Historical note: Johannes Kepler named this structure "stella octangula" (eight-pointed star) in 1619 while studying polyhedra. The present derivation identifies this classical polyhedral structure as the unique topology required by gravitational physics, following from textbook principles established independently.

C. Vertex Binary Encoding

Section III established that physics requires two tetrahedra pointing in opposite directions. To verify that the stellated octahedron satisfies this requirement, we need a systematic way to label each vertex, determine which vertices belong to which tetrahedron, identify each tetrahedron's pointing direction (its apex), and confirm that the two apexes point in exactly opposite directions. Binary encoding provides this verification tool.

A cube has 8 corners, and each corner can be specified by three yes/no questions: Is the x-coordinate 1? Is the y-coordinate 1? Is the z-coordinate 1? Each "yes" corresponds to 1, each "no" to 0. This yields a unique 3-bit binary label for each vertex.

Place the structure in a unit cube $[0, 1]^3$. Each of the 8 vertices has coordinates that can be expressed as 3-bit binary numbers:

Vertex	Binary	Coordinates	Parity	Tetrahedron
V_0	000	(0, 0, 0)	EVEN	B (apex)
V_1	001	(0, 0, 1)	ODD	A
V_2	010	(0, 1, 0)	ODD	A
V_3	011	(0, 1, 1)	EVEN	B
V_4	100	(1, 0, 0)	ODD	A
V_5	101	(1, 0, 1)	EVEN	B
V_6	110	(1, 1, 0)	EVEN	B
V_7	111	(1, 1, 1)	ODD	A (apex)

TABLE I. Vertex binary encoding. Parity = sum of bits mod 2.

Why parity? When two regular tetrahedra share all 8 cube vertices, they naturally partition into odd-parity and even-parity sets. Connecting any four odd-parity vertices produces a regular tetrahedron; connecting any four even-parity vertices produces another regular tetrahedron, rotated 90° from the first. This partition is a consequence of tetrahedral topology within a cube.

D. The Apexes: Preferred Direction Cancellation

Section III established, through four independent textbook arguments, that gravitational field closure requires two tetrahedra. A topological consequence follows directly: a single tetrahedron has a preferred direction defined by its apex, which would violate the isotropy of spacetime. For the net preferred direction to vanish, the two apexes must point in exactly opposite directions.

What is an apex? Consider a tetrahedron as a triangular pyramid. The apex is the vertex that projects farthest from the base. Mathematically, it is the vertex maximally distant from the tetrahedron's center of mass (centroid).

Finding each apex: Examine the binary codes of each tetrahedron's vertices:

- **Tetrahedron A** has vertices $\{V_1, V_2, V_4, V_7\}$ with codes $\{001, 010, 100, 111\}$. Three vertices have exactly *one* "1" each (001, 010, 100). One vertex has *three* "1"s (111).

The outlier—$V_7 = (1, 1, 1)$—is farthest from the others. V_7 **is the apex of Tetrahedron A.**

- **Tetrahedron B** has vertices $\{V_0, V_3, V_5, V_6\}$ with codes $\{000, 011, 101, 110\}$. Three vertices have exactly *two* "1"s each (011, 101, 110). One vertex has *zero* "1"s (000). The outlier—$V_0 = (0, 0, 0)$—is farthest from the others. V_0 **is the apex of Tetrahedron B.**

Key Result: Antipodal Apexes. Two points are *antipodal* if they occupy opposite ends of a structure, maximally separated, like the North and South poles of a sphere or diagonally opposite corners of a room.

$V_7 = (1, 1, 1)$ and $V_0 = (0, 0, 0)$ are **antipodal**: they occupy opposite corners of the cube, separated by the maximum possible distance (the cube's main diagonal). Tetrahedron A's apex points toward (1,1,1); Tetrahedron B's apex points toward (0,0,0). These directions are exactly opposite.

When the 8 cube vertices are partitioned by parity, the apexes automatically land at (0,0,0) and (1,1,1). The binary encoding reveals that the stellated octahedron inherently possesses the antipodal property that physics requires.

E. Face Classification: The 3+1 Structure

Having identified the vertices and apexes, we now examine the faces. In the DFP framework, faces serve as Coupling Ports where the gravitational field couples to matter. The face structure will be essential for deriving spin.

Each tetrahedron has 4 faces, but not all faces are topologically equivalent. If the apex points outward (away from the center), then the face opposite the apex must point inward (toward the center). The other three faces, which share the apex as a vertex, point generally outward.

This topology yields a natural classification:

Face	Vertices	Tetrahedron	Type	Direction
A_7	$\{V_1, V_2, V_4\}$	A	TIME	Inward (toward center)
B_0	$\{V_3, V_5, V_6\}$	B	TIME	Inward (toward center)
Other 6	...	A or B	SPATIAL	Outward (toward exterior)

TABLE II. Face classification. TIME faces point inward; SPATIAL faces point outward.

Why "TIME" and "SPATIAL"? The inward-pointing faces mediate coupling at the center, where the two tetrahedra interact. The outward-pointing faces mediate coupling to the external environment. This parallels how time and space function in physics: time governs internal evolution of a system, while space governs the system's relationship to its surroundings.

The 3+1 pattern: Counting faces on each tetrahedron:

- 1 face points inward (TIME)
- 3 faces point outward (SPATIAL)

This 1+3 split (equivalently 3+1) mirrors the dimensionality of spacetime: 1 time dimension and 3 spatial dimensions. This correspondence was not imposed; it emerged from the topology.

Counting for the full structure: The dual Field Chambers (both tetrahedra together) have:

- TIME faces: 2 (one from each tetrahedron)
- SPATIAL faces: 6 (three from each tetrahedron)
- Total Coupling Ports: 8

These numbers (2, 6, 8) reappear in Section VII when deriving electron spin. The ratio $2/8 = 1/4$ will be central to that derivation.

F. Correspondence with Bimetric Fields

Having constructed the stellated octahedron from topological requirements, we now connect it to the physics of Road 4: bimetric gravity.

Bimetric gravity postulates two metrics, $g_{\mu\nu}$ and $f_{\mu\nu}$, that interact through a potential $V(g, f)$. Paper V established that each metric corresponds to a tetrahedral Field Chamber (via $k = 4$ closure). Bimetric gravity therefore describes two interacting tetrahedra.

The stellated octahedron provides a concrete topological realization:

- **Physical metric** $g_{\mu\nu}$ corresponds to Tetrahedron A (the odd-parity tetrahedron, with apex at V_7)
- **Reference metric** $f_{\mu\nu}$ corresponds to Tetrahedron B (the even-parity tetrahedron, with apex at V_0)
- **Interaction potential** $V(g, f)$ corresponds to the region where the two tetrahedra meet and interact

This raises a question: the stellated octahedron establishes that the two tetrahedra interact, but where exactly does this interaction occur? Is it distributed throughout the structure, or localized at a specific point?

Section V proves that the interaction must occur at a single, specific location: the topological center. This result is derived from the requirement that the symmetric vielbein condition (Section III F) be satisfied.

V. THE FIELD ORIGIN: WHERE TWO TETRAHEDRA COUPLE

Bimetric gravity requires an interaction potential between two metrics. The stellated octahedron provides two tetrahedra, but a question remains: *where* does their interaction occur? This location determines where angular momentum can transfer between the structures and where the bimetric coupling operates. Without a valid coupling point, the two tetrahedra remain separate, each retaining its ghost instability.

This section demonstrates that the coupling point is uniquely determined by physics. The two tetrahedra interact at one specific location: the topological center, which we call the **Field Origin**.

A. The Coupling Question

The stellated octahedron consists of two tetrahedra sharing the same center but pointing in opposite directions. They overlap in the middle and separate toward their apexes. The question of where to place the interaction admits three logical possibilities:

- **Near the apexes:** Where each tetrahedron is most distinct
- **At the center:** Where the two tetrahedra maximally overlap
- **Everywhere:** The interaction is distributed throughout

The physics constrains us to the second option. The interaction must occur at the center, and only at the center. This follows from a chain of theorems:

- **T1:** The apexes must be antipodal (opposite corners)
- **T2:** The coupling point must be the midpoint between apexes
- **T3–T4:** The TIME faces create compression vectors that cancel exactly at this point
- **T5:** The bimetric compatibility condition is satisfied only at this point

B. Theorem T1: Antipodal Apexes Required

Before locating the coupling point, we must establish a prerequisite: the two apexes occupy opposite corners of the cube. This configuration is not merely convenient; it is required for stability.

Theorem T1. Ghost elimination (Road 4) and stability (Road 1) require the two apexes to be antipodal (at opposite corners of the cube).

Each tetrahedron has an apex that defines a preferred direction, which breaks spatial isotropy. This broken symmetry produces the scalar ghost identified in Roads 1 and 4. To restore isotropy, the second tetrahedron must point in the exactly opposite direction, and exact cancellation requires that the apexes be maximally separated.

With $V_0 = (0, 0, 0)$ and $V_7 = (1, 1, 1)$ at opposite corners:

$$\hat{r}_7 + \hat{r}_0 = \hat{r}_{(1,1,1)} + \hat{r}_{(0,0,0)} = 0 \tag{7}$$

The directional contributions cancel exactly. This topological result corresponds to what Hassan and Rosen achieved algebraically: the secondary constraint that eliminates the Boulware-Deser ghost. □

C. Theorem T2: The Null Point Location

Having established that the apexes are at (0,0,0) and (1,1,1), we now ask where the coupling should occur. Coupling represents the location where angular momentum transfers between the tetrahedra, where the two metrics interact. For this interaction to be symmetric, it must occur where neither tetrahedron dominates.

There is only one such point: the midpoint between the apexes.

Theorem T2. The coupling point is at $C = (0.5, 0.5, 0.5)$, the topological center of the stellated octahedron.

The coupling point must be equidistant from both apexes. Any asymmetry in position would allow one tetrahedron to dominate the interaction. Symmetric coupling requires the exact midpoint:

$$C = \frac{V_0 + V_7}{2} = \frac{(0, 0, 0) + (1, 1, 1)}{2} = (0.5, 0.5, 0.5) \tag{8}$$

This point possesses multiple equivalent characterizations: the centroid of the entire stellated octahedron; the center of the cube containing the structure; the midpoint of the two TIME face centroids. That these characterizations converge on the same point reflects the topological significance of this location. We call it the *null point* because opposing contributions cancel to zero here. □

D. Theorems T3–T4: TIME Face Compression

Having identified the null point at (0.5, 0.5, 0.5), we now examine its physical significance. The answer involves the TIME faces introduced in Section IV E.

Each tetrahedron has one TIME face (the face opposite the apex) that points inward toward the center. These two TIME faces, one from each tetrahedron, face each other across the null point.

TIME Face Centroids:

- **Face** A_7 (Tetrahedron A's TIME face): vertices $\{V_1, V_2, V_4\}$
  Centroid: $\frac{(0,0,1)+(0,1,0)+(1,0,0)}{3} = (\frac{1}{3}, \frac{1}{3}, \frac{1}{3})$
- **Face** B_0 (Tetrahedron B's TIME face): vertices $\{V_3, V_5, V_6\}$
  Centroid: $\frac{(0,1,1)+(1,0,1)+(1,1,0)}{3} = (\frac{2}{3}, \frac{2}{3}, \frac{2}{3})$

Both TIME face centroids lie on the main diagonal of the cube (the line from (0,0,0) to (1,1,1)), positioned symmetrically about the center. Their midpoint is:

$$\frac{(\frac{1}{3}, \frac{1}{3}, \frac{1}{3}) + (\frac{2}{3}, \frac{2}{3}, \frac{2}{3})}{2} = (0.5, 0.5, 0.5) = C \tag{9}$$

The midpoint of the TIME face centroids coincides with the null point.

Theorem T4: Compression Cancellation. Each TIME face creates a compression vector toward the center. These two compressions are equal in magnitude and opposite in direction. They cancel exactly at the null point.

Define compression vectors as pointing from each TIME face centroid toward the center C:

- Compression from A_7: $\vec{P}_A = C - (\frac{1}{3}, \frac{1}{3}, \frac{1}{3}) = (\frac{1}{6}, \frac{1}{6}, \frac{1}{6})$
- Compression from B_0: $\vec{P}_B = C - (\frac{2}{3}, \frac{2}{3}, \frac{2}{3}) = (-\frac{1}{6}, -\frac{1}{6}, -\frac{1}{6})$

Adding them:

$$\vec{P}_A + \vec{P}_B = (\frac{1}{6}, \frac{1}{6}, \frac{1}{6}) + (-\frac{1}{6}, -\frac{1}{6}, -\frac{1}{6}) = (0, 0, 0) \tag{10}$$

The compressions cancel to zero, which is why we call this the null point. Ghost elimination corresponds to compression cancellation.

E. Theorem T5: Symmetric Vielbein at Null Point

The null point is topologically special (midpoint of apexes) and dynamically special (compression cancellation). One requirement from Section III F remains: the symmetric vielbein condition. For the two tetrads to interact consistently, this condition must be satisfied.

Theorem T5. The symmetric vielbein condition is satisfied at the null point C, and *only* at this point.

Section III F introduced the symmetric vielbein condition from Deffayet et al. (2013) [15]. This condition specifies where two tetrads can consistently interact. If the condition is not satisfied, the two metrics cannot couple in a mathematically consistent way, and the interaction potential $V(g, f)$ becomes ill-defined.

At the null point, the two metrics are maximally aligned, with neither dominating. The matrix $\sqrt{g^{-1}f}$ approaches the identity matrix at this location, and an identity matrix is automatically symmetric, satisfying the condition. Away from C, one tetrahedron dominates the other, breaking the required symmetry.

The null point is therefore not merely where the tetrahedra topologically overlap. It is the *only* location where the bimetric interaction can operate consistently. Angular momentum transfers between the two Field Chambers at this point. This fact becomes central to the spin derivation in Section VII.

Summary: The Complete Structure. The following properties emerge from established physics and topology:

- Two tetrahedra with antipodal apexes (Alexander et al.: stability; Hassan-Rosen: ghost elimination)
- Coupling at the topological center (Coxeter: octahedral core; Deffayet: symmetric vielbein)
- TIME faces pointing inward, creating balanced compression at this point
- SPATIAL faces pointing outward, coupling to external space
- The symmetric vielbein condition satisfied at the center, enabling interaction

Each element follows from textbook physics and topology.

F. The Field Origin: Definition and Textbook Foundation

The central coupling region identified above corresponds to a well-known structure in classical geometry, and the physics requirement for coupling there follows from established bimetric theory.

When two tetrahedra interlock in the stellated octahedron configuration, they overlap in the middle. Classical geometry establishes that this overlap region is a regular octahedron at the topological center (Coxeter, 1973) [5]. Bimetric gravity requires that two metrics interact through a potential, and this interaction is only consistent where the symmetric vielbein condition is satisfied (Deffayet et al., 2013) [15]. At the topological center, where both tetrahedra contribute equally, this condition is naturally satisfied.

Definition: Field Origin. The **Field Origin** is the octahedral core at the topological center of the dual Field Chambers. It is the region where:

- The two Field Chambers (tetrahedra) physically intersect
- Compression vectors from both TIME faces cancel to zero
- The symmetric vielbein condition is satisfied
- Angular momentum can transfer between the two tetrahedra

Location: Centered at $C = (0.5, 0.5, 0.5)$ in normalized coordinates, equidistant from both apexes.

Classical polyhedral geometry (Coxeter, 1973) establishes that two tetrahedra intersect in an octahedron. Bimetric gravity (Deffayet et al., 2013) establishes that two metrics can only interact where the symmetric vielbein condition is satisfied. Both constraints identify the topological center. The Field Origin is where mathematics and physics converge.

VI. FROM FACE STRUCTURE TO ANGULAR MOMENTUM

The previous sections established the structure: two tetrahedra coupling at the Field Origin, with 8 faces classified as TIME (inward) or SPATIAL (outward). This section connects that topology to angular momentum, the quantity that will ultimately determine electron spin.

Angular momentum is quantized in quantum mechanics. Electrons possess spin angular momentum of exactly $\hbar/2$, a value confirmed by precision measurements since Stern-Gerlach (1922). Yet physics has not explained *why* spin takes this value rather than another. The face structure derived in previous sections may provide that explanation.

A. Why Face Counting Matters

In the DFP framework, faces are not merely topological features. They are *Coupling Ports*, the channels through which the gravitational field interacts with matter (Paper V). Counting faces therefore means counting the channels through which angular momentum flows.

Section IV E established that faces come in two types:

- **TIME faces** point inward toward the Field Origin. They mediate coupling between the two tetrahedra at the center of the structure.
- **SPATIAL faces** point outward toward external space. They mediate coupling between the structure and its environment.

This inward/outward distinction mirrors the intrinsic/orbital distinction in angular momentum. The ratio of TIME faces to total faces determines what fraction of angular momentum manifests as spin.

B. Face Counting Summary

Each tetrahedron has $k = 4$ faces (from Paper V's Simplex Theorem). The dual Field Chamber combines two tetrahedra. The face counts are:

Face Type	**Per Tetrahedron**	**Total (2 Tetrahedra)**	**Direction**
TIME	1	2	Inward
SPATIAL	3	6	Outward
Total	**4**	**8**	–

TABLE III. Face counting for the dual Field Chambers.

The central quantity is the ratio of TIME faces to total faces:

The Critical Ratio:

$$\frac{N_{\text{TIME}}}{N_{\text{total}}} = \frac{2}{8} = \frac{1}{4} \tag{11}$$

Physical interpretation: If angular momentum is distributed across all faces, and spin corresponds to the portion associated with TIME faces (the inward-pointing ones), then this ratio specifies what fraction of total angular momentum manifests as spin: one quarter.

C. Structural Origin of 3+1

Before proceeding to the spin calculation, the face structure reveals an additional pattern. Each tetrahedron has:

- 1 TIME face (pointing inward)
- 3 SPATIAL faces (pointing outward)

This 1+3 pattern, or equivalently 3+1, matches the dimensionality of spacetime: 3 spatial dimensions and 1 time dimension. The tetrahedron's face structure mirrors the signature of spacetime itself.

Why this correspondence arises: The tetrahedron is the minimal solid that encloses volume in 3D space (the Simplex Theorem from Paper V). Its structure is not arbitrary but forced by topology. One face is distinguished (opposite the apex, pointing inward) while three faces share the apex and point outward. The 3+1 structure emerges from the topology without being imposed.

D. Angular Momentum Quantization

The structure contains 8 faces classified as TIME and SPATIAL. To determine how much angular momentum flows through each face, we must connect the topology to quantum mechanics.

In quantum mechanics, angular momentum comes in discrete units of $\hbar$ (Planck's reduced constant). A particle traversing a closed loop carries quantized angular momentum. The question is how this quantization applies to the tetrahedral structure.

Proposal (Ansatz). We propose that a **complete circuit through all $k = 4$ faces of one tetrahedron** corresponds to one quantum of angular momentum $= \hbar$.

Motivation: A complete traversal through all four faces of a Field Chamber constitutes one closed loop around the structure. In quantum mechanics, closed loops are associated with quantized angular momentum. The natural unit is $\hbar$.

Distribution across faces: If total angular momentum $\hbar$ is distributed across $k = 4$ equivalent faces, symmetry requires equal distribution: $\hbar/4$ per face.

This ansatz (working hypothesis) is not arbitrary. It follows from treating faces as coupling channels and from the standard association between closed loops and quantized angular momentum. The validity of this ansatz is tested by whether it produces the correct result for electron spin.

E. Total Orbital Angular Momentum

With the ansatz established, the total angular momentum of the dual Field Chambers follows directly.

One tetrahedron, fully traversed, contributes one quantum of angular momentum:

- Tetrahedron A: $L_A = \hbar$
- Tetrahedron B: $L_B = \hbar$

The dual Field Chambers contain both tetrahedra, giving total angular momentum:

$$L_{\text{orbit}} = L_A + L_B = \hbar + \hbar = 2\hbar \tag{12}$$

Physical interpretation: Traversing Tetrahedron A corresponds to a 360° rotation. Traversing Tetrahedron B corresponds to another 360°. A complete traversal of the dual structure requires both: 360° + 360° = 720°.

Connection to Road 2: The spinor double cover requirement states that fermions such as electrons require 720° of rotation to return to their original state, not 360°. The dual Field Chambers provide exactly this property. The structure derived from stability, chirality, and bimetric requirements automatically satisfies the spinor requirement. This represents another point of convergence among the four roads.

The ingredients for the spin calculation are now complete:

- Total angular momentum: $L_{\text{orbit}} = 2\hbar$
- TIME face fraction: $N_{\text{TIME}}/N_{\text{total}} = 2/8 = 1/4$

Section VII combines these to derive electron spin.

VII. SPIN-1/2 FROM STRUCTURE

The preceding sections established the dual tetrahedral structure from four independent requirements of established physics. This section presents the paper's novel contribution: deriving electron spin-1/2 from that structure.

To summarize the argument so far: we asked what structure gravitational field closure requires. Spinor structure requires two tetrahedra (Weinberg, Geroch). Chiral completeness requires two tetrahedra (Ashtekar). Ghost-free bimetric gravity requires two tetrahedra (Hassan-Rosen). Classical geometry (Coxeter) establishes that there is only one way to arrange them: the stellated octahedron, with an inner octahedron at the center. Bimetric theory (Deffayet) confirms that coupling occurs at this center.

This structure was not assumed; it follows from established physics. The result is 8 faces, classified as TIME (inward) and SPATIAL (outward), coupling at a central octahedral core. We now examine what this structure implies for particle spin.

A. Why Spin Follows from Structure

Every electron, every quark, every fundamental particle observed has intrinsic angular momentum. Spin is not a special property of some particles; it is universal across all scales where quantum mechanics applies.

These particles exist within gravitational fields. Electrons orbit nuclei, atoms form molecules, molecules form matter, and all of this sits within the fabric of spacetime. If gravity has a structure, it is natural to ask whether that structure has implications for the particles within it.

A further clue appears in Road 2 (the spinor double cover requirement), which already connected our structure to spin physics. Spinors are the mathematical objects that describe spin-1/2 particles. Weinberg's textbook establishes that spinors require 720° to return to their original state. Our dual tetrahedron structure provides exactly this: 360° through one tetrahedron, 360° through the other, for a total of 720°.

The question thus becomes: given that our gravitationally-derived structure already satisfies spinor requirements, does it also predict the specific spin value $\hbar/2$?

Electrons have spin $\hbar/2$. This has been measured repeatedly since the Stern-Gerlach experiment in 1922. Yet physics has never explained *why* the value is $\hbar/2$. Pauli postulated it. Dirac derived it from his equation, but the equation was constructed for consistency, not from topology. The number appears, but no explanation exists for why it is one-half rather than one-third or one-fifth.

The structure derived in previous sections provides such an explanation.

B. The Physical Reasoning

Angular momentum takes two forms. When an object moves through space along a curved path, it possesses orbital angular momentum (the Earth orbiting the Sun). When an object rotates internally, it possesses spin angular momentum (the Earth rotating on its axis).

The dual Field Chambers have 8 faces pointing in two directions:

- **6 SPATIAL faces** point outward, toward external space
- **2 TIME faces** point inward, toward the Field Origin

The outward faces connect the structure to the external environment. The inward faces connect the two tetrahedra to each other internally. This distinction corresponds directly to the two forms of angular momentum:

- Outward (SPATIAL) $\leftrightarrow$ external motion $\leftrightarrow$ orbital angular momentum
- Inward (TIME) $\leftrightarrow$ internal coupling $\leftrightarrow$ spin angular momentum

This correspondence is structural, not metaphorical. Angular momentum flows through the faces (the Coupling Ports). The portion that flows outward couples the structure to external space and constitutes orbital angular momentum. The portion that flows inward, remaining within the structure and coupling the two tetrahedra at the Field Origin, constitutes spin.

If angular momentum is distributed across all 8 faces, then spin is the fraction that passes through the TIME faces:

$$\text{Spin} = \frac{N_{\text{TIME}}}{N_{\text{total}}} \times L_{\text{total}} \tag{13}$$

All quantities on the right-hand side are known from the previous sections: the face counts and the total angular momentum. The calculation follows directly.

C. Theorem T6: The Spin Derivation

Theorem T6: Spin-1/2 from Dual Field Chamber Structure. The electron spin $S = \hbar/2$ emerges from the face structure of the dual Field Chambers.

The ingredients (all established in previous sections):

- $N_{\text{TIME}} = 2$ — There are 2 TIME faces (one per tetrahedron)
- $N_{\text{total}} = 8$ — There are 8 faces total (4 per tetrahedron $\times$ 2)
- $L_{\text{total}} = 2\hbar$ — Total angular momentum ($\hbar$ per tetrahedron $\times$ 2)

The calculation:

Central Result: Electron Spin

$$\boldsymbol{S = \frac{N_{\text{TIME}}}{N_{\text{total}}} \times L_{\text{total}} = \frac{2}{8} \times 2\hbar = \frac{1}{4} \times 2\hbar = \frac{\hbar}{2}} \tag{14}$$

This is exactly the measured electron spin.

Interpretation: The calculation counts faces. Two out of 8 faces are TIME faces, yielding a TIME-face fraction of 1/4. The total angular momentum is $2\hbar$. One quarter of $2\hbar$ equals $\hbar/2$. This is electron spin. The derivation involves no free parameters and no fitting, only counting.

D. Numerical Verification

The algebraic result can be verified numerically using the CODATA value for $\hbar$:

Quantity	**Value**
L_{total}	$2\hbar = 2.109 \times 10^{-34}$ J·s
$f_{\text{TIME}} = N_{\text{TIME}}/N_{\text{total}}$	$2/8 = 0.25$
$S_{\text{calculated}} = f_{\text{TIME}} \times L_{\text{total}}$	5.273×10^{-35} J·s
$S_{\text{expected}} = \hbar/2$	5.273×10^{-35} J·s
Match	**EXACT**

TABLE IV. Numerical verification of spin derivation.

The match is exact because the derivation is algebraic: $(2/8) \times 2\hbar = \hbar/2$ by arithmetic. There are no approximations, no adjustable parameters, and no numerical coincidences. The structure determines the value.

E. Comparison with Standard Quantum Mechanics

This derivation can be compared to existing explanations of spin-1/2:

Approach	**How Spin-1/2 Arises**
Standard QM (Pauli, 1927)	Postulated to explain Stern-Gerlach
Dirac Equation (1928)	Emerges from relativistic + quantum consistency
This paper	Emerges from gravitational structure (face counting)

TABLE V. Different foundations for spin-1/2.

The distinction: Pauli postulated spin to fit experimental data. Dirac derived it from mathematical consistency of relativistic quantum mechanics. This paper derives it from the structure of gravitational field closure. Three different starting points yield the same result.

The Topological Origin of Spin-1/2. There are **2 TIME faces out of 8 total Coupling Ports**. The ratio $2/8 = 1/4$, multiplied by the total angular momentum $2\hbar$, yields $\hbar/2$. Spin-1/2 follows from the face structure of the dual Field Chambers.

VIII. THE GRAVITATIONAL CONSTANT FROM SPACETIME TOPOLOGY

Section VII derived electron spin from counting faces: 2 TIME faces out of 8 total yields the fraction 1/4, which multiplied by total angular momentum $2\hbar$ gives $\hbar/2$. The result is exact. This section asks whether the same structure can explain a different fundamental quantity: the gravitational constant G.

Newton introduced G in 1687; Cavendish first measured it in 1798. For over three centuries, no theory has explained why G takes its particular value of 6.674×10^{-11} $\mathrm{m}^3/(\mathrm{kg}\cdot\mathrm{s}^2)$. The Standard Model treats G as an external parameter. If the dual Field Chambers structure predicts this value, that would provide independent confirmation of the topological foundation established in Sections III–V.

A. The Dimensional Origin: Why d = 3 Determines G

General relativity describes spacetime as 3+1 dimensional: three spatial dimensions plus one temporal. Tetrad gravity makes this structure explicit through the vierbein (four-leg) formalism. The dual Field Chamber (stellated octahedron) consists of two tetrahedra, each with $k = d+1 = 4$ faces. The (3+1) dimensional structure propagates through the topology to determine the gravitational constant.

The electron mass appearing in the formula is not arbitrary. Paper III demonstrated that two independent routes, one electromagnetic and one gravitational, converge on the same length scale: $r_e = 2.82$ fm. This convergence is unique to the electron; for muons or protons, the two routes diverge by orders of magnitude. The electron is the gravity-electromagnetism crossover scale.

Central Result: Gravitational Constant

$$G = \frac{(3+1)^2+1}{3(3+1)+1} \times \alpha^{1+(3+1)+(3+1)^2} \times \frac{\hbar c}{m_e^2} \tag{15}$$

Spacetime is 3+1 dimensional. Zero adjustable parameters.

The formula contains only the (3+1) structure of spacetime and independently measured constants (α, $\hbar$, c, m_e). No parameters are fitted.

The (3+1) Foundation. General relativity describes spacetime as (3+1) dimensional: three spatial dimensions plus one temporal. Tetrad gravity makes this explicit through the vierbein—four legs, one for each dimension. The tetrahedron has four faces, one for each spacetime dimension. This paper establishes that gravity requires dual tetrahedra. The formula is the (3+1) structure expressed algebraically.

Let $D = (3 + 1) = 4$ denote the spacetime dimension. The coupling exponent has the

structure:

$$1 + D + D^2 = 1 + (3+1) + (3+1)^2 \tag{16}$$

Term	Value	Physical Origin
1	1	Time—the dimension that makes 3D into spacetime
D	4	Spacetime dimension (3+1)
D^2	16	Coupled spacetime—dual tetrahedra interaction
$1 + D + D^2$	21	Full coupling hierarchy

TABLE VI. The coupling hierarchy as powers of the spacetime dimension $D = (3 + 1)$.

The "1" in the exponent is not abstract—it is the time dimension that general relativity adds to three-dimensional space. The hierarchy $1 + D + D^2$ represents coupling through time, through full spacetime, and through the interaction of dual spacetime structures.

B. Quantitative Prediction

The input constants from CODATA 2018:

Quantity	Symbol	Value
Fine structure constant	α	$1/137.036$
Reduced Planck constant	$\hbar$	1.0546×10^{-34} J·s
Speed of light	c	2.9979×10^{8} m/s
Electron mass	m_e	9.1094×10^{-31} kg

TABLE VII. Physical constants used in the gravitational constant calculation (CODATA 2018).

Evaluating the (3+1) expressions and multiplying:

$$G_{\text{predicted}} = 1.3077 \times 1.338 \times 10^{-45} \times 3.810 \times 10^{34} = 6.666 \times 10^{-11}\ \text{m}^3/(\text{kg} \cdot \text{s}^2) \tag{17}$$

Quantity	**Value**	**Source**
$G_{\text{predicted}}$	6.666×10^{-11} m^3/(kg·s^2)	This derivation (zero free parameters)
G_{measured}	6.674×10^{-11} m^3/(kg·s^2)	CODATA 2018
Agreement	**0.12%**	

TABLE VIII. Comparison of predicted and measured gravitational constant.

The formula reproduces G to within 0.12% with no fitted parameters.

C. Summary: The 3+1 Structure of Gravity

The preceding subsections established that every topological factor in the gravitational constant traces to a single origin: the dimensionality of space. General relativity and tetrad gravity both describe spacetime as 3+1 dimensional. This dimensional structure propagates through the topology of field closure to determine G.

The complete chain:

$$d = 3 \xrightarrow{\text{GR}} (3+1) \xrightarrow{\text{topology}} 1 + D + D^2 \xrightarrow{\text{coupling}} G \tag{18}$$

Each link is determined:

- The simplex theorem requires $k = d + 1$ faces to enclose volume in d dimensions
- The prefactor $(d+1)^2 + 1$ over $d(d+1) + 1$ counts coupling channels versus structural elements
- The hierarchy depth $1 + (d+1) + (d+1)^2$ sums the coupling levels
- The scale $\hbar c/m_e^2$ uses the electron mass, which Paper III identified as the gravity-EM crossover

The gravitational constant is determined by the 3+1 structure of spacetime. Every topological factor derives from the 3+1 dimensionality through elementary arithmetic.

D. The Fine Structure Constant from Dimension

The recursive formula $G(d)$ contains α as an input parameter. A natural question arises: does α exhibit dimensional structure? We present an empirical observation that suggests it may, while noting that the theoretical basis remains to be established.

Consider the following combination of dimensional quantities:

$$\frac{1}{\alpha_{\text{calc}}} = 2^d \times (k^2 + 1) + 1 + \frac{1}{k(k+d)} \tag{19}$$

Each term has a topological interpretation within the tetrad framework:

- $\mathbf{2^d = 8}$: The number of orthants in $d = 3$ dimensional space, corresponding to sign choices for each spatial axis ($\pm x$, $\pm y$, $\pm z$).
- $\mathbf{k^2 + 1 = 17}$: The sixteen tetrad components (frame index $\times$ coordinate index) plus the identity element of the Lorentz group at each point.
- $\mathbf{k(k + d) = 28}$: The product of the tetrad dimension ($k = 4$) and the total frame-plus-spatial degrees of freedom ($k + d = 7$).

Evaluating for $d = 3$:

$$\frac{1}{\alpha_{\text{calc}}} = 8 \times 17 + 1 + \frac{1}{28} = 137 + \frac{1}{28} = 137.03571... \tag{20}$$

Comparison with measurement:

Source	**Value of** $1/\alpha$	**Notes**
Dimensional formula	137.035714...	Integer arithmetic on $d = 3$
CODATA 2022	137.035999177(21)	QED measurements
Relative deviation	**0.00021%**	Five significant figures

TABLE IX. Comparison of dimensional formula with measured fine structure constant.

Agreement to five significant figures from integer arithmetic is noteworthy. We emphasize that this observation does not constitute a derivation: the formula was identified empirically

by examining dimensional combinations that reproduce known constants. The small residual (approximately 1/3500 of the value) may reflect quantum electrodynamic corrections analogous to those in the anomalous magnetic moment $g - 2$.

Whether this agreement is coincidental or reflects deeper structure remains an open question. The Standard Model treats α as a free parameter determined by measurement; if α is in fact constrained by spacetime dimensionality, this would represent a significant constraint on fundamental physics. We present the observation for completeness while acknowledging that further theoretical development is required.

The Complete Derivation Chain. The results of §VIII C–VIII D establish a logical chain from spacetime dimension to gravitational coupling:

$$d = 3 \;\longrightarrow\; D = (3+1) \;\longrightarrow\; 1 + D + D^2 \;\longrightarrow\; G \tag{21}$$

Each quantity follows from its predecessor by the formulas developed above. If the α observation proves theoretically grounded, the chain extends further:

$$d = 3 \;\longrightarrow\; D = (3+1) \;\longrightarrow\; \alpha \;\longrightarrow\; 1 + D + D^2 \;\longrightarrow\; G \tag{22}$$

The recursive formulation transforms the question "Why is gravity so weak?" into "Why does space have three dimensions?" The latter question lies outside classical physics, belonging to quantum gravity and cosmological selection. What this section demonstrates is that, given $d = 3$, the hierarchy between gravitational and electromagnetic interactions follows by topological necessity from the structure of spacetime as encoded in the tetrad formalism.

E. Significance

Three aspects of this result merit emphasis.

Historical context. Newton introduced G in 1687 as a proportionality constant; Cavendish first measured it in 1798. For over three centuries, no theory has explained why G takes its particular value. The formula derived here provides a calculation where none existed.

The hierarchy problem. Gravity is approximately 10^{43} times weaker than electromagnetism. This ratio has long been considered a fine-tuning puzzle. The topological formula

provides an answer: gravitational coupling traverses the full $1+D+D^2$ hierarchy, while electromagnetic coupling operates at level 1. The ratio $\alpha^{1+D+D^2}/\alpha^1 = \alpha^{D+D^2} \approx 10^{-43}$ emerges from the (3+1) structure, not fine-tuning.

Structural unity. The same dual tetrahedral topology that yields spin-1/2 exactly (Section VII) also yields G to 0.12%. Two independent physical quantities from one topological structure: this is the hallmark of a framework that captures underlying physics rather than fitting isolated phenomena.

IX. DISCUSSION

The preceding sections derived the gravitational constant from the topology of spacetime. The derivation proceeded through two stages: first establishing the dual tetrahedral structure from four independent physical requirements, then extracting the numerical value of G from the polyhedral combinatorics of that structure. This section examines the logic chain, connections to established physics, and what the result achieves.

A. The Complete Logic Chain

The path from spacetime dimension to the gravitational constant involves 18 steps, tracing through prior DFP results (Papers I–V), established physics (textbook and foundational papers with over 2,300 combined citations), and this paper's contributions.

Key steps include:

1. Field Closure requires $k = 4$ Coupling Ports (Paper IV)
2. $k = 4$ Coupling Ports $\rightarrow$ tetrahedral Field Chamber (Paper V)
3. Single Field Chamber is unstable (Alexander et al. 2014)
4. Spinors require double cover (Weinberg 1995; Geroch 1968)
5. Gravity requires both chiralities $A^+ \oplus A^-$ (Ashtekar 1986)
6. Ghost-free requires two metrics (Hassan & Rosen 2012)

7. All four roads → dual Field Chambers (this paper §2)
8. Stellated octahedron = unique two-tetrahedra compound (Coxeter 1973)
9. 2 TIME Coupling Ports / 8 total = 1/4 (this paper §5)
10. Spin = $(1/4) \times 2\hbar = \hbar/2$ (this paper §6)
11. Topological factors from (3+1) structure (this paper §7)
12. $G = \frac{(3+1)^2+1}{3(3+1)+1} \times \alpha^{1+(3+1)+(3+1)^2} \times (\hbar c/m_e^2) = 6.67 \times 10^{-11}$ (this paper §7)

Each step is either textbook physics, a prior DFP result, or structural necessity.

B. Connection to Established Physics

The dual tetrahedral structure derived here is not new to physics. What is new is recognizing that several established formalisms all point to the same topology, and that this topology determines G.

Ashtekar variables. The chiral decomposition $A^+ \oplus A^-$ that forms the basis of Loop Quantum Gravity corresponds directly to the two opposite-oriented tetrahedra. Each tetrahedron carries one chirality.

The LQG quantum tetrahedron. Rovelli and Vidotto identify the tetrahedron as the fundamental building block of quantum spacetime. The present analysis provides a reason why the tetrahedron appears: it is the unique polyhedron with $k = 4$ faces, and $k = 4$ follows from the (3+1) decomposition of spacetime.

Bimetric gravity. Hassan and Rosen demonstrated that ghost-free massive gravity requires two dynamical metrics. The stellated octahedron provides a topological realization: one tetrahedron per metric, coupled at the central octahedral core where the symmetric vielbein condition is satisfied.

The hierarchy problem. The question of why gravity is approximately 10^{43} times weaker than electromagnetism has persisted since the recognition of the four fundamental forces. The present framework provides a topological answer: electromagnetic interactions couple at level 1 (one factor of α), while gravitational interactions traverse the full $1 + D + D^2$

hierarchy. The ratio $\alpha^{D+D^2} \approx 10^{-43}$ emerges from the (3+1) structure rather than requiring fine-tuning.

C. What This Paper Establishes

This paper contributes three results to the understanding of gravitational structure.

A parameter-free prediction of G. The formula contains no adjustable parameters. The topological factors derive from the (3+1) structure of spacetime; the physical constants α, $\hbar$, c, and m_e are measured independently. The predicted value agrees with the measured value to 0.12%.

Dimensional origin. All topological factors trace to a single input: the (3+1) structure of spacetime.

Convergence of independent arguments. Four independent lines of reasoning, developed by different researchers for different purposes over 50 years, all require the same dual tetrahedral structure. This convergence, documented in §2 with over 2,300 combined citations, provides the structural foundation from which G emerges.

X. CONCLUSION

Why does the gravitational constant have the value it does? Newton introduced G in 1687; for over three centuries, the question has remained open. The Standard Model does not calculate G; it enters as a measured parameter. This paper provides an answer: the gravitational constant derives from the topology of spacetime.

The derivation rests on a structural requirement that has been present in established physics for over 50 years. Four independent results from gravitational theory, each developed to address a different problem, all require the same configuration: two tetrahedra with opposite orientations. The requirement appears in Weinberg's textbook treatment of spinors, in Ashtekar's chiral reformulation of gravity, in the Hassan-Rosen proof of ghost-free bimetric theory, and in stability analyses of chiral gravity. These results accumulated over 2,300 citations. What had not been recognized is that they all point to the same geometric

structure: the stellated octahedron, the unique compound of two tetrahedra satisfying all four requirements.

From this topology, two results follow. The face structure yields electron spin: 2 TIME faces out of 8 total gives $S = (2/8) \times 2\hbar = \hbar/2$, exactly. The polyhedral combinatorics yields the gravitational constant through the (3+1) recursion:

The Central Result

The gravitational constant derives from the 3+1 structure of spacetime:

$$G = \frac{(3+1)^2 + 1}{3(3+1) + 1} \times \alpha^{1+(3+1)+(3+1)^2} \times \frac{\hbar c}{m_e^2} \tag{23}$$

Predicted: 6.67×10^{-11} m^3/(kg·s^2) — Measured: 6.674×10^{-11} m^3/(kg·s^2)

Agreement: 0.12% with zero adjustable parameters

The formula contains no fitted constants. Every factor traces to either the topology of the dual tetrahedra or to physical constants measured independently in non-gravitational experiments. The hierarchy problem, why gravity is $\sim 10^{43}$ times weaker than electromagnetism, becomes a consequence of the (3+1) coupling hierarchy.

The topology was always there. Four independent lines of research, developed by different researchers over five decades, all required the same structure. None referenced the others; each addressed a different problem. Yet all four arrived at identical geometric requirements. This paper identified the convergence and extracted its consequences. The gravitational constant is determined by the dimensionality of spacetime.

DATA AVAILABILITY STATEMENT

This work is theoretical in nature. All derivations proceed from established physical constants (CODATA 2018 values) and topological structures documented in the cited references. No experimental data were generated or analyzed. The mathematical derivations are fully

contained within this manuscript.

ACKNOWLEDGMENTS

The author thanks the researchers whose foundational work made this derivation possible: Ashtekar for the chiral decomposition, Hassan and Rosen for ghost-free bimetric gravity, Weinberg and Geroch for the spinor structure theorems, and Coxeter for the classical geometry of the stellated octahedron.

---

[1] S. Nelson, "Distributed Field Processing IV: Deriving Electron Mass from the Hubble Constant," *Field Dynamics* (2026).

[2] S. Nelson, "Distributed Field Processing V: Field Closure and the Topology of Gravity," *Field Dynamics* (2026).

[3] C. Rovelli and F. Vidotto, *Covariant Loop Quantum Gravity* (Cambridge University Press, 2014).

[4] T. Regge, "General relativity without coordinates," Nuovo Cimento **19**, 558 (1961).

[5] H. S. M. Coxeter, *Regular Polytopes*, 3rd ed. (Dover Publications, 1973).

[6] K. Hinterbichler, "Theoretical aspects of massive gravity," Rev. Mod. Phys. **84**, 671 (2012).

[7] D. G. Boulware and S. Deser, "Can gravitation have a finite range?" Phys. Rev. D **6**, 3368 (1972).

[8] S. Alexander, A. Marcianò, and L. Smolin, "Gravitational origin of the weak interaction's chirality," Phys. Rev. D **89**, 065017 (2014).

[9] S. Weinberg, *The Quantum Theory of Fields, Vol. 1: Foundations* (Cambridge University Press, 1995).

[10] R. Geroch, "Spinor structure of space-times in general relativity. I.," J. Math. Phys. **9**, 1739 (1968).

[11] A. Ashtekar, "New variables for classical and quantum gravity," Phys. Rev. Lett. **57**, 2244 (1986).

[12] S. F. Hassan and R. A. Rosen, "Bimetric gravity from ghost-free massive gravity," JHEP **02**, 126 (2012).

[13] C. de Rham, G. Gabadadze, and A. J. Tolley, "Resummation of massive gravity," Phys. Rev. Lett. **106**, 231101 (2011).

[14] T. Jacobson and L. Smolin, "The left-handed spin connection as a variable for canonical gravity," Phys. Lett. B **196**, 39 (1987).

[15] C. Deffayet, J. Mourad, and G. Zahariade, "A note on 'symmetric' vielbeins in bimetric, massive, perturbative and non perturbative gravities," JHEP **03**, 086 (2013).

[16] S. Alexandrov, "Canonical structure of tetrad bimetric gravity," Gen. Rel. Grav. **46**, 1639 (2014).

[17] S. Speziale, "Bi-metric theory of gravity from the non-chiral Plebanski action," Phys. Rev. D **82**, 064003 (2010).

[18] R. Penrose and W. Rindler, *Spinors and Space-Time, Vol. 1* (Cambridge University Press, 1984).

[19] J. F. Barbero, "Real Ashtekar variables for Lorentzian signature space-times," Phys. Rev. D **51**, 5507 (1995).

[20] E. Bianchi, P. Donà, and S. Speziale, "Polyhedra in loop quantum gravity," Phys. Rev. D **83**, 044035 (2011).

[21] A. Barbieri, "Quantum tetrahedra and simplicial spin networks," Nucl. Phys. B **518**, 714 (1998).

[22] H. Minkowski, "Allgemeine Lehrsätze über die convexen Polyeder," Nachr. Ges. Wiss. Göttingen, 198 (1897).