

Cucumber Report

Jul 26, 2023, 3:24:02 PM

Start : Jul 26, 3:23:10.300 PM

End : Jul 26, 3:24:01.487 PM

Duration : 51.187 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 0


PASSED - 37
FAILED - 1
SKIPPED - 16




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Vice Deans shouldn't be able to create a student leaving field blank</u>	51.187 s	3	2	1	0	54	37	1	16

#	Feature Name	Scenario Name
1	<u>Vice Deans shouldn't be able to create a student leaving field blank</u>	<u>TC_002 Vice Deans should be able to create a student with wrong SSN credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@negative_vice_dean_student_creation	3	2	1	0	1	0	1	0
@negative1_vice_dean_student_creation	1	1	0	0	1	0	1	0
@negative2_vice_dean_student_creation	1	0	1	0	1	0	1	0
@negative3_vice_dean_student_creation	1	1	0	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Vice Deans shouldn't be able to create a student leaving field blank</u>	3	2	1	0	51.187 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Vice Deans shouldn't be able to create a student leaving field blank</u>	<u>TC_001 Vice Deans shouldn't be able to create a student leaving name blank</u>	18	18	0	0	26.204 s
2		<u>TC_002 Vice Deans should be able to create a student with wrong SSN credentials</u>	18	1	1	16	10.734 s
3		<u>TC_003 Vice Deans shouldn't be able to create a student leaving user name blank</u>	18	18	0	0	14.180 s

Vice Deans shouldn't be able to create a student leaving field blank

FAILED	DURATION - 51.187 s	Scenarios		Steps	
/ 3:23:10.300 PM // 3:24:01.487 PM /		Total - 3		Total - 54	
		Pass - 2		Pass - 37	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	



TC_001 Vice Deans shouldn't be able to create a student leaving name blank

<div>PASSED</div> <div>DURATION - 26.204 s</div>	<div></div> <table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>7.0</td></tr><tr><td>2</td><td>1.0</td></tr><tr><td>3</td><td>1.0</td></tr><tr><td>4</td><td>0.2</td></tr><tr><td>5</td><td>11.0</td></tr><tr><td>6</td><td>0.2</td></tr><tr><td>7</td><td>0.2</td></tr><tr><td>8</td><td>0.2</td></tr><tr><td>9</td><td>0.3</td></tr><tr><td>10</td><td>0.2</td></tr><tr><td>11</td><td>0.2</td></tr><tr><td>12</td><td>0.1</td></tr><tr><td>13</td><td>0.2</td></tr><tr><td>14</td><td>1.5</td></tr><tr><td>15</td><td>1.5</td></tr></tbody></table>	Step	Duration (s)	1	7.0	2	1.0	3	1.0	4	0.2	5	11.0	6	0.2	7	0.2	8	0.2	9	0.3	10	0.2	11	0.2	12	0.1	13	0.2	14	1.5	15	1.5	<div>Steps</div> <div>Total - 18</div> <div>Pass - 18</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div> <div>18</div>
Step		Duration (s)																																	
1		7.0																																	
2		1.0																																	
3		1.0																																	
4	0.2																																		
5	11.0																																		
6	0.2																																		
7	0.2																																		
8	0.2																																		
9	0.3																																		
10	0.2																																		
11	0.2																																		
12	0.1																																		
13	0.2																																		
14	1.5																																		
15	1.5																																		
<div>/ 3:23:10.304 PM // 3:23:36.508 PM /</div>																																			
<div>Vice Deans shouldn't be able to create a student leaving field blank</div>																																			
<div>@negative_vice_dean_student_creation</div> <div>@negative1_vice_dean_student_creation</div>																																			


#	Step / Hook Details	Status	Duration
1	Given user navigates to url	PASSED	6.978 s
2	Then user logs in as malcom_vice dean	PASSED	0.801 s
3	Given vice dean navigates to menu	PASSED	0.697 s
4	Then vice dean clicks to student management	PASSED	0.118 s
5	And choose advisor teacher	PASSED	11.801 s
6	And vice dean does not enter a name	PASSED	0.048 s
7	And enter surname	PASSED	0.150 s
8	And enter birth place	PASSED	0.122 s
9	And enter email	PASSED	0.217 s
10	And enter phone number	PASSED	0.151 s
11	And select gender	PASSED	0.149 s
12	And select date of birth	PASSED	0.104 s
13	And enter SSN respecting - after the 3rd and 5th digits and consist of 9 digits in total	PASSED	0.157 s
14	And enter user name	PASSED	1.190 s
15	And enter father name	PASSED	1.136 s

#	Step / Hook Details	Status	Duration
16	And enter mother name	PASSED	1.131 s
17	And enter password respecting password credentials	PASSED	1.139 s
18	And verify name required after submitting	PASSED	0.080 s



TC_002 Vice Deans should be able to create a student with wrong SSN credentials

FAILED	DURATION - 10.734 s		Steps Total - 18 Pass - 1 Fail - 1 Skip - 16	
/ 3:23:36.547 PM // 3:23:47.281 PM /				
Vice Deans shouldn't be able to create a student leaving field blank				
@negative2_vice_dean_student_creation @negative_vice_dean_student_creation				

#	Step / Hook Details	Status	Duration
1	Given user navigates to url	PASSED	0.200 s
2	Then user logs in as malcom_vice dean org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/login']} (Session info: chrome=115.0.5790.102) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [08d08792c3349c481b043e57db95a563, findElement {using=xpath, value=//a[@href='/login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.102, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\14133\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:51003}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:51003/devtoo..., se.cdpVersion: 115.0.5790.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 08d08792c3349c481b043e57db95a563 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)	FAILED	10.119 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at stepdefinitions.ViceDeanStudentCreationStepDefs.user_logins_as_vice_dean(ViceDeanStudentCreationStepDefs.java:46) at ?.user logins as malcom_vice dean(file:///C:/Users/14133/IdeaProjects/ManagementOnSchools/.src/test/resources/features/ui/negative_test_cases/US15_vice_dean_student_creation.feature:7) * Not displayable characters are replaced by '?'. </pre>		
3	Given vice dean navigates to menu	SKIPPED	0.000 s
4	Then vice dean clicks to student management	SKIPPED	0.000 s
5	And choose advisor teacher	SKIPPED	0.000 s
6	And enter name	SKIPPED	0.000 s
7	And enter surname	SKIPPED	0.000 s
8	And enter birth place	SKIPPED	0.000 s
9	And enter email	SKIPPED	0.000 s
10	And enter phone number	SKIPPED	0.000 s
11	And select gender	SKIPPED	0.008 s
12	And select date of birth	SKIPPED	0.000 s
13	And vice dean is not entering SSN respecting - after the third and fifth digits and consist of nine digits in total	SKIPPED	0.001 s
14	And enter user name	SKIPPED	0.000 s
15	And enter father name	SKIPPED	0.000 s
16	And enter mother name	SKIPPED	0.000 s
17	And enter password respecting password credentials	SKIPPED	0.000 s
18	And verify SSN pop-up after submitting	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.404 s
	screenshots		
			

TC_003 Vice Deans shouldn't be able to create a student leaving user name blank

<div>PASSED</div>	<div>DURATION - 14.180 s</div>	<div></div>	<div>Steps</div> <div>Total - 18</div> <div>Pass - 18</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:23:47.307 PM // 3:24:01.487 PM /</div>				
<div>Vice Deans shouldn't be able to create a student leaving field blank</div>				
<div>@negative3_vice_dean_student_creation</div> <div>@negative_vice_dean_student_creation</div>				

#	Step / Hook Details	Status	Duration
1	Given user navigates to url	PASSED	5.154 s
2	Then user logins as malcom_vice dean	PASSED	0.539 s
3	Given vice dean navigates to menu	PASSED	0.638 s
4	Then vice dean clicks to student management	PASSED	0.638 s
5	And choose advisor teacher	PASSED	2.610 s
6	And enter name	PASSED	0.131 s
7	And enter surname	PASSED	0.149 s
8	And enter birth place	PASSED	0.120 s
9	And enter email	PASSED	0.190 s
10	And enter phone number	PASSED	0.149 s
11	And select gender	PASSED	0.151 s
12	And select date of birth	PASSED	0.092 s
13	And enter SSN respecting - after the 3rd and 5th digits and consist of 9 digits in total	PASSED	0.147 s
14	And vice dean is not entering user name	PASSED	0.031 s
15	And enter father name	PASSED	1.108 s
16	And enter mother name	PASSED	1.102 s
17	And enter password respecting password credentials	PASSED	1.139 s
18	And verify user name required after submitting	PASSED	0.089 s