
Cucumber Report

Jul. 29, 2023, 2:17:22 p.m.



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Vice Dean creates lesson schedule	54.849 s	3	0	3	0	40	17	3	20

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Vice Dean creates lesson schedule	TC_001 Vice Dean should be able to create a lesson schedule
2		TC_002 Vice Dean should not be able to create a lesson schedule without selecting a day
3		TC_003 Vice Dean should not be able to create a lesson schedule without selecting a lesson


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@TC_001_US10	1	0	1	0	1	0	1	0
@vice_dean_lesson_schedule	3	0	3	0	1	0	1	0
@TC_002	1	0	1	0	1	0	1	0
@TC_003	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	Vice Dean creates lesson schedule	3	0	3	0	54.849 s	


SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Vice Dean creates lesson schedule	TC_001 Vice Dean should be able to create a lesson schedule	14	5	1	8	20.873 s
2		TC_002 Vice Dean should not be able to create a lesson schedule without selecting a day	13	1	1	11	5.875 s
3		TC_003 Vice Dean should not be able to create a lesson schedule without selecting a lesson	13	11	1	1	27.868 s

DETAILED SECTION -- 7 --

Vice Dean creates lesson schedule



TC_001 Vice Dean should be able to create a lesson schedule




#	Step / Hook Details	Status	Duration
1	Given user navigates to url	PASSED	7.285 s
2	And user clicks on Login on homepage	PASSED	0.470 s
3	Then user logs in as vice dean by entering username "Seymayazan" and password "12345678"	PASSED	0.384 s
4	And user clicks on login button	PASSED	0.115 s
5	Given user clicks on Menu	PASSED	11.347 s
6	And user selects Lesson Management from the menu	FAILED	0.200 s
	org.openqa.selenium.WebDriverException: unknown error: failed to change window state to 'normal', current state is 'maximized' (Session info: chrome=115.0.5790.110) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fe64730c2dae06fcb83f0fa6962c3349, maximizeCurrentWindow {}} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\Owner\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52344}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52344/devtoo, se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fe64730c2dae06fcb83f0fa6962c3349 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.servecute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.servecute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.servecute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.servecute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriver.servecute(RemoteWebDriver.java:595) at utilities.Driver.getDriver(Driver.java:55) at utilities.ReusableMethods.waitForVisibility(ReusableMethods.java:91) at stepdefinitions.US10_ViceDeanLessonScheduleStepDefs. user_selects_lesson_management_from_the_menu(US10_ViceDeanLessonScheduleStepDefs.java:46) at ?.user selects_lesson_management from the menu(file:///C:/Users/Owner/IdeaProjects/ManagementOnSchools/./src/test/resources/ features/ui/US10_vicedean_creates_lesson_schedule.feature:13) * Not displayable characters are replaced by '?'.		
7	And user selects Lesson Program Management	SKIPPED	0.002 s
8	And user selects a lesson from Choose Lessons	SKIPPED	0.002 s
9	And user selects a semester	SKIPPED	0.001 s
10	And user selects a day from Choose Day	SKIPPED	0.002 s
11	And user selects Start Time	SKIPPED	0.005 s
12	And user selects Stop Time	SKIPPED	0.002 s
13	When user clicks on Submit button	SKIPPED	0.001 s
14	Then user sees Created lesson program success message	SKIPPED	0.006 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.970 s
	Screenshots List Name of State of Stat		

TC_002 Vice Dean should not be able to create a lesson schedule without selecting a day

DETAILED SECTION -- 9 --




#	Step / Hook Details	Status	Duration
1	Given user navigates to url	PASSED	4.062 s
2	And user clicks on Login on homepage	FAILED	0.670 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.US10_ViceDeanLessonScheduleStepDefs		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	46 more Caused by: org.openqa.selenium.WebDriverException: unknown error: failed to change window state to 'normal', current state is		
	'maximized' (Session info: chrome=115.0.5790.110) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11',		
	os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		
	[3ccce1de6c6acec536712359982580dd, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome,		
	browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\Owner\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52370}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		
	windows, proxy: Proxy(), se:cdp: ws://localhost:52370/devtoo, se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability:		
	false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:		
	true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} Session ID: 3ccce1de6c6acec536712359982580dd		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriver.java:594) at org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriver.java:955) at utilities.Driver.getDriver(Driver.java:12) at stepdefinitions.US10_ViceDeanLessonScheduleStepDefs. <init>(US10_ViceDeanLessonScheduleStepDefs.java:17)</init>		
3	Then user logs in as vice dean by entering username "Seymayazan" and password "12345678"	SKIPPED	0.001 s
4	And user clicks on login button	SKIPPED	0.001 s
5	Given user clicks on Menu	SKIPPED	0.001 s
6	And user selects Lesson Management from the menu	SKIPPED	0.001 s
7	And user selects Lesson Program Management	SKIPPED	0.001 s
8	And user selects a lesson from Choose Lessons	SKIPPED	0.002 s
9	And user selects a semester	SKIPPED	0.001 s
10	And user selects Start Time	SKIPPED	0.001 s
11	And user selects Stop Time	SKIPPED	0.000 s
12	When user clicks on Submit button	SKIPPED	0.002 s
13	Then Verify that new lesson program can not be created	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.102 s
	screenshots		
	Vita 1970 17 Stages to the Case See See See See See See See See See S		

TC_003 Vice Dean should not be able to create a lesson schedule without selecting a lesson



#	Step / Hook Details	Status	Duration
1	Given user navigates to url	PASSED	3.898 s
2	And user clicks on Login on homepage	PASSED	0.485 s
3	Then user logs in as vice dean by entering username "Seymayazan" and password "12345678"	PASSED	0.765 s
4	And user clicks on login button	PASSED	0.200 s
5	Given user clicks on Menu	PASSED	11.254 s
6	And user selects Lesson Management from the menu	PASSED	0.272 s
7	And user selects Lesson Program Management	PASSED	1.100 s
8	And user selects a semester	PASSED	0.585 s
9	And user selects a day from Choose Day	PASSED	0.291 s
10	And user selects Start Time	PASSED	0.157 s
11	And user selects Stop Time	PASSED	0.214 s
12	When user clicks on Submit button	FAILED	8.087 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: [[ChromeDriver: chrome on windows (a3f1ffd4846b235d4fb1ce1c124f29c6)] -> xpath: (//button[text()='Submit'])[1]] (tried for 5 second(s) with 500 milliseconds interval) Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\Owner\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52395}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52395/devtoo, se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a3f1ffd4846b235d4fb1ce1c124f29c6 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at utilities.ReusableMethods.waitForClickability(ReusableMethods.java:100) at stepdefinitions.US10_ViceDeanLessonScheduleStepDefs.user_clicks_on_submit_button(US10_ViceDeanLessonScheduleStepDefs.java:94) at ?.user clicks on Submit button(file:///C:/Users/Owner/IdeaProjects/ManagementOnSchools/./src/test/resources/features/ui/		

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	US10_vicedean_creates_lesson_schedule.feature:46) * Not displayable characters are replaced by '?'.		
13	Then Verify that new lesson can't be created due to lesson section	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario) screenshots	PASSED	0.542 s
	Section Sect		