Таблица 1.1 – Описание запросов API

Метод	Curl(входные данные)	URL(Строка запроса)	Response body(возвращаемый результат)	Код результата
1	2	3	4	5
GET	curl http://localhost:8000/health	/health	{"status":"ok","database": "connected"}	200
POST	-d '{"nickname":"ivan","email":" ivan@example.com","passwo rd":"password123"}'	/api/v1/aut h/register	{"access_token":"<JWT> ","token_type":"bearer"}	201
POST	-d '{"login":"ivan@example.com ","password":"password123"} '	/api/v1/aut h/login	{"access_token":"<JWT> ","token_type":"bearer"}	200
GET	-H 'Authorization: Bearer <TOKEN>'	/api/v1/use rs/me	{"user_id":1,"nickname": "ivan","email":"ivan@exa mple.com","avatar_url":n ull,"presence_status_id":1 ,"presence_status":"на месте","activity_status_id ":1,"activity_status":"акт ивен"}	200
PATCH	-H 'Authorization: Bearer <TOKEN>' -d '{"nickname":"ivan-new","avatar_url":"https://example.com/avatar.png","password":"newpassword123"}'	/api/v1/use rs/me	{"user_id":1,"nickname": "ivan-new","email":"ivan@exa mple.com","avatar_url":" https://example.com/avata r.png","presence_status":" на месте","activity_status":" активен"}	200
PATCH	-H 'Authorization: Bearer <TOKEN>' -d '{"status":"не беспокоить"}'	/api/v1/use rs/me/prese nce	{"user_id":1,"nickname": "ivan","presence_status": "не беспокоить","activity_sta tus":"активен"}	200

Продолжение таблицы 1.1

1	2	3	4	5
GET	-H 'Authorization: Bearer <TOKEN>'	/api/v1/teams	[{"team_id":1,"name":"Команда","description":"Описание","created_time":"2026-01-01T10:00:00","role":"владелец команды"}]	200
POST	-H 'Authorization: Bearer <TOKEN>' -d '{"name":"Команда","description":"Описание"}'	/api/v1/teams	{"team_id":1,"name":"Команда","description":"Описание"}	201
GET	-H 'Authorization: Bearer <TOKEN>'	/api/v1/teams/{team_id}	{"team_id":1,"name":"Команда","description":"Описание","creator_user_id":1,"created_time":"2026-01-01T10:00:00"}	200
PATCH	-H 'Authorization: Bearer <TOKEN>' -d '{"name":"Новое название","description":"Новое описание"}'	/api/v1/teams/{team_id}	{"team_id":1,"name":"Новое название","description":"Новое описание","creator_user_id":1,"created_time":"2026-01-01T10:00:00"}	200
GET	-H 'Authorization: Bearer <TOKEN>'	/api/v1/teams/{team_id}/members	[{"user_id":1,"nickname":"ivan","email":"ivan@example.com","avatar_url":null,"presence_status":"на месте","role":"участник","joined_time":"2026-01-01T10:05:00"}]	200
POST	-H 'Authorization: Bearer <TOKEN>' -d '{"expires_in_days":7}'	/api/v1/teams/{team_id}/invitations	{"invitation_id":1,"invite_code":"<CODE>","expires_time":"..."}. Только владелец.	201

Продолжение таблицы 1.1

1	2	3	4	5
DELETE	-H 'Authorization: Bearer <TOKEN>'	/api/v1/invitations/{invitation_id}		204
POST	-H 'Authorization: Bearer <TOKEN>' -d '{"invite_code":"<CODE>"}'	/api/v1/invitations/join	{"team_id":1,"role":"участник"}	200
PATCH	-H 'Authorization: Bearer <TOKEN>' -d '{"role":"гость"}'	/api/v1/teams/{team_id}/members/{member_user_id}	{"team_id":1,"user_id":2, "role":"гость"}. Только владелец; роли: участник, гость.	200
DELETE	-H 'Authorization: Bearer <TOKEN>'	/api/v1/teams/{team_id}/members/{member_user_id}		204
GET	-H 'Authorization: Bearer <TOKEN>'	/api/v1/teams/{team_id}/tasks	[{"task_id":1,"team_id":1, "title":"Новая задача","task_status_id":1 ,"status":"свободна","assignee_user_id":null,"assignee":null,"created_time":" 2026-01-01T10:10:00","last_modified_at":"2026-01-01T10:10:00","is_archived":0}]	200
POST	-H ‘Authorization: Bearer <TOKEN>’ -d ‘{“title”:”Новая задача”,”content”:”# Markdown”}’	/api/v1/teams/{team_id}/tasks	{"task_id":1,"team_id":1, "title":"Новая задача","content":"# Markdown","task_status_id":1,"status":"свободна", "assignee_user_id":null,"is_archived":0}	201

Продолжение таблицы 1.1

1	2	3	4	5
GET	-H ‘Authorization: Bearer <TOKEN>’	/api/v1/tasks/{task_id}	{"task_id":1,"team_id":1,"title":"Новая задача","content":"# Markdown","task_status_id":1,"status":"свободна","assignee_user_id":null,"is_archived":0}	200
POST	-H ‘Authorization: Bearer <TOKEN>’	/api/v1/tasks/{task_id}/claim	{"task_id":1,"title":"Новая задача","task_status_id":3,"status":"в работе","assignee_user_id":1,"is_archived":0}	200
PATCH	-H 'Authorization: Bearer <TOKEN>' -d '{"title":"Обновлённый заголовок","content":"Обновлённый Markdown"}'	/api/v1/tasks/{task_id}	{"task_id":1,"title":"Обновлённый заголовок","content":"Обновлённый Markdown","status":"в работе","assignee_user_id":1,"last_modified_at":"2026-01-01T10:20:00"}	200
POST	-H 'Authorization: Bearer <TOKEN>'	/api/v1/tasks/{task_id}/complete	{"task_id":1,"status":"завершена","assignee_user_id":null,"last_modified_at":"2026-01-01T10:30:00"}	200
POST	-H 'Authorization: Bearer <TOKEN>'	/api/v1/tasks/{task_id}/unlock	{"task_id":1,"status":"свободна","assignee_user_id":null}	200
POST	-H 'Authorization: Bearer <TOKEN>'	/api/v1/tasks/{task_id}/archive	{"task_id":1,"is_archived":true}. Только владелец команды.	200

Продолжение таблицы 1.1

1	2	3	4	5
GET	-H 'Authorization: Bearer <TOKEN>'	/api/v1/tasks/{task_id}/changes	[{"change_id":1,"task_id":1,"author_user_id":1,"author":"ivan","author_role":"участник","change_date":"2026-01-01","change_time":"10:20:00","diff_content":"before.md\n after.md\n"}]	200
GET	-H 'Authorization: Bearer <TOKEN>'	/api/v1/tasks/{task_id}/comments	[{"comment_id":1,"task_id":1,"author_user_id":1,"author":"ivan","text":"Текст комментария","created_time":"2026-01-01T10:25:00"}]	200
POST	-H 'Authorization: Bearer <TOKEN>' -d '{"text":"Текст комментария"}'	/api/v1/tasks/{task_id}/comments	{"comment_id":1,"task_id":1,"text":"Текст комментария"}	201
GET	-H 'Authorization: Bearer <TOKEN>'	/api/v1/tasks/{task_id}/remarks	[{"remark_id":1,"task_id":1,"change_id":1,"author_user_id":1,"author":"ivan","fragment_identifier":"line-4","text":"Исправьте этот фрагмент","sent_time":"2026-01-01T10:26:00","status":"открыто"}]	200
POST	-H 'Authorization: Bearer <TOKEN>' -d '{"fragment_identifier":"line-4","text":"Исправьте этот фрагмент","change_id":1}'	/api/v1/tasks/{task_id}/remarks	{"remark_id":1,"task_id":1,"status":"открыто"}. change_id необязателен.	201
PATCH	-H 'Authorization: Bearer <TOKEN>'	/api/v1/remarks/{remark_id}	{"remark_id":1,"status":"устранено"}	200

Продолжение таблицы 1.1

1	2	3	4	5
GET	-H 'Authorization: Bearer <TOKEN>'	/api/v1/users/me/notifications	[{"notification_id":1,"recipient_user_id":1,"task_id":1,"text":"Задача «Новая задача» завершена","sent_time":"2026-01-01T10:30:00","status":"не прочитано"}]	200
PATCH	-H 'Authorization: Bearer <TOKEN>' -d '{"read":true}'	/api/v1/notifications/{notification_id}	{"notification_id":1,"status":"прочитано"}	200
POST	-H 'Authorization: Bearer <TOKEN>' -d '{"subject":"Вопрос","text":"Описание обращения"}'	/api/v1/support/requests	{"request_id":1,"subject":"Вопрос"}	201
GET	-H 'Authorization: Bearer <TOKEN>'	/api/v1/support/requests	[{"request_id":1,"user_id":1,"subject":"Вопрос","text":"Описание обращения","created_time":"2026-01-01T11:00:00","processed_time":null,"processed_by_user_id":null,"nickname":"ivan","email":"ivan@example.com"}]	200
PATCH	-H 'Authorization: Bearer <TOKEN>' -d '{"processed":true}'	/api/v1/support/requests/{request_id}	{"request_id":1,"processed":true}. Только техподдержка.	200
GET	-H 'Authorization: Bearer <TOKEN>'	/api/v1/teams/{team_id}/reports/task-statuses	[{"status":"свободна","task_count":2},{"status":"в работе","task_count":1},{"status":"завершена","task_count":5}]	200

Продолжение таблицы 1.1

1	2	3	4	5
GET	-H 'Authorization: Bearer <TOKEN>'	/api/v1/tasks/{task_id}/export	Markdown-файл задачи (.md) для скачивания.	200
GET	-H 'Authorization: Bearer <TOKEN>'	/api/v1/admin/users	[{"user_id":1,"nickname":"ivan","email":"ivan@example.com","avatar_url":null,"registration_time":"2026-01-01T09:00:00","activity_status":"активен","presence_status":"на месте"}]	200
GET	-H 'Authorization: Bearer <TOKEN>'	/api/v1/admin/users	[{"user_id":1,"nickname":"ivan","email":"ivan@example.com","avatar_url":null,"registration_time":"2026-01-01T09:00:00","activity_status":"активен","presence_status":"на месте"}]	200
PATCH	-H 'Authorization: Bearer <TOKEN>' -d '{"active":false}'	/api/v1/admin/users/{target_user_id}/activity	{"user_id":2,"activity_status":"заблокирован"}. Только техподдержка.	200
POST	-H 'Authorization: Bearer <TOKEN>'	/api/v1/admin/users/{target_user_id}/password-reset	{"user_id":2,"temporary_password":"<PASSWORD>"}. Передайте временный пароль пользователю безопасным способом. Только техподдержка.	200

Продолжение таблицы 1.1

1	2	3	4	5
GET	-H 'Authorization: Bearer <TOKEN>'	/api/v1/admin/teams	[{"team_id":1,"name":"Команда","description":"Описание","creator_user_id":1,"created_time":"2026-01-01T10:00:00","owner":"ivan"}]	200
GET	-H 'Authorization: Bearer <TOKEN>'	/api/v1/admin/tasks/{task_id}/changes	[{"change_id":1,"task_id":1,"author_user_id":1,"author":"ivan","author_role":"участник","change_date":"2026-01-01","change_time":"10:20:00","diff_content":"..."}]	200
POST	-H 'Authorization: Bearer <TOKEN>'	/api/v1/admin/tasks/{task_id}/unlock	{"task_id":1,"status":"свободна"}. Только техподдержка.	200
GET	-H 'Authorization: Bearer <TOKEN>'	/api/v1/admin/system-logs	[{"log_id":1,"created_time":"2026-01-01T11:00:00","message":"...","level":"info"}]	200