

Postman mysql

The screenshot shows a Postman interface for a POST request to `http://localhost:8080/usuarios/`. The request is configured with the following details:

- Method:** POST
- URL:** `http://localhost:8080/usuarios/`
- Body Type:** JSON
- Body Content:**

```
{  "nome": "cainan",  "email": "fulano@portalsesisp.org.br"}
```

The response is displayed in the bottom section, showing a status of 201 Created, a time of 16 ms, and a size of 230 B. The response body is formatted as JSON:

```
{  "id": 3,  "nome": "cainan",  "email": "fulano@portalsesisp.org.br"}
```

The screenshot shows a Postman interface for a GET request to `http://localhost:8080/usuarios/`. The request is configured with the following details:

- Method:** GET
- URL:** `http://localhost:8080/usuarios/`

The response is displayed in the bottom section, showing a status of 200 OK, a time of 21 ms, and a size of 351 B. The response body is formatted as JSON:

```
[  {    "id": 1,    "nome": "cainan",    "email": "fulano@portalsesisp.org.br"  },  {    "id": 2,    "nome": "cainan",    "email": "fulano@portalsesisp.org.br"  },  {    "id": 3,
```

HTTP **http://localhost:8080/usuarios/2**

GET **http://localhost:8080/usuarios/2**

Params Authorization Headers (8) **Body** Pre-request Script Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary **JSON** ▾

```
1 [
2   ...."nome": "cainan",
3   ...."email": "fulano@portalsesisp.org.br"
4 ]
```

Body Cookies Headers (5) Test Results 🌐 200 OK 21 ms 225 B

Pretty Raw Preview Visualize **JSON** ▾

```
1 [
2   "id": 2,
3   "nome": "cainan",
4   "email": "fulano@portalsesisp.org.br"
5 ]
```

HTTP **http://localhost:8080/usuarios/2**

PUT **http://localhost:8080/usuarios/2**

Params Authorization Headers (8) **Body** Pre-request Script Tests Settings


☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary **JSON** ▾

```
1 [
2   ...."nome": "cainan",
3   ...."email": "fulano@portalsesisp.org.br"
4 ]
```

Body Cookies Headers (5) Test Results 🌐 200 OK 16 ms 225 B

Pretty Raw Preview Visualize **JSON** ▾

```
1 [
2   "id": 2,
3   "nome": "cainan",
4   "email": "fulano@portalsesisp.org.br"
5 ]
```

 http://localhost:8080/usuarios/2

DELETE

▼

http://localhost:8080/usuarios/2

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettings

☐ none

☐ form-data

☐ x-www-form-urlencoded

☒ raw

☐ binary

JSON ▼

1

2

3

4

1

2

3

4

Body

Cookies

Headers (5)

Test Results

200 OK

28 ms

200 B


Pretty

Raw

Preview

Visualize

Text ▼



1

0 produto foi excluído com sucesso.

Postman h2

The screenshot shows a Postman interface for a POST request to `http://localhost:8081/usuarios/`. The request is configured with the following details:

- Method:** POST
- URL:** `http://localhost:8081/usuarios/`
- Body Type:** JSON
- Body Content:**

```
1 {
2   "nome": "cainan",
3   "email": "fulano@portalsesisp.org.br"
4 }
```

The response is displayed in the bottom section, showing a status of 201 Created, 10 ms, and 230 B. The response body is formatted as JSON:

```
1 {
2   "id": 3,
3   "nome": "cainan",
4   "email": "fulano@portalsesisp.org.br"
5 }
```

The screenshot shows a Postman interface for a GET request to `http://localhost:8081/usuarios/`. The request is configured with the following details:

- Method:** GET
- URL:** `http://localhost:8081/usuarios/`
- Body Type:** JSON

The response is displayed in the bottom section, showing a status of 200 OK, 14 ms, and 300 B. The response body is formatted as JSON:

```
1 [
2   {
3     "id": 2,
4     "nome": "cainan",
5     "email": "fulano@portalsesisp.org.br"
6   },
7   {
8     "id": 3,
9     "nome": "cainan",
10    "email": "fulano@portalsesisp.org.br"
11  },
12 ]
```

HTTP **http://localhost:8081/usuarios/2**

GET **http://localhost:8081/usuarios/2**

Params Authorization Headers (8) **Body** Pre-request Script Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary **JSON** ▾

```
1 [
2   ... "nome": "cainan",
3   ... "email": "fulano@portalsesisp.org.br"
4 ]
```

Body Cookies Headers (5) Test Results 200 OK 10 ms 22

Pretty Raw Preview Visualize **JSON** ▾ ↻

```
1 [
2   "id": 2,
3   "nome": "cainan",
4   "email": "fulano@portalsesisp.org.br"
5 ]
```

HTTP **http://localhost:8081/usuarios/2**

PUT **http://localhost:8081/usuarios/2**

Params Authorization Headers (8) **Body** Pre-request Script Tests Settings


☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary **JSON** ▾

```
1 [
2   ... "nome": "cainan",
3   ... "email": "fulano@portalsesisp.org.br"
4 ]
```

Body Cookies Headers (5) Test Results 200 OK 10 ms

Pretty Raw Preview Visualize **JSON** ▾ ↻

```
1 [
2   "id": 2,
3   "nome": "cainan",
4   "email": "fulano@portalsesisp.org.br"
5 ]
```

 http://localhost:8081/usuarios/2

DELETE

http://localhost:8081/usuarios/2

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

☐ none

☐ form-data

☐ x-www-form-urlencoded

☒ raw

☐ binary

JSON

1

2

3

4

...

"nome": "cainan",

...

"email": "fulano@portalsesisp.org.br"

...

Body

Cookies

Headers (5)

Test Results

200 OK

13 ms

20

Pretty

Raw

Preview

Visualize

Text

1

0 produto foi excluído com sucesso.