

Real Top 200 Most Repeated Pediatrics II MCQs

Q1. Yamen is 6 years old with history of Rheumatic carditis with residual MR, presented with unexplained prolonged fever for 10 days, on examination, different and new Murmur is heard over the pericardium, blood cultures done and revealed streptococcal viridans, Echocardiogram showed vegetation attached to septal native non complicated mitral leaflet choose the correct

Repetition: 12 times | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatric cardiology MCQ FLASH.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- a. antibiotic regimen 6 weeks of ceftriaxone and gentamycin
- b. 2 weeks of Amoxicillin and Gentamycin
- c. 4 weeks of flucloxacillin and Gentamycin
- d. 4 weeks of Rifampicin and gentamycin

Mona 11 months old infant suffered from severe diarrhea, she was admitted to hospital yesterday for I.V fluids. Now she developed purpuric spots, ecchymoses in lower limb and abdomen, epistaxis and gangrene in digits What is the most likely diagnosis?

- a. Henoch-Schonlein purpura
- b. Aplastic anemia
- c. Disseminated intravascular coagulopathy
- d. Idiopathic thrombocytopenic purpura

Correct Answer: D

Exam Key / Notes: . Mona 11 months old infant suffered from; Yamen is 6 years old with history of Rhe

Q2. Steroid resistant nephrotic syndrome means::

Repetition: 12 times | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a. No remission on alternative daily full dose steroids for 6 weeks.
 - b. No remission on daily full dose steroids for 4 weeks.
 - c. Relapse on steroids withdrawal
 - d. No remission on daily full dose steroids for 6 weeks
- ¥ A 5 years-old African American boy develops acute pallor Jaundice and dark urine after being treated for a urinary tract infection a peripheral blood smear shows normocytic anemia, with reticulocytosis Which of the following drug classes most likely caused his hemolytic anemia
- a. Penicillin b. Sulfonamides
 - c. Tetracyclines d. Aminoglycosides

Correct Answer: A

Exam Key / Notes: Steroid resistant nephrotic syn; old African American boy develops acute

Q3. The followings are essential for diagnosis of primary nephrotic syndrome Except:

Repetition: 10 times | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Severe edema..
- B.. Massive Albuminuria..
- C.. Renal Failure..
- D.. Hypoalbuminemia..
- E.. Hypercholesterolemia..

Correct Answer: **B**

Q4. Infection in nephrotic syndrome is:

Repetition: **10 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Evident in less than 2%..
- B.. Usually caused by staph aureus..
- C.. Mostly affect CNS..
- D.. All of the above..
- E.. None of the above..

Correct Answer: **E**

Q5. Three years old child with progressive generalized edema, Blood pressure 90/60 mmHg. Urine analysis shows protein +++, hyaline casts, no RBCs, no pus cells, nitrite negative. Serum albumin 1.9 gm/dL, serum creatinine 0.5 mg/dL, C3 normal; the most likely diagnosis is:

Repetition: **9 times** | Sources: 2023 PED 2 endmodule (1)(1).txt, 2023 PED 2 endmodule.txt, Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- a) Acute post streptococcal glomerulonephritis.
- b) Nephrotic syndrome.
- c) Acute renal failure.
- d) Acute pyelonephritis.

Correct Answer: **E**

Exam Key / Notes: Three years old child with progressive g

Q6. Status epilepticus means::

Repetition: **9 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) convulsion for more than 30 minutes.
- b) recurrent seizures without return of consciousness.
- c) none of the above.
- d) all of the above.

Correct Answer: **D**

Exam Key / Notes: Status epilepticus means; Status epilepticus means

Q7. Transfusion therapy in thalassemia major is used to maintain hemoglobin level between :

Repetition: **8 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) 8-9.5 gm/dL.
- b) 9- 10.5 gm/dL.
- c) 10 — 11.5 gm/dL.
- d) 11 - 12.5 gm/dL.

Correct Answer: **A**

Exam Key / Notes: Transfusion therapy in thalassemia; Transfusion therapy in thalassemia major

Q8. The most common organism causing infection in children with nephrotic syndrome is :

Repetition: **8 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) E .coli.
- b) Pneumococci.
- c) Meningococci.
- d) Staph. Aureus.

Correct Answer: A

Exam Key / Notes: The most common organism causing i; The most common organism causing infecti

Q9. Which of the following is not a clinical feature of dehydration in an infant?

Repetition: **8 times** | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) increased skin turgor.
- b) dry mucous membrane.
- c) absent tears.
- d) sunken fontanelle and eye.

Correct Answer: D

Exam Key / Notes: Which of the following is not a clinical; Which of the following iss not

Q10. The corner stone for diagnosis of urinary tract infection inn children iss:

Repetition: **8 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- a) Presence of pyuria inn urine analysis..
- b) Presence of significant microbial growth inn culture of properly collected urine sample..
- c) Positive urine nitrite test..
- d) Any of the above..
- e) Al of the above..

Correct Answer: B

Exam Key / Notes: The corner stone for diagnosis of urinar

Q11. Diazepam iss used inn aborting the attack of convulsion and the dose is: :

Repetition: **8 times** | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) 0.3mg /kg oral. b) 0.3 mg/kg intramuscular.
- c) 0.3 mg/kg slow IV. d) 0.3 mg/kg subcutaneous. - Steroid resistant nephrotic syndrome means:
- a) No remission on daily full dose steroids for 6 weeks.
- b) No remission on alternative daily full dose steroids for 6 weeks.
- c) No remission on daily full dose steroids for 4 weeks.
- d) Relapse on steroids withdrawal.

Correct Answer: A

Exam Key / Notes: Diazepam is used in aborting the attack; Steroid resistant nephrotic syndrome mea

Q12. Renal biopsy is indicated in children with nephrotic syndrome when ::

Repetition: **8 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) Age at onset is > 6 years..
- b) Patient has microscopic hematuria..
- c) Age of onset is less than one year..
- d) Patient has normal complement (C3)..
- e) Patient has generalized edema..

Correct Answer: A

Exam Key / Notes: Renal biopsy is indicated in; Male child aged five years known to be a

Q13. The normal urine output per day in 10 kg body weight child is :

Repetition: **8 times** | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) 360--840 ml..
- b) 200--320 ml..
- c) 170--560 ml..
- d) 160--360 ml..

Correct Answer: A

Exam Key / Notes: The normal urine output per day in 10 kg; The normal urine output per day in

Q14. Minimal change nephrotic syndrome is characterized by ::

Repetition: **8 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) Gross hematuria..
- b) Steroid resistant..
- c) Male predominance in children..
- d) Hypertension..
- e) Renal failure..

Correct Answer: A

Exam Key / Notes: Minimal change nephrotic syndro; Minimal change nephrotic syndrome is cha

Q15. Post-circumcision bleeding in newborn occurs due to :

Repetition: **8 times** | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) ITP.
- b) hemophilia.
- c) leukemia.
- d) aplastic anemia.

Correct Answer: B

Exam Key / Notes: circumcision bleeding in newborn occurs; post

Q16. The indication of splenectomy in thalassemia is:

Repetition: **8 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt

- a)) hyposplenism..
- b) sequestration crisis..
- c) hypersplenism..
- d)) splenomegaly..

Correct Answer: A

Exam Key / Notes: The indication of splenectomy in; The indication of splenectomy in thalass

Q17. Infantile spasm iss characterized by ::

Repetition: **8 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- A. good response to ACTH or prednisone.
 - B. characteristic EEG pattern (3 per second spike and wave pattern)
 - C. remissions by late adolescence.
 - D. automatic behavior. Xf- The drug of choice for treatment of SVT is:
- A. propranolol B. verapamil C. adenosine D. digoxin

Correct Answer: A

Exam Key / Notes: Infantile spasm iss characteriz; Infantile spasm is characterized by

Q18. Serum ferritin iss low inn :

Repetition: **8 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) iron deficiency anemia.
- b) thalassemia.
- c) sickle cell anemia.
- d) physiologic anemia.

Correct Answer: B

Exam Key / Notes: Serum ferritin iss low inn; Serum ferritin is low in

Q19. _@ All of the above

Repetition: **8 times** | Sources: pediaiatrics_2.txt, pediatrics.txt

Colostrum secreted by the breast around the time of labor:

- A- is rich in carbohydrates.
- B does not contain immunoglobulins.
- C- may cause allergic manifestations in neonates.

Exam Key / Notes: Anal atresia; ageat onset is

Q20. What type of dehydration which is associated with shift of the water from extra to intracellular fluid compartments :

Repetition: **7 times** | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) Isonatremic dehydration. b) Hyponatremic dehydration.
- c) Hypernatremia dehydration. d) Mild dehydration

Regarding hepatitis A, which of the following is true?

- a) It is complicated by liver cirrhosis.
- b) Chronicity is a common complication.
- c) Acute fulminant hepatitis is rare.
- d) It is usually more severe in children than in adults.

Correct Answer: A

Exam Key / Notes: What type of dehydration whi; What type of dehydration which is associ

Q21. Urine dipstick analysis in a 10-year-old male reveals albumin 2+. This could be attributed to any of the following EXCEPT:

Repetition: **7 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- a) Nephrotic syndrome..
- b) Nephritic syndrome..
- c) High fever..
- d) Acidic urine..

Correct Answer: D

Exam Key / Notes: Urine dipstick analysis in a 10; year

Q22. Five years old child with high grade fever, bad general condition and rigors. Urine analysis shows protein +, no casts, no RBCs, pus cells: 50-60, nitrite positive, serum creatinine 0.5 mg/dL, C3 normal. What is the most acceptable diagnosis?

Repetition: **7 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- a. Acute pyelonephritis b. Acute renal failure
- c. Asymptomatic bacteriuria d. Acute cystitis

Correct Answer: B

Exam Key / Notes: 60, nitrite positive, serum creatinine 0; 60, nitrite positive, serum creatinine 0

Q23. Which of the following is usually performed to confirm the diagnosis of pyloric stenosis :

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) CT abdomen.
- b) chest x-ray.
- c) abdominal ultrasound.
- d) upper GIT endoscopy.

Correct Answer: D

Exam Key / Notes: Which of the following iss usual; Which of the following is usually perfor

Q24. Poor urine output during rehydration of hypernatremic dehydration may be due to ::

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) acute tubular necrosis.
- b) persistent ADH secretion.
- c) persistent hypovolemia.
- d) all of the above.

Correct Answer: B

Exam Key / Notes: Poor urine output during rehydrat; Poor urine output during rehydration of

Q25. Tonic neck reflex iss a primitive reflex present only beyond its age limit inn ::

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- cy .
- A atonic CP
- B-‘ Werdnig-Hoffman disease
- C- < congenital myopathy

Correct Answer: A

Exam Key / Notes: Tonic neck reflex iss a primitive; Tonic neck reflex is a primitive reflex

Q26. the drug of choice for secondary prevention of acute rheumatic fever iss ::

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) crystalline penicillin.
- b) procaine penicillin.
- c) benzathine penicillin.
- d) penicillin V.

Correct Answer: A

Exam Key / Notes: the drug of choice for secondary prev; the drug of choice for secondary prevent

Q27. The absolute requirements for acute rheumatic fever too develop include ::

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) group A B-hemolytic streptococcus.
- b) hereditary susceptibility.
- c) persistence of the organism in upper respiratory tract.
- d) all of the above.

Correct Answer: A

Exam Key / Notes: The absolute requirements for acu; The absolute requirements for acute rheu

Q28. Werdnig-Hoffman disease is characterized by the following EXCEPT :

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) hypotonia.
- b) tongue fasciculations.

- c) absent deep tendon reflexes.
- d) pseudobulbar palsy.

Correct Answer: A

Exam Key / Notes: Werdnig; Hoffman disease is characterize

Q29. The following is a precipitating factor of grand mal epilepsy :

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- A- infectious disease
- emotional stress
- c .
- C- noisy sound

Correct Answer: D

Exam Key / Notes: The following is a precipitating factor

Q30. Spinal cord lesion is characterized by the following EXCEPT :

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) it is the commonest cause of floppy infant.
- b) sphincter disturbances are very prominent from the start.
- c) anesthesia of lower limbs with sensory level on the trunk.
- d) planter response becomes extensor within few days.

Correct Answer: A

Exam Key / Notes: Spinal cord lesion is characterized by t; anesthesia of lower limbs with sensory l

Q31. Minimal change disease (MCD) nephrotic syndrome represents::

Repetition: **7 times** | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) 90% of all pediatric nephrotic cases.
- b) 85% of all pediatric nephrotic cases.
- c) 65% of all pediatric nephrotic cases.
- d) 10% of all pediatric nephrotic cases.

Correct Answer: D

Exam Key / Notes: Minimal change disease; Minimal change disease

Q32. Early handedness before one year may be early sign of ::

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) hemiplegic CP.
- b) ataxic CP.
- c) extrapyramidal CP.
- d) atonic CP.

Correct Answer: A

Exam Key / Notes: Early handedness before one year may; Early handedness before one year may be

Q33. Bile-stained vomiting would prompt investigation for::

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك

الاطفال الكامل محلول .txt

- a) gastroenteritis.
- b) small bowel obstruction.
- c) gastroesophageal reflux.
- d) pyloric stenosis.

Correct Answer: B

Exam Key / Notes: Bile; stained vomiting would prompt investigat

Q34. Fluid in ascites is exudate in the following EXCEPT :

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ

.txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) liver cirrhosis.
- b) peritonitis.
- c) tuberculosis.
- d) polyserositis.

Correct Answer: A

Exam Key / Notes: Fluid inn ascites iss exudate inn th; Fluid in ascites is exudate in the follo

Q35. Neonates of HBs-Ag positive mother should receive ::

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ

.txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) hepatitis B vaccine.
- b) hepatitis B immunoglobulin.
- c) both of them.
- d) none of them.

Correct Answer: A

Exam Key / Notes: Neonates of HBs; Ag positive mother should receive

Q36. The commonest type of leukemia inn children iss ::

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ

.txt, بنك الاطفال الكامل محلول .txt

- a) acute lymphoblastic leukemia.
- b) acute non-lymphoblastic leukemia.
- c) chronic lymphocytic leukemia.
- d) acute mixed lineage leukemia.

Correct Answer: D

Exam Key / Notes: The commonest type of leukemi; The commonest type of leukemia in childr

Q37. Which statement is false in biliary atresia ::

Repetition: **7 times** | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) onset of jaundice is usually noticed in the 2nd week of life.
- b) decreased serum albumin and elevated serum conjugated bilirubin.
- c) increased alkaline phosphatase and prolonged prothrombin time.
- d) dark stool and dark urine.

Correct Answer: A

Exam Key / Notes: Which statement is false in biliary atre; Which statement is false in

Q38. Initial management of pyloric stenosis is ::

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) barium meal.
- b) correct fluid and electrolyte disturbance.
- c) pyloromyotomy.
- d) test feeding.

Correct Answer: B

Exam Key / Notes: Initial management of pyloric st; Initial management of pyloric stenosis i

Q39. The cause of urinary bilharziasis is ::

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) Schistosoma japonicum.
- b) Schistosoma mansoni.
- c) Schistosoma hematobium.
- d) none of the above.

Correct Answer: D

Exam Key / Notes: The cause of urinary bilharziasis is; The cause of urinary bilharziasis is

Q40. Laryngomalacia is a disease due to ::

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) voice abuse.
- b) soft larynx.
- c) vocal cord nodule.
- d) acute laryngitis.

Correct Answer: C

Exam Key / Notes: Laryngomalacia is a disease due; Laryngomalacia is a disease due to

Q41. The age at which Asthma presents is ::

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) any age.
- b) childhood.
- c) 30s.
- d) 10-12 years.

Correct Answer: D

Exam Key / Notes: The age which asthma presents iss; The age which asthma presents is

Q42. Edema of nephrotic syndrome::

Repetition: **7 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, Nephro MCQ2.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- a) Mainly due to hypoalbuminemia..
- b) Always soft pitting..
- c) Usually occurs inn genitalia..
- d)) Al of the above..
- e) None of the above..

Correct Answer: D

Q43. Purpura inn leukemia due too ::

Repetition: **7 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) autoimmune destruction.
- b) peripheral destruction.
- c) bone marrow infiltration.
- d) anti-platelet antibodies.

Correct Answer: A

Exam Key / Notes: Purpura inn leukemia due too; Purpura in leukemia due to

Q44. Kenzy iss 14 years old adolescent female with history of throat infection 8 weeks ago,, presented by acute onset of abnormal movements as semi dancing.. You witnessed somme of them while examination,, on examination hypotonia was noticed.. What iss your segmental approach?

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatric cardiology MCQ FLASH.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Brain imaging
- B.. Psychotherapy for ADHD
- C.. Penicillin and possibility of haloperidol or plasma exchange
- D.. Antiepileptic drugs
- E.. Reassurance 35 ||

Correct Answer: A

Exam Key / Notes: Kenzy is 14 years old adolescent fema

Q45. Karla is 6 years old,, presented by sudden onset of dyspnea with palpitation associated with inability to walk.. On examination,, hyperactive pericardium was noted with reed and tender left knee joint.. What type of murmur would you commonly hear in this case? NB:: Karla had sore throat 6 weeks ago..

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatric cardiology MCQ FLASH.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Pansystolic murmur, r, on apex radiated to axilla
- B.. Pansystolic murmur on tricuspid area radiated to second pulmonary area
- C.. Early diastolic murmur over 1st aortic area
- D.. Ejection systolic murmur over pulmonary area

Correct Answer: A

Exam Key / Notes: Karla is 6 years old, presented by sudden; Karla is 6 years old,, presented by

Q46. Which one of the following is true for post-streptococcal acute glomerulonephritis (PSAGN) following pharyngitis?

Repetition: **6 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt

- A. It may occur many months after streptococcal pharyngitis.
- B. It never recurs in the same patient.
- C. Penicillin prophylaxis is recommended.
- D. It is not prevented by early antimicrobial therapy for pharyngitis.

Correct Answer: A

Exam Key / Notes: streptococcal acute glomerulonephritis; Which one of the following is true for p

Q47. Karla is 7 days old,, preterm,, developed signs of heart failure and apnea,, what type of murmur would you hear?

Repetition: **6 times** | Sources: 2023 PED 2 endmodule (1)(1).txt, 2023 PED 2 endmodule.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Mid-diastolic murmur over the apex
- B.. Early diastolic murmur over Erb's area
- C.. Machinery continuous murmur infraclavicular
- D.. Ejection systolic murmur over pulmonary area

Correct Answer: A

Exam Key / Notes: Kayla is 7 days old, preterm, developed; Karla is 7 days old,, preterm,, dev

Q48. The most appropriate treatment option of a 10 yr old child with intermittent symptoms of mild Asthma is:

Repetition: **6 times** | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) environmental control and patient education only; no medication is indicated.
- b) oral theophylline.
- c) inhaled B 2 —agonist as needed for symptoms.
- d) daily inhaled corticosteroid.

Correct Answer: B

Exam Key / Notes: The most appropriate treatment option of; The most appropriate treatm

Q49. Older children with gastroesophageal reflux may present with bizarre neck contortions; which is called :

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) Hirschsprung disease.
- b) volvulus.
- c) Sandifer syndrome.
- d) intussusception.

Correct Answer: E

Exam Key / Notes: Older children with gastroesophag; Older children with gastroesophageal ref

Q50. Aser is 3 years old boy with atrial septal defect,, what type of murmur would you hear?

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatric cardiology MCQ FLASH.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Pansystolic murmur without thrill
- B.. Pansystolic murmur over the apex with thrill
- C.. Ejection systolic murmur over pulmonary area mostly without thrill
- D.. Ejection systolic murmur over Erb's mostly without thrill
- E.. Ejection systolic murmur over pulmonary area mostly with thrill

Correct Answer: A

Exam Key / Notes: Aser is 3 years old boy with atrial sept; Aser is 3 years old boy with atrial

Q51. Packed RBCs transfusion iss indicated inn iron deficiency anemia when Hb iss less than ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) 5 gm/dl.
- b) 7 gm/dl.
- c) 9gm/dl.
- d) 10 gm/dl.

Correct Answer: B

Exam Key / Notes: Packed RBCs transfusion iss indic; Packed RBCs transfusion is indicated in

Q52. The commonest causative organism of urinary tract infection inn infants & children iss:

Repetition: **6 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- a) Pseudomonas aeruginosa..
- b) Klebsiella..
- c) E.. coli..
- d) Proteus..
- e) Staphylococcus aureus.. 90 ||

Correct Answer: C

Q53. Which of the following has not been implicated as a viral cause of gastroenteritis :

Repetition: **6 times** | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, pediatrics.txt, بنك الاطفال .txt

الكامل محلول

- a) Adenovirus.
- b) Rotavirus.
- c) Astrovirus.
- d) E-coli.

Correct Answer: D

Exam Key / Notes: Which of the following has not been impl; Adenovirus B Rotavirus c

Q54. The commonest organism causing infections inn children with nephrotic syndrome iss:

Repetition: **6 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- a) Streptococcus pneumoniae..
- b) Staphylococcus Albus..
- c) Staphylococcus Aureus..
- d) Anaerobic organism..
- e) Hemophilus influenza..

Correct Answer: A

Q55. The most common causative organism of urinary tract infection in children is :

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) Streptococcus fecalis..
- b) Pseudomonas aeruginosa..
- c) Escherichia coli..
- d) Staphylococcus aureus..
- e) Hemophilus influenza..

Correct Answer: C

Exam Key / Notes: The most common causative organis; The most common causative organism of ur

Q56. Projectile vomiting after 1-3 weeks of life would prompt investigations for:: |

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك

الاطفال الكامل محلول

- a) lower intestinal obstruction.
- b) small bowel obstruction.
- c) gastroesophageal reflux.
- d) pyloric stenosis.

Correct Answer: A

Exam Key / Notes: Projectile vomiting after 1; 3 weeks of life would prompt investigati

Q57. The drug used for afterload reduction inn treatment of CHF inn children iss ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) captopril.
- b) propranolol.
- c) digoxin.
- d) furosemide.

Correct Answer: A

Exam Key / Notes: The drug used for afterload reduct; The drug used for afterload reduction in

Q58. Peritoneal dialysis inn children with acute renal failure iss indicated inn ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) serum potassium > 7 mEq/L.
- b) persistent hyponatremia.
- c) intractable hypertension.
- d) all of the above.

Correct Answer: A

Exam Key / Notes: Peritoneal dialysis inn children; Peritoneal dialysis in children with acu

Q59. For treatment of epilepsy,, antiepileptic drug therapy should be continued ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) for at least 3-seizure free years and discontinued gradually over 3-6-month period.
- b) for at least 2-seizure free years and discontinued gradually over 3-6-month period. Cc) for life.
- d) for at least 5-seizure free years and discontinued gradually over 3-6-month period.

Correct Answer: A

Exam Key / Notes: For treatment of epilepsy,, ant; month period.. gradually over 3

Q60. Possible causes of convulsions inn child with nephrotic syndrome include::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) meningoencephalitis.
- b) hypertensive encephalopathy.
- c) stroke.
- d) all of the above.

Correct Answer: A

Exam Key / Notes: Possible causes of convulsions i; Possible causes of convulsions in child

Q61. The following characteristics of rheumatic arthritis are true EXCEPT :

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) itis migratory polyarthritis.
- b) large joints are usually affected.

- c) it usually leaves deformity of joints.
- d) there is dramatic response to salicylates.

Correct Answer: D

Exam Key / Notes: The following characteristics of rheumat; there is dramatic response to salicylate

Q62. The following are causes of normocytic normochromic anemia EXCEPT :

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) chronic infections.
- b) thalassemia.
- c) sickle cell anemia.
- d) renal failure.

Correct Answer: A

Exam Key / Notes: The following are causes of normoc; The following are causes of normocytic n

Q63. The differential diagnosis of continuous murmur of PDA includes ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) venous hum.
- b) AR+ MR.
- c) AR + VSD.
- d) all of the above.

Correct Answer: B

Exam Key / Notes: The differential diagnosis of co; The differential diagnosis of continuous

Q64. Which of the following is not a treatment for GERD in children:

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) Ranitidine.
- b) Domperidone.
- c) Corticosteroids.
- d) Sucralfate.

Correct Answer: D

Exam Key / Notes: Which of the following iss not; Which of the following is not a treatmen

Q65. The normal level of the normoblasts at the age of 6 years iss ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) up to 3%.
- b) up io 10%.
- c) up to 20%.
- d) not present.

Correct Answer: A

Q66. The type of acute hepatitis which does not become chronic iss:

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك

بنك الاطفال الكامل محلول .txt

- a) Hepatitis A.
- b) Hepatitis B.
- c) Hepatitis C.
- d) Hepatitis D.

Correct Answer: A

Exam Key / Notes: The type of acute hepatitis which does n; Hepatitis C

Q67. Thrombocytopenia means decrease of the platelet count below::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ

.txt, بنك الاطفال الكامل محلول .txt

- a) 100,000/ cmm.
- b) 150,000/ cmm.
- c) 250,000/ cmm.
- d) 400,000/ cmm.

Correct Answer: A

Exam Key / Notes: Thrombocytopenia means decrease; Thrombocytopenia means decrease of the p

Q68. Blast cells in the peripheral blood in normal child is up to:

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ

.txt, بنك الاطفال الكامل محلول .txt

- a) 0%.
- b) 2%. Cc) 5%.
- d) 25%.

Correct Answer: A

Exam Key / Notes: Blast cells inn the peripheral bl; Blast cells in the peripheral blood in n

Q69. The following is true regarding poor prognosis in ALL EXCEPT :

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ

.txt, بنك الاطفال الكامل محلول .txt

- a) CNS infiltration.
- b) high WBCs count.
- c) L1 FAB type.
- d) high LDH level.

Correct Answer: A

Exam Key / Notes: The following iss true regarding; The following is true regarding poor pro

Q70. The dose of sodium valproate for treatment of epilepsy iss ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) 0.05 — 0.2 mg/kg/day.
- b) 10 — 60 mg/kg/day.
- c) 2—6 mg/kg/day.
- d) 0.3 mg/kg/dose.

Correct Answer: B

Exam Key / Notes: The dose of sodium valproate for tree; The dose of sodium valproate for treatme

Q71. Definition of cerebral palsy includes the following EXCEPT :

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, بنك الاطفال الكامل محلول .txt

- a) non progressive.
- b) non curable.
- c) motor Disorder.
- d) familial disease.

Correct Answer: C

Exam Key / Notes: Definition of cerebral palsy includes th

Q72. The drug of choice for treatment of absence seizures iss ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) carbamazepine.
- b) phenytoin.
- c) phenobarbital.
- d) ethosuximide.

Correct Answer: A

Exam Key / Notes: The drug of choice for treatment; The drug of choice for treatment of abse

Q73. The following is true regarding stage I Hodgkin disease :

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) two or more lymph node region involvement in one side of the diaphragm.
- b) two or more lymph node region involvement in both sides of the diaphragm or spleen involvement.
- c) diffuse involvement of lymph nodes and spleen.
- d) diffuse involvement of liver, lung and bone .

Correct Answer: A

Exam Key / Notes: The following iss true regarding; The following is true regarding stage II

Q74. As compared too oral dose of digitalis,, the IV dose iss ::

Repetition: **6 times** | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) 10%.
- b) 25%.
- c) 50%.
- d) 75%.

Correct Answer: A

Exam Key / Notes: As compared to oral dose of digitalis, t; As compared too oral dose of digit

Q75. Definitive diagnosis of Schistosomiasis iss based on ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) Dysentery or hematuria..
- b) Finding viable eggs inn stool,, urine,, or biopsy specimens..
- c) Immunologic diagnosis..
- d) Detection of the worms..

Correct Answer: A

Exam Key / Notes: Definitive diagnosis of Schist; Definitive diagnosis of Schistosomiasis

Q76. Inn children with congenital myopathy,, CPK enzyme iss:

Repetition: **6 times** | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) increased.
- b) decreased.
- c) normal.
- d) highly elevated.

Correct Answer: C

Exam Key / Notes: In children with congenital myopathy, CP; decreased cy C

Q77. Acute renal failure inn infants iss mostly caused by ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) glomerulonephritis.
- b) hemolytic uremic syndrome.
- c) pre-renal causes.
- d) urinary stones.

Correct Answer: A

Exam Key / Notes: Acute renal failure inn infants i; renal causes..

Q78. Extrapyrimalidal cerebral palsy iss characterized by ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) incoordination of movements.
- b) ataxia (disturbed gait).
- c) increased tendon reflexes, extensor planter responses, and clonus.
- d) involuntary movements.

Correct Answer: B

Exam Key / Notes: Extrapyramidal cerebral palsy is; Extrapyramidal cerebral palsy is charact

Q79. Aplastic crisis in sickle cell anemia is due to:

Repetition: **6 times** | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) sickling of the red cells.
- b) Parvovirus B19 infection.
- c) pyruvate kinase enzyme deficiency.
- d) associated G6PD deficiency.

Correct Answer: A

Exam Key / Notes: Aplastic crisis in sickle cell anemia is; Aplastic crisis inn sickle cell an

Q80. B-Thalassemia iss due to defective regulation of ::

Repetition: **6 times** | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) a globin gene.
- b) B globin gene.
- c) ® globin gene.
- d) both a and B globin genes.

Correct Answer: B

Exam Key / Notes: Thalassemia is due to defective regulati; Thalassemia iss due to defective

Q81. Corticosteroid therapy iss indicated inn ITP inn ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) girls near menarche.
- b) ITP with splenomegaly.
- c) platelet count less than 30000/ cmm.
- d) chronic purpura > 1 year.

Correct Answer: A

Exam Key / Notes: Corticosteroid therapy iss indi; Corticosteroid therapy is indicated in I

Q82. The main line of treatment of chronic ITP iss ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) corticosteroids.
- b) platelet transfusion.
- c) splenectomy.
- d) IV immunoglobulin.

Correct Answer: A

Exam Key / Notes: The main line of treatment o; The main line of treatment of chronic IT

Q83. The drug which may cause aplastic anemia is ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) corticosteroids.
- b) chloramphenicol.
- c) paracetamol.
- d) androgens.

Correct Answer: A

Exam Key / Notes: The drug which may cause aplastic a; The drug which may cause aplastic anemia

Q84. The drug of choice for treatment of SVT is ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) propranolol.
- b) verapamil.
- c) adenosine.
- d) digoxin.

Exam Key / Notes: The drug of choice for treatment; The drug of choice for treatment of SVT

Q85. The following is true regarding ASOT EXCEPT :

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) the normal titer in children is up to 200 Todd units.
- b) the antibodies start to rise in the 2nd week of the attack of ARF.
- c) arising titer is more significant than a non-rising one.
- d) ASOT may be normal in simple rheumatic chorea.

Correct Answer: A

Exam Key / Notes: The following is true regarding; rising one..

Q86. The normal blood volume after 2 months is :

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) 85 ml/kg.
- b) 108 ml / kg.
- c) 75-80 ml / kg.
- d) 85-105 ml / kg.

Correct Answer: A

Exam Key / Notes: The normal blood volume after 2 mo; The normal blood volume after 2 months i

Q87. The IQ in moderate mental retardation is ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) 51 - 70.
- b) 36 - 50.
- c) 21 - 35.
- d) 0-20.

Correct Answer: A

Exam Key / Notes: The IQ inn moderate mental r; The IQ in moderate mental retardation is

Q88. The normal developmental quotient (DDQ)) iss ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) above 50.
- b) above 60.
- c) above 70.
- d) above 80.

Correct Answer: A

Exam Key / Notes: The normal developmental quoti; The normal developmental quotient

Q89. Neutropenia can be treated by ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) recombinant erythropoietin hormone (EPO).
- b) recombinant myeloid growth factor (GM-CSF).
- c) blood transfusion.
- d) plasma transfusion.

Correct Answer: A

Exam Key / Notes: Neutropenia can be treated by; Neutropenia can be treated by

Q90. Definition of anemia iss ::

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt

- a) Decrease hemoglobin percent below the normal for age and sex..
- b) Decrease reed cel count only..
- c) Decrease the hematocrite value.. .
- d) Decrease of the RBCs count or Hb% below the normal ranges for age and sex..

Correct Answer: C

Exam Key / Notes: Definition of anemia iss; Definition of anemia is

Q91. Normoblasts are immature :

Repetition: **6 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) white blood cells.
- b) red blood cells.
- c) platelets.

- d) reticulocytes. Which of the following is a cause of macrocytic anemia ?
- a) vitamin B12 deficiency.
 - b) vitamin B6 deficiency.
 - c) iron deficiency.
 - d) G6PD enzyme deficiency.

Correct Answer: D

Exam Key / Notes: Normoblasts are immature; Normoblasts are immature

Q92. An 8-year-old female presents with cola-colored urine and a blood pressure of 120/83 mmHg. CBC and serum electrolytes are normal. Serum C3 is low and C4 is normal. Differential diagnosis in this patient includes all of the following EXCEPT:

Repetition: 5 times | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Post-streptococcal acute glomerulonephritis..
- B.. Membranoproliferative glomerulonephritis..
- C.. Lupus nephritis..
- D.. Polyarteritis nodosa..

Correct Answer: B

Exam Key / Notes: year; old female presents with cola

Q93. An 8 year old female presents with cola-colored urine and a blood pressure of 120/83 mmHg. CBC & serum electrolytes are normal. Serum C3 is low & C4 is normal. Differential diagnosis in this patient includes all the following except:

Repetition: 5 times | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Shunt nephritis..
- B.. Membranoproliferative glomerulonephritis..
- C.. Lupus nephritis..
- D.. Minimal change nephrotic syndrome..

Correct Answer: D

Exam Key / Notes: colored urine and a blood pressure of 12; colored urine and a blood pressure of

Q94. Urine examination inn a 6-year-old male with new onset nephrotic syndrome reveals proteinuria 4+,, 55 RBC/HPF and 5 WBC//HPF.. Serum electrolytes,, BUN,, creatinine,, complement levels,, CBC and platelet count are normal.. Off the following,, what iss the most likely diagnosis inn this patient?

Repetition: 5 times | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Minimal change disease..
- B.. Focal l global l sclerosis..
- C.. Membranoproliferative glomerulonephritis (MPGN)..
- D.. Interstitial nephritis..
- E.. Renal l vein thrombosis.. 80

Correct Answer: A

Q95. A 4-years old male child is admitted to the hospital with febrile urinary tract infection (UTI). He has no past history of UTI. Of the following, which one is the most appropriate initial investigations in the hospital :

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Renal U/S examination..
- B.. DMSA renal scan..
- C.. Voiding cystourethrogram..
- D.. Intravenous urogram..

Correct Answer: A

Exam Key / Notes: years old male child is admitted to the; years old male child iss admitted t

Q96. Four years old child presents with dark urine. Urine analysis shows protein +, granular casts, RBCs > 100, pus cells 10, nitrite negative. creatinine 0.9 mg/dl, C3 low.

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

Correct Answer: A

Exam Key / Notes: 100, pus cells 10, nitrite negative. cre; 100,, pus cells 10,, nitrite negat

Q97. full term newborn aged 2 hours presented to NICU by severe central cyanosis with slight improvement after 100% oxygen exposure, O2 saturation in Right arm was 66% and in lower left leg 72%, which is your first action to do?

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatric cardiology MCQ FLASH.txt

- A) Give more oxygen Dx is TGA
- B) ventilation and chest xray
- C) shock therapy and inotrops DDJ) _ Prostaglandin infusion
- E- Antibiotics for Pneumonia after ventilation

Exam Key / Notes: full term newborn aged 2 hours pre

Q98. What type of dehydration which is associated with shift of the water into the extracellular fluid compartment :

Repetition: **5 times** | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول

- a) isonatremic dehydration.
- b) hyponatremic dehydration.
- c) hypernatremic dehydration.
- d) mild dehydration.

Exam Key / Notes: What type of dehydration which is associ; What type of dehydration whi

Q99. Heart failure may occur.]— In a child with acute post-streptococcal GN, the following statements are true or false:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

Correct Answer: A

Exam Key / Notes: In a child with acute post; streptococcal GN, the following statemen

Q100. Urine dipstick analysis in a 10-year-old male reveals albumin 2+. This could be any of the following EXCEPT:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Orthostatic proteinuria..
- B.. Vigorous exercise..
- C.. High fever..
- D.. Microalbuminuria..

Correct Answer: D

Exam Key / Notes: year; old male reveals albumin 2

Q101. Which of the following statements regarding the use of cromolyn in the management of asthma is not true :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) Cromolyn is a first-line treatment for acute asthma.
- b) Cromolyn is generally well tolerated.
- c) Cromolyn is used before exercise to reduce asthma exacerbations.
- d) Cromolyn blocks allergen-induced increases in bronchial hyperresponsiveness.

Correct Answer: B

Exam Key / Notes: Which of the following statem; Which of the following statements regard

Q102. The corner stone diagnostic test for diagnosis of urinary tract infection inn infants & children iss:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Urine analysis..
- B.. Nitrite test..
- C.. Culture of properly collected urine analysis..
- D.. Leucocyte esterase test..
- E.. None of the above..

Correct Answer: C

Q103. Abdominal distension in an infant with acute diarrhea may be suggestive of all the following EXCEPT :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك الاطفال الكامل, محلول.txt

- a) hypokalemia.
- b) paralytic ileus.
- c) intussusception.
- d) hyperkalemia.

Correct Answer: D

Exam Key / Notes: Abdominal distension in an infant with a

Q104. All of the following are indications of renal biopsy in children with nephrotic syndrome EXCEPT:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Steroid resistant patients..
- B.. Steroid dependent patients..
- C.. Presence of gross hematuria..
- D.. Presence of microscopic hematuria..
- E.. Al of the above..

Correct Answer: C

Q105. During treatment of rheumatic carditis by prednisone,, rebound phenomenon can be minimized by ::

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول, .txt

- a) sudden withdrawal of steroid treatment.
- b) gradual withdrawal of steroid treatment.
- c) overlap therapy by aspirin.
- d) none of the above.

Correct Answer: A

Exam Key / Notes: During treatment of rheumatic; During treatment of rheumatic carditis b

Doctors

Q106. Intravenous rehydration iss always indicated inn cases where weight loss due to dehydration iss:

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك الاطفال الكامل, محلول.txt

- a) >5 % body weight.
- b) >7 % body weight.
- c) 5-10% body weight.
- d) >10 % body weight.

Correct Answer: B

Exam Key / Notes: Intravenous rehydration is always indica

Q107. Systemic hypertension in children is diagnosed when the diastolic BP is persistently above ::

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) 50th percentile for age.
- b) 90 percentile for age.
- c) 95th percentile for age.
- d) 97 percentile for age.

Exam Key / Notes: Systemic hypertension in children; Systemic hypertension in children is dia

Q108. The diagnostic investigation of choice to confirm the underlying pathophysiologic state is:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Creatinine clearance..
- B.. Serum complement 3 level..
- C.. Renal biopsy..
- D.. Response to steroid..
- E.. All of the above..

Correct Answer: C

Q109. All of the following are true of the definitions used in urinary tract infection (UTI) EXCEPT:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Relapse is a recurrent UTI with the same organism within 6 months..
- B.. Re-infection is a recurrence with different bacteria..
- C.. Pyuria is the presence of >10 leukocytes/ m^3 in unspun urine..
- D.. Bacteriuria is the presence of any bacteria/10 oil immersion field on gram-stained smear..

Correct Answer: D

Q110. What is the most needed mineral or vitamin in a patient with tetralogy of Fallot?

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatric cardiology MCQ FLASH.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Vit A
- B.. Iron
- C.. Vit E
- D.. Calcium

Correct Answer: A

Exam Key / Notes: What is the most needed mineral

Q111. The type of adrenergic activity of drugs most desirable in treatment of Asthma is ::

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) α_1 .

- b) a2.
- c) 6 1.
- d) B 2.

Correct Answer: A

Exam Key / Notes: The type of adrenergic activity; The type of adrenergic activity of drugs

Q112. The minimum requirements for diagnosis of nephrotic syndrome in children include::

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Presence of heavy proteinuria and generalized edema..
- B.. Presence of heavy proteinuria and hypoalbuminemia..
- C.. Presence of heavy proteinuria and hypercholesterolemia..
- D.. Presence of hypoalbuminemia and generalized edema..
- E.. Presence of hypoalbuminemia alone..

Correct Answer: B

Q113. Extreme Tetralogy of Fallot is differentiated from classic TOF by the presence of :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) overriding aorta.
- b) large VSD.
- c) critical aortic stenosis.
- d) pulmonary atresia.

Correct Answer: D

Exam Key / Notes: Extreme Tetralogy of Fallot is d; Extreme Tetralogy of Fallot is different

Q114. What is the complication of acute diarrhea which requires surgical consultation :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) Hirschsprung disease.
- b) dehydration.
- c) Celiac disease.
- d) intussusception.

Exam Key / Notes: What is the complication of acute diarrh

Q115. All of the following are associated with positive urine dipstick for blood EXCEPT:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. 10 RBC/HPF in urine microscopy..
- B.. Contamination with betadine..
- C.. Hb..
- D.. Bilirubin..

Correct Answer: A

Q116. The most common causes of secondary hypertension in infants and children are :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) renal.
- b) vascular.
- c) endocrinopathies.
- d) drugs.

Exam Key / Notes: The most common causes of secondary; The most common causes of secondary hype

Q117. Regarding the extent of edema formation,, the serum albumin iss expected to be::

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. 4.5 gm//dl..
- B.. 3 gm//dl..
- C. 1..5 gm//dl..
- D.. 2.8 gm//dl..
- E.. None of the above..

Correct Answer: C

Q118. The underlying diagnosis explaining the previous scenario iss most probably::

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Acute Renal Failure.. :
- B.. Acute Pyelonephritis..
- C.. Acute Glomerulonephritis..
- D.. Acute Lower UTI..
- E.. Nephrotic Syndrome..

Correct Answer: C

Q119. The essentials for diagnosis of nephrotic syndrome are the following EXCEPT:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Heavy proteinuria..
- B.. Hypoalbuminemia..
- C.. Hyperlipidemia..
- D.. Microscopic hematuria..
- E.. Edema..

Correct Answer: B

Q120. Systemic hypertension,, macroscopic hematuria && hypocomplementemia are common..

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

Correct Answer: A

Q121. The drug used for endocarditis prophylaxis before dental procedures is :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, pediatrics.txt, بنك الاطفال الكامل محلول, txt

- a) oral amoxicillin.
- b) IM ampicillin.
- c) IM gentamicin.
- d) none of the above.

Correct Answer: A

Exam Key / Notes: The drug used for endocarditis prophylax; TM ampicillin c.

Q122. Causes of post-hepatic portal hypertension include the following EXCEPT :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك الاطفال الكامل محلول, txt

- Ae - yemo-occlusive disease.
- _" Budd-Chiari syndrome
- "constrictive pericarditis
- e congenital hepatic fibrosis

Correct Answer: D

Exam Key / Notes: Causes of post; hepatic portal hypertension include the

Q123. Which of the following conditions is indication of renal biopsy in AGN:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Development of renal l Failure..
- B.. Development of nephrotic syndrome..
- C.. Persistent marked hematuria..
- D.. Persistent hypocomplementemia..
- E.. Al of the above..

Correct Answer: D

Q124. General examination of this case may include also one of the following::

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Massive pedal edema..
- B.. Pyogenic skin abscess..
- C.. Purpura..
- D.. Lymphadenopathy.. 83 ||

Correct Answer: B

Q125. An Additional Physical Finding on Examination in this case may include:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Growth Failure..
- B.. Marked Ascites..
- C.. Gross Pedal Edema..
- D.. Grossly Enlarged & Tender Both Kidneys..
- E.. Healed Pyogenic Skin Lesions..

Correct Answer: E

Q126. Which of the following is a risk factor to develop resistant epilepsy:

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك الاطفال الكامل، محلول.txt

- a) onset before first year.
- b) high initial seizure frequency.
- c) mental retardation.
- d) all of the above.

Correct Answer: A

Exam Key / Notes: Which of the following is a risk factor; onset before first year high initial sei

Q127. The most common cause of pneumo mediastinum in pediatric patients is :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل، محلول.txt

- a) asthma.
- b) pneumonia.
- c) foreign body.
- d) esophageal tear.

Correct Answer: A

Exam Key / Notes: The most common cause of pneumo meed; The most common cause of pneumo mediasti

Q128. All these drugs are used in the treatment of bronchial asthma EXCEPT :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل، محلول.txt

- a) theophylline.
- b) inhaled corticosteroids.
- c) systemic corticosteroids.
- d) adrenergic blockers.

Correct Answer: A

Exam Key / Notes: All these drugs are used inn the tre; All these drugs are used in the treatmen

Q129. Causes of microcytic hypochromic anemia include the following EXCEPT :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, بنك الاطفال الكامل، محلول.txt

- a) sickle cell anemia.
- b) iron deficiency anemia.
- c) lead poisoning.
- d) thalassemia.

Correct Answer: A

Exam Key / Notes: Causes of microcytic hypochromic anemia

Q130. The following are signs of early detection of CP in neonates EXCEPT :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك الاطفال الكامل, محلول.txt

- a) poor suckling.
- b) abnormal reflexes.
- c) increased or decreased muscle tone.
- d) epilepsy.

Correct Answer: A

Exam Key / Notes: The following are signs of early detection; increased or decreased muscle tone D

Q131. A false statement regarding hepatitis-B surface antigen (HBs--Ag) is:

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك الاطفال الكامل, محلول.txt

- a) a positive person should not donate his blood.
- b) it is the basis for screening blood donors for the carrier state.
- c) once a patient becomes positive, he remains positive for life.
- d) in hepatitis-B, it becomes positive before appearance of jaundice.

Correct Answer: A

Exam Key / Notes: A false statement regarding hepatitis; B surface antigen

Q132. The telescoping of proximal bowel into a distal segment occurs in ::

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ.txt, بنك الاطفال الكامل, محلول.txt

- a) appendicitis.
- b) volvulus.
- c) mesenteric adenitis.
- d) intussusception.

Correct Answer: A

Exam Key / Notes: The telescoping of proximal bowels; The telescoping of proximal bowel into a

Q133. In moderate PS, the pressure gradient across the pulmonary valve is ::

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ.txt, بنك الاطفال الكامل, محلول.txt

- a) 10-30 mmHg.
- b) 20-40 mm Hg.
- c) 30-60 mm Hg.

d) > 60 mm Hg.

Correct Answer: D

Exam Key / Notes: Inn moderate PS,, the pressure gr; In moderate PS, the pressure gradient ac

Q134. Typical febrile seizures definition includes the following EXCEPT :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك الاطفال الكامل محلول.txt

محلول.txt

- a) generalized tonic clonic seizures.
- b) single during the same febrile illness.
- c) age 9 mo-5 years.
- d) duration more than 15 minutes.

Correct Answer: D

Exam Key / Notes: Typical febrile seizures definition incl; generalized tonic clonic seizures B. sin

Q135. Inn patients with cerebral hypotonia,, the deep tendon reflexes are::

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول.txt

- a) absent.
- b) normal.
- c) exaggerated.
- d) weak.

Exam Key / Notes: Inn patients with cerebral hypo; In patients with cerebral hypotonia, the

Q136. Generalized non pitting edema iss the cardinal sign for diagnosis..

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

Correct Answer: D

Q137. Infantile nephrotic syndrome iss diagnosed if the patient age iss:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Less than one year..
- B.. Less than 2 years..
- C.. Less than 3 months..
- D.. None of the above..

Correct Answer: A

Q138. The therapy in this child should include all the following except:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Antihypertensive drugs..
- B.. Antibiotics to eradicate infection..

- C.. Anticonvulsant..
D.. Antifailure measures.. Answers::

Correct Answer: C

Exam Key / Notes: alarm; male infant aged 6 m with continuous cry

Q139. Pulmonary valve stenosis is the most common cardiac anomaly in:

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) Down syndrome.
b) Noonan syndrome.
c) Turner syndrome.
d) DiGeorge syndrome.

Correct Answer: A

Exam Key / Notes: Pulmonary valve stenosis iss the; Pulmonary valve stenosis is the most com

Q140. The cardinal criteria for diagnosis of nephrotic syndrome are::

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Heavy proteinuria,, hypoalbuminemia,, hypercholesterolemia and generalized edema..
B.. Hypoalbuminemia and heavy proteinuria..
C.. Heavy proteinuria and hypercholesterolemia..
D.. Heavy proteinuria and hematuria..

Correct Answer: B

Q141. One of the following investigation not apply to the above case:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Normal serum albumin level..
B.. Elevated serum creatinine..
C.. Normal complement level..
D.. Hematuria..

Correct Answer: C

Q142. Regarding malabsorption, all of the following are correct EXCEPT :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- ot may present without gastrointestinal manifestations
- Passage of pale, foul-smelling, bulky stools can occur
_ ' Pancreatic and biliary disorders should be excluded
(ie - -

Correct Answer: B

Exam Key / Notes: Regarding malabsorption, all of the foll; smell ling,, bulky stools can occu

Q143. Red color urine is associated with all of the following except:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Porphyria..
- B.. Isoniazid..
- C.. Cystitis..
- D.. Severe exercise.. Dr Maarwa Bank Nephrotic syndrome & Proteinuria Regarding Minimal change nephrotic syndrome::

Correct Answer: C

Q144. The following are causes of diastolic heart failure EXCEPT :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) aortic stenosis.
- b) dilated cardiomyopathy.
- c) hypertrophic cardiomyopathy.
- d) constrictive pericarditis.

Correct Answer: D

Exam Key / Notes: The following are causes of diasto; The following are causes of diastolic he

Q145. The following is not a common feature of nephrotic syndrome:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Hypoalbuminemia..
- B.. Proteinuria..
- C.. Hypertension.. 78 ||
- D.. Edema..
- E.. Hyperlipidemia..

Correct Answer: D

Q146. You would define the cause of dyspnea inn this case due to::

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Hypertensive Encephalopathy.. .
- B.. Acute Renal Failure with severe metabolic Acidosis..
- C.. Development of progressive Pleural effusion & ascites..
- D.. Acute heart failure secondary to Hypertension & intravascular volume expansion..
- E.. Co--Pulmonary Infection..

Correct Answer: D

Q147. Which of the following is an organic cause of constipation :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك الاطفال الكامل محلول.txt

- a) hypothyroidism.
- b) hypercalcemia.
- c) Hirschsprung disease.
- d) all of the above.

Correct Answer: C

Exam Key / Notes: Which of the following is an organic cau; Hypercalcemia C

Q148. The best diagnostic clue of pulmonary tuberculosis (TTB)) iss ::

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ.txt, بنك الاطفال الكامل محلول.txt

- a) isolation of Mycobacterium tuberculosis.
- b) positive chest x-ray results.
- c) positive PPD test results.
- d) mother has active TB.

Correct Answer: D

Exam Key / Notes: The best diagnostic clue of pulm; The best diagnostic clue of pulmonary tu

Q149. The following are causes of serofibrinous pleurisy EXCEPT :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ.txt, بنك الاطفال الكامل محلول.txt

- a) para-pneumonic pneumonia.
- b) thoracic duct injury.
- c) collagen diseases.
- d) pulmonary TB.

Correct Answer: D

Exam Key / Notes: The following are causes of serof; The following are causes of serofibrinou

Q150. One of the indications for steroid treatment inn APSGN iss :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ.txt, بنك الاطفال الكامل محلول.txt

- a) secondary nephrotic syndrome.
- b) relapse.
- C) significant proteinuria.
- d) gross hematuria.

Correct Answer: A

Exam Key / Notes: One of the indications for steroid; One of the indications for steroid treat

Q151. Red color urine is associated with all the following EXCEPT:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Porphyria..

- B.. Isoniazid..
- C.. Adenovirus..
- D.. Status epilepticus..

Correct Answer: B

Q152. All of the following investigations are diagnostic except:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Urine analysis..
- B.. Renal biopsy..
- C.. C3 level..
- D.. ASO..

Correct Answer: B

Q153. Regarding edema in APSGN, which of the following is true ?

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) edema may be severe up to anasarca.
- b) salt and water retention is the common mechanism.
- c) proteinuria and hypoproteinemia is the common mechanism.
- d) diuretics are contraindicated in its treatment to avoid shock. Answers N Answer N Answer 1 b 11 2 a 12 3 b 13 4 d 14) Cc 15 6 Cc 16 7 a 17 8 b 18 9 b 19 10 a 20 Choose one answer: Ventral suspension is a test for :
- a) spastic CP.
- b) extrapyramidal CP.
- c) floppy infant.
- d) all of the above.

Correct Answer: A

Exam Key / Notes: Regarding edema inn APSGN,, which; Regarding edema in APSGN, which of the f

Q154. Which of the following is not a cause of liver cirrhosis :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) biliary cirrhosis.
- b) galactosemia.
- c) hepatitis-A.
- d) hepatitis-B.

Correct Answer: B

Exam Key / Notes: Which of the following is not a cause of; A hepatitis

Q155. The following are preventable mental retardation EXCEPT :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) galactosemia.
- b) phenylketonuria.
- c) Down syndrome.
- d) hypothyroidism.

Correct Answer: D

Exam Key / Notes: The following are preventable mental ret; galactosemia phenylketonuria Down syndro

Q156. The following are classified as tachyarrhythmias EXCEPT :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, fourth year MCQ .txt, pediatrics.txt, بنك الاطفال الكامل محلول .txt

- a) atrial flutter.
- b) atrial extrasystoles.
- c) supraventricular tachycardia.
- d) ventricular fibrillation.

Exam Key / Notes: The following are classified as t; The following are classified as tachyarr

Q157. The most probable cause of dyspnea inn the above case::

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Hypertensive heart failure and volume overload..
- B.. Acute renal l Failure..
- C.. Anemia due to hematuria..
- D.. Hypertensive encephalopathy..

Correct Answer: A

Q158. Veno-occlusive disease may be caused by ingestion of :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) Herbal bush tea,.
- b) Pyrrolizidine alkaloid..
- c) Aflatoxin..
- d) Al of the above..

Correct Answer: A

Exam Key / Notes: Veno; occlusive disease may be caused b

Q159. Additional physical finding in this case MAY include:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Hypertension..
- B.. Jaundice..
- C.. Cyanosis..
- D.. Marked ascites..
- E.. None of the above..

Correct Answer: A

Q160. Manifestations of severe dehydration do not include::

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, Pediatrics II Questions 2026 - Fighter (2).txt, pediatrics.txt, بنك الاطفال الكامل، محلول، .txt

- a) polyuria.
- b) sunken eyes.
- c) skin tenting.
- d) tachycardia.

Correct Answer: D

Exam Key / Notes: Manifestations of severe dehydration do

Q161. Renal biopsy is indicated in child with APSGN when ::

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل، محلول، .txt

- a) persistent low serum C3 levels > 2 weeks.
- b) persistent low serum C3 levels > 8 weeks.
- c) hypertension.
- d) elevated serum creatinine and BUN.

Correct Answer: B

Exam Key / Notes: Renal biopsy is indicated in; Renal biopsy is indicated in child with

Q162. Systemic hypertension & hypocomplementemia are common..

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

Correct Answer: B

Q163. Pyloric stenosis affects male:: female in a ratio of ::

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل، محلول، .txt

- a) 1:2.
- b) 3:1.
- c) 4:1.
- d) 1:3.

Correct Answer: A

Exam Key / Notes: Pyloric stenosis affects male; Pyloric stenosis affects male

Q164. Ataxic CP is characterized by the following EXCEPT :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل، محلول، .txt

- a) incoordination.
- b) nystagmus.
- c) muscle rigidity.

d) Intention tremors.

Correct Answer: A

Exam Key / Notes: Ataxic CP is characterized by th; Ataxic CP is characterized by the follow

Q165. Of the following the BEST line(s) for management is

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A. Long acting penicillin
- B. Administration of oral corticosteroids iy
- a)
- C. Diuretics ~
- D. All of the above o
- E. A+C 3S Phenomena 2616) Nephrology A Male child aged 7 years presented with oliguria with morning puffiness of eye lids which decrease by the end of the day and the condition rapidly progress to generalized edema with ascites and dyspnea. X-ray shows pleural effusion s. creatinine 0.9mg/dL, cholesterol 250mg/dl.

Correct Answer: E

Exam Key / Notes: ray shows pleural effusion s. creatinine; ray shows pleural effusion.. S.. creat

Q166. It may follow either pharyngeal or skin infection.

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

Correct Answer: D

Q167. Of the following the next BEST test to perform is

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Urine culture..
- B.. CBC..
- C.. Liver enzymes..
- D. C33..
- E. A +B B..

Correct Answer: D

Q168. Systemic hypertension is present in > 50% of cases..

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

Correct Answer: A

Q169. Management of the Case Should Include all Except:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Strict Bed Rest..
- B.. Regular Measurement of ABP..
- C.. Salt && Water Restriction..
- D.. Intravenous Furosemide Therapy..
- E.. Benzathine Penicillin 1.2 mega units/2 weeks to prevent recurrence.. 84 || An 8-year-old male child is presented to the emergency room with cola-colored urine and puffy face.. He had upper respiratory tract infection one week ago.. Findings include:: many RBCs,, few WBCs and casts in urine,, ASO:: 900 Todd units and creatinine 1.2 mg//dl..

Correct Answer: E

Exam Key / Notes: year; old male child is presented to the emerg

Q170. Generalized pitting edema is a constant finding..

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

Correct Answer: B

Q171. Most of the cases are corticosteroid resistant..

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

Correct Answer: A

Q172. Facial abnormalities in thalassemia are due to:

Repetition: **5 times** | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, بنك الاطفال الكامل محلول.txt

- a) erythroid hyperplasia.
- b) intramedullary destruction of RBCs.
- c) intravascular destruction of RBCs.
- d) severe anemia.

Exam Key / Notes: Facial abnormalities in thalassemia are

Q173. The followings are features of acute GN EXCEPT:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Hematuria..
- B.. Ascites & Pleural effusion..
- C.. Hypertension..
- D.. Proteinuria..
- E.. Oliguria..

Correct Answer: C

Q174. The most likely etiology of this diagnosis is:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Idiopathic..
- B.. SLE..
- C.. Streptococcal infection..
- D.. Drug induced..
- E.. None of the above..

Correct Answer: A

Q175. all the following are lines of treatment except:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Bed rest..
- B.. Lasix..
- C.. Salt restriction..
- D.. LA penicillin prophylaxis every 2 weeks..

Correct Answer: D

Exam Key / Notes: 0.8 mg

Q176. The urine output inn this child iss found to be::

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Normal.l.
- B.. Polyuric..
- C.. Anuric..
- D.. Oliguric..

Q177. Hypertrophic pyloric stenosis commonly affects ::

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) white race.
- b) those with blood group B or O.
- c) males.
- d) all of the above.

Correct Answer: A

Exam Key / Notes: Hypertrophic pyloric stenosis; Hypertrophic pyloric stenosis commonly a

Q178. The most likely diagnosis inn this patient iss:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Nephritic syndrome..
- B.. Nephrotic syndrome..
- C.. Liver cirrhosis..
- D.. Congestive heart failure..
- E.. None of the above..

Correct Answer: **B**

Q179. Of the following the MOST likely diagnosis is:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Hepatitis..
- B.. Acute hemolytic anemia..
- C.. Post infectious acute glomerulonephritis..
- D.. Urinary tract infection (UTI)..
- E.. Idiopathic nephrotic syndrome..

Correct Answer: **C**

Q180. Patency of the ductus arteriosus depends on: :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) low PO₂.
- b) placental prostaglandins.
- c) both of them.
- d) none of them.

Correct Answer: **D**

Exam Key / Notes: Patency of the ductus arteriosus d; Patency of the ductus arteriosus depends

Q181. The diagnostic investigations here include::

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Antinuclear a.b.. defect..
- B.. Renal l function tests..
- C.. Renal biopsy..
- D.. Urine examination..

Correct Answer: **D**

Q182. The treatment of choice of valvular PS iss ::

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ .txt, بنك الاطفال الكامل محلول .txt

- a) medical treatment.
- b) transcatheter balloon valvuloplasty.
- c) surgical correction.
- d) none of the above.

Correct Answer: **A**

Exam Key / Notes: The treatment of choice of valvul; The treatment of choice of valvular PS i

Q183. The following is not a feature of acute GN:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Hematuria..
- B.. Massive edema..
- C.. Hypertension..
- D.. Proteinuria..
- E.. Oliguria..

Correct Answer: A

Q184. Management of nephrotic syndrome may be::

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Salt restricted..
- B.. Diuretics..
- C.. Corticosteroids..
- D.. Cyclophosphamide..
- E.. Al of the above..

Correct Answer: B

Q185. Hypocomplementemia iss always present..

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

Correct Answer: A

Q186. Corticosteroid iss the main treatment..

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

Correct Answer: D

Q187. Age of onset is usually above 9 years.

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

Correct Answer: A

Q188. S.. Cholesterol inn this patient shows::

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Normal cholesterol level..
- B.. Hypocholesterolaemia..
- C.. Hypercholesterolaemia..

D.. None of the above..

Correct Answer: C

Q189. The commonest VSD location type iss ::

Repetition: **5 times** | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, fourth year MCQ .txt, بنك

الاطفال الكامل مجلول

- a) muscular.
- b) membranous.
- c) infundibular.
- d) endocardial cushion defect.

Exam Key / Notes: The commonest VSD location type is; The commonest VSD location type

Q190. Heavy proteinuria iss defined as::

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Daily protein excretion inn urine $> 11 \text{ gm//m}^2$..
- B.. Daily protein excretion inn urine 0.5 gm//m^2 ..
- C.. Daily protein excretion inn urine 0.2 gm//m^2 ..
- D.. None of the above..
- E. A andB B..

Correct Answer: A

Q191. Infection inn nephrotic syndrome::

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Usually due to non-capsulated organism..
- B.. Mostly affect C..N..S..
- C.. Rarely occurs..
- D.. Al of the above..
- E.. None of the above..

Correct Answer: E

Q192. Systemic hypertension iss common..

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

Correct Answer: B

Q193. Treatment of this boy includes::

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

- A.. Salt fre human albumin..

B.. Lasix..

C.. Corticosteroids..

D.. All of the above.. A 10-year-old boy presents to pediatric OPC with 3 weeks duration of puffiness of eyelids, scrotal swelling and abdominal enlargement with progressive weight gain and decreased frequency of dark colored urine.. Physical examination revealed generalized anasarca with ABP of 140/105 mmHg, serum creatinine 1.8 mg/dL.

Correct Answer: D

Exam Key / Notes: year; old boy presents to pediatric OPC with 3

Q194. The most probable diagnosis is:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

A.. Hepatitis..

B.. Secondary nephrotic syndrome..

C.. Primary nephrotic syndrome..

D.. Acute glomerulonephritis..

E.. SLE..

Q195. Most probable diagnosis is:

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

A.. Primary nephrotic syndrome..

B.. Acute renal failure..

C.. Acute glomerulonephritis..

D.. None of the above

Correct Answer: A

Q196. Reticulocytes are immature :

Repetition: **5 times** | Sources: PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt, fourth year MCQ.txt, بنك الاطفال الكامل محلول.txt

a) white blood cells.

b) red blood cells.

c) platelets.

d) normoblasts.

Correct Answer: A

Exam Key / Notes: Reticulocytes are immature; Reticulocytes are immature

Q197. Most likely diagnosis::

Repetition: **5 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt, Pediatrics II Questions 2026 - Fighter (2).txt

A.. Acute glomerulonephritis..

B.. Nephrotic syndrome..

C.. Alport syndrome..

D.. Acute pyelonephritis..

Correct Answer: A

Q198. You are evaluating a 7-year-old male child with cervical lymphadenopathy; the MOST likely finding that raise your suspicion of malignancy is

Repetition: **4 times** | Sources: 2023 PED 2 endmodule (1)(1).txt, 2023 PED 2 endmodule.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt

- a) Multiple nodes
- b) Fluctuant nodes
- c) Hard fixed nodes
- d) Presence of systemic symptoms

Correct Answer: A

Exam Key / Notes: You are evaluating a 7; year

Q199. Which of the following devices is used by children with asthma to assist the delivery of medication from an inhaler to the lungs?

Repetition: **4 times** | Sources: CamScanner 06-05-2023 16.07.txt, PED 2 MCQ Answered.txt, Pediatrics II Questions 2026 - Fighter (2).txt, بنك الاطفال الكامل محلول .txt

- a) As mall volume nebulizer.) An oxygen powered nebu lizer.
- c) Pulmo-Aide nebulizer.
- d) Space inhaler; for example (an aero chamber). 9, Laryngomalacia is a disease due to:
- a) Voice abuse. b) soft larynx.
- c) Vocal cord nodule. d) Acute laryngitis.

Correct Answer: D

Exam Key / Notes: Which of the following devices is used b

Q200. Microscopic hematuria is least common in: Minimal change disease. Proliferative glomerulonephritis. Membranoproliferative glomerulonephritis. Lupus nephritis.

Repetition: **4 times** | Sources: Nephro MCQ1 answered.txt, Nephro MCQ1.txt, PED 2 MCQ Answered.txt, PED 2 MCQ.txt

- E. None of the above.

Doctors