## main page [109:in] Restaurant management Email Password

orders means Bill users logant

Customer name.

Customer privat.

Mean center gory:

Mean rame.


Added mean price may belete

Process bill

The bill and take you

to to payment page.

For regular employee only orders are accessable,



		\	
1.	orders means bill usurs logoret		
	Search Total details	takes details of each	to page
	But no wistomer Have Joseph	of each	b CM
,			

name prone email address Active inactive

routes /users/10gin post: to make active or not ??? 1/users get: 1 Jusers Jemail 3) patch: '/ means ' get: '/ means /add ' post: 1 / meens /: meal - id get: '/meass: meas-id lup date patch: 4) 'Imeas |: neal-id/dutete s) duste: to get bills under bill orders that specific userten player get : 1/bills /: user\_id/bills post: 'Ibilis /: user-iz/add get: 1/bills/!user-id/:bill-id patch: /bills/: usur\_id/:bill-id/update duse: '/bills/: user\_id/: bill-id/ delete paten: 1bills /: user-id/: bill-id/meals @ TO Add mean in the array of means in the bill. 7) patch: 1/bills 1:user\_id/:bill-id/meals/meal-id 10 to duse a specific ment from the

Database . collections catagory. name: price: Inque dients: زك . bill order customer name: meals: [{ catuqory; customer phone: meal nave: quantity: ? ] user-id: id: full name: phere no: vole: enum Ladmin, employe password: