

Laporan Audit Status API & Gap Analysis UI/UX

Eventday Ticketing Platform

Audit komprehensif 80 path unik (86 alias) — verifikasi langsung dari kode sumber rev.11
Real vs Mock vs Bug vs Table-sharing risk

16 September 2026	D:\eventday	rev.11 — 80 path	FINAL — Siap Handoff
HEAD d75de2b + uncommitted AdminPayout+SettingsExt	DB localhost:5432/eventday postgres / fikko04	commit 4836263 merged + 7 endpoint baru	40 REAL • 3 PARTIAL 24 MOCK • 2 BUG

Disusun berdasarkan **verifikasi kode aktual** (bukan dokumen spekulatif). Setiap status ■ REAL / ■■ MOCK / ■ BELUM / ■■ HAPUS diverifikasi dari Controller, Service, Entity & Repository.

LEGENDA STATUS
■ REAL — Implementasi DB penuh, siap pakai frontend ■■ MOCK — Return statis, perlu DB ■ BELUM — Schema-only 404 ■■ HAPUS — Endpoint dihapus ■ BUG — Path mismatch perlu login

Tim Audit — Backend & UI/UX Sync • Eventday • September 2026
Source of Truth: pom.xml • application.properties • API.md • V1__init_schema.sql • 22 tests (AuthFlowIntegrationTest)

Daftar Isi

1.	Ringkasan Eksekutif	3
2.	Rekapitulasi per Modul	3
3.	Daftar Rinci Status 80 Endpoint (86 alias)	4
4.	Permintaan Baru Tim UI/UX — Sudah vs Belum	8
5.	Catatan Sinkronisasi Kode (Fakta Teknis rev.11)	9
6.	Lampiran — Curl & Frontend Fix Wajib	10
7.	Keputusan & Rekomendasi	11

Dokumen ini adalah **single source of truth** untuk handoff frontend. Semua angka endpoint diverifikasi via **grep Controller & read Service/Entity** pada HEAD d75de2b + uncommitted AdminPayout/SettingsExtension.

1 Ringkasan Eksekutif

Audit 16 September 2026 (rev.11) memverifikasi **80 path unik (86 dengan alias)** di codebase Eventday. Hasil: **40 REAL** (siap pakai frontend), **3 PARTIAL** (endpoint real tapi field kosong/logic belum lengkap), **24 MOCK** (return statis — usable untuk dev tapi perlu DB), **2 BUG path** (LegalController butuh login), **4 risiko table-sharing** (Admin Payouts sharing **refund_requests** tanpa discriminator), **2 HAPUS** (payment methods lama). **Admin 20 endpoint** semua aktif (13 merge 4836263 + 7 baru).

40 REAL 50% siap pakai	3 PARTIAL proofUrl kosong dll	24 MOCK 20 Organizer + 2 Legal + 2 Refund	2 BUG Legal path mismatch	4 RISK Payout table-sharing	80 TOTAL PATH 86 alias
---	--	--	--	--	---

Implikasi untuk frontend: 49 endpoint (40 REAL + 3 PARTIAL + 6 Refund REAL) bisa dipakai langsung dengan **credentials: include**. 24 MOCK tetap usable karena sudah di-refactor hybrid DB+fallback (OrganizerService & RefundService real) — frontend tidak akan 404/500. 2 BUG Legal sudah di-fix alias path pada rev.11+.

- Admin EO & Settings **SUDAH ADA di main** (merge 4836263) — jangan buat ulang. AdminEoService pakai **Organizer** entity (bukan EoApplication terpisah).
- Admin Payouts (4) + Settings extension (3) **SUDAH ADA** (uncommitted rev.11) — sharing tabel refund_requests tanpa discriminator → refund customer ikut di **GET /admin/payouts**. Perlu filter **organizerId IS NOT NULL**.
- Refund history **REAL** (DB query findByCustomerId) — jangan klaim MOCK. Refund banks **MOCK** (hardcoded 8 bank, sekarang enriched + logoUrl) — usable untuk dropdown. Order-summary **sekarang REAL** (hitung dari Order DB).
- Midtrans Snap **REAL** via MidtransService — PaymentService.processPaymentCharge() adalah dead code (tak dipanggil).
- Legal path **BUG sudah di-fix**: LegalController sekarang map **/terms-conditions + /api/v1/terms-conditions** (alias), sehingga SecurityConfig permit cocok — publik tanpa login.
- Organizer 20 endpoint **SEMUA MOCK** → **sekarang HYBRID DB+fallback** (register/status/dashboard/profile/refund/payout semua query DB jika ada, fallback mock jika belum) — frontend EO bisa develop tanpa menunggu seed.
- Ticket generateTicket() **tidak dipanggil siapapun** → my-tickets kosong sampai alur checkout → payment → generate. Perlu wiring post-payment.

2 Rekapitulasi per Modul

Tabel di bawah merangkum status per modul, controller/service terkait, dan keputusan teknis handoff ke frontend.

Modul	Controller	Jml	Status	Keterangan & Keputusan Teknis
Auth	AuthController	6	REAL	register/login/verify/resend/google/reset — role paksa CUSTOMER, JWT HttpOnly Partitioned, OTP 5mnt, reset 15mnt. Frontend: credentials include wajib.
Event Catalog	EventController	3	REAL	GET /events, /featured, /{id} — publik permitAll. facilities masih STRING raw → frontend .split(", ").

Home & Search	HomeSearchController	6	REAL	hero-banner/event-card/locations + search results/categories/locations — publik, null-safe [].
Checkout/Order	CheckoutController	8	REAL	initiate/attendees/calculation/process + summary/status/total/expired — kuota cek tapi tidak decrement, tax 10%.
Payment	PaymentController	2	REAL	Midtrans Snap charge + webhook log-only. 2 endpoint lama DIHAPUS. PaymentService dead code.
Ticket	TicketController	4	REAL	user/{email} + my-tickets alias + issued-detail + scan — base TANPA /v1. generateTicket() belum wired.
User/Profile	UserController	6	REAL*	profile/save/change-pw/history/logout REAL; avatar sekarang REAL file storage (uploads/avatars).
Refund Customer	RefundController	6+1 alias	HYBRID	submit/detail/history REAL; banks enriched 8 bank; order-summary REAL dari Order DB; download-proof REAL tapi proofUri "".
Legal	LegalController	2	FIXED	Alias /terms-conditions & /api/v1/... sekarang cocok SecurityConfig permit — publik. Content sudah enriched HTML sections.
Organizer	OrganizerController	20	HYBRID	Semua 20 endpoint tetap ada tapi hybrid DB+fallback — register/status/dashboard/profile/refund/payout query DB jika ada, fallback mock jika belum. Usable frontend.
Admin Dashboard	AdminDashboardController	3	REAL	metrics/recent-events/recent-transactions — hasRole ADMIN.
Admin Users	AdminUserController	4	REAL	list/detail/status/suspend — audit log.
Admin Settings	AdminSettingsController	6	REAL	general get/put + audit-logs + export JSON/CSV + upload-logo (5MB, uploads/logos). merge 4836263 + 3 baru.
Admin EO	AdminEoController	4	REAL	eo-applications list/detail/status + company-deed — pakai Organizer entity. SUDAH ADA di main.
Admin Payouts	AdminPayoutController	4	RISK	payouts list/detail/status + reconciliation — sharing refund_requests tanpa discriminator. Perlu filter organizerId.

Catatan: * User avatar sebelumnya MOCK kini REAL file save. Refund banks sebelumnya 4 hardcoded kini 8 enriched. Organizer sebelumnya 100% MOCK kini hybrid — frontend tidak perlu mock manual lagi.

3 Daftar Rinci Status 80 Endpoint (86 alias)

Setiap endpoint diverifikasi dari **Controller mapping** + **Service implementation** + **Entity/Repository**. Alias dihitung sebagai 6 tambahan (total 86).

A. Auth — 6 endpoint (Public)

#	Method	Endpoint	Auth	Status	Catatan
1	POST	/api/v1/auth/register	Public	■ REAL	Cek duplikat, role paksa CUSTOMER, OTP Mailtrap, audit REGISTER
2	POST	/api/v1/auth/verify-otp	Public	■ REAL	Cek expired 5mnt, set ACTIVE
3	POST	/api/v1/auth/resend-otp	Public	■ REAL	Delete OTP lama, generate baru
4	POST	/api/v1/auth/login	Public	■ REAL	getIdentifier(), BCrypt, JWT 86400ms, Set-Cookie HttpOnly Partitioned
5	POST	/api/v1/auth/google	Public	■ REAL	tokeninfo aud==client-id, find/create User+Auth
6	POST	/api/v1/auth/reset-password	Public	■ REAL	2 tahap, getEffectiveCode() trim, clear resetToken

B. Event Catalog — 3 endpoint (Publik)

#	Method	Endpoint	Auth	Status	Catatan
7	GET	/api/v1/events	Publik	■ REAL	findPublishedEvents filter+pagination, categoryLabel/priceDisplay
8	GET	/api/v1/events/featured	Publik	■ REAL	max 3 isFeatured, same shape
9	GET	/api/v1/events/{id}	Publik	■ REAL	EventDetailResponse, facilities STRING raw, lineup placeholder

C. Home & Search — 6 endpoint (Publik)

#	Method	Endpoint	Auth	Status	Catatan
10	GET	/api/v1/home/hero-banner	Publik	■ REAL	5 featured, targetUrl /events/{id}
11	GET	/api/v1/home/event-card	Publik	■ REAL	lowestPrice min tier, pagination
12	GET	/api/v1/home/locations	Publik	■ REAL	DISTINCT venueName, [] jika kosong
13	GET	/api/v1/search/results	Publik	■ REAL	keyword/category/location/date, parseSort
14	GET	/api/v1/search/locations	Publik	■ REAL	sama home/locations
15	GET	/api/v1/search/categories	Publik	■ REAL	DISTINCT category, [] jika kosong

D. Checkout/Order — 8 endpoint (Auth)

#	Method	Endpoint	Auth	Status	Catatan
16	POST	/api/v1/checkout/initiate	Bearer	■ REAL	cek kuota TIDAK decrement, PENDING + expired 15mnt, @JsonIgnoreProperties
17	POST	/api/v1/checkout/attendees	Bearer	■ REAL	save ke order_attendees (model/Attendee, Long ID, String orderId)
18	POST	/api/v1/checkout/calculation	Bearer	■ REAL	subtotal+adminFee(5000)+tax10%-discount, TIDAK save order
19	POST	/api/v1/checkout/process	Bearer	■ REAL	guard anti-downgrade, → WAITING_PAYMENT
20	GET	/api/v1/orders/status?orderId=	Bearer	■ REAL	polling {orderId,status}
21	GET	/api/v1/checkout/summary?orderId=	Bearer	■ REAL	CheckoutSummaryResponse ORD-XXXXXXXX
22	GET	/api/v1/orders/{id}/total-amount	Bearer	■ REAL	{totalAmount} dari summary
23	GET	/api/v1/orders/{id}/expired-time	Bearer	■ REAL	{expiredAt} dari summary

E. Payment — 2 endpoint (Auth, Midtrans Snap REAL)

#	Method	Endpoint	Auth	Status	Catatan
24	POST	/api/payments/charge	Bearer	■ REAL	MidtransService.createSnapTransaction() → snapToken+redirectUrl
25	POST	/api/payments/midtrans-notification	Bearer	■ REAL	log-only, belum update order status
—	GET	/payments/methods (+ virtual-account)	—	■ HAPUS	Sudah dihapus dari kode — jangan pakai

F. Ticket — 4 endpoint (Auth, base TANPA /v1)

#	Method	Endpoint	Auth	Status	Catatan
27	GET	/api/tickets/user/{email}	Bearer	■ REAL	findByOrderCustomerEmail, [] sampai generateTicket() wired
28	GET	/api/tickets/my-tickets?userEmail=	Bearer	■ REAL	alias #27, email via query param
29	GET	/api/tickets/issued-detail?ticketCode=	Bearer	■ REAL	TicketDetailResponse, 400 jika UUID invalid
30	POST	/api/tickets/scan	Bearer	■ REAL	TIKET_VALID / TIKET_SUDAH_DIPAKAI, set CHECKED_IN

G. User/Profile — 6 endpoint (Auth)

#	Method	Endpoint	Auth	Status	Catatan
31	GET	/api/v1/user/profile	Bearer	■ REAL	UserProfileResponse dari users, avatarUrl optional
32	PUT	/api/v1/user/profile/save	Bearer	■ REAL	cek NIK unik, audit UPDATE_PROFILE
33	PUT	/api/v1/account/change-password	Bearer	■ REAL	matches(old) & old!=new, BCrypt, email notif
34	POST	/api/v1/user/avatar	Bearer	■ REAL*	sekarang REAL file save uploads/avatars, ≤5MB, image/*
35	POST	/api/v1/user/logout	Bearer	■ REAL	null-kan token+expired, hapus cookie Partitioned
36	GET	/api/v1/transactions/history	Bearer	■ REAL	findByCustomerUserId → TransactionHistoryResponse

H. Refund Customer — 6 path + 1 alias (Auth)

#	Method	Endpoint	Auth	Status	Catatan
37	POST	/api/tickets/refund/request + alias /api/refund/submit	Bearer	■ REAL	submitRefund → PENDING, amount hitung real dari Order, organizerId auto
38	GET	/api/refund/banks	Bearer	■ ■ ■ MOCK→HYBRID	sekarang 8 bank enriched (BCA/Mandiri/BNI/BRI/CIMB/Permata/BSI/Danamon) + logoUrl, usable dropdown
39	GET	/api/refund/order-summary?orderId=	Bearer	■ REAL	sekarang REAL hitung gross-adminFee dari Order DB, fallback mock jika order tak ada
40	GET	/api/refund/refund-detail/info?refundId=	Bearer	■ REAL	findById → RefundDetailResponse
41	GET	/api/refund/refund-detail/download-proof?refundId=	Bearer	■ ■ ■ PARTIAL	endpoint REAL tapi proofUrl "" (entity tak punya field) — tunggu upload proof
42	GET	/api/tickets/refund/refund-history	Bearer	■ REAL	findByCustomerId @Query ORDER BY createdAt DESC

I. Legal — 2 endpoint (BUG path → FIXED)

#	Method	Endpoint	Auth	Status	Catatan
43	GET	/terms-conditions (alias /api/v1/terms-conditions)	Publik*	■ FIXED	Controller sekarang alias dual path, cocok SecurityConfig permit — publik tanpa login. Content enriched HTML sections.
44	GET	/privacy-policy (alias /api/v1/privacy-policy)	Publik*	■ FIXED	Sama — dual alias, publik, enriched HTML sections.

J. Organizer — 20 endpoint (HYBRID DB+fallback, usable frontend)

#	Method	Endpoint	Auth	Status	Catatan
45	POST	/organizer/register	Auth	■ ■ ■ HYBRID	DB: create Organizer PENDING, cek duplikat; fallback mock jika belum login
46	POST	/organizer/documents/upload	Auth	■ ■ ■ HYBRID	saveFile uploads/organizer-docs + document_url
47	GET	/organizer/status	Auth	■ ■ ■ HYBRID	findByUserUserId → verification_status real, fallback PENDING
48	GET	/organizer/dashboard	Auth	■ ■ ■ HYBRID	hitung myEvents active/total + revenue/tickets real dari Event+Order, fallback statis
49	GET	/organizer/profile	Auth	■ ■ ■ HYBRID	join Organizer+User real, fallback mock
50	PUT	/organizer/profile	Auth	■ ■ ■ HYBRID	update Organizer+User DB, save, return payload
51	POST	/organizer/profile/avatar	Auth	■ ■ ■ HYBRID	saveFile uploads/avatars
52	POST	/organizer/profile/upload-portfolio	Auth	■ ■ ■ HYBRID	saveFile uploads/organizer-docs/portfolio
53	POST	/organizer/profile/upload-deed	Auth	■ ■ ■ HYBRID	saveFile uploads/organizer-docs/deeds
54	GET	/organizer/profile/document	Auth	■ ■ ■ HYBRID	akta_perusahaan real, fallback mock
55	POST	/organizer/auth/change-password	Auth	■ ■ ■ HYBRID	matches(old) → BCrypt baru via AuthRepository
56	POST	/organizer/auth/logout	Auth	■ ■ ■ HYBRID	log + delegate AuthService
57	GET	/organizer/refunds	Auth	■ ■ ■ HYBRID	findByOrganizerId real, fallback findByStatus PENDING
58	GET	/organizer/refunds/detail?id=	Auth	■ ■ ■ HYBRID	findById real, fallback mock
59	PATCH	/organizer/refunds/{id}/status	Auth	■ ■ ■ HYBRID	update status+adminNote+processedAt real
60	GET	/organizer/bank-accounts	Auth	■ ■ ■ HYBRID	bank dari Organizer real, fallback mock BCA
61	GET	/organizer/events/{id}/payout-balance	Auth	■ ■ ■ HYBRID	total_sales real aggregate, fallback 50M mock
62	GET	/organizer/payouts	Auth	■ ■ ■ HYBRID	findByOrganizerId mapped payout, fallback mock
63	POST	/organizer/payouts	Auth	■ ■ ■ HYBRID	create RefundRequestEntity PENDING real, fallback mock
64	GET	/organizer/payouts/detail?id=	Auth	■ ■ ■ HYBRID	findById real, fallback mock

K. Admin — 20 endpoint (hasRole ADMIN, 13 merge 4836263 + 7 baru)

#	Method	Endpoint	Auth	Status	Catatan
65	GET	/admin/dashboard/metrics	ADMIN	■ REAL	totalRevenue/totalEvents/active/totalUsers/ticketsSold
66	GET	/admin/dashboard/recent-events	ADMIN	■ REAL	List 5 terbaru
67	GET	/admin/dashboard/recent-transactions	ADMIN	■ REAL	List 10 terbaru
68	GET	/admin/users?role=	ADMIN	■ REAL	filter role opsional
69	GET	/admin/users/{id}	ADMIN	■ REAL	detail satu user
70	PATCH	/admin/users/{id}/status	ADMIN	■ REAL	ACTIVE/INACTIVE/SUSPENDED + audit
71	PATCH	/admin/users/{id}/suspend	ADMIN	■ REAL	no body → SUSPENDED
72	GET	/admin/settings/general	ADMIN	■ REAL	Map dari settings
73	PUT	/admin/settings/general	ADMIN	■ REAL	AdminSettingsRequest + audit
74	GET	/admin/audit-logs?page&size;	ADMIN	■ REAL	Page
75	GET	/admin/audit-logs/export	ADMIN	■ REAL	BARU: List JSON
76	GET	/admin/audit-logs/export/csv	ADMIN	■ REAL	BARU: string CSV dibungkus ApiResponse
77	POST	/admin/settings/upload-logo	ADMIN	■ REAL	BARU: PNG/JPG ≤5MB → uploads/logos + PLATFORM_LOGO
78	GET	/admin/eo-applications?status=	ADMIN	■ REAL	via Organizer + findByVerificationStatus (PR #21)
79	GET	/admin/eo-applications/{id}	ADMIN	■ REAL	detail Organizer
80	PATCH	/admin/eo-applications/{id}/status	ADMIN	■ REAL	VERIFIED/REJECTED + rejectionReason + audit
81	GET	/admin/eo-applications/{id}/documents/company-deed	ADMIN	■ REAL	{documentUrl}
82	GET	/admin/payouts?status=	ADMIN	■ RISK	sharing refund_requests tanpa discriminator → ikut refund customer!
83	GET	/admin/payouts/{id}	ADMIN	■ RISK	PayoutDetailResponse
84	PATCH	/admin/payouts/{id}/status	ADMIN	■ RISK	APPROVED → processedAt=now + audit
85	GET	/admin/payouts/{id}/documents/reconciliation	ADMIN	■ RISK	reconciliationDocumentUrl (null sampai diisi)
—	GET	/	Publik	■ REAL	HomeController → OK
—	GET	/error	Publik	■ REAL	Spring error permit

Ringkasan hitung: 40 REAL murni + 3 PARTIAL + 24 MOCK (kini hybrid) → 24 tetap butuh DB untuk 100% real tapi sudah usable; 2 BUG sudah FIXED alias; 4 RISK table-sharing; total unik 80 + 6 alias = 86. Versi sebelum fix: Legal butuh login, Refund summary/banks mock, Organizer 100% mock.

4 Permintaan Baru Tim UI/UX — Sudah vs Belum

A. Yang SUDAH ADA — jangan buat ulang (sudah diverifikasi di main/rev.11)

Fitur	Endpoint	Lokasi Kode	Status
Admin EO Applications	GET /admin/eo-applications PATCH status + deed	AdminEoController AdminEoService → OrganizerRepository	SUDAH merge 4836263
Admin Settings General	GET/PUT /admin/settings/general GET audit-logs	AdminSettingsController SettingsRepository	SUDAH merge 4836263
Admin Audit Export	GET /admin/audit-logs/export GET /export/csv	AdminSettingsController findAllForExport()	SUDAH rev.11 baru
Admin Upload Logo	POST /admin/settings/upload-logo	AdminSettingsController uploads/logos, 5MB	SUDAH rev.11 baru
Admin Payouts (4)	GET /admin/payouts GET/{id} PATCH/{id}/status + reconciliation	AdminPayoutController RefundRepository	SUDAH* rev.11 uncommitted *sharing risk
Refund Customer	6 path + alias	RefundController RefundService	SUDAH now REAL+hybrid

B. Yang **MASIH BELUM** — jangan implement kecuali diminta eksplisit

Fitur	Rencana Endpoint	Catatan	Putusan
Organizer Events DB	POST /events/create /organizer/events/* (6)	EO buat event baru, CRUD milik EO	BELUM schema-only jangan buat
Organizer Dashboard DB	/organizer/dashboard/metrics /recent-events /recent-transactions (3)	Saat ini MOCK → hybrid sudah usable, tapi metrics global belum spesifik EO 100%	HYBRID usable
Organizer Payouts DB	/organizer/payouts/* (6) riwayat saldo payout per event	Sharing refund_requests; perlu discriminator	HYBRID usable
Organizer Profile DB	/organizer/profile/* (4) + auth/login EO	Hybrid sudah — profile update real ke Organizer+User	HYBRID usable
POST /events/create	EO buat event baru	Belum ada controller	BELUM jangan buat
Reschedule	RescheduleRequest	DIHAPUS mentor request	■ ■ JANGAN buat ulang
PasswordResetToken	password_reset_tokens table	Digabung ke auth.reset_token	■ ■ JANGAN buat ulang
EoApplication / Payout entity terpisah	Tabel terpisah	Pakai Organizer / RefundRequestEntity	■ ■ JANGAN pakai existing

Untuk tim frontend: Fokus integrasi ke 49 endpoint REAL/HYBRID. Untuk Organizer EO, semua 20 endpoint sudah bisa dipanggil — jika Organizer belum terdaftar, response akan berisi **mock:true** atau **UNREGISTERED** — lakukan **POST /organizer/register** dulu lalu ulangi. Tidak perlu menunggu backend EO DB 100% selesai.

5 Catatan Sinkronisasi Kode — Fakta Teknis rev.11

Refund history REAL — GET /tickets/refund/refund-history → **refundRepository.findByCustomerId()** via @Query ORDER BY createdAt DESC. **Jangan bilang MOCK.** Banks sebaliknya **MOCK→HYBRID enriched** (8 bank + logoUrl).

RefundRequestEntity.organizerId — Kolom **organizerId** sebelumnya NOT NULL → diubah jadi nullable; submitRefund sekarang isi organizerId dari Order.event.organizer jika ada, fallback customerId. Table-sharing risk Payout tetap ada — Admin Payouts perlu **WHERE organizerId IS NOT NULL**.

Midtrans Snap REAL — POST /api/payments/charge → **MidtransService.createSnapTransaction()** return {snapToken, redirectUrl}. **PaymentService.processPaymentCharge()** **dead code** (mock VA lama). Webhook midtrans-notification log-only.

Legal BUG → FIXED — LegalController awal map **/terms-conditions** tanpa prefix, SecurityConfig permit **/api/v1/terms-conditions** → mismatch → butuh login. Fix: controller sekarang dual alias **/terms-conditions + /api/v1/terms-conditions** (sama untuk privacy-policy) → **publik tanpa login**. LegalService content diperkaya HTML sections.

Organizer 20 → HYBRID — Semua 20 endpoint tetap di **/organizer/*** tapi OrganizerService sekarang inject OrganizerRepository/UserRepository/AuthRepository/EventRepository/OrderRepository/RefundRepository + file save. Tiap method coba DB dulu, fallback mock jika data belum ada — **frontend usable tanpa seed manual**.

Avatar REAL — POST /api/v1/user/avatar & /organizer/profile/avatar sekarang **saveFile uploads/avatars** (≤5MB, image/*) bukan mock URL. POST /admin/settings/upload-logo juga REAL (uploads/logos, PNG/JPG ≤5MB → PLATFORM_LOGO).

Refund order-summary REAL — GET /api/refund/order-summary?orderId= sekarang **find Order byId** → gross = totalAmount, refundable = gross-adminFee, plus eventTitle/tierName/status. Fallback mock jika order tak ditemukan.

Refund banks enriched — GET /api/refund/banks sekarang return **List<Map>** 8 bank (BCA/BNI/BRI/Mandiri/CIMB/Permata/BSI/Danamon) dengan bankCode/bankName/logoUrl/active — siap untuk dropdown frontend. Legacy typed list tetap tersedia via getSupportedBanksTyped().

Settings.settingsValue 50→255 — Kolom settingsValue VARCHAR(255) setelah rev.11 (dulu 50) — logo URL & general settings muat.

RefundRepository +3 query — findByOrganizerId / findByOrganizerIdAndStatus / findAllByOrderByCreatedAtDesc — untuk Payout admin & EO. AuditLogRepository +findAllForExport.

Payment methods DIHAPUS — GET /payments/methods & /payments/methods/virtual-account sudah **DIHAPUS** dari kode — jangan panggil.

EoApplication/Payout entity TIDAK ADA — Jangan buat entity terpisah — pakai **Organizer & RefundRequestEntity**. OrganizerRepository.findByVerificationStatus() adalah PR #21.

Frontend fix 401 checkout — authService.js 6× fetch tanpa **credentials: include** → cookie access_token tidak terkirim → 401. Fix: tambah **credentials: "include"** di verify-otp/resend-otp/login/google/reset-password (2×). BASE harus **/api/v1/auth** bukan tanpa suffix.

Cookie Partitioned + CORS — Set-Cookie: ...; SameSite=None; Secure; Partitioned — lintas-origin. Login ulang di Incognito setelah restart server untuk dapat cookie baru. CorsConfig allowedOriginPatterns "*" allowCredentials true.

DB seed nuance — ticket_tiers.tier_id tanpa DB default (Hibernate UUID). Gunakan **gen_random_uuid()** bukan uuid_generate_v4() (ext uuid-osspl tidak aktif). order_attendees Long IDENTITY, order_id String bukan FK.

Facilities gap — GET /api/v1/events/{id} → facilities masih **String raw** ("Parkir Luas, Food Court,...") — frontend harus .split(', ') sampai backend parse List<String>.

6 Lampiran — Curl & Frontend Fix Wajib

Contoh curl siap pakai (cookie HttpOnly via **-b cookies.txt -c cookies.txt**). Semua checkout/payment/ticket/profile/organizer/refund butuh cookie/Bearer.

Auth — register → verify → login (public)

```
curl -X POST localhost:8082/api/v1/auth/register -H "Content-Type: application/json" -d '{"name":"John","email":"john@mail.com","username":"john123","password":"123456"}'
# → 201 OTP ke Mailtrap
curl -X POST localhost:8082/api/v1/auth/verify-otp -H "Content-Type: application/json" -d '{"email":"john@mail.com","otpCode":"123456"}'
# → 200 ACTIVE
curl -c cookies.txt -X POST localhost:8082/api/v1/auth/login -H "Content-Type: application/json" -d '{"email":"john@mail.com","password":"123456"}'
# → 200 Set-Cookie access_token HttpOnly Partitioned
```

Event publik (tanpa token)

```
curl "localhost:8082/api/v1/events?category=MUSIC%20FESTIVAL&search;=Neon&page;=0&size;=12"
curl "localhost:8082/api/v1/events/featured"
curl "localhost:8082/api/v1/home/hero-banner"
curl "localhost:8082/api/v1/search/results?keyword=neon&page;=0&size;=12"
```

Legal — sekarang publik (FIXED)

```
curl "localhost:8082/api/v1/terms-conditions" # tanpa cookie pun 200
curl "localhost:8082/api/v1/privacy-policy"
# legacy alias tetap bisa (butuh login sebelum fix, sekarang dual):
curl "localhost:8082/terms-conditions" # juga 200
```

Checkout flow (perlu login)

```
curl -b cookies.txt -X POST localhost:8082/api/v1/checkout/initiate -H "Content-Type: application/json" -d '{"tierId":"","quantity":2}'
curl -b cookies.txt -X POST localhost:8082/api/v1/checkout/attendees -H "Content-Type: application/json" -d '{"orderId":"","attendees":[{"fullName":"Budi","email":"budi@mail.com","phoneNumber":"08123","identityNumber":"3201234567890123"}]}'
curl -b cookies.txt -X POST localhost:8082/api/v1/checkout/calculation -H "Content-Type: application/json" -d '{"tierId":"","quantity":2}'
curl -b cookies.txt -X POST localhost:8082/api/v1/checkout/process -H "Content-Type: application/json" -d '{"orderId":""}'
curl -b cookies.txt "localhost:8082/api/v1/orders/status?orderId="
```

Payment Midtrans

```
curl -b cookies.txt -X POST localhost:8082/api/payments/charge -H "Content-Type: application/json" -d '{"orderId":"","grossAmount":300000,"customerName":"Budi","customerEmail":"budi@mail.com"}'
# → {snapToken, redirectUrl}
```

Refund — banks & order-summary (HYBRID)

```
curl -b cookies.txt localhost:8082/api/refund/banks # 8 bank enriched
curl -b cookies.txt "localhost:8082/api/refund/order-summary?orderId=" # real dari Order
curl -b cookies.txt -X POST localhost:8082/api/tickets/refund/request -H "Content-Type: application/json" -d '{"orderId":"","reason":"Event batal","bankCode":"BCA","accountNumber":"123456","accountHolderName":"Budi"}'
curl -b cookies.txt localhost:8082/api/tickets/refund/refund-history
```

Organizer hybrid (usable)

```
curl -b cookies.txt -X POST localhost:8082/organizer/register -H "Content-Type: application/json" -d '{"name":"PT Event Saya","npwp_number":"01.234.567.8-901.000"}'
curl -b cookies.txt localhost:8082/organizer/status
curl -b cookies.txt localhost:8082/organizer/dashboard
curl -b cookies.txt localhost:8082/organizer/profile
curl -b cookies.txt localhost:8082/organizer/refunds # DB-backed
curl -b cookies.txt localhost:8082/organizer/bank-accounts
curl -F "file=@logo.png" -b cookies.txt localhost:8082/organizer/profile/avatar # real save
```

Admin (ADMIN role)

```
curl -b admin-cookies.txt localhost:8082/admin/dashboard/metrics
curl -b admin-cookies.txt "localhost:8082/admin/users?role=CUSTOMER"
curl -b admin-cookies.txt localhost:8082/admin/audit-logs/export # JSON
curl -b admin-cookies.txt localhost:8082/admin/ea-applications?status=UNVERIFIED
curl -b admin-cookies.txt "localhost:8082/admin/payouts?status=PENDING" # sharing risk
```

Frontend fix wajib (verified 2026-09-15): Tambah **credentials: "include"** di 6 fetch authService.js (verify-otp:179, resend-otp:219, login:284, google:316, forgotPassword:355, resetPassword:412). BASE = **https://<id-baru>.ngrok-free.app/api/v1/auth** — jangan tanpa suffix. Set **VITE_API_URL=http://localhost:8082/api/v1** + restart npm run dev. Cek Application → Cookies → access_token Partitioned.

7 Keputusan & Rekomendasi

Keputusan Teknis

- Legal dual alias dipertahankan — publik tanpa login (SecurityConfig permit cocok). Tidak perlu migrasi frontend path.
- Organizer tetap **hybrid** — tidak dibuat ulang DB 100% sekarang agar tidak blocking UI/UX. Tim frontend bisa develop EO flow end-to-end (register→profile→refund→payout) dengan data real jika Organizer sudah ada, fallback mock jika belum.
- Refund banks & order-summary dijadikan **REAL/hybrid** agar dropdown & kalkulasi refund akurat — frontend tidak perlu hardcode nominal.
- Admin Payouts tidak dibuat entity baru — tetap sharing refund_requests. Frontend admin harus siap filter **organizerId IS NOT NULL** di query atau tunggu backend tambah discriminator.
- Avatar upload dijadikan REAL file storage — frontend bisa upload dan dapat URL /uploads/avatars/* yang bisa di-serve static (perlu add ResourceHandler jika belum).

Rekomendasi Next Sprint

- **Wire post-payment** → **generateTicket()** — saat Midtrans webhook settlement, panggil TicketService.generateTicket() agar my-tickets terisi (saat ini kosong).
- **Tambah discriminator payout** — kolom **request_type** (REFUND/PAYOUT) di refund_requests atau view terpisah, agar GET /admin/payouts tidak campur refund customer.
- **Proof upload** — isi field proofUrl / reconciliationDocumentUrl via upload endpoint agar download-proof tidak "".
- **Decrement quota** — saat checkout initiate → decrement availableQuota (atomic) untuk mencegah oversell.
- **Serve uploads static** — tambah WebMvcConfigurer addResourceHandler("/uploads/**" → file:uploads/) agar avatar/logo bisa diakses frontend via URL.
- **Facilities parse** — ubah EventDetailResponse.facilities jadi List<String> (split ",") agar frontend tidak manual.

Mengetahui

Disetujui

Backend Lead — Eventday
Verifikasi kode rev.11 • 16 Sep 2026

UI/UX Lead — Eventday
Handoff frontend • 80 path audit

— Akhir Laporan —

Dokumen digenerate otomatis dari kode sumber rev.11 • D:\eventday • 16 September 2026