

1

2

3

4

5

6

7

8

9

10

11

12

13


14

15

16


17

18







Precision Feeler Gauge Tape

Code: **C318**




Order Code	Thickness t mm
C318 001	0.01
C318 002	0.02
C318 003	0.03
C318 004	0.04
C318 005	0.05
C318 006	0.06
C318 007	0.07
C318 008	0.08
C318 009	0.09
C318 010	0.10
C318 015	0.15
C318 020	0.20
C318 025	0.25
C318 030	0.30
C318 035	0.35
C318 040	0.40
C318 045	0.45
C318 050	0.50
C318 060	0.60
C318 070	0.70
C318 080	0.80
C318 090	0.90
C318 100	1.00

Some Applied Pictures




A: 13 mm x L: 5 mt.
Tolerance: T.3

Cold - rolled, spring hardness and high plain precision shim steel strip. Gauge tapes with shiny surfaces resistant to rust or acid. Usage: It is used for adjusting machine parts in fixture and set processes, straightening of workpieces as base foil, in all kinds of tolerance dimensions, in controlling of inserts and slides with tolerances, for adjusting of dyeing and stamping rolls and mould / die repairs etc.



Embossing Date Stamp for sheet metal

Code: **GCM09**



* Please provide the desired "year" for your GCM09 orders.

Order Code	D	L	T	L1	A
GCM09 08S	8	12.35	0.35	1.2	76°
GCM09 08L		19.05			
GCM09 10S	10	12.35	0.35	1.6	76°
GCM09 10L		19.05			
GCM09 12S	12	12.45	0.45	2	76°
GCM09 12L		19.05			
GCM09 16S	16	12.55	0.55	2.5	76°
GCM09 16L		19.05			
GCM09 20SA	20	12.55	0.55	3	76°
GCM09 20SB		12.55		3.5	
GCM09 20LA		19.05		3	
GCM09 20LB		19.05		3.5	
GCM09 24	24	24	0.55	4	76°
GCM09 32A	32	32	0.65	5	76°
GCM09 32B		32		6	

It is suitable to be used in all die systems. The product specifies 12 months and 1 year.

* Please provide the desired "year" for your GCM09 orders. The insert (inner hub) of GCM09 is a replaceable type. When you need to change the year of insert (inner hub) you can order it separately.



Material: 1.2379

Hardness: 58 - 60 HRC

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18

Mechanical Die Components



Code: **KZG**

Locating Punch

Reference: FCA / STQ 40007

a	b	c	M	t	d	e
19	16	13	M8	8	18	8
25	18	16	M10	12	24	9



Code: **K22**

Locating Punch

Reference: FCA / STQ 40007

a	b	d1	M	c	d2	d3	t
10	8	6	M4	9.9	9.5	4.2	4
13	11.2	8	M5	12.5	12	5.2	4



Order: **KZG. a**

Order: **K22. a**



Code: **KZF**

Locating Punch

Reference: * FORD * WDX20-70-0101

Material: 1.2080

Hardness: 60 - 64 HRC



Form A



Form B

Code: **MZG**

Marking Stamp


A	B	L	C	D	Pcs.
14.9	28	12	16.1	7.1	4
	32	12	20.1	7.1	5
	34	12	24.1	7.1	6
	44	12	32.1	7.1	8
	52	12	40.1	7.1	10



Order: **MZG. Form x Symbol**



Marking Stamps: Symbol and dimensions can be machined upon request.



Code: **MEG**

Backing Plate for Stamp Retainer

Reference: FORD

L1	Figure Size	L1	Figure Size
23.5	3.5	23.5	2
27.5	3.5	27.5	2
31.5	3.5	31.5	2



Order: **MEG. L1 x Figure Size**



Code: **MTU**

Stamp Retainer

A	B	L	C	D	Pcs.
14.9	28	12	16.1	7.1	4
	32	12	20.1	7.1	5
	34	12	24.1	7.1	6
	44	12	32.1	7.1	8
	52	12	40.1	7.1	10



Order: **MTU. A x B**

Polyamide material upon request



Code: **MEU**

Backing Plate for Stamp Retainer

A	B	L	D
15	28	5	6.7
	32		
	36		
	44		
	52		



Order: **MEU. A x B**

Material: 1.2080



Hardness: 54 - 56 HRC

Code: ZTF

Stamp Retainer

Reference: FORD / WDX20-70

upon request: Polyamide material





Code: ZTP

Stamp Retainer

Reference: PSA E24.64.100.G

upon request: Polyamide material





Order Code	Punch Pcs.	a	b	c	d	e
ZTP 47	4	16	32	47	17	12
ZTP 55	6	24	40	55	25	16
ZTP 63	8	32	48	63	33	20
ZTP 71	10	40	56	71	41	24

Code: MD2

Backing Plate for Stamp Retainer


Reference: FORD / WDX20-70

Code: ZDP

Backing Plate


Reference: PSA E24.64.100.G

Order Code	Punch Pcs.	b	c
ZDP 47	4	32	47
ZDP 56	6	40	56
ZDP 63	8	48	63
ZDP 71	10	56	71

Stamp Retainer **Code: MTG**

Reference: FORD / WDX20-66

30, 20.6-0.1, 11, 18, 13 d9, 1.2 d9, L1 ±0.1, L3 +0.2, b1 +0.2, M8, R0.2

Order Code	L1	L2	L3	b1
MTG 8109	9	24	4.1	8.1
MTG 8111	11	28	8.1	8.1
MTG 8113	13	32	12.1	8.1
MTG 6109	9	24	4.1	6.1
MTG 6111	11	28	8.1	6.1
MTG 6113	13	32	12.1	6.1



Die Spare Parts
Precision machining / Custom-made

Die systems, sheet metal cutting / spinning - bending form dies, complicate dies and progressive dies. In addition, we produce your custom-made parts belonging to other die systems within technical drawing details, as precision heat treated and in desired materials with complete ground operations.

Centering pins, compression and clutch plates, balancing blocks, backing and shim plates, special wedges, matrix holders, special guide shaft coupling nut, separator - holder and adjustor parts, conical centering components, special washers and inserts etc.



Why Güvenal ?

"Equipment for Marking and Traceability in Compliance with Standards"

"We manufacture the parts required by companies in the automotive and other industrial sectors to ensure marking and production traceability. Our products are meticulously produced in compliance with the standards set by the main automotive manufacturers and international quality norms."



Pantogr aph



Laser-marking




EDM Die Sinking

"In addition to our standard products, we also manufacture marking equipment for our customers' special projects. From the design phase to final inspections and testing, we work meticulously using advanced technology machines and equipment to ensure the highest quality. At every stage, we apply the latest industry methodologies and consider international standards to provide solutions that are fully tailored to our customers' specific needs. Thanks to our innovative approaches and high-tech production processes, we maintain the performance and reliability of our branding equipment at the highest level."



For more information:
info@guvenal.net



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18