

T4B TRANSPORT API v 1.05

Version control:

version	date	changes	author
1.04	28.02.25	- EDIT /cancel_order – options: cancel by ticket, cancel by trip - EDIT /cancel_order – refund amount in response - NEW /trip_details – get trip details	NF
1.05	14.04.25	- NEW /documentation – get documentation	NF

Base URL

The base URL for all API requests is:

test

<http://?????>

production

<http://?????>

Endpoints

POST /auth/api_sales_login

Headers

Parameters

- `tid` (mandatory): Unique terminal identifier.
- `otp` (mandatory): One time password.

Response

Returns a properties of authorization token:

- `token`: Authorization token

Example

Request:

POST /auth/api_sales_login

Body:

```
{  
  "tid": "T4BAS0001",  
  "otp": "fga4vd45"  
}
```

Response:

```
{
  "msg": "token created",
  "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ0ZXJtaW5hbCI6IjFhYmQxMDRhLTNkYmItNGQlOS04NjJlLTNkYTg5YzEwMzcxNiIsImNvbXBhbnkiOiJiZTE5NjYxYS02OWQ2LTQ5ZWZWMtODZkNS1jMTM5Mjk0NWRlMTIiLCJpYXQiOiE3MDIxMTQxNzMsImV4cCI6MTcxMjQ4MjE3M30.W9GKMFAauA159cobKpahMJz2XL9VtxDON2hh_4hc1ZI"
}
```

GET /harbors

Returns a list of all harbors in the system.

Headers

Response

Returns a JSON object with the following properties:

- harbors: An array of harbors objects, each with the following properties:
 - harbor_code: Unique harbor identifier.
 - harbor_name: Harbor name.
 - harbor_longitude
 - harbor_latitude
 - harbor_region: Harbor region.
 - harbor_country: Harbor country.

Example

Request:

GET /harbors

Header:

Authorization: "Bearer " + token

Response:

```
{
  "harbors": [
    {
      "harbor_name": "Pula",
      "harbor_code": "HR001",
      "harbor_longitude": null,
      "harbor_latitude": null,
      "harbor_region": "Istarska županija",
      "harbor_country": "Croatia"
    },
  ],
}
```

```

{
  "harbor_name": "Korčula",
  "harbor_code": "HR491",
  "harbor_longitude": null,
  "harbor_latitude": null,
  "harbor_region": "Otok Korčula",
  "harbor_country": "Croatia"
},
{
  "harbor_name": "Split",
  "harbor_code": "HR479",
  "harbor_longitude": null,
  "harbor_latitude": null,
  "harbor_region": "Splitsko dalmatinska županija",
  "harbor_country": "Croatia"
}
]
}

```

POST /search_trip

Returns a list of all trips that for request parameters.

Headers

- Authorization (mandatory): Bearer + token.

Parameters

- travel_from (mandatory): Harbor code for starting harbor of trip.
- travel_to (mandatory): Harbor code for ending harbor of trip.
- travel_date (mandatory): Travel date
- control_code (mandatory): SHA512 hash generated from concatenation of key, travel_from, travel_date and travel_to as strings;

Calculating Control code

```
travel_from = "HR001",
```

```
travel_date = "2023-12-03",
```

```
travel_to = "HR201",
```

```
key = "d28a89030b77"
```

```
control_code = SHA512(key + travel_from + travel_date + travel_to)
```

```
control_code = SHA512(d28a89030b77HR0012023-12-03HR201)
```

```
control_code =  
5dbbd3e4089ff28ed2330068ab591b2f8bf664b79a7123a230ea66ab6d02d484a3590563d04ac  
c5fc83b1bcc41ba7e1e9e3084f85a588248cc940c9b38e1ba9b
```

Response

Returns a JSON object with the following properties:

- **trips:** An array of trips objects, each with the following properties:
 - **trip_uuid:** Trip identifier.
 - **departure:** Departure date and time.
 - **arrival:** Arrival date and time.
 - **departure_harbor_id:** Departure harbor identifier.
 - **departure_harbor_name:** Departure harbor name.
 - **arrival_harbor_id:** Arrival harbor identifier.
 - **arrival_harbor_name:** Arrival harborename.
 - **line_code:**Line identifier.
 - **line_name:** Line name
 - **prices:** An array of prices objects, each with the following properties.
 - **ticket_type_uuid:** Ticket type Identifier.
 - **ticket_type_name:**Ticket type name.
 - **price:** Ticekt type single price.
 - **capacity:** Ticket type free capacity.
 - **description:** Ticket type description.

Example

Request:

```
POST /search_trip
```

Header:

```
Authorization: "Bearer " + token
```

Body:

```
{  
  "travel_from":"HR201",  
  "travel_to":"HR001",  
  "travel_date":"2023-12-03"  
  "control_code":"5dbbd3e4089ff28ed2330068ab591b2f8bf664b79a7123a230ea66ab6d02d48  
4a3590563d04acc5fc83b1bcc41ba7e1e9e3084f85a588248cc940c9b38e1ba9b"  
}
```

Response:

```

{
  "trips": [
    {
      "uuid": "cbfce78793cbd6b9e020f325ac47203f",
      "trip_uuid": "cbfce78793cbd6b9e020f325ac47203f",
      "departure": "03.12.2023. 16:00",
      "arrival": "03.12.2023. 20:45",
      "departure_harbor_id": "HR201",
      "departure_harbor_name": "Zadar",
      "arrival_harbor_id": "HR001",
      "arrival_harbor_name": "Pula",
      "line_uuid": "8f84f3aaa83680fde3b588315ae00f1d",
      "line_code": "9141",
      "line_name": "PU - ZD ",
      "prices": [
        {
          "ticket_type_uuid": "e72028e8e9f5dale44becc07ac29678a",
          "ticket_type_name": "Osnovna cijena",
          "price": 2,
          "capacity": 100,
          "description": null
        }
      ]
    }
  ]
}

```

Errors

This API uses the following error codes:

- 400 Bad Request: The request was malformed or missing required parameters.
- 401 Unauthorized: The token provided was invalid or missing.
- 404 Not Found: The requested resource was not found.
- 500 Internal Server Error: An unexpected error occurred on the server.

POST /order

Headers

- Authorization (mandatory): “Bearer” + token.

Parameters

- `order_number` (mandatory): Order number generate from partners system.
- `control_code` (mandatory): SHA512 hash generated from concatenation of key, `order_number`, `order_items` length and `_subtotal` of `total_items` prices as strings;
- `order_items` (mandatory): An array of unique trip and `ticket_type` combination objects, each with the following properties:
 - `trip_uuid` (mandatory): Trip identifier from `search_trip` response
 - `single_item_price` (mandatory): Ticekt single price from `search_trips` response
 - `total_item_price` (mandatory): Total tickets price for `ticket_type`
 - `ticket_type_uuid` (mandatory): Ticekt type identifier
 - `ticket_type_name` (mandatory): Ticket type name
 - `quantity` (mandatory): Number of tickets

Calculating Control code

- `key = "d28a89030b77"`
- `order_number = "ORD1253",`
- `items_lenght = 2,`
- `subtotal of total_items_prices = 7,`
- `control_code = SHA512(key + order_number + order_items.lenght + subtotal.total_item_prices)`
- `control_code = SHA512(d28a89030b77ORD125327)`
- `control_code = 7a6b5c11f315c8b48112f605cabbf67f4e8e8bb3b96463025ecaf33a7db69d87a9e8724be91b9c1d51a957528e5c1ee75f501f7f06d6cff3f3f9dbc5acf329fb`

Response

Returns a JSON object with the following properties:

- `msg`: Response message.
- `order_uuid`: Order unique identifier.
- `order_number`: Order number from request.
- `order_items`: An array of unique trip and `ticket_type` combination objects from request:
 - `trip_uuid`:
 - `single_item_price`:
 - `total_item_price`:
 - `ticket_type_uuid`:
 - `ticket_type_name`:

Example

Request:

POST /order

Header:

Authorization: "Bearer " + token

Body:

```
{
  "order_number": "ORD1254",
  "control_code": "17c4ec953702895c65d2b4dd7218f45207f4ace3aa905eb97bf02838f4c9a54cba6eab58019da597ac89bf36a4bb24092c1b872864f54ffacbf452e37d36c667",
  "order_items": [
    {
      "trip_uuid": "c20fa7a1c3e71cc2a2238a5746d6aede",
      "single_item_price": 1,
      "total_item_price": 1,
      "ticket_type_uuid": "e72028e8e9f5dale44becc07ac29678a",
      "ticket_type_name": "Osnovna cijena",
      "quantity": 1
    },
    {
      "trip_uuid": "cbfce78793cbd6b9e020f325ac47203f",
      "single_item_price": 2,
      "total_item_price": 4,
      "ticket_type_uuid": "e72028e8e9f5dale44becc07ac29678a",
      "ticket_type_name": "Osnovna cijena",
      "quantity": 2
    }
  ]
}
```

Response:

```
{
  "msg": "order created",
  "order_uuid": "b56193a1d2016e706d25c6c2b34fa106",
  "order_number": "ORD1254",
  "order_items": [
    {
      "trip_uuid": "c20fa7a1c3e71cc2a2238a5746d6aede",
      "single_item_price": 1,
      "total_item_price": 1,
      "ticket_type_uuid": "e72028e8e9f5dale44becc07ac29678a",
      "ticket_type_name": "Osnovna cijena",
      "quantity": 1
    },
    {
      "trip_uuid": "cbfce78793cbd6b9e020f325ac47203f",
```



```

        "single_item_price": 2,
        "total_item_price": 4,
        "ticket_type_uuid": "e72028e8e9f5dale44becc07ac29678a",
        "ticket_type_name": "Osnovna cijena",
        "quantity": 2
    }
]
}

```

Errors

This API uses the following error codes:

- 400 Bad Request: The request was malformed or missing required parameters.
- 401 Unauthorized: The token provided was invalid or missing.
- 404 Not Found: The requested resource was not found.
- 500 Internal Server Error: An unexpected error occurred on the server.

POST /confirm_order

Headers

- Authorization (mandatory): Token from login response (“Bearer” + token).

Parameters

- order_uuid (mandatory): Order uuid.
- control_code (mandatory): Control code for transaction.

Calculating Control code

- key = "d28a89030b77"
- order_uuid = "b56193a1d2016e706d25c6c2b34fa106",
- order_number = "ORD1253",
- total_amount = 5,
- control_code = SHA512(key + order_uuid + order_number + order total_amount)
- control_code =
SHA512(d28a89030b77b56193a1d2016e706d25c6c2b34fa106ORD1253275)
- control_code =
7a6b5c11f315c8b48112f605cabbf67f4e8e8bb3b96463025ecaf33a7db69d87a9e8724
be91b9c1d51a957528e5c1ee75f501f7f06d6cff3f3f9dbc5acf329fb

Response

Returns a JSON object with the following properties:

- **tickets:** An array of tickets objects, each with the following properties:
 - **ticket_uuid:** Ticekt unique identifier.
 - **ticket_code:** Ticket unique code.
 - **order_uuid:** Order unique identifier.
 - **order_number:** Order number
 - **ticket_type_name:** Ticket type name
 - **ticket_type_uuid:** Ticekt type identifier
 - **ticket_single_price:** Ticekt price
 - **ticket_departure:** Departure date and time
 - **line_code:** Line code
 - **line_name:** Line name
 - **ticket_departure_harbor_id:** Departure harbor identifier
 - **ticket_departure_harbor_name:** Departure harbor name
 - **ticket_arrival:** Arrival date and time
 - **ticket_arrival_harbor_id:** Arrival harbor uidentifier
 - **ticket_arrival_harbor_name:** Arrival harbor name

Example

Request:

POST /confirm_order

Header:

Authorization: "Bearer " + token

Body:

```
{
  "order_uuid": "e111fef7b875bc8fee699809f717f05f",
  "control_code": ""
}
```

Response:

```
{
  "tickets": [
    {
      "ticket_uuid": "ce7f7a786f7e7e8fa58e300826f6f74b",
      "ticket_code": "859583e5fc0a3b8f",
      "order_uuid": "BUZ1243",
      "order_number": "BUZ1243",

```

```

    "ticket_type_name": "Osnovna cijena",
    "ticket_type_uuid": "e72028e8e9f5dale44becc07ac29678a",
    "ticket_single_price": 2,
    "ticket_is_active": true,
    "ticket_is_canceled": false,
    "ticket_departure_planned": "03.12.2023. 07:00",
    "ticket_departure": "03.12.2023. 07:00",
    "line_code": "9141",
    "line_name": "PU - ZD ",
    "ticket_departure_harbor_id": "HR001",
    "ticket_departure_harbor_name": "Pula",
    "ticket_arrival_planned": "03.12.2023. 11:45",
    "ticket_arrival": "03.12.2023. 11:45",
    "ticket_arrival_harbor_id": "HR201",
    "ticket_arrival_harbor_name": "Zadar"
  },
  {
    "ticket_uuid": "6af4b4676755e64ea431fb0abfe12f92",
    "ticket_code": "8f4dde452cdf7640",
    "order_uuid": "BUZ1243",
    "order_number": "BUZ1243",
    "ticket_type_name": "Osnovna cijena",
    "ticket_type_uuid": "e72028e8e9f5dale44becc07ac29678a",
    "ticket_single_price": 2,
    "ticket_is_active": true,
    "ticket_is_canceled": false,
    "ticket_departure_planned": "03.12.2023. 07:00",
    "ticket_departure": "03.12.2023. 07:00",
    "line_code": "9141",
    "line_name": "PU - ZD ",
    "ticket_departure_harbor_id": "HR001",
    "ticket_departure_harbor_name": "Pula",
    "ticket_arrival_planned": "03.12.2023. 11:45",
    "ticket_arrival": "03.12.2023. 11:45",
    "ticket_arrival_harbor_id": "HR201",
    "ticket_arrival_harbor_name": "Zadar"
  },
  {
    "ticket_uuid": "66f1963e9b18381bbfdf05c2b5667557",
    "ticket_code": "ee28901b123bfe9c",
    "order_uuid": "BUZ1243",
    "order_number": "BUZ1243",
    "ticket_type_name": "Osnovna cijena",
    "ticket_type_uuid": "e72028e8e9f5dale44becc07ac29678a",
    "ticket_single_price": 2,
    "ticket_is_active": true,
    "ticket_is_canceled": false,
    "ticket_departure_planned": "03.12.2023. 07:00",

```

```

        "ticket_departure": "03.12.2023. 07:00",
        "line_code": "9141",
        "line_name": "PU - ZD ",
        "ticket_departure_harbor_id": "HR001",
        "ticket_departure_harbor_name": "Pula",
        "ticket_arrival_planned": "03.12.2023. 11:45",
        "ticket_arrival": "03.12.2023. 11:45",
        "ticket_arrival_harbor_id": "HR201",
        "ticket_arrival_harbor_name": "Zadar"
    },
    {
        "ticket_uuid": "95e1ad61d84ba0a6c240f64ade819dd",
        "ticket_code": "59e01f017c6f52a6",
        "order_uuid": "BUZ1243",
        "order_number": "BUZ1243",
        "ticket_type_name": "Osnovna cijena",
        "ticket_type_uuid": "e72028e8e9f5dale44becc07ac29678a",
        "ticket_single_price": 2,
        "ticket_is_active": true,
        "ticket_is_canceled": false,
        "ticket_departure_planned": "03.12.2023. 16:00",
        "ticket_departure": "03.12.2023. 16:00",
        "line_code": "9141",
        "line_name": "PU - ZD ",
        "ticket_departure_harbor_id": "HR201",
        "ticket_departure_harbor_name": "Zadar",
        "ticket_arrival_planned": "03.12.2023. 20:45",
        "ticket_arrival": "03.12.2023. 20:45",
        "ticket_arrival_harbor_id": "HR001",
        "ticket_arrival_harbor_name": "Pula"
    },
    {
        "ticket_uuid": "57038e23a1953273843c48b63da936de",
        "ticket_code": "085a883478aee9fe",
        "order_uuid": "BUZ1243",
        "order_number": "BUZ1243",
        "ticket_type_name": "Osnovna cijena",
        "ticket_type_uuid": "e72028e8e9f5dale44becc07ac29678a",
        "ticket_single_price": 2,
        "ticket_is_active": true,
        "ticket_is_canceled": false,
        "ticket_departure_planned": "03.12.2023. 16:00",
        "ticket_departure": "03.12.2023. 16:00",
        "line_code": "9141",
        "line_name": "PU - ZD ",
        "ticket_departure_harbor_id": "HR201",
        "ticket_departure_harbor_name": "Zadar",
        "ticket_arrival_planned": "03.12.2023. 20:45",

```

```

        "ticket_arrival": "03.12.2023. 20:45",
        "ticket_arrival_harbor_id": "HR001",
        "ticket_arrival_harbor_name": "Pula"
    }
}
]
}

```

Errors

This API uses the following error codes:

- 400 Bad Request: The request was malformed or missing required parameters.
- 401 Unauthorized: The token provided was invalid or missing.
- 404 Not Found: The requested resource was not found.
- 500 Internal Server Error: An unexpected error occurred on the server.

POST /cancel_order

Headers

- Authorization (mandatory): Token from login response (“Bearer” + token).

Parameters

- order_uuid (mandatory): Order uuid.
- control_code (mandatory): Control code for transaction.
- ticket (optional): List of tickets uuid for cancel **//v1.04**
- trip (optional): trip uuid **//v1.04**

Calculating Control code

- key = "d28a89030b77"
- order_uuid = "b56193a1d2016e706d25c6c2b34fa106",
- order_number = "ORD1253",
- total_amount = 5,
- control_code = SHA512(key + order_uuid + order_number + order total_amount)
- control_code =
SHA512(d28a89030b77b56193a1d2016e706d25c6c2b34fa106ORD1253275)
- control_code =
7a6b5c11f315c8b48112f605cabbf67f4e8e8bb3b96463025ecaf33a7db69d87a9e8724
be91b9c1d51a957528e5c1ee75f501f7f06d6cff3f3f9dbc5acf329fb

Response

Returns a JSON with the following properties:

- msg: Message from server
- refunded_amount: Amount to refund
- canceled_tickets: List of canceled tickets.
-

Example

Request:

POST /cancel_order

Header:

Authorization: "Bearer " + token

Body:

```
{
  "order_uuid": "b56193a1d2016e706d25c6c2b34fa106",
  "control_code": "",
  "tickets": [
    {
      "ticket_uuid": "f9f00c3db23d9d28c15d2b2617fc050d"
    }
  ],
  "trip": "",
}
```

Response:

```
{
  "msg": "tickets canceled ",
  "return_amount": 21.23,
  "canceled_tickets": [
    {
      "ticket_uuid": "ce7f7a786f7e7e8fa58e300826f6f74b",
      "ticket_code": "859583e5fc0a3b8f",
      "order_uuid": "BUZ1243",
      "order_number": "BUZ1243",
      "ticket_type_name": "Osnovna cijena",
      "ticket_type_uuid": "e72028e8e9f5dale44becc07ac29678a",
      "ticket_single_price": 2,
      "ticket_is_active": false,
      "ticket_is_canceled": true,
      "ticket_departure_planned": "03.12.2023. 07:00",
    }
  ]
}
```

```

        "ticket_departure": "03.12.2023. 07:00",
        "line_code": "9141",
        "line_name": "PU - ZD ",
        "ticket_departure_harbor_id": "HR001",
        "ticket_departure_harbor_name": "Pula",
        "ticket_arrival_planned": "03.12.2023. 11:45",
        "ticket_arrival": "03.12.2023. 11:45",
        "ticket_arrival_harbor_id": "HR201",
        "ticket_arrival_harbor_name": "Zadar"
    },
    {
        "ticket_uuid": "6af4b4676755e64ea431fb0abfe12f92",
        "ticket_code": "8f4dde452cdf7640",
        "order_uuid": "BUZ1243",
        "order_number": "BUZ1243",
        "ticket_type_name": "Osnovna cijena",
        "ticket_type_uuid": "e72028e8e9f5dale44becc07ac29678a",
        "ticket_single_price": 2,
        "ticket_is_active": false,
        "ticket_is_canceled": true,
        "ticket_departure_planned": "03.12.2023. 07:00",
        "ticket_departure": "03.12.2023. 07:00",
        "line_code": "9141",
        "line_name": "PU - ZD ",
        "ticket_departure_harbor_id": "HR001",
        "ticket_departure_harbor_name": "Pula",
        "ticket_arrival_planned": "03.12.2023. 11:45",
        "ticket_arrival": "03.12.2023. 11:45",
        "ticket_arrival_harbor_id": "HR201",
        "ticket_arrival_harbor_name": "Zadar"
    }
]
}

```

Errors

This API uses the following error codes:

- 400 Bad Request: The request was malformed or missing required parameters.
- 401 Unauthorized: The token provided was invalid or missing.
- 404 Not Found: The requested resource was not found.
- 500 Internal Server Error: An unexpected error occurred on the server.

POST / trip_details //v1.04

Headers

- **Authorization** (mandatory): Token from login response (“Bearer” + token).

Parameters

- **trip_uuid** (mandatory): Trip uuid.

Response

Returns a JSON object with the following properties:

- **trip_details**: An array of stops, each with the following properties:
 - departure_harbor_id
 - departure_harbor_name
 - departure_planned
 - departure
 - arrival_harbor_id
 - arrival_harbor_name
 - arrival_planned
 - arrival
 - harbor_order

Example

Request:

POST /trip_details

Header:

Authorization: "Bearer " + token

Body:

```
{  
  "trip_uuid": "84c24b91948fb53c6ab78ecb39d746b"  
}
```

Response:

```
{  
  "trip_details": [  
    {  
      "departure_harbor_id": "HR479",  
      "departure_harbor_name": "Split",  
      "departure_planned": "2017-08-15T10:00:00",  
      "departure": "2017-08-15T10:00:00",  
      "arrival_harbor_id": "HR479",  
      "arrival_harbor_name": "Split",  
      "arrival_planned": "2017-08-15T10:00:00",  
      "arrival": "2017-08-15T10:00:00",  
      "harbor_order": 1  
    }  
  ]  
}
```



```

        "departure_planned": "20.03.2025. 16:00",
        "departure": "20.03.2025. 16:00",
        "arrival_harbor_id": "HR364",
        "arrival_harbor_name": "Hvar",
        "arrival_planned": "20.03.2025. 16:55",
        "arrival": "20.03.2025. 16:55",
        "harbor_order": 10
    },
    {
        "departure_harbor_id": "HR364",
        "departure_harbor_name": "Hvar",
        "departure_planned": "20.03.2025. 17:05",
        "departure": "20.03.2025. 17:05",
        "arrival_harbor_id": "HR491",
        "arrival_harbor_name": "Korčula",
        "arrival_planned": "20.03.2025. 18:30",
        "arrival": "20.03.2025. 18:30",
        "harbor_order": 20
    }
]
}

```

Errors

This API uses the following error codes:

- 400 Bad Request: The request was malformed or missing required parameters.
- 401 Unauthorized: The token provided was invalid or missing.
- 404 Not Found: The requested resource was not found.
- 500 Internal Server Error: An unexpected error occurred on the server.

GET /documentation //v1.05

Response

Last version of documentation in .pdf format