Personality Type Nicotine Consumption Risk Assessment

Predicting your risk of being a smoker given your personality traits.

Springboard Data Science Capstone Project May 26th 2020 Cohort Filiberto Aguilar

The Problem

- Smoking = poor health
- Smoking is the leading cause of preventable death in the US
- Smoking is very addictive







Can we predict who is at high risk of becoming a smoker based on their personality profile?





The Data

Features:

- Education
- Gender
- Country of residence
- Ethnicity
- 7 personality traits:
 - Big five OCEAN traits
 - BIS-11 or impulsiveness
 - ImpSS or sensation seeking
- 19 psychoactive drugs

All categorical except the personality traits.



Confident


Low Score High Score Dislike change, Willingness to try new things, Creative/active imagination, Traditional, **O**penness Practical Many interests Organized, Careless, **C**onscientiousness Detail oriented, Impulsive, Unorthodox Persistent Introverted, Extraverted, Extraversion Quiet, Enjoys company, Thrill seeker Reserved Selfish, Altruistic. Agreeableness Stubborn, Trustworthy, Uncompassionate Good-natured Optimistic, Self-conscious, Neuroticism Worry free, Easily stressed,


Emotionally vulnerable


Disclaimers


- 1. Given that the BIS-11 and ImpSS features are used primarily to measure substance abuse the big five or OCEAN traits were the primary focus of this project.
- 2. Nicotine consumption is assumed to be in the form of cigarette usage.
- 3. Personality profiles are subject to change as a person matures but have been proven to be valid and reliable assessments by researchers.

Exploratory Data Analysis











Big 5 Personality Scores of Nicotine Users by Country





Modeling

Six models were considered:

- K-nearest Neighbors (KNN)
- Logistic Regression
- Support Vector Machines (SVM)

- Naive Bayes
- Random Forest
- Gradient Boosting

Modeling steps

Pre-Processed Data:

- Encoded categorical variables
- 2. Scaled features
- 3. Split into training and test sets by 75% 25%



Feature Importance:

- Checked for multicollinearity through VIF scores
- 2. Explored the effects of a one unit increase through odds ratios



Trained and tuned parameters via grid search cross validation:


- 5 fold cv
- Each model performance was evaluated by the 'ROC-AUC' score

Feature Importance

OCEAN Features	VIF Score	Standardized Regression Coefficients	Odds Ratios
Openness to experience	1.1	0.3904	1.0695
Neuroticism	1.4	0.1212	1.0171
Extraversion	1.4	0.0623	1.0123
Agreeableness	1.1	-0.1564	0.9734
Conscientiousness	1.3	-0.3200	0.9476

Model Performance

Model	ROC-AUC	Brier Score
KNN	0.8225	0.1683
Logistic Regression	0.8337	0.1598
SVM	0.8305	0.1570
Naive Bayes	0.8116	0.2720
Random Forest	0.8362	0.1578
Gradient Boosting	0.8341	0.1548



Model Evaluation

Precision-Recall vs. Threshold Precision 1.0 Recall F2_measure 0.9 0.8 0.7 Optimal Threshold F2 0.6 **Default Threshold** 0.5 0.4 0.1 0.2 0.3 0.5 0.6 0.7 0.8 0.9 0.4

Threshold

RF Confusion Matrix for Nicotine Consumption w/ Optimal Threshold and F2 Score - 300 250 True Negative False Positive 152 32.20% 0.64% - 200 True label - 150 - 100 True Positive 315 66.74% False Negative 2 User 0.42% 50 Non-user User Predicted label Accuracy=0.674 Precision=0.675 Recall=0.994

F1 Score=0.804

Conclusion

- Openness and neuroticism were the big five personality traits common in most smokers.
- Agreeableness and conscientiousness were indicative of non-smokers.
- Random forest model was able to virtually reduce the number of false negatives at the expense of its precision.
- With collection of more features and observations, perhaps through surveying, better model performance can be achieved.

Special thanks to:

- Benjamin Bell, Springboard mentor
- Springboard community

Sources

Centers for Disease Control and Prevention (2020, May 21). Tobacco Fast Facts. Retrieved September 20, 2020, from https://www.cdc.gov/tobacco/data_statistics/fact_sheets/fast_facts/

Fehrman, E., Muhammad, A. K., Mirkes, E. M., Egan, V., & Gorban, A. N. (2017). The Five Factor Model of Personality and Evaluation of Drug Consumption Risk. *Data Science Studies in Classification, Data Analysis, and Knowledge Organization,* 231-242. doi:10.1007/978-3-319-55723-6_18

Lim, A. G. (n.d.). The Big Five Personality Traits. Retrieved September 02, 2020, from https://www.simplypsychology.org/big-five-personality.html

National Institute on Drug Abuse. (2020, July 24). Cigarettes and Other Tobacco Products DrugFacts. Retrieved September 20, 2020, from https://www.drugabuse.gov/publications/drugfacts/cigarettes-other-tobacco-products

Raypole, C. (2019, January 26). Big Five Personality Traits: How They're Measured, What They Mean. Retrieved September 20, 2020, from https://www.healthline.com/health/big-five-personality-traits

Tavares, E. (n.d.). Variance Inflation Factor (VIF) Explained. Retrieved September 20, 2020, from https://etav.github.io/pvthon/vif_factor_pvthon.html

UCLA. (n.d.). FAQ: How Do I Interpret Odds Ratios in Logistic Regression? Retrieved September 20, 2020, from https://stats.idre.ucla.edu/other/mult-pkg/faq/general/faq-how-do-i-interpret-odds-ratios-in-logistic-regression/