

Sporting Regulations

08.07.2022

v0.0.1Munich



Contents

1	Competition Outlines 1.1 Objective of the competition	3 3 3
2	Competition Processes 2.1 Registration Process	4 4 4 4
3	Competitor Organization 3.1 Just Culture	4
4	Practice during development 1.1 Team Documentation	5 5
5	Final Competition Logistics 5.1 Logistics	5 5
6	Final Competition Organization 3.1 Scruteneering 3.2 Team Briefings 3.3 Parc Fermé 3.4 Protests 3.5 Spare parts	66 66 66 77
7	Preliminary Design Review (PDR)	7
	· · · · · · · · · · · · · · · · · · ·	•
	Reports 3.1 Design Maturity and Technical Report 8.1.1 Technical Report 8.1.2 Design Maturity 3.2 Innovation and Sustainability Report 3.3 Safety Report	7 7 7 8 8 8
8	Reports 3.1 Design Maturity and Technical Report 8.1.1 Technical Report 8.1.2 Design Maturity 3.2 Innovation and Sustainability Report	7 8 8
9	Reports 3.1 Design Maturity and Technical Report 8.1.1 Technical Report 8.1.2 Design Maturity 3.2 Innovation and Sustainability Report 3.3 Safety Report Final Competition Disciplines 9.1 Mandatory Disciplines 9.1.1 Scoring 9.2 Comparability between runs	77 88 88 99 99 99

11.3.2	Manual Control, Safety Functions, and Autonomous Flight	15
	Race Procedures	

1 Competition Outlines

1.1 Objective of the competition

1.1. What are our values? What is the ultimate goal of the competition? What do we want to achieve?

1.2 Participants

- 1.1. Only enrolled university (or of comparable institutes) students are allowed to actively take part in the competition.
- 1.2. If a team member has graduated during six months before the competition, they may still participate.
- 1.3. If a team member has graduated during the eighteen (18) months before the competition and has played a significant role within the team, the team may send an application to the organizer, requesting their participation.
- 1.4. Students attending other universities which are within a reasonable distance of a participants university (e.g. in the same city) may join a student team from said university.
- 1.5. If a students university already has a competing team, the student is not allowed to join a competing team of another university.
- 1.6. The team size is not limited to a maximum number of members. However the organizer may limit the of allowed on site participants to a maximum of 15 for each team at the final event.
- 1.7. PHD candidates who are still enrolled or working for the university are allowed to join the teams.

1.3 Competition Rewards

Position	Dicipline	Moneytary Award
1st	Overall	25%
2nd	Overall	15%
3rd	Overall	10%
1st	AI racing	15%
2nd	AI racing	9%
3rd	AI racing	6%
1st	Safety	5%
1st	Design Maturity	5%
1st	Innovation and Sustainability	5%
1st	Special Prize	5%

- 1.1. Every winner of one of the categories mentioned above will receive the following prizes:
 - Trophy according to their position and discipline
 - Free entry to the competition in the next year.
 - Special prizes like tours etc. by sponsors
 - Prize Money according to the table
- 1.2. There is currently no prize money planned for the competition. Since the registration fee is only intended as a way of giving an incentives to the teams to actually compete the registrations fees might get split up between the winning teams.

Furthermore Student AirRace is looking into the possibility of collecting further money as potential prize money for the teams. If the option for prize money is agreed upon, then it would be split according to the percentages in the table above.

2 Competition Processes

2.1 Registration Process

- 2.1. Teams can register for the competition on the website of Student AirRace. The sign up page can be found at www.student-airrace.com/recruiting
- 2.2. Only one team per individual university may register for the competition.
- 2.3. The participating teams will be chosen by the organizer. This will partly happen on a "First Come First Served"-Base but also on the perception and opinion of the organizers whether a team will be able to meet the requirements and standards of the competition.

2.2 Later Changes to the Registration

- 2.1. Teams may sumbit changes to the information they have provided in their registration up to six months before the competition. This enables to teams to rebrand or change their starting numbers.
- 2.2. If in the opinion of the organizer, a competitor is likely to not meet the requirements or standards of the competition, they are allowed to reject them after the registration process.
- 2.3. In case of withdrawal from the competition, the team must notify the oganizers as soon as possible. Withdrawals must be entered until six months before the competition. Any non-existing or later withdrawals may be penalized by the organizers with point deduction or ban from future events.

2.2.1 Participation Fee

- 2.1. A participation fee of $300 \in$ per team will be required to participate in the competition.
- 2.2. The fee will go into the prize money pool and will be distributed to the participating teams according to the prize money table, which will be determined by the organizers.
- 2.3. The fee is required as a sort of deposit to ensure the team's commitment to the competition and their timely arrival.
- 2.4. The payment of the fee is due after 6 months after registration and will be handled by the organizers.
- 2.5. Teams who fail to pay the participation fee will not be allowed to participate in the competition.

2.3 Expenses

- 2.1. The organizers will not support or reimburse the teams for travel, accommodation or any other expenses.
- 2.2. The competitors may search for private, university or company sponsors to cover any of their expenses.

3 Competitor Organization

3.1 Just Culture

- 3.1. The teams and the organizer commit to adopting a so called "Just Culture". This is important to ensure the safety of the competition and its participants.
- 3.2. The team leaders commit themselves to learning about Just Culture and to educate their team members about it.
- 3.3. Participants who notice safety related issues in their team or within the competition are able to report them anonymously to info@student-airrace.com. This will not bear any negative consequences for them nor their team.
- 3.4. Student AirRace is also seeking to provide the teams with workshops about this topic.

4 Practice during development

- 4.1. During development, testing practice of their UAVs the teams are required to meet all the laws and requirements of their flight location.
- 4.2. There is no maximum limit on how much time the teams invest into flying before the competition. However a minimum flight experience on the competition UAV and for the pilots must be documented. More can be found at Section 10.3

4.1 Team Documentation

The following rules are not meant as a way of annoying the teams or making their lives hard. The competitions success is in the hands of the competitors. In order to grow the competition in a sustainable manner we need to keep certain aviation and safety standards. Furthermore those rules are supposed to teach you standard aviation processes and help you learn and grow. In case you have any questions on how to approach those flight documents, the organizing team of Student AirRace will gladly assist you. Safety and the success of this competition is in all of our hands.

- 4.1. The teams are required to document all flights conducted with their prototypes in physical and/or digital flight books. They must note at least location, flight time, pilot flying as well as observations, abnormal events or incidents during the flight.
- 4.2. The teams are required to document their pilots personal flights and flight time on aircrafts comparable to or on the competition aircraft (e.g. Racing Quadrocopters) for each individual flight and in a cumulative manner. These documents will be checked according to 10.3 at the competition.
- 4.3. The teams must keep up to date records about the equipment installed on the UAV. This includes all electronic and mechanical subassemblies on the UAV. Changes must be clearly marked and recorded.
- 4.4. Teams are required to keep up to date records of any damages or problems on the UAV. Even if the aircraft might still be flightworthy. Any repairs will have to be documented, stating the reason of the repair and a short overview of the process of the repair.

4.2 Feedback for the organizer

- 4.1. The teams are asked to inform the organizers about any obstacles or issues they run into, which might be caused by too strict or too lenient regulations. The organizers will gladly receive any feedback and integrate it into the regulations.
- 4.2. Teams are required to inform the organizers about any incidents, which lead to loss of the UAV, damage to ground structures, injury, or death.

5 Final Competition Logistics

5.1 Logistics

- 5.1. Each team can ship a maximum of one twenty (20) ft shipping container to the location of the competition beforehand. The container will be placed right next to the teams reserved location in the paddock.
- 5.2. The teams are responsible for shipping expenses and on time delivery of the containers. Shipping of the containers is possible from three months before the final competition takes place.
- 5.3. The organizers will not accept any other types of shipment unless different agreements are in place beforehand.

5.2 Paddock

5.1. The paddock is where the teams are allowed to work on their UAS.

- 5.2. Each team gets their own spot "Team Home" within the paddock (ca. 7m x 7m) where they can put up a small tent, flags etc. Their shipped containers will also be right next to their spot.
- 5.3. Under no circumstances may any UAS fly within the paddock without prior approval by the organizer. This will lead to heavy penalties up to disqualification.
- 5.4. The organizer will provide the teams with power within their team home.

6 Final Competition Organization

6.1 Scruteneering

- 6.1. The organizers will randomly weigh vehicles.
- 6.2. Do bench checks and flight test checks.

6.2 Team Briefings

- 6.1. At each day of the competition, there will be a team briefing.
- 6.2. For specific roles, such as pilots there may be additional mandatory briefings.
- 6.3. Each team briefing must be attended by the team members which will be present at the flightsite during the flights to the briefing.
- 6.4. One point can be deducted by the organizer for each member which is missing during the briefings.

6.3 Parc Fermé

- 6.1. Parc Fermé begins at the moment the Team starts the Thrust-Stand-Event for the first time during the competition days. It ends with the completion of all three competition flights.
- 6.2. While Parc Fermeé is active teams are not allowed to work on the UAVs. Only the following works are allowed to be carried out:
 - Balancing of propellers
 - Cleaning of any parts of the aircraft
 - Exchange of batteries for a 1:1 replacement
 - Charging of batteries
 - Reading logs and taking measurements
 - Tightening of any loose screws
 - Adjustment of minor software parameters.
 - Repair of accident damage and 1:1 replacement of broken parts as long as the crash is deemed by the organizer to not have happened on purpose.
- 6.3. Work on safety related systems may be done after submitting a written request to the organizer and getting it accepted by the organizer.

6.4 Protests

- 6.1. Teams are allowed to launch a protest against any decisions, rules or penalties imposed by the organizer.
- 6.2. They must do so within 6 hours of the decision.

- 6.3. The protest must be sent to the organizer in written form, this can happen digitally. It must state the decision, the reason for protest and contacts from the team.
- 6.4. Along with the protest the team will be deducted 10 Points from their final score. If the organizers agree with the protest, the teams receive those points back.

6.5 Spare parts

- 6.1. How many spare chassis or even spare UAVs is each team allowed to have?
- 6.2. How many spare parts or parts of different specification (e.g. different propeller pitches) is each team allowed to have?

7 Preliminary Design Review (PDR)

- 7.1. The PDR is conducted approximately nine (9) months prior to the event.
- 7.2. The purpose of the PDR is to ensure that the teams are on track with their development and that their aircraft meets the rules of the competition.
- 7.3. The appointment for the PDR is made together with the teams and must be attended by the responsible team leads.
- 7.4. During the PDR, the organizers will review the teams' progress and may ask questions to ensure that the teams understand the rules and have a clear path forward in their development.
- 7.5. The PDR is meant to be a support for the teams and not a way to tease or disqualify them.
- 7.6. The PDR is mandatory and failure to attend may result in penalties or disqualification from the competition.
- 7.7. The teams are required to provide the following documentation for the PDR:
 - A detailed design report that includes the concept, system design, subsystems, and components.
 - A preliminary analysis of the flight performance, including the expected thrust-to-weight ratio, endurance, and speed.
 - A preliminary risk assessment and safety analysis.
 - A detailed description of the UAV's control and navigation systems.
 - A list of all components used, including the specifications and supplier information.
- 7.8. The PDR documentation must be submitted to the organizers at least two (2) weeks prior to the scheduled PDR appointment.
- 7.9. The PDR will be conducted remotely, via video conference or other means as determined by the organizers.

8 Reports

8.1 Design Maturity and Technical Report

8.1.1 Technical Report

- 8.1. Each team must submit a technical report before the start of the competition that outlines the technical details of their drone.
- 8.2. The technical report must be submitted no later than 7 days prior to the competition. The exact deadline for submission will be announced to the teams in advance. Failure to submit the safety report by the deadline may result in penalties or disqualification at the discretion of the jury. It is the responsibility of each team to ensure timely submission of the safety report to avoid any adverse consequences.

- 8.3. The technical report must include details such as the drone's weight, dimensions, power source, flight time, range, maximum speed, and any other technical specifications required by the organizers.
- 8.4. The technical report must also include information about the drone's control system, sensors, communication systems, and any other relevant components or subsystems.
- 8.5. The technical report must be a maximum of 10 pages long, written in English, and submitted in PDF format.
- 8.6. The technical report will be graded by a jury and is worth a maximum of 20 points.
- 8.7. The jury will evaluate the technical report based on the level of detail provided, the quality of the engineering and design work, and the overall technical feasibility of the drone.
- 8.8. Teams may use the technical report as an opportunity to highlight any innovative or unique features of their drone's design or technology.
- 8.9. The technical report may also be used by the jury to determine whether a team is eligible to participate in the competition or to determine penalties or disqualifications for technical violations during the competition.

8.1.2 Design Maturity

- 8.1. Each team's drone must meet minimum standards of design maturity to be eligible for participation in the competition.
- 8.2. The drone's physical construction must be of professional quality and meet acceptable aviation standards. This includes no hanging cables, proper soldering, and proper engineering practices.
- 8.3. The team must demonstrate a high level of care and attention to detail in the construction and presentation of their drone.
- 8.4. The design maturity evaluation will be worth a maximum of 15 points and will be based on the quality of the drone's construction and presentation.
- 8.5. The jury may evaluate the design maturity of the drone at any point during the competition and may disqualify any team whose drone does not meet minimum design maturity standards.

8.2 Innovation and Sustainability Report

The innovation and sustainability report is an opportunity for teams to demonstrate their commitment to sustainable innovation, and to showcase the potential of their drone's features for promoting sustainability in aviation.

- 8.1. Each team must submit an innovation and sustainability report before the start of the competition that outlines the innovative and sustainable features of their drone.
- 8.2. The innovation and sustainability report must be submitted no later than 7 days prior to the competition. The exact deadline for submission will be announced to the teams in advance. Failure to submit the safety report by the deadline may result in penalties or disqualification at the discretion of the jury. It is the responsibility of each team to ensure timely submission of the safety report to avoid any adverse consequences.
- 8.3. The innovation and sustainability report must include details such as how the team's drone uses sustainable materials, energy-efficient systems, or innovative features to solve a real-world problem.
- 8.4. The innovation and sustainability report must be a maximum of 15 pages long, written in English, and submitted in PDF format.
- 8.5. The innovation and sustainability report will be graded by a jury and is worth a maximum of 15 points.
- 8.6. The jury will evaluate the innovation and sustainability report based on the level of detail provided, the originality and creativity of the team's approach, and the potential impact of the drone's features on sustainability or innovation.

8.3 Safety Report

Safety is the top priority of Student AirRace. Teams must submit a safety report detailing their drone's safety features, procedures, and pilot training. The report helps teams identify and mitigate safety risks and highlight safety features. The jury evaluates the report to determine eligibility and penalties for safety violations.

- 8.1. Each team must submit a safety report before the start of the competition that outlines the safety features and procedures of their drone.
- 8.2. The safety report is a crucial aspect of the competition and is taken very seriously. Failure to submit a safety report, or failure to provide a thorough and accurate report, may result in penalties or disqualification. It is important for teams to prioritize safety and take the safety report seriously to ensure the safety of all participants and spectators.
- 8.3. The safety report must be submitted no later than 7 days prior to the competition. The exact deadline for submission will be announced to the teams in advance. Failure to submit the safety report by the deadline may result in penalties or disqualification at the discretion of the jury. It is the responsibility of each team to ensure timely submission of the safety report to avoid any adverse consequences.
- 8.4. The safety report may include details such as how the team's drone ensures the safety of the pilot, spectators, and other aircraft in the area.
- 8.5. The safety report may be a maximum of 20 pages long, written in English, and submitted in PDF format.
- 8.6. The safety report will be graded by a jury and is worth a maximum of 25 points.
- 8.7. The jury may evaluate the safety report based on the level of detail provided, the effectiveness of the safety features and procedures, and the overall safety of the drone and its operation.
- 8.8. The safety report may also include details about the team's pilot training and qualifications, as well as the training and qualifications of any personnel involved in the drone's operation or maintenance.
- 8.9. The team may also provide information about any redundancy features of the drone, such as redundant power sources or communication systems.
- 8.10. The safety report may detail the total number of flight hours completed by the drone and any previous crashes or incidents, along with the lessons learned from those incidents and any changes made to improve safety.
- 8.11. Teams may also use the safety report as an opportunity to highlight any safety features or procedures that may impact the drone's performance negatively, but which provide a significant increase in safety.
- 8.12. The jury will evaluate the safety report based on how well the team is able to demonstrate their commitment to safety and their ability to identify and mitigate potential safety risks.
- 8.13. The safety report may be used by the jury to determine whether a team is eligible to participate in the competition, or to determine whether any penalties or disqualifications may be warranted in the event of a safety violation during the competition.

9 Final Competition Disciplines

9.1 Mandatory Disciplines

9.1.1 Scoring

- 9.1. Each team must compete in each of the mandatory disciplines, mentioned below.
- 9.2. A team can achieve a maximum of twohundredeleven (211) points which can be collected during different mandatory events.
- 9.3. At the end of the competition and after the deduction of any penalties, the team with the most cumulated points is declared as the winner of the main event.

- 9.4. If two teams achieve the exact same amount of points, also known as a dead heat, after all points have been awarded the winner will be declared by who has scored more points in the effeciency discipline. If both of them have also equally scored equally in this discipline this process repeats for the safety, design maturity and innovation & sustainability disciplines in the hereby mentioned order. If this doesn't deliver any result the organizer will make a decision.
- 9.5. The following table shows how the total points are distributed across the individual disciplines.

Discipline	Points	Awardment Process
Hotlap Races	75	Time measured by organizer
Landing Challenge	36	Time measured by organizer
Effeciency	25	Time measured by organizer
Safety	25	Jury Decision
Design Maturity and Technical Report	35	Jury Decision
Innovation and sustainability	15	Jury Decision

9.2 Comparability between runs

9.1. To ensure comparability between the runs, the organizers are going to set limits on the metrological conditions during which the runs can happen. If the organizer is calling the conditions to be fine for takeoff the takeoff time window rule applies.

The organizers will monitor the following conditions at the track during the flights:

- Precipitation
- Temperature
- Windspeed
- Humidity
- Air Pressure
- GNSS Connectivity and satellite number at fixed position on site (GPS only)
- Frequency jamming

9.3 Race Course Layouts

- 9.1. The Race course layout will be build within a rectengular shaped zone. This rectangle has sidelengths of 1500m and 500m. The maximum height during the flight is limited to 100m Above Ground (AGL).
- 9.2. No point within the race course layout is going to be further away than 1000m from the Ground Station. Also every point of the racecourse layout will be able to be flown within Line Of Sight of the Ground Station.
- 9.3. Race courses consist of an assembly of different predetermined race course elements which are published with the regulations.
- 9.4. The official assembly of race course layouts for the three hotlap sessions will not be published until shortly before the competition, in order to prevent the teams from overfitting their aircraft to one specific racecourse.
- 9.5. Race course assembly kits are published in Annex A.
- 9.6. The race courses are marked with the help of 12m high pylons or flags.

10 Flight Operations at the final competition

- 10.1. During the flights, the teams must assign different roles within the team at the track, which are defined in the latter regulations.
- 10.2. Each person which fullfills a required role must be able to fluently communicate to the organizers in english.

- 10.3. A minimum of four (4) persons are required at the track to be allowed to conduct the flights.
- 10.4. A maximum of ten (10) persons by a team are allowed at the track. For clarification: This does not affect the amount of persons each team is allowed to have in the paddock.

10.1 Required roles during Flight

10.1. **PL: Pilot**

The pilot is the person responsible for flying the UAV.

10.2. AO: Airspace Observer/Spotter

The AO stands next to the PL and has an unobstructed view of the airspace around the drone. They talk to the PL directly in person. The PL and AO are allowed to communicate via intercom if they stay right next to each other.

10.3. FE: Safety Engineer

The safety engineer is the one who was responsible for the safety report. Their task is to constantly monitor the situation and warn the others if they are getting into any problematic situations.

10.4. FOL: Flight Operations Lead

The FOL makes the tactical decisions during the flight. They request for Takeoff Permission from CL (Competition Lead). They manage contingency and emergency procedures. They are essentially the boss of the teams operation.

10.5. All of the roles and the names of the responsible team members, as well as backup per position will need to be entered to the organizer 30 days prior to the competition.

The following seems like way too much information. I'd like to see some of those roles filled for profesionalism and as a guide for the teams. However this makes the rules unnesecarily complicated.s

10.2 Optionsal roles during Flight

10.1. FE: Flight Engineer

The Flight Engineer reads the data which is streamed down by the Aircraft in real time. They monitor battery temperatures, voltages, vibration sensors etc. and can give advise to the pilots.

10.2. AOGX: Additional Airspace Observers/Spotters

Not yet defined number of Airspace and Ground Observers according to the terrain and track layout. According to the terrain it might be useful to place additional oberservers on the field to have an external look at whether the air or ground situation changes. They can be equipped with radios and talk to FOL.

10.3. PCX: Pit Crew

The pit crew is there to make changes on the eVTOL which are permitted by the rules within the time limit. They also get the AC ready for the flight and make sure it is transported away afterward. Only they are allowed to touch the aircraft during the flights.

10.3 Requirements for the pilots

- 10.1. Each team must have at least three different designated pilots. The names of those pilots must be sent to the organizer at least 30 days before the competition.
- 10.2. Each pilot must have flown and documented at least twenty (20) hours on comparable UAVs (e.g. Racing Quadrocopters) in the past 12 months.
- 10.3. The pilots must be able to fluently communicate with the organizers in English, in order to be able to follow safety relevant commands during flight.
- 10.4. The pilots may have have to perform a flight test check in front of the organizers at the competition. This is just a quick test flight with any multicopter UAS to demonstrate the pilots basic flight skills.

I'd like to cut Pit Stops from the regulations. Since we do not have an external shutdown, we shouldn'table put the team members under the pressure of having to swap the batteries that quickly. This could result in injuries and make everything more complicated.

10.4 Pit stops

- 10.1. The teams may exchange batteries during the time window.
- 10.2. Those battery swaps are only allowed to happen on the landing pad.
- 10.3. The time will continue to run down during the swaps.
- 10.4. Teams may only enter the flight test area after the aircraft has landed and the kill switch has been activated.
- 10.5. Depending on the situation the organizers may add additional time to the clock in order to compensate for the time lost due to the suspension.

11 Disciplines

11.1 Thrust Test Stand

Disciple Outline The thrust test stand is a crucial part of the Scrutineering process and ensures that teams meet all the necessary requirements outlined in the technical regulations. It also serves as a means for organizers to assess the safety and reliability of the teams' vehicles and their technical condition. A successful performance in this discipline is required to qualify for takeoff clearance for the Hotlap races.

- Each team must demonstrate their vehicle's performance on the thrust test stand.
- Each team will be assigned a specific time for their vehicle to be tested and must be ready at that time.
- The vehicle must be mounted on the thrust test stand using the adapter specified in the technical regulations.
- The team must run their vehicle for at least 50% of their battery capacity on the thrust test stand.
- The shape of the used thrust curve over time is at the discretion of the competitors.
- The team must complete the thrust test stand event within 15 minutes. Failing to do so or not utilizing at least 50% of the battery capacity will result in a penalty.
- The vehicle must achieve a minimum peak force of 300N for at least 5 seconds.
- The teams are responsible for securing their aircraft on the thrust test stand.

11.2 Hotlap races

Disciple Outline

- There will be a total of three (3) hotlap races on different tracks during the competition. The following rules apply to a single race.
- Each team will be given a fivteen (15) minute time window during which they can conduct their flights.
- Each team is only allowed to set a maximum of five timed (5) laps during their time window.
- Each laptime will be logged by the organizer. It counts as the time from which the aircraft passes the start/timing line until the aircraft has crossed the timing/finish line.
- The points will be awarded in order of fastest hotlap achieved by each of the teams during their time window.

German has had some good ideas about adding a landing challenge after the hotlap races. They are already considered within the point distribution. I'm scared to make it too complicated though.

11.2.1 Hotlap Race Rules

- 11.1. The following rules apply in combination with the later specified Race Procedures.
- 11.2. The lap time will be recorded according to the Hotlap Race Procedures outlined in the following Race Procedure sections.
- 11.3. Teams are required to pass through every gate on the course. Missing a gate will result in the lap time being invalidated.
- 11.4. If a gate is defined as a pole, teams must pass the pole on the side specified by the organizers. Failing to do so will result in the lap time being invalidated.
- 11.5. Teams must ensure their drones remain within the flight perimeter, or geocage, at all times. Any drone found to be flying outside the geocage may be disqualified or face penalties.
- 11.6. Each drone will be able to fly their hotlap individually, with no other drones operating simultaneously. This is to ensure safety and avoid interference during the race.
- 11.7. The start gate can be crossed at any velocity. Teams are allowed to have a run-up, provided it does not exceed the boundaries of the location.
- 11.8. A lap can be aborted at any time at the team's discretion. If a lap is aborted, the time will be reset and will start again once the team's drone crosses the start gate for a new lap.
- 11.9. Each team is allowed to pass through the start gate for a total of five times. However, they may conduct practice laps without crossing the start gate.
- 11.10. The points will be awarded in order of fastest hotlap achieved by each of the teams during their time window. Only the fastest lap of the competitor will be counted. Even if their second fastest lap should be faster than the one of another competor.
- 11.11. If two or more competitors achieve the exact same finish time, their points will be added together and divided equally across the them.
- 11.12. Teams are expected to follow all additional rules and guidelines provided by the organizers. Dangerous flying will immediately result in disqualification.

11.2.2 Hotlap Race Procedures

Start of a Hotlap Race

- 11.1. Each team gets a certain time slot during which they are allowed to conduct their hotlaps.
- 11.2. The organizer will ensure that the time is only started if a set of weather conditions is met. Afterwards there is no going back. This is comparable to the process ski jumpers undergo during their competitions.
- 11.3. The start of the session is called by the organizer. Afterfwards the clock is started and a fivteen (15) minute timer begins to tick down. The teams must conduct their hot laps within this time frame.
- 11.4. The teams are free to conduct flights however they'd like to during this time as long as all other rules are adhered to. This is up to their strategy. One team may fly three slow training laps and one racelap. Another team may set three race times or wait on the ground for exactly the right wind conditions.

Suspension of a Hotlap Race

- 11.5. The session can be suspended by the organizer in case of unexpected events such as uninvolved people or aircraft entering the flight test area. A sudden change of weather which exceeds the limits set by the organizer may also lead to a suspesion of the session.
- 11.6. In case of a suspension the clock will be stopped.
- 11.7. The pilot must abort the lap immediately and slow the UAS down. Further actions will be coordinated together with the organizers depending on the situation.
- 11.8. The pilot must stay away as far as possible from uninvolved people as possible at any point in time.

Resumption after suspension of a Hotlap Race

- 11.9. The clock is started from where it was stopped beforehand.
- 11.10. Depending on the situation the organizers may add additional time to the clock, and/or allow the competition to charge their battery to a certain level in order to compensate for the suspension.

Finish of a Hotlap Race

- 11.11. The finish of a session is called after the fivteen (15) minute time window is over. After this the teams are not allowed to start a new lap.
- 11.12. Teams may finish the current lap in progess if it does not take longer than two minutes.
- 11.13. Teams may communicate their wish to prematurely end the current Hotlaprace to the organizer. For example if there's still time left but the battery charge is not enough to conduct another safe lap.
- 11.14. In case of a ground colission from which the team is not able to safely recover the session is also ended.
- 11.15. The organizer may call an early end for a session if they deem a continuation of the flight as unsafe. The session will not be retaken.
- 11.16. If the team doesn't manage to land at the landing pad, even though a safe landing is possible after the end of the race a penalty is applied by the organizers.

11.3 Autonomous Races

Disciple Outline: The autonomous races will test the ability of the teams to develop and implement autonomous control algorithms for their drones. These races will be held on a separate track and will have their own set of rules. THIS DISCIPLINE IS NOT MANDATORY.

- There will be a total of three (3) autonomous hotlap races on different tracks during the competition. The following rules apply to a single race.
- Each team will be given a fivteen (15) minute time window during which they can conduct their flights.
- Each team is only allowed to set a maximum of five timed (5) laps during their time window.
- Each laptime will be logged by the organizer. It counts as the time from which the aircraft passes the start/timing line until the aircraft has crossed the timing/finish line.
- The points will be awarded in order of fastest autonomous hotlap achieved by each of the teams during their time window.

11.3.1 Autnomous Race Rules

- 11.1. The following rules apply in combination with the later specified Authomous Race Procedures.
- 11.2. Each team must design and program their own autonomous control algorithms for their drones.
- 11.3. Teams may choose to build a new second drone specifically for the autonomous races, as long as it meets all the technical regulations outlined in the technical regulations.
- 11.4. Alternatively, teams may use the same drone for both the manual and autonomous disciplines.
- 11.5. All calculations for autonomous control algorithms must be run onboard the drone and cannot be executed from a ground station or other external computing device.
- 11.6. The drone may communicate with external devices for the purpose of receiving location data or other necessary information, but all control and decision-making processes must be performed onboard the drone.
- 11.7. Each lap must be completed autonomously by the drone without a single intervention by a human. Otherwise the lap will be invalidated.
- 11.8. The drones must pass through every gate on the course. Missing a gate will result in a time penalty.

- 11.9. If a gate is defined as a pole, drones must pass the pole on the side specified by the organizers. Failing to do so will result in a time penalty.
- 11.10. Drones must remain within the flight perimeter, or geocage, at all times. Any drone found to be flying outside the geocage may be disqualified or face penalties.
- 11.11. The start gate can be crossed at any velocity. Teams are allowed to have a run-up, provided it does not exceed the boundaries of the location.
- 11.12. The points will be awarded in order of fastest lap achieved by each of the teams during the race.
- 11.13. If two or more competitors achieve the exact same finish time, their points will be added together and divided equally across them.
- 11.14. Teams are expected to follow all additional rules and guidelines provided by the organizers. Dangerous flying are having no clear intend to properly fly the laps will immediately result in disqualification.

11.3.2 Manual Control, Safety Functions, and Autonomous Flight

- 11.15. The drone used in the autonomous race must be capable of both manual control and autonomous flight.
- 11.16. All drones used in the autonomous races must also be able to be manually controlled by the team and always manually overwritable.
- 11.17. A safety pilot must be in place to take over the drone by manual control.
- 11.18. The drone must have the capability of triggering safety functions such as kill switches and Return to Home (RTH) capabilities.
- 11.19. The team must be able to trigger these safety functions at any time during the race if necessary.
- 11.20. The drone must be presented to the scrutineering committee prior to the start of the autonomous race to ensure that it meets all manual control, safety function, autonomous flight requirements and the technical regulations.
- 11.21. The team may use manual flight to move the drone to the designated starting position or landing spot before the race begins, or to interfere with the drone during the race if necessary for safety reasons or to abort/restart a lap.
- 11.22. Once the race begins at the start gate, the drone must autonomously fly the course without any further manual flight input.
- 11.23. Any manual flight input between the start gate and finish gate that affects the drone's flight path or speed will result in an invalid lap time.
- 11.24. The team may be allowed to retake the lap if the manual flight input was due to safety reasons and was not the fault of the team.
- 11.25. Violation of the rules regarding manual control, safety functions, and autonomous flight may result in disqualification.

11.3.3 Race Procedures

Start of the Autonomous Race

- 11.1. Each team will be given a fivteen (15) minute time window during which they can conduct their flights.
- 11.2. The organizer will ensure that the time window can only start if a set of weather conditions is met. Once the race starts, there is no going back.
- 11.3. The teams are free to program their drones/choose control algorithms however they like. This is up to their strategy.

Suspension of the Autonomous Race

- 11.4. The race can be suspended by the organizer in case of unexpected events such as uninvolved people or aircraft entering the flight test area. A sudden change of weather which exceeds the limits set by the organizer may also lead to a suspension of the race.
- 11.5. In case of a suspension, the drones must immediately stop racing, be changed to manual control and return to the start gate or follow instructions by the organizer.
- 11.6. The safety pilot must ensure that the UAV stays away as far as possible from uninvolved people as possible at any point in time.
- 11.7. Further actions will be coordinated together with the organizers depending on the situation.

Resumption after Suspension of the Autonomous Race

- 11.8. The race will resume once the suspension is lifted.
- 11.9. Depending on the situation, the organizers may add additional time to the race, and/or allow the competitors to recharge their batteries to a certain level in order to compensate for the suspension.