

TITLE: MIN01.DAT

RUNWAY: -1	RUNWAY 2: -1		OFFSET: -1		CROSSWIND COMPONENT: 12.0				
MINIMUM SPEED: 0.0	8.5	12.5	15.5	18.5	24.5	31.5	38.5	45.5	
N: 36.59									
NNE:	0.71	0.20	0.34	0.34					
NE:	16.83	10.08	4.20	3.09	0.20				
ENE:	12.57	8.97	4.34	1.01	0.03				
E:	0.47	0.03							
ESE:									
SE:									
SSE:									
S:									
SSW:									
SW:									
WSW:									
W:									
WNW:									
NW:									
NNW:									

F1-RUN F2-STORE F3-EDIT F4-RETRIVE F5-OUTPUT F6-HELP F7-COLOR F8-DISK  
F9-QUIT F10-ERASE

MIN01.DAT

RUNWAY: -1		RUNWAY 2: -1		CROSSWIND COMPONENT: 12.0											
0	81.75	23	96.43	46	99.93	69	99.11	92	92.56	115	78.21	138	66.54	161	69.69
1	82.47	24	96.84	47	99.94	70	98.99	93	92.08	116	77.52	139	66.37	162	70.17
2	83.19	25	97.21	48	99.94*	71	98.86	94	91.57	117	76.82	140	66.22	163	70.69
3	83.92	26	97.54	49	99.94	72	98.71	95	91.06	118	76.13	141	66.11	164	71.24
4	84.65	27	97.84	50	99.93	73	98.56	96	90.53	119	75.44	142	66.02	165	71.79
5	85.38	28	98.10	51	99.91	74	98.40	97	89.99	120	74.76	143	65.96	166	72.37
6	86.10	29	98.34	52	99.90	75	98.22	98	89.44	121	74.10	144	65.93	167	72.95
7	86.81	30	98.56	53	99.88	76	98.03	99	88.86	122	73.46	145	65.93	168	73.56
8	87.52	31	98.77	54	99.87	77	97.81	100	88.27	123	72.84	146	65.95	169	74.17
9	88.22	32	98.96	55	99.85	78	97.58	101	87.67	124	72.25	147	66.00	170	74.81
10	88.91	33	99.13	56	99.82	79	97.33	102	87.05	125	71.67	148	66.08	171	75.45
11	89.59	34	99.28	57	99.80	80	97.06	103	86.41	126	71.12	149	66.19	172	76.12
12	90.26	35	99.41	58	99.77	81	96.78	104	85.77	127	70.59	150	66.33	173	76.80
13	90.91	36	99.52	59	99.74	82	96.48	105	85.11	128	70.07	151	66.49	174	77.50
14	91.56	37	99.61	60	99.71	83	96.17	106	84.44	129	69.58	152	66.68	175	78.20
15	92.19	38	99.68	61	99.68	84	95.85	107	83.76	130	69.11	153	66.90	176	78.90
16	92.80	39	99.73	62	99.64	85	95.51	108	83.07	131	68.67	154	67.15	177	79.61
17	93.40	40	99.77	63	99.60	86	95.14	109	82.38	132	68.27	155	67.42	178	80.32
18	93.97	41	99.81	64	99.55	87	94.76	110	81.69	133	67.90	156	67.72	179	81.03
19	94.52	42	99.85	65	99.49	88	94.35	111	80.99	134	67.56	157	68.06		
20	95.04	43	99.88	66	99.42	89	93.93	112	80.30	135	67.26	158	68.42		
21	95.53	44	99.90	67	99.33	90	93.49	113	79.60	136	66.99	159	68.81		
22	96.00	45	99.92	68	99.23	91	93.03	114	78.91	137	66.75	160	69.23	F3 - EDIT	

TITLE: MIN02.DAT

RUNWAY: -1	RUNWAY 2: -1	OFFSET: -1	CROSSWIND COMPONENT: 12.0
MINIMUM			
SPEED: 0.0	8.5	12.5	15.5 18.5 24.5 31.5 38.5 45.5
N: 50.07	0.07	0.11	
NNE:	1.82	1.19	1.19 0.63 0.04
NE:	8.41	7.74	5.06 3.65 0.11
ENE:	10.08	5.73	1.30 0.48
E:	1.00	0.11	0.04
ESE:	0.07		
SE:			
SSE:			
S:			
SSW:			
SW:			
WSW:	0.30		
W:	0.60	0.19	
WNW:			
NW:			
NNW:			

F1-RUN F2-STORE F3-EDIT F4-RETRIVE F5-OUTPUT F6-HELP F7-COLOR F8-DISK  
F9-QUIT F10-ERASE

MIN02.DAT

RUNWAY: -1	RUNWAY 2: -1	CROSSWIND COMPONENT: 12.0
0 86.70	23 98.24	46 99.88 69 98.14 92 89.71 115 79.33 138 72.91 161 76.11
1 87.34	24 98.47	47 99.87 70 97.93 93 89.22 116 78.94 139 72.82 162 76.54
2 87.99	25 98.67	48 99.85 71 97.72 94 88.73 117 78.56 140 72.74 163 76.99
3 88.64	26 98.83	49 99.83 72 97.49 95 88.23 118 78.18 141 72.68 164 77.46
4 89.30	27 98.97	50 99.81 73 97.25 96 87.73 119 77.81 142 72.64 165 77.94
5 89.96	28 99.08	51 99.78 74 97.00 97 87.23 120 77.45 143 72.62 166 78.43
6 90.60	29 99.17	52 99.75 75 96.74 98 86.73 121 77.09 144 72.63 167 78.94
7 91.24	30 99.26	53 99.71 76 96.45 99 86.24 122 76.75 145 72.65 168 79.47
8 91.85	31 99.34	54 99.67 77 96.14 100 85.76 123 76.41 146 72.70 169 80.01
9 92.44	32 99.42	55 99.62 78 95.81 101 85.29 124 76.09 147 72.76 170 80.56
10 93.02	33 99.49	56 99.56 79 95.46 102 84.83 125 75.77 148 72.85 171 81.13
11 93.57	34 99.56	57 99.50 80 95.10 103 84.37 126 75.47 149 72.97 172 81.72
12 94.09	35 99.62	58 99.43 81 94.71 104 83.92 127 75.17 150 73.10 173 82.32
13 94.60	36 99.67	59 99.36 82 94.32 105 83.48 128 74.89 151 73.26 174 82.93
14 95.07	37 99.71	60 99.28 83 93.90 106 83.04 129 74.61 152 73.44 175 83.55
15 95.52	38 99.75	61 99.20 84 93.48 107 82.61 130 74.35 153 73.65 176 84.17
16 95.94	39 99.78	62 99.11 85 93.03 108 82.18 131 74.10 154 73.87 177 84.80
17 96.34	40 99.81	63 99.02 86 92.57 109 81.76 132 73.88 155 74.12 178 85.43
18 96.71	41 99.83	64 98.91 87 92.11 110 81.34 133 73.67 156 74.39 179 86.06
19 97.07	42 99.85	65 98.79 88 91.64 111 80.93 134 73.48 157 74.68
20 97.40	43 99.87	66 98.65 89 91.16 112 80.52 135 73.31 158 75.00
21 97.71	44 99.88	67 98.50 90 90.68 113 80.12 136 73.16 159 75.35
22 97.99	45 99.88*	68 98.32 91 90.20 114 79.72 137 73.03 160 75.72 F3 - EDIT

TITLE: MIN03.DAT

RUNWAY: -1	RUNWAY 2: -1	OFFSET: -1	CROSSWIND COMPONENT: 12.0
MINIMUM			
SPEED: 0.0	8.5	12.5	15.5 18.5 24.5 31.5 38.5 45.5
N: 63.59	0.14	0.02	
NNE:	0.86		
NE:	10.65	3.22	0.79 0.05
ENE:	8.52	3.27	0.86 0.05
E:	0.29	0.02	
ESE:			
SE:	0.09	0.07	
SSE:	0.09	0.07	
S:	0.18		
SSW:	0.63	0.07	
SW:	0.43	0.09	
WSW:	2.31	0.59	0.16 0.02
W:	1.59	0.70	0.32 0.18
WNW:	0.02		
NW:			
NNW:	0.05		

F1-RUN F2-STORE F3-EDIT F4-RETRIVE F5-OUTPUT F6-HELP F7-COLOR F8-DISK  
F9-QUIT F10-ERASE

MIN03.DAT

RUNWAY: -1	RUNWAY 2: -1	CROSSWIND COMPONENT: 12.0
0 93.76	23 98.16	46 99.52 69 99.82 92 99.01 115 94.84 138 89.59 161 89.72
1 93.99	24 98.29	47 99.55 70 99.82* 93 98.90 116 94.59 139 89.47 162 89.88
2 94.22	25 98.40	48 99.57 71 99.82 94 98.78 117 94.33 140 89.37 163 90.05
3 94.44	26 98.50	49 99.60 72 99.82 95 98.65 118 94.07 141 89.27 164 90.23
4 94.66	27 98.60	50 99.62 73 99.82 96 98.52 119 93.81 142 89.19 165 90.42
5 94.88	28 98.68	51 99.64 74 99.81 97 98.38 120 93.55 143 89.12 166 90.61
6 95.09	29 98.75	52 99.66 75 99.81 98 98.23 121 93.28 144 89.05 167 90.81
7 95.30	30 98.83	53 99.68 76 99.80 99 98.08 122 93.02 145 89.00 168 91.02
8 95.51	31 98.89	54 99.69 77 99.79 100 97.92 123 92.76 146 88.96 169 91.23
9 95.72	32 98.96	55 99.71 78 99.77 101 97.75 124 92.50 147 88.93 170 91.45
10 95.93	33 99.02	56 99.72 79 99.75 102 97.58 125 92.25 148 88.91 171 91.67
11 96.13	34 99.08	57 99.74 80 99.73 103 97.40 126 92.00 149 88.90 172 91.90
12 96.33	35 99.13	58 99.75 81 99.70 104 97.22 127 91.75 150 88.90 173 92.13
13 96.52	36 99.18	59 99.76 82 99.67 105 97.03 128 91.50 151 88.91 174 92.36
14 96.71	37 99.22	60 99.77 83 99.64 106 96.84 129 91.26 152 88.93 175 92.60
15 96.90	38 99.26	61 99.78 84 99.60 107 96.64 130 91.02 153 88.96 176 92.83
16 97.08	39 99.30	62 99.79 85 99.56 108 96.44 131 90.80 154 89.00 177 93.06
17 97.25	40 99.33	63 99.80 86 99.52 109 96.24 132 90.58 155 89.06 178 93.30
18 97.42	41 99.37	64 99.80 87 99.46 110 96.02 133 90.38 156 89.14 179 93.53
19 97.59	42 99.40	65 99.81 88 99.39 111 95.80 134 90.20 157 89.23
20 97.74	43 99.43	66 99.81 89 99.31 112 95.57 135 90.03 158 89.33
21 97.89	44 99.46	67 99.81 90 99.22 113 95.33 136 89.87 159 89.44
22 98.03	45 99.49	68 99.82 91 99.12 114 95.09 137 89.72 160 89.57 F3 - EDIT

TITLE: MIN04.DAT

RUNWAY: -1		RUNWAY 2: -1		OFFSET: -1		CROSSWIND COMPONENT: 12.0			
MINIMUM									
SPEED:	0.0	8.5	12.5	15.5	18.5	24.5	31.5	38.5	45.5
N:	57.378	.972	.226						
NNE:		5.851	2.517	.556	.278				
NE:		15.226	4.531	1.111	.816	.069			
ENE:		6.649	1.181	.156	.208				
E:		.243	.104	.035					
ESE:		.139							
SE:		.208							
SSE:		.295							
S:		.069							
SSW:		.035							
SW:		.035							
WSW:		.313							
W:		.538	.122	.035	.017				
WNW:		.035	.017	.017	.017				
NW:									
NNW:									

F1-RUN F2-STORE F3-EDIT F4-RETRIVE F5-OUTPUT F6-HELP F7-COLOR F8-DISK  
F9-QUIT F10-ERASE

MIN04.DAT

RUNWAY: -1		RUNWAY 2: -1		CROSSWIND COMPONENT: 12.0											
0	96.61	23	99.30	46	99.83*	69	98.88	92	94.73	115	89.36	138	87.74	161	91.94
1	96.80	24	99.35	47	99.83	70	98.77	93	94.49	116	89.19	139	87.83	162	92.20
2	96.99	25	99.40	48	99.82	71	98.65	94	94.24	117	89.03	140	87.94	163	92.46
3	97.16	26	99.44	49	99.81	72	98.52	95	93.99	118	88.87	141	88.06	164	92.72
4	97.33	27	99.47	50	99.80	73	98.38	96	93.74	119	88.72	142	88.20	165	92.98
5	97.48	28	99.51	51	99.79	74	98.24	97	93.48	120	88.58	143	88.33	166	93.24
6	97.62	29	99.53	52	99.77	75	98.09	98	93.23	121	88.45	144	88.48	167	93.50
7	97.76	30	99.56	53	99.76	76	97.94	99	92.98	122	88.32	145	88.63	168	93.76
8	97.89	31	99.59	54	99.73	77	97.78	100	92.72	123	88.21	146	88.79	169	94.02
9	98.02	32	99.61	55	99.71	78	97.61	101	92.47	124	88.10	147	88.96	170	94.28
10	98.15	33	99.64	56	99.68	79	97.44	102	92.23	125	87.99	148	89.13	171	94.53
11	98.27	34	99.66	57	99.65	80	97.26	103	91.98	126	87.90	149	89.31	172	94.78
12	98.38	35	99.68	58	99.62	81	97.08	104	91.73	127	87.82	150	89.50	173	95.03
13	98.49	36	99.70	59	99.58	82	96.89	105	91.49	128	87.74	151	89.69	174	95.28
14	98.60	37	99.72	60	99.54	83	96.70	106	91.25	129	87.68	152	89.89	175	95.52
15	98.69	38	99.74	61	99.49	84	96.50	107	91.01	130	87.62	153	90.09	176	95.75
16	98.78	39	99.76	62	99.44	85	96.30	108	90.78	131	87.58	154	90.30	177	95.97
17	98.87	40	99.78	63	99.39	86	96.09	109	90.56	132	87.55	155	90.52	178	96.19
18	98.95	41	99.80	64	99.33	87	95.88	110	90.34	133	87.55	156	90.74	179	96.40
19	99.03	42	99.81	65	99.26	88	95.66	111	90.13	134	87.55	157	90.97		
20	99.10	43	99.82	66	99.18	89	95.43	112	89.93	135	87.58	158	91.20		
21	99.17	44	99.83	67	99.09	90	95.20	113	89.73	136	87.62	159	91.45		
22	99.24	45	99.83	68	98.99	91	94.97	114	89.54	137	87.67	160	91.69	F3 - EDIT	

TITLE: MIN05.DAT

RUNWAY: -1	RUNWAY 2: -1	OFFSET: -1	CROSSWIND COMPONENT: 12.0
MINIMUM			
SPEED: 0.0	8.5	12.5	15.5 18.5 24.5 31.5 38.5 45.5
N: 67.96	1.09	0.30	0.05 0.05
NNE:	5.67	2.37	1.14 0.76 0.23
NE:	6.96	2.47	0.52 0.66 0.10
ENE:	2.62	0.39	0.02
E:	0.57	0.17	
ESE:	0.35	0.02	
SE:	0.49	0.08	
SSE:	0.84	0.20	0.03 0.02
S:	0.81	0.17	0.02
SSW:	0.30	0.02	
SW:	0.12	0.03	
WSW:	0.50	0.02	
W:	1.38	0.17	0.02
WNW:	0.23	0.03	0.02
NW:		0.03	
NNW:			

F1-RUN F2-STORE F3-EDIT F4-RETRIVE F5-OUTPUT F6-HELP F7-COLOR F8-DISK  
F9-QUIT F10-ERASE

MIN05.DAT

RUNWAY: -1	RUNWAY 2: -1	CROSSWIND COMPONENT: 12.0
0 97.79	23 99.35	46 99.27 69 97.16 92 93.54 115 90.80 138 91.16 161 94.66
1 97.91	24 99.37	47 99.23 70 97.02 93 93.39 116 90.75 139 91.26 162 94.85
2 98.02	25 99.40	48 99.18 71 96.87 94 93.24 117 90.70 140 91.37 163 95.05
3 98.12	26 99.41	49 99.13 72 96.72 95 93.09 118 90.66 141 91.48 164 95.24
4 98.22	27 99.43	50 99.07 73 96.56 96 92.95 119 90.63 142 91.60 165 95.43
5 98.31	28 99.44	51 99.01 74 96.40 97 92.80 120 90.60 143 91.72 166 95.62
6 98.39	29 99.45	52 98.95 75 96.24 98 92.66 121 90.58 144 91.85 167 95.80
7 98.47	30 99.45	53 98.88 76 96.07 99 92.52 122 90.57 145 91.98 168 95.99
8 98.55	31 99.46	54 98.81 77 95.91 100 92.38 123 90.56 146 92.12 169 96.16
9 98.62	32 99.47	55 98.73 78 95.75 101 92.25 124 90.55 147 92.26 170 96.34
10 98.70	33 99.47	56 98.64 79 95.59 102 92.12 125 90.55 148 92.41 171 96.51
11 98.76	34 99.47*	57 98.55 80 95.42 103 91.99 126 90.56 149 92.56 172 96.67
12 98.83	35 99.47	58 98.46 81 95.26 104 91.86 127 90.58 150 92.72 173 96.83
13 98.89	36 99.47	59 98.36 82 95.10 105 91.73 128 90.59 151 92.88 174 96.98
14 98.95	37 99.46	60 98.26 83 94.94 106 91.61 129 90.62 152 93.05 175 97.13
15 99.01	38 99.45	61 98.16 84 94.79 107 91.49 130 90.65 153 93.22 176 97.27
16 99.06	39 99.45	62 98.05 85 94.63 108 91.38 131 90.69 154 93.39 177 97.41
17 99.11	40 99.43	63 97.94 86 94.47 109 91.28 132 90.74 155 93.56 178 97.54
18 99.16	41 99.42	64 97.83 87 94.31 110 91.18 133 90.79 156 93.74 179 97.67
19 99.20	42 99.40	65 97.70 88 94.15 111 91.09 134 90.85 157 93.92
20 99.24	43 99.37	66 97.58 89 94.00 112 91.01 135 90.91 158 94.10
21 99.28	44 99.34	67 97.44 90 93.84 113 90.93 136 90.99 159 94.28
22 99.32	45 99.31	68 97.31 91 93.69 114 90.86 137 91.07 160 94.47 F3 - EDIT

TITLE: MIN06.DAT

RUNWAY:	-1	RUNWAY 2:	-1	OFFSET:	-1	CROSSWIND COMPONENT:	12.0		
MINIMUM									
SPEED:	0.0	8.5	12.5	15.5	18.5	24.5	31.5	38.5	45.5
N:	90.09	0.17	0.04						
NNE:		0.31							
NE:		0.98	0.04	0.02					
ENE:		0.59	0.07	0.02					
E:		0.79	0.11	0.02					
ESE:		0.11	0.04						
SE:		0.37	0.04	0.02					
SSE:		0.46	0.07						
S:		0.55	0.07						
SSW:		0.26	0.04						
SW:		0.24							
WSW:		0.39	0.15	0.02					
W:		2.03	0.79	0.44	0.02				
WNW:		0.37	0.07	0.07					
NW:		0.02							
NNW:		0.07	0.02						

F1-RUN F2-STORE F3-EDIT F4-RETRIVE F5-OUTPUT F6-HELP F7-COLOR F8-DISK  
F9-QUIT F10-ERASE

MIN06.DAT

RUNWAY:	-1	RUNWAY 2:	-1	CROSSWIND COMPONENT:	12.0														
0	97.89	23	98.47	46	99.38	69	99.65	92	99.65	115	99.68	138	99.12	161	98.19				
1	97.90	24	98.50	47	99.41	70	99.65	93	99.66	116	99.67	139	99.07	162	98.16				
2	97.90	25	98.54	48	99.44	71	99.65	94	99.66	117	99.67	140	99.03	163	98.13				
3	97.92	26	98.58	49	99.47	72	99.65	95	99.66	118	99.66	141	98.98	164	98.10				
4	97.93	27	98.61	50	99.49	73	99.65	96	99.66	119	99.65	142	98.93	165	98.07				
5	97.95	28	98.65	51	99.51	74	99.65	97	99.67	120	99.64	143	98.89	166	98.05				
6	97.97	29	98.69	52	99.53	75	99.65	98	99.67	121	99.63	144	98.84	167	98.02				
7	97.99	30	98.73	53	99.55	76	99.65	99	99.67	122	99.62	145	98.80	168	98.00				
8	98.01	31	98.77	54	99.57	77	99.65	100	99.67	123	99.60	146	98.75	169	97.98				
9	98.03	32	98.81	55	99.58	78	99.66	101	99.68	124	99.58	147	98.71	170	97.96				
10	98.06	33	98.85	56	99.60	79	99.66	102	99.68	125	99.56	148	98.67	171	97.95				
11	98.08	34	98.89	57	99.61	80	99.65	103	99.68	126	99.53	149	98.62	172	97.93				
12	98.11	35	98.94	58	99.62	81	99.65	104	99.69	127	99.51	150	98.58	173	97.92				
13	98.14	36	98.98	59	99.62	82	99.65	105	99.69	128	99.48	151	98.54	174	97.91				
14	98.17	37	99.02	60	99.63	83	99.65	106	99.69	129	99.45	152	98.50	175	97.90				
15	98.20	38	99.07	61	99.63	84	99.65	107	99.69	130	99.42	153	98.46	176	97.89				
16	98.23	39	99.11	62	99.63	85	99.65	108	99.69	131	99.39	154	98.43	177	97.89				
17	98.26	40	99.16	63	99.64	86	99.65	109	99.70*	132	99.35	155	98.39	178	97.88				
18	98.29	41	99.20	64	99.64	87	99.65	110	99.70	133	99.32	156	98.35	179	97.89				
19	98.33	42	99.24	65	99.64	88	99.65	111	99.69	134	99.28	157	98.32						
20	98.36	43	99.28	66	99.64	89	99.65	112	99.69	135	99.24	158	98.28						
21	98.40	44	99.32	67	99.64	90	99.65	113	99.69	136	99.20	159	98.25						
22	98.43	45	99.35	68	99.65	91	99.65	114	99.68	137	99.16	160	98.22	F3 - EDIT					

TITLE: MIN07.DAT

RUNWAY: -1	RUNWAY 2: -1	OFFSET: -1	CROSSWIND COMPONENT: 12.0
MINIMUM			
SPEED: 0.0	8.5	12.5	15.5 18.5 24.5 31.5 38.5 45.5
N: 90.30	0.14	0.08	
NNE:	0.80	0.14	
NE:	0.58	0.02	
ENE:	0.36	0.02	
E:	0.30	0.02	
ESE:	0.14	0.02	
SE:	0.08	0.02	0.02
SSE:	0.30	0.02	
S:	0.18	0.04	
SSW:	0.60	0.04	
SW:	0.34	0.06	
WSW:	1.70	0.04	0.02
W:	2.72	0.64	0.08 0.02
WNW:	0.14	0.02	
NW:			
NNW:	0.02		

F1-RUN F2-STORE F3-EDIT F4-RETRIVE F5-OUTPUT F6-HELP F7-COLOR F8-DISK  
F9-QUIT F10-ERASE

MIN07.DAT

RUNWAY: -1	RUNWAY 2: -1	CROSSWIND COMPONENT: 12.0
0 98.81	23 99.27	46 99.84 69 99.81 92 99.66 115 99.51 138 99.47 161 98.93
1 98.82	24 99.30	47 99.85 70 99.81 93 99.66 116 99.51 139 99.45 162 98.92
2 98.82	25 99.33	48 99.86 71 99.80 94 99.65 117 99.51 140 99.43 163 98.91
3 98.83	26 99.36	49 99.86 72 99.80 95 99.64 118 99.51 141 99.41 164 98.89
4 98.85	27 99.39	50 99.87 73 99.79 96 99.63 119 99.51 142 99.39 165 98.88
5 98.86	28 99.42	51 99.87 74 99.78 97 99.62 120 99.52 143 99.37 166 98.87
6 98.87	29 99.45	52 99.87 75 99.78 98 99.61 121 99.52 144 99.34 167 98.86
7 98.89	30 99.48	53 99.87* 76 99.77 99 99.60 122 99.52 145 99.32 168 98.85
8 98.91	31 99.50	54 99.87 77 99.77 100 99.60 123 99.53 146 99.29 169 98.84
9 98.92	32 99.53	55 99.87 78 99.76 101 99.59 124 99.53 147 99.27 170 98.83
10 98.94	33 99.56	56 99.87 79 99.75 102 99.58 125 99.53 148 99.24 171 98.83
11 98.96	34 99.59	57 99.86 80 99.75 103 99.57 126 99.53 149 99.22 172 98.82
12 98.98	35 99.61	58 99.86 81 99.74 104 99.56 127 99.54 150 99.19 173 98.81
13 99.01	36 99.64	59 99.86 82 99.73 105 99.55 128 99.54 151 99.16 174 98.81
14 99.03	37 99.67	60 99.86 83 99.73 106 99.55 129 99.54 152 99.13 175 98.80
15 99.05	38 99.69	61 99.85 84 99.72 107 99.54 130 99.54 153 99.10 176 98.80
16 99.08	39 99.72	62 99.85 85 99.72 108 99.53 131 99.54 154 99.08 177 98.80
17 99.11	40 99.74	63 99.84 86 99.71 109 99.52 132 99.54 155 99.05 178 98.80
18 99.13	41 99.76	64 99.84 87 99.70 110 99.52 133 99.53 156 99.03 179 98.80
19 99.16	42 99.78	65 99.83 88 99.70 111 99.52 134 99.52 157 99.01
20 99.19	43 99.80	66 99.83 89 99.69 112 99.51 135 99.51 158 98.99
21 99.21	44 99.81	67 99.82 90 99.68 113 99.51 136 99.50 159 98.97
22 99.24	45 99.83	68 99.82 91 99.67 114 99.51 137 99.49 160 98.95 F3 - EDIT

TITLE: MIN08.DAT

RUNWAY: -1	RUNWAY 2: -1	OFFSET: -1	CROSSWIND COMPONENT: 12.0
MINIMUM			
SPEED: 0.0	8.5	12.5	15.5 18.5 24.5 31.5 38.5 45.5
N: 86.38			
NNE:	0.03		
NE:	0.08		
ENE:	0.23		
E:	0.08		
ESE:	0.08		
SE:	0.13		
SSE:	0.27	0.07	0.08
S:	0.76	0.02	0.02
SSW:	0.44		
SW:	0.40	0.02	
WSW:	2.30	0.30	0.03
W:	6.20	1.06	0.34 0.05
WNW:	0.40	0.08	0.07
NW:	0.05		
NNW:			

F1-RUN F2-STORE F3-EDIT F4-RETRIVE F5-OUTPUT F6-HELP F7-COLOR F8-DISK  
F9-QUIT F10-ERASE

MIN08.DAT

RUNWAY: -1	RUNWAY 2: -1	CROSSWIND COMPONENT: 12.0
0 97.45	23 98.43	46 99.44 69 99.71 92 99.71 115 99.74 138 99.19 161 97.89
1 97.46	24 98.48	47 99.46 70 99.71 93 99.71 116 99.73 139 99.13 162 97.85
2 97.48	25 98.53	48 99.49 71 99.72 94 99.72 117 99.73 140 99.08 163 97.81
3 97.50	26 98.58	49 99.51 72 99.72 95 99.72 118 99.72 141 99.02 164 97.77
4 97.53	27 98.63	50 99.54 73 99.72 96 99.72 119 99.71 142 98.96 165 97.73
5 97.57	28 98.67	51 99.55 74 99.72 97 99.73 120 99.70 143 98.90 166 97.69
6 97.60	29 98.72	52 99.57 75 99.72 98 99.73 121 99.69 144 98.84 167 97.66
7 97.64	30 98.76	53 99.59 76 99.72 99 99.74 122 99.68 145 98.78 168 97.63
8 97.68	31 98.81	54 99.60 77 99.72 100 99.74 123 99.66 146 98.72 169 97.60
9 97.73	32 98.86	55 99.62 78 99.72 101 99.74 124 99.65 147 98.66 170 97.57
10 97.77	33 98.90	56 99.63 79 99.72 102 99.74 125 99.63 148 98.60 171 97.54
11 97.82	34 98.95	57 99.64 80 99.71 103 99.75 126 99.61 149 98.54 172 97.52
12 97.87	35 99.00	58 99.65 81 99.71 104 99.75 127 99.59 150 98.48 173 97.50
13 97.92	36 99.04	59 99.66 82 99.71 105 99.75 128 99.56 151 98.42 174 97.48
14 97.97	37 99.09	60 99.67 83 99.71 106 99.75 129 99.54 152 98.36 175 97.46
15 98.02	38 99.13	61 99.68 84 99.71 107 99.76 130 99.51 153 98.30 176 97.45
16 98.07	39 99.18	62 99.68 85 99.71 108 99.76 131 99.48 154 98.25 177 97.44
17 98.12	40 99.22	63 99.69 86 99.71 109 99.76*132 99.45 155 98.19 178 97.44
18 98.17	41 99.26	64 99.69 87 99.71 110 99.76 133 99.42 156 98.14 179 97.44
19 98.22	42 99.30	65 99.70 88 99.71 111 99.75 134 99.38 157 98.08
20 98.28	43 99.34	66 99.70 89 99.71 112 99.75 135 99.33 158 98.03
21 98.33	44 99.37	67 99.71 90 99.71 113 99.75 136 99.29 159 97.98
22 98.38	45 99.40	68 99.71 91 99.71 114 99.74 137 99.24 160 97.94 F3 - EDIT



TITLE: MIN09.DAT

RUNWAY: -1	RUNWAY 2: -1	OFFSET: -1	CROSSWIND COMPONENT: 12.0
MINIMUM			
SPEED: 0.0	8.5	12.5	15.5 18.5 24.5 31.5 38.5 45.5
N: 81.25	0.52	0.05	0.02
NNE:	2.12	0.68	0.23 0.04
NE:	4.03	0.64	0.14 0.02
ENE:	1.96	0.24	0.07
E:	0.16		
ESE:	0.07	0.02	
SE:	0.07		
SSE:	0.09	0.02	
S:	0.45	0.10	0.04
SSW:	0.54	0.38	0.07
SW:	0.23	0.04	
WSW:	1.09	0.49	0.16 0.04
W:	2.12	0.66	0.73 0.33
WNW:	0.07		
NW:			
NNW:	0.07		

F1-RUN F2-STORE F3-EDIT F4-RETRIVE F5-OUTPUT F6-HELP F7-COLOR F8-DISK  
F9-QUIT F10-ERASE

MIN09.DAT

RUNWAY: -1	RUNWAY 2: -1	CROSSWIND COMPONENT: 12.0
0 97.08	23 98.25	46 99.32 69 99.52 92 98.29 115 97.11 138 95.87 161 96.30
1 97.13	24 98.30	47 99.36 70 99.48 93 98.24 116 97.06 139 95.85 162 96.34
2 97.18	25 98.35	48 99.40 71 99.44 94 98.19 117 97.00 140 95.84 163 96.37
3 97.23	26 98.39	49 99.44 72 99.40 95 98.13 118 96.95 141 95.83 164 96.41
4 97.28	27 98.43	50 99.49 73 99.35 96 98.08 119 96.89 142 95.82 165 96.45
5 97.32	28 98.48	51 99.52 74 99.30 97 98.03 120 96.83 143 95.82 166 96.49
6 97.37	29 98.52	52 99.56 75 99.24 98 97.98 121 96.77 144 95.82 167 96.53
7 97.42	30 98.56	53 99.59 76 99.19 99 97.93 122 96.71 145 95.83 168 96.57
8 97.48	31 98.60	54 99.62 77 99.14 100 97.88 123 96.65 146 95.84 169 96.61
9 97.53	32 98.65	55 99.64 78 99.08 101 97.83 124 96.59 147 95.85 170 96.65
10 97.58	33 98.69	56 99.66 79 99.03 102 97.78 125 96.53 148 95.87 171 96.69
11 97.63	34 98.74	57 99.68 80 98.97 103 97.73 126 96.46 149 95.89 172 96.73
12 97.68	35 98.78	58 99.69 81 98.91 104 97.68 127 96.40 150 95.92 173 96.78
13 97.74	36 98.83	59 99.69 82 98.86 105 97.63 128 96.34 151 95.95 174 96.82
14 97.79	37 98.88	60 99.69* 83 98.80 106 97.58 129 96.27 152 95.98 175 96.86
15 97.84	38 98.93	61 99.69 84 98.74 107 97.53 130 96.21 153 96.01 176 96.90
16 97.90	39 98.98	62 99.68 85 98.68 108 97.48 131 96.15 154 96.04 177 96.94
17 97.95	40 99.03	63 99.67 86 98.63 109 97.43 132 96.09 155 96.07 178 96.99
18 98.00	41 99.08	64 99.66 87 98.57 110 97.38 133 96.04 156 96.11 179 97.04
19 98.06	42 99.13	65 99.64 88 98.51 111 97.33 134 96.00 157 96.15
20 98.11	43 99.18	66 99.62 89 98.46 112 97.28 135 95.96 158 96.18
21 98.16	44 99.22	67 99.59 90 98.40 113 97.22 136 95.93 159 96.22
22 98.21	45 99.27	68 99.56 91 98.35 114 97.17 137 95.90 160 96.26 F3 - EDIT

TITLE: MIN10.DAT

RUNWAY: -1		RUNWAY 2: -1		OFFSET: -1		CROSSWIND COMPONENT: 12.0			
MINIMUM									
SPEED:	0.0	8.5	12.5	15.5	18.5	24.5	31.5	38.5	45.5
N:	81.43	0.08	0.02						
NNE:		0.91	0.52	0.24	0.08				
NE:		4.67	1.65	0.34	0.05				
ENE:		4.78	1.58	0.34	0.03				
E:		0.17	0.03						
ESE:		0.02							
SE:									
SSE:									
S:		0.15	0.05	0.03					
SSW:		0.20	0.12	0.03					
SW:		0.10	0.05	0.08					
WSW:		1.03	0.22	0.07	0.05				
W:		0.64	0.19	0.03	0.02				
WNW:									
NW:									
NNW:									

F1-RUN F2-STORE F3-EDIT F4-RETRIVE F5-OUTPUT F6-HELP F7-COLOR F8-DISK  
F9-QUIT F10-ERASE

MIN10.DAT

RUNWAY: -1		RUNWAY 2: -1		CROSSWIND COMPONENT: 12.0											
0	97.35	23	99.43	46	99.93	69	99.63	92	98.53	115	96.32	138	94.33	161	95.09
1	97.47	24	99.49	47	99.93*	70	99.60	93	98.45	116	96.21	139	94.30	162	95.20
2	97.58	25	99.54	48	99.93	71	99.57	94	98.37	117	96.10	140	94.28	163	95.31
3	97.69	26	99.58	49	99.93	72	99.54	95	98.29	118	95.99	141	94.27	164	95.42
4	97.80	27	99.62	50	99.93	73	99.50	96	98.21	119	95.87	142	94.26	165	95.53
5	97.91	28	99.66	51	99.92	74	99.47	97	98.12	120	95.76	143	94.26	166	95.65
6	98.01	29	99.69	52	99.92	75	99.43	98	98.03	121	95.65	144	94.26	167	95.77
7	98.12	30	99.72	53	99.91	76	99.39	99	97.94	122	95.55	145	94.27	168	95.89
8	98.22	31	99.74	54	99.91	77	99.35	100	97.85	123	95.44	146	94.28	169	96.01
9	98.32	32	99.77	55	99.90	78	99.31	101	97.76	124	95.34	147	94.30	170	96.13
10	98.41	33	99.79	56	99.89	79	99.27	102	97.66	125	95.24	148	94.32	171	96.25
11	98.51	34	99.82	57	99.87	80	99.22	103	97.57	126	95.14	149	94.34	172	96.38
12	98.60	35	99.83	58	99.86	81	99.18	104	97.47	127	95.04	150	94.37	173	96.50
13	98.69	36	99.85	59	99.85	82	99.13	105	97.37	128	94.95	151	94.41	174	96.63
14	98.78	37	99.87	60	99.83	83	99.08	106	97.27	129	94.86	152	94.45	175	96.75
15	98.87	38	99.88	61	99.82	84	99.03	107	97.17	130	94.78	153	94.50	176	96.87
16	98.95	39	99.89	62	99.80	85	98.98	108	97.07	131	94.70	154	94.55	177	97.00
17	99.03	40	99.90	63	99.78	86	98.93	109	96.97	132	94.63	155	94.61	178	97.12
18	99.10	41	99.91	64	99.76	87	98.87	110	96.87	133	94.56	156	94.67	179	97.24
19	99.18	42	99.92	65	99.74	88	98.81	111	96.76	134	94.50	157	94.74		
20	99.25	43	99.92	66	99.71	89	98.74	112	96.65	135	94.45	158	94.82		
21	99.31	44	99.93	67	99.69	90	98.68	113	96.54	136	94.40	159	94.91		
22	99.38	45	99.93	68	99.66	91	98.60	114	96.43	137	94.36	160	95.00	F3 - EDIT	

TITLE: MIN11.DAT

RUNWAY: -1	RUNWAY 2: -1	OFFSET: -1	CROSSWIND COMPONENT: 12.0
MINIMUM			
SPEED: 0.0	8.5	12.5	15.5 18.5 24.5 31.5 38.5 45.5
N: 84.08	0.25	0.06	
NNE:	0.25		
NE:	2.14	0.31	
ENE:	2.69	0.31	0.06
E:	0.43		
ESE:	0.06		
SE:			
SSE:			
S:			
SSW:	0.67		
SW:	1.16		
WSW:	2.88	0.86	
W:	2.39	0.92	0.31 0.06
WNW:	0.12		
NW:			
NNW:			

F1-RUN F2-STORE F3-EDIT F4-RETRIVE F5-OUTPUT F6-HELP F7-COLOR F8-DISK  
F9-QUIT F10-ERASE

MIN11.DAT

RUNWAY: -1	RUNWAY 2: -1	CROSSWIND COMPONENT: 12.0
0 97.38	23 98.82	46 99.78 69 99.96 92 99.89 115 99.40 138 97.84 161 96.78
1 97.44	24 98.87	47 99.81 70 99.95 93 99.88 116 99.35 139 97.77 162 96.79
2 97.49	25 98.92	48 99.83 71 99.95 94 99.86 117 99.31 140 97.70 163 96.80
3 97.55	26 98.97	49 99.85 72 99.95 95 99.85 118 99.26 141 97.63 164 96.81
4 97.61	27 99.02	50 99.87 73 99.95 96 99.84 119 99.20 142 97.56 165 96.83
5 97.68	28 99.07	51 99.89 74 99.95 97 99.83 120 99.15 143 97.49 166 96.85
6 97.74	29 99.11	52 99.90 75 99.94 98 99.82 121 99.09 144 97.43 167 96.87
7 97.80	30 99.15	53 99.91 76 99.94 99 99.80 122 99.03 145 97.36 168 96.89
8 97.87	31 99.20	54 99.92 77 99.94 100 99.79 123 98.96 146 97.30 169 96.92
9 97.94	32 99.24	55 99.93 78 99.94 101 99.77 124 98.89 147 97.24 170 96.95
10 98.00	33 99.28	56 99.94 79 99.94 102 99.75 125 98.83 148 97.18 171 96.99
11 98.07	34 99.33	57 99.95 80 99.93 103 99.74 126 98.75 149 97.13 172 97.02
12 98.13	35 99.37	58 99.95 81 99.93 104 99.72 127 98.68 150 97.08 173 97.06
13 98.20	36 99.41	59 99.96 82 99.93 105 99.70 128 98.60 151 97.03 174 97.10
14 98.27	37 99.46	60 99.96 83 99.93 106 99.68 129 98.53 152 96.98 175 97.14
15 98.33	38 99.50	61 99.96* 84 99.93 107 99.67 130 98.45 153 96.93 176 97.18
16 98.40	39 99.54	62 99.96 85 99.93 108 99.65 131 98.37 154 96.89 177 97.23
17 98.46	40 99.58	63 99.96 86 99.92 109 99.62 132 98.29 155 96.86 178 97.28
18 98.52	41 99.62	64 99.96 87 99.92 110 99.59 133 98.22 156 96.83 179 97.33
19 98.58	42 99.66	65 99.96 88 99.92 111 99.56 134 98.14 157 96.81
20 98.65	43 99.69	66 99.96 89 99.91 112 99.53 135 98.06 158 96.80
21 98.70	44 99.72	67 99.96 90 99.90 113 99.49 136 97.99 159 96.79
22 98.76	45 99.75	68 99.96 91 99.89 114 99.45 137 97.91 160 96.78 F3 - EDIT

TITLE: MIN12.DAT

RUNWAY: -1	RUNWAY 2: -1	OFFSET: -1	CROSSWIND COMPONENT: 12.0
MINIMUM			
SPEED: 0.0	8.5	12.5	15.5 18.5 24.5 31.5 38.5 45.5
N: 41.23	0.29	0.08	0.08 0.08
NNE:	1.76	0.98	0.16 0.12
NE:	15.26	7.12	2.49 0.86
ENE:	16.73	8.14	3.23 0.37
E:	0.78	0.12	0.08
ESE:		0.04	
SE:			
SSE:			
S:			
SSW:			
SW:			
WSW:			
W:			
WNW:			
NW:			
NNW:			

F1-RUN F2-STORE F3-EDIT F4-RETRIVE F5-OUTPUT F6-HELP F7-COLOR F8-DISK  
F9-QUIT F10-ERASE

MIN12.DAT

RUNWAY: -1	RUNWAY 2: -1	CROSSWIND COMPONENT: 12.0
0 87.17 23 97.57 46 99.79 69 99.42 92 95.69 115 85.60 138 75.92 161 78.08		
1 87.70 24 97.85 47 99.79* 70 99.36 93 95.38 116 85.05 139 75.77 162 78.45		
2 88.22 25 98.10 48 99.79 71 99.30 94 95.05 117 84.51 140 75.65 163 78.84		
3 88.75 26 98.33 49 99.78 72 99.23 95 94.71 118 83.96 141 75.56 164 79.25		
4 89.27 27 98.53 50 99.78 73 99.16 96 94.36 119 83.41 142 75.48 165 79.67		
5 89.78 28 98.71 51 99.77 74 99.09 97 94.00 120 82.86 143 75.43 166 80.10		
6 90.29 29 98.87 52 99.77 75 99.01 98 93.62 121 82.32 144 75.39 167 80.55		
7 90.80 30 99.01 53 99.76 76 98.91 99 93.24 122 81.80 145 75.38 168 81.01		
8 91.29 31 99.15 54 99.75 77 98.80 100 92.83 123 81.29 146 75.39 169 81.48		
9 91.79 32 99.27 55 99.74 78 98.68 101 92.42 124 80.80 147 75.42 170 81.96		
10 92.27 33 99.38 56 99.73 79 98.54 102 91.99 125 80.32 148 75.47 171 82.46		
11 92.75 34 99.47 57 99.72 80 98.40 103 91.56 126 79.85 149 75.54 172 82.96		
12 93.22 35 99.55 58 99.71 81 98.24 104 91.11 127 79.40 150 75.63 173 83.48		
13 93.68 36 99.61 59 99.70 82 98.08 105 90.65 128 78.97 151 75.74 174 84.00		
14 94.14 37 99.66 60 99.69 83 97.90 106 90.18 129 78.54 152 75.87 175 84.53		
15 94.58 38 99.70 61 99.67 84 97.72 107 89.71 130 78.14 153 76.02 176 85.06		
16 95.02 39 99.71 62 99.66 85 97.52 108 89.22 131 77.76 154 76.19 177 85.59		
17 95.44 40 99.73 63 99.64 86 97.31 109 88.73 132 77.41 155 76.39 178 86.12		
18 95.84 41 99.74 64 99.62 87 97.08 110 88.23 133 77.09 156 76.61 179 86.65		
19 96.23 42 99.76 65 99.59 88 96.83 111 87.71 134 76.80 157 76.86		
20 96.59 43 99.77 66 99.56 89 96.57 112 87.19 135 76.54 158 77.13		
21 96.94 44 99.77 67 99.52 90 96.29 113 86.67 136 76.31 159 77.42		
22 97.26 45 99.78 68 99.47 91 96.00 114 86.13 137 76.10 160 77.74 F3 - EDIT		

TITLE: MINALL.DAT

RUNWAY: -1		RUNWAY 2: -1		OFFSET: -1		CROSSWIND COMPONENT: 12.0			
MINIMUM									
SPEED:	0.0	8.5	12.5	15.5	18.5	24.5	31.5	38.5	45.5
N:	72.08	0.36	0.09	0.01	0.01				
NNE:		2.00	0.80	0.33	0.19	0.03			
NE:		6.56	2.59	0.91	0.57	0.04			
ENE:		4.65	1.83	0.60	0.13				
E:		0.38	0.06	0.01					
ESE:		0.10	0.01						
SE:		0.15	0.02						
SSE:		0.24	0.05		0.01				
S:		0.33	0.05	0.01					
SSW:		0.32	0.07	0.01					
SW:		0.22	0.03	0.01					
WSW:		1.07	0.20	0.05	0.01				
W:		1.88	0.47	0.21	0.07				
WNW:		0.13	0.02	0.02					
NW:		0.01							
NNW:		0.02							

F1-RUN F2-STORE F3-EDIT F4-RETRIVE F5-OUTPUT F6-HELP F7-COLOR F8-DISK  
F9-QUIT F10-ERASE

MINALL.DAT

RUNWAY: -1		RUNWAY 2: -1		CROSSWIND COMPONENT: 12.0											
0	95.31	23	98.65	46	99.65	69	99.22	92	97.05	115	93.61	138	91.09	161	92.21
1	95.49	24	98.74	47	99.66	70	99.16	93	96.91	116	93.46	139	91.06	162	92.35
2	95.66	25	98.83	48	99.66	71	99.10	94	96.78	117	93.31	140	91.04	163	92.49
3	95.83	26	98.90	49	99.67	72	99.04	95	96.64	118	93.16	141	91.03	164	92.64
4	96.00	27	98.97	50	99.67*	73	98.97	96	96.50	119	93.02	142	91.02	165	92.79
5	96.17	28	99.03	51	99.67	74	98.90	97	96.35	120	92.87	143	91.02	166	92.94
6	96.34	29	99.09	52	99.67	75	98.83	98	96.21	121	92.73	144	91.03	167	93.10
7	96.50	30	99.14	53	99.66	76	98.75	99	96.06	122	92.59	145	91.04	168	93.26
8	96.66	31	99.20	54	99.65	77	98.67	100	95.91	123	92.46	146	91.06	169	93.42
9	96.82	32	99.25	55	99.64	78	98.59	101	95.76	124	92.33	147	91.09	170	93.59
10	96.98	33	99.29	56	99.63	79	98.50	102	95.61	125	92.20	148	91.13	171	93.75
11	97.13	34	99.34	57	99.62	80	98.41	103	95.46	126	92.08	149	91.17	172	93.92
12	97.28	35	99.38	58	99.60	81	98.31	104	95.30	127	91.96	150	91.21	173	94.10
13	97.43	36	99.42	59	99.58	82	98.22	105	95.15	128	91.85	151	91.27	174	94.27
14	97.57	37	99.45	60	99.56	83	98.11	106	95.00	129	91.74	152	91.33	175	94.44
15	97.71	38	99.48	61	99.53	84	98.01	107	94.84	130	91.63	153	91.40	176	94.62
16	97.85	39	99.51	62	99.51	85	97.90	108	94.69	131	91.54	154	91.47	177	94.79
17	97.98	40	99.54	63	99.48	86	97.79	109	94.53	132	91.45	155	91.56	178	94.97
18	98.10	41	99.56	64	99.44	87	97.68	110	94.38	133	91.37	156	91.65	179	95.14
19	98.22	42	99.58	65	99.41	88	97.56	111	94.22	134	91.29	157	91.74		
20	98.34	43	99.60	66	99.37	89	97.44	112	94.07	135	91.23	158	91.85		
21	98.45	44	99.62	67	99.32	90	97.31	113	93.91	136	91.18	159	91.96		
22	98.55	45	99.64	68	99.27	91	97.18	114	93.76	137	91.13	160	92.08	F3 - EDIT	

**ASCC**

Alaska State Climate Center

*faxing*

ASCC provides historic data on climatology and oceanography, defines climate trends, and applies the data to current problems.


FROM: DWIGHT D. POLLARD, Ph.D.  
State Climatologist  
(907) 257-2741 • Fax (907) 276-6847  
Internet: AUCLIMA@ACAD2.ALASKA.EDU

DATE: 9 Dec 95No. PAGES: 2ACOUNT: Do 7

TO:

Cindie LittleDWPF

FAX:

907-451-5120

MESSAGE:

Please deliver this fax transmission to the above addressee. If the entire transmission is not received in readable condition, please advise ASCC at your earliest convenience. Thank you.

ENVIRONMENT AND NATURAL RESOURCES INSTITUTE  
UNIVERSITY OF ALASKA ANCHORAGE  
707 A Street, Anchorage, AK 99501

## MEMO

To: Cindie Little  
ADOT&PF

From: Dwight Pollard

Subject: Your Fax dated December 8, 1995

I have to leave town due to a death in the family. I expect to be back by the end of the week. I will get all of the things picked up by then. We probably should extend the time for Minto, Tetlin, Toksook Bay, and Kotlik.

Minto - We have not been successful in bringing the station back up. I think you have all of the data.

Kotlik - there should be 1995 data included. I checked the reports and they say it is not there. I will check when I get back. I don't understand!

Tetlin - I will get the estimates to you. I also owe you (Patty) one for Alakanuk.

Chevak - We have some 1995 data and the system is working fine. I will compare some of the data with Hooper Bay when I get back. I have at least 2 years of data for Hooper Bay.

Minto - I don't think the hill to the east has much of an influence at the present location. The anemometer is on the top of the hill and about a mile from the other hill. I do think it would be a good idea to get data at a second site for a few months to compare the data. I Think your site is far enough away from the hill (½ mile).