Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

src="http://lbaw2122.lbaw.fe.up.pt/js/commentManagement.js"></scri</pre>

</script>

<script type="text/javascript"

```
Warning | The type attribute is unnecessary for JavaScript resources.
 4.
     From line 123, column 1; to line 123, column 94
     esheet">↔<script type="text/javascript"
     src="http://lbaw2122.lbaw.fe.up.pt/js/postManagement.js" defer></scri</pre>
     Error An img element must have an alt attribute, except under certain
 5.
     conditions. For details, consult guidance on providing text alternatives for
     images.
     From line 135, column 21; to line 135, column 138
                <img class="img-fluid rounded-circle mx-2" style="height:4em;"</pre>
     src="http://lbaw2122.lbaw.fe.up.pt/user/6/profile_pic">←
      Error Stray end tag input .
 6.
     From line 159, column 86; to line 159, column 93
     Username"></input>←
     Error Bad value true for attribute hidden on element button.
 7.
     From line 186, column 13; to line 186, column 122
                <button id="postEditorEditButton" type="button" class="btn btn-</pre>
     primary" data-bs-dismiss="modal" hidden='true'>Edit/
     Error Bad value button for attribute type on element a: Subtype
     missing.
     From line 264, column 41; to line 264, column 135
                <a class="btn btn-secondary mb-2 w-100" type="button" data-bs-</pre>
     toggle="modal" href="#attendees">View A
     Error Bad value button for attribute type on element a: Subtype
 9.
     missing.
     From line 265, column 21; to line 265, column 148
                <a class="btn btn-secondary mb-2 w-100" type="button" data-bs-</pre>
     toggle="modal" onclick="clearInviteFeedback()" href="#inviteUser">Invite
     Error Attribute type not allowed on element textarea at this point.
10.
     From line 281, column 5; to line 281, column 92
     </h1>↩
                 <textarea maxlength="200" type="textarea" name="content"
     class="form-control " required></text</pre>
     Attributes for element textarea:
        Global attributes
        <u>autocomplete</u> — Hint for form autofill feature
       <u>cols</u> — Maximum number of characters per line
```

```
dirname — Name of form control to use for sending the element's directionality in form submission

disabled — Whether the form control is disabled

form — Associates the element with a form element

maxlength — Maximum length of value

minlength — Minimum length of value

name — Name of the element to use for form submission and in the form.elements API

placeholder — User-visible label to be placed within the form control

readonly — Whether to allow the value to be edited by the user

required — Whether the control is required for form submission

rows — Number of lines to show

wrap — How the value of the form control is to be wrapped for form submission
```

```
11. Error Bad value button for attribute type on element a: Subtype missing.

From line 285, column 5; to line 285, column 79

form>← <a type="button" class="btn btn-secondary mb-5" onclick="addComment('2');">Publis
```

```
Error | Element | a | is missing required attribute | href |.
12.
      From line 285, column 5; to line 285, column 79
                    <a type="button" class="btn btn-secondary mb-5"</pre>
      onclick="addComment('2');">Publis
      Attributes for element <u>a</u>:
         Global attributes
         href — Address of the hyperlink
         <u>target</u> — <u>Browsing context</u> for <u>hyperlink</u> <u>navigation</u>
         download — Whether to download the resource instead of navigating to it, and its filename if
         so
         ping — URLs to ping
         rel — Relationship between the location in the document containing the hyperlink and the
         destination resource
         hreflang — Language of the linked resource
         type — Hint for the type of the referenced resource
         <u>referrer policy</u> — <u>Referrer policy</u> for <u>fetches</u> initiated by the element
```

Document checking completed.

Source