API Reference

Mozaik Visualization

API Version: 1.0.0

INDEX

API

1. ADS

Everything about analysis data structures

1.1 GET /analysis_ds

Get specific ADS

Returns different schema of ADS depending on the provided identifier. May require to issue other requests to get all of the data.

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
*path	string	
*identifier	enum ALLOWED: SingleValue, SingleValueList, PerNeuronValue, PerNeuronPairValue, AnalogSignal, AnalogSignalList, PerNeuronPairAnalogSignalList, ConductanceSignalList, Connections	
stimulus	object	
sheet	string	
*algorithm	string	
valueName	string	
neuron	string	
tags	array of string	

RESPONSE

STATUS CODE - 200: Successful operation

RESPONSE MODEL - application/json

```
{
    tags        [string]
    unit        string
    sheet       string
    neuron      integer
    period      number
    stimulus {
    }
    algorithm   string
    valueName   string
    identifier  enum        ALLOWED:SingleValue, SingleValueList, PerNeuronValue,
                            PerNeuronPairValue, AnalogSignal, AnalogSignalList,
                            PerNeuronPairAnalogSignalList, ConductanceSignalList,
                            Connections
}
```

STATUS CODE - 400: Invalid parameters or unimplemented ADS type

1.2 GET /analysis_ds/asl

Get ASL values

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
*path	string	
stimulus	object	
sheet	string	
*algorithm	string	
valueName	string	
neuron	string	
tags	array of string	

RESPONSE

STATUS CODE - 200: Successful operation

    RESPONSE MODEL - text/csv

string

STATUS CODE - 400: Invalid parameters supplied

1.3 GET /analysis_ds/pnpv

Get PNPV values

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
*path	string	
stimulus	object	
sheet	string	
*algorithm	string	
valueName	string	
neuron	string	
tags	array of string	

RESPONSE

STATUS CODE - 200: Successful operation

    RESPONSE MODEL - text/csv

string

STATUS CODE - 400: Invalid parameters supplied

1.4 GET /analysis_ds_list

Get list of all ADS

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
*path	string	

RESPONSE

STATUS CODE - 200: Successful operation

RESPONSE MODEL - application/json

```
[{
Array of object:

    tags        [string]
    unit        string
    sheet       string
    neuron      integer
    period      number
    stimulus {
    }
    algorithm   string
    valueName   string
    identifier  enum        ALLOWED:SingleValue, SingleValueList, PerNeuronValue,
                            PerNeuronPairValue, AnalogSignal, AnalogSignalList,
                            PerNeuronPairAnalogSignalList, ConductanceSignalList,
                            Connections

}]
```

STATUS CODE - 400: Invalid parameters supplied

2. FILESYSTEM

Access to the filesystem

2.1 GET /filesystem

Get listing of a directory

Lists all datastores and directories in the provided directory

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
path	string	

RESPONSE

STATUS CODE - 200: Successful operation

RESPONSE MODEL - application/json

```
{
   name        string
   content     [string]
   datastore   boolean
}
```

STATUS CODE - 400: Invalid path supplied

2.2 GET /recursive_filesystem

Get recursive listing of a directory

Lists all directories in the provided directory and its descendats. Collapses directory paths and filters out paths with no datastores.

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
path	string	

RESPONSE

STATUS CODE - 200: Successful operation

RESPONSE MODEL - application/json

```
{
   name        string
```

```
    content [{
    Array of object:

    }]
    datastore boolean
}
```

STATUS CODE - 400: Invalid path supplied

3. MODEL

Access to sheets and connections

3.1 GET /model

Get model metadata

Get sheet names and count of neurons for each of them, as well as count of connections between each of them

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
*path	string	

RESPONSE

STATUS CODE - 200: Successful operation

RESPONSE MODEL - application/json

```
{
   sheets [{
   Array of object:
      size    integer
      label   string
   }]
   connections [{
   Array of object:
      src     string
      size    integer
      target  string
   }]
}
```

STATUS CODE - 400: Invalid parameters supplied

3.2 GET /model/positions

Get neuron positions for a given sheet

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
*path	string	
*sheet	string	

RESPONSE

STATUS CODE - 200: Successful operation

RESPONSE MODEL - text/csv

string
id,x,y

STATUS CODE - 400: Invalid parameters supplied

3.3 GET /model/connections

Get connections between two sheets

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
*path	string	
*src	string	
*tgt	string	

RESPONSE

STATUS CODE - 200: Successful operation

RESPONSE MODEL - text/csv

string
srcIndex,tgtIndex,weight,delay

STATUS CODE - 400: Invalid parameters supplied