

Class RefereeDbContext

Inheritance

↳ object (<https://learn.microsoft.com/dotnet/api/system.object>)
↳ DbContext (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext>)
↳ RefereeDbContext

Implements

IInfrastructure (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.infrastructure.iinfrastructure-1>)<IServiceProvider (<https://learn.microsoft.com/dotnet/api/system.iserviceprovider>)>
IDbContextDependencies (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.internal.idbcontextdependencies>)
IDbSetCache (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.internal.idbsetcache>)
IDbContextPoolable (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.internal.idbcontextpoolable>)
IResettableService (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.infrastructure.iresettableservice>)
IDisposable (<https://learn.microsoft.com/dotnet/api/system.idisposable>)
IAsyncDisposable (<https://learn.microsoft.com/dotnet/api/system.iasyncdisposable>)

Inherited Members

DbContext.Set<TEntity>() (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.set#microsoft-entityframeworkcore-dbcontext-set-1>)
DbContext.Set<TEntity>(string) ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.set#microsoft-entityframeworkcore-dbcontext-set-1\(system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.set#microsoft-entityframeworkcore-dbcontext-set-1(system-string)))
DbContext.ConfigureConventions(ModelConfigurationBuilder) (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.configureconventions>)
DbContext.SaveChanges() (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.savechanges#microsoft-entityframeworkcore-dbcontext-savechanges>)
DbContext.SaveChanges(bool) ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.savechanges#microsoft-entityframeworkcore-dbcontext-savechanges\(system-boolean\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.savechanges#microsoft-entityframeworkcore-dbcontext-savechanges(system-boolean)))
DbContext.SaveChangesAsync(CancellationToken) ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.savechangesasync#microsoft-entityframeworkcore-dbcontext-savechangesasync\(system-threading-cancellationtoken\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.savechangesasync#microsoft-entityframeworkcore-dbcontext-savechangesasync(system-threading-cancellationtoken)))
DbContext.SaveChangesAsync(bool, CancellationToken) ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.savechangesasync#microsoft-entityframeworkcore-dbcontext-savechangesasync\(system-boolean-system-threading-cancellationtoken\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.savechangesasync#microsoft-entityframeworkcore-dbcontext-savechangesasync(system-boolean-system-threading-cancellationtoken)))
DbContext.Dispose() (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.dispose>)
DbContext.DisposeAsync() (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.disposeasync>)
DbContext.Entry<TEntity>(TEntity) ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.entry#microsoft-entityframeworkcore-dbcontext-entry-1\(-0\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.entry#microsoft-entityframeworkcore-dbcontext-entry-1(-0)))
DbContext.Entry(object) ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.entry#microsoft-entityframeworkcore-dbcontext-entry\(system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.entry#microsoft-entityframeworkcore-dbcontext-entry(system-object)))
DbContext.Add<TEntity>(TEntity) ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.add#microsoft-entityframeworkcore-dbcontext-add-1\(-0\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.add#microsoft-entityframeworkcore-dbcontext-add-1(-0)))
DbContext.AddAsync<TEntity>(TEntity, CancellationToken) ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.addasync#microsoft-entityframeworkcore-dbcontext-addasync-1\(-0-system-threading-cancellationtoken\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.addasync#microsoft-entityframeworkcore-dbcontext-addasync-1(-0-system-threading-cancellationtoken)))
DbContext.Attach<TEntity>(TEntity) ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.attach#microsoft-entityframeworkcore-dbcontext-attach-1\(-0\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.attach#microsoft-entityframeworkcore-dbcontext-attach-1(-0)))
DbContext.Update<TEntity>(TEntity) ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.update#microsoft-entityframeworkcore-dbcontext-update-1\(-0\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.update#microsoft-entityframeworkcore-dbcontext-update-1(-0)))
DbContext.Remove<TEntity>(TEntity) ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.remove#microsoft-entityframeworkcore-dbcontext-remove-1\(-0\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.remove#microsoft-entityframeworkcore-dbcontext-remove-1(-0)))
DbContext.Add(object) ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.add#microsoft-entityframeworkcore-dbcontext-add\(system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.add#microsoft-entityframeworkcore-dbcontext-add(system-object)))
DbContext.AddAsync(object, CancellationToken) ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.addasync#microsoft-entityframeworkcore-dbcontext-addasync\(system-object-system-threading-cancellationtoken\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.addasync#microsoft-entityframeworkcore-dbcontext-addasync(system-object-system-threading-cancellationtoken)))
DbContext.Attach(object) ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.attach#microsoft-entityframeworkcore-dbcontext-attach\(system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.attach#microsoft-entityframeworkcore-dbcontext-attach(system-object)))
DbContext.Update(object) ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.update#microsoft-entityframeworkcore-dbcontext-update\(system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.update#microsoft-entityframeworkcore-dbcontext-update(system-object)))
DbContext.Remove(object) ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.remove#microsoft-entityframeworkcore-dbcontext-remove\(system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.remove#microsoft-entityframeworkcore-dbcontext-remove(system-object)))
DbContext.AddRange(params object[]) ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.addrange#microsoft-entityframeworkcore-dbcontext-addrange\(system-object\(\)\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.addrange#microsoft-entityframeworkcore-dbcontext-addrange(system-object())))

DbContext.AddRangeAsync(params object[])
 ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.addrangeasync#microsoft-entityframeworkcore-dbcontext-addrangeasync\(system-object\(\)\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.addrangeasync#microsoft-entityframeworkcore-dbcontext-addrangeasync(system-object())))
 DbContext.AttachRange(params object[])
 ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.attachrange#microsoft-entityframeworkcore-dbcontext-attachrange\(system-object\(\)\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.attachrange#microsoft-entityframeworkcore-dbcontext-attachrange(system-object())))
 DbContext.UpdateRange(params object[])
 ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.updaterange#microsoft-entityframeworkcore-dbcontext-updaterange\(system-object\(\)\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.updaterange#microsoft-entityframeworkcore-dbcontext-updaterange(system-object())))
 DbContext.RemoveRange(params object[])
 ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.removeorange#microsoft-entityframeworkcore-dbcontext-removeorange\(system-object\(\)\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.removeorange#microsoft-entityframeworkcore-dbcontext-removeorange(system-object())))
 DbContext.AddRange(IEnumerable<object>)
 ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.addrange#microsoft-entityframeworkcore-dbcontext-addrange\(system-collections-generic-ienumerable\(\(system-object\)\)\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.addrange#microsoft-entityframeworkcore-dbcontext-addrange(system-collections-generic-ienumerable((system-object)))))
 DbContext.AddRangeAsync(IEnumerable<object>, CancellationToken)
 ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.addrangeasync#microsoft-entityframeworkcore-dbcontext-addrangeasync\(system-collections-generic-ienumerable\(\(system-object\)\)-system-threading-cancellationtoken\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.addrangeasync#microsoft-entityframeworkcore-dbcontext-addrangeasync(system-collections-generic-ienumerable((system-object))-system-threading-cancellationtoken)))
 DbContext.AttachRange(IEnumerable<object>)
 ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.attachrange#microsoft-entityframeworkcore-dbcontext-attachrange\(system-collections-generic-ienumerable\(\(system-object\)\)\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.attachrange#microsoft-entityframeworkcore-dbcontext-attachrange(system-collections-generic-ienumerable((system-object)))))
 DbContext.UpdateRange(IEnumerable<object>)
 ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.updaterange#microsoft-entityframeworkcore-dbcontext-updaterange\(system-collections-generic-ienumerable\(\(system-object\)\)\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.updaterange#microsoft-entityframeworkcore-dbcontext-updaterange(system-collections-generic-ienumerable((system-object)))))
 DbContext.RemoveRange(IEnumerable<object>)
 ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.removeorange#microsoft-entityframeworkcore-dbcontext-removeorange\(system-collections-generic-ienumerable\(\(system-object\)\)\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.removeorange#microsoft-entityframeworkcore-dbcontext-removeorange(system-collections-generic-ienumerable((system-object)))))
 DbContext.Find(Type, params object[])
 ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.find#microsoft-entityframeworkcore-dbcontext-find\(system-type-system-object\(\)\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.find#microsoft-entityframeworkcore-dbcontext-find(system-type-system-object())))
 DbContext.FindAsync(Type, params object[])
 ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.findasync#microsoft-entityframeworkcore-dbcontext-findasync\(system-type-system-object\(\)\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.findasync#microsoft-entityframeworkcore-dbcontext-findasync(system-type-system-object())))
 DbContext.FindAsync(Type, object[], CancellationToken)
 ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.findasync#microsoft-entityframeworkcore-dbcontext-findasync\(system-type-system-object\(\)-system-threading-cancellationtoken\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.findasync#microsoft-entityframeworkcore-dbcontext-findasync(system-type-system-object()-system-threading-cancellationtoken)))
 DbContext.Find<TEntity>(params object[])
 ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.find#microsoft-entityframeworkcore-dbcontext-find-1\(system-object\(\)\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.find#microsoft-entityframeworkcore-dbcontext-find-1(system-object())))
 DbContext.FindAsync<TEntity>(params object[])
 ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.findasync#microsoft-entityframeworkcore-dbcontext-findasync-1\(system-object\(\)\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.findasync#microsoft-entityframeworkcore-dbcontext-findasync-1(system-object())))
 DbContext.FindAsync<TEntity>(object[], CancellationToken)
 ([https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.findasync#microsoft-entityframeworkcore-dbcontext-findasync-1\(system-object\(\)-system-threading-cancellationtoken\)](https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.findasync#microsoft-entityframeworkcore-dbcontext-findasync-1(system-object()-system-threading-cancellationtoken)))
 DbContext.FromExpression<TResult>(Expression<Func<IQueryable<TResult>>>)
 (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.fromexpression>)
 DbContext.Database (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.database>)
 DbContext.ChangeTracker (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.changetracker>)
 DbContext.Model (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.model>)
 DbContext.ContextId (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.contextid>)
 DbContext.SavingChanges (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.savingchanges>)
 DbContext.SavedChanges (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.savedchanges>)
 DbContext.SaveChangesFailed (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.savechangesfailed>)
 object.Equals(object) ([https://learn.microsoft.com/dotnet/api/system.object.equals#system-object-equals\(system-object\)](https://learn.microsoft.com/dotnet/api/system.object.equals#system-object-equals(system-object)))
 object.Equals(object, object) ([https://learn.microsoft.com/dotnet/api/system.object.equals#system-object-equals\(system-object-system-object\)](https://learn.microsoft.com/dotnet/api/system.object.equals#system-object-equals(system-object-system-object)))
 object.GetHashCode() (<https://learn.microsoft.com/dotnet/api/system.object.gethashcode>)
 object.GetType() (<https://learn.microsoft.com/dotnet/api/system.object.gettype>)
 object.MemberwiseClone() (<https://learn.microsoft.com/dotnet/api/system.object.memberwiseclone>)
 object.ReferenceEquals(object, object) (<https://learn.microsoft.com/dotnet/api/system.object.referenceequals>)
 object.ToString() (<https://learn.microsoft.com/dotnet/api/system.object.tostring>)

Namespace: RefereePart (RefereePart.html).Models (RefereePart.Models.html)

Assembly: RefereePart.dll

Syntax

```
public class RefereeDbContext : DbContext, IInfrastructure<IServiceProvider>, IDbContextDependencies, IDbSetCache, I
DbContextPoolable, IResettableService, IDisposable, IAsyncDisposable
```

Constructors

RefereeDbContext()

Declaration

```
public RefereeDbContext()
```

RefereeDbContext(DbContextOptions<RefereeDbContext>)

Declaration

```
public RefereeDbContext(DbContextOptions<RefereeDbContext> options)
```

Parameters

Type	Name	Description
DbContextOptions (https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontextoptions-1)<RefereeDbContext (RefereePart.Models.RefereeDbContext.html)>	<i>options</i>	

Properties

Excuses

Declaration

```
public virtual DbSet<Excuse> Excuses { get; set; }
```

Property Value

Type	Description
DbSet (https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbset-1)<Excuse (RefereePart.Models.Excuse.html)>	

Referees

Declaration

```
public virtual DbSet<Referee> Referees { get; set; }
```

Property Value

Type	Description
DbSet (https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbset-1)<Referee (RefereePart.Models.Referee.html)>	

VehicleSlots

Declaration

```
public virtual DbSet<VehicleSlot> VehicleSlots { get; set; }
```

Property Value

Type	Description
DbSet (https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbset-1)<VehicleSlot (RefereePart.Models.VehicleSlot.html)>	

Methods

OnConfiguring(DbContextOptionsBuilder)

Override this method to configure the database (and other options) to be used for this context. This method is called for each instance of the context that is created. The base implementation does nothing.

Declaration

```
protected override void OnConfiguring(DbContextOptionsBuilder optionsBuilder)
```

Parameters

Type	Name	Description
DbContextOptionsBuilder (https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontextoptionsbuilder)	<i>optionsBuilder</i>	A builder used to create or modify options for this context. Databases (and other extensions) typically define extension methods on this object that allow you to configure the context.

Overrides

```
DbContext.OnConfiguring(DbContextOptionsBuilder)  
(https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.onconfiguring)
```

Remarks

In situations where an instance of DbContextOptions (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontextoptions>) may or may not have been passed to the constructor, you can use IsConfigured (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontextoptionsbuilder.isconfigured>) to determine if the options have already been set, and skip some or all of the logic in OnConfiguring(DbContextOptionsBuilder) (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.onconfiguring>).

See DbContext lifetime, configuration, and initialization (<https://aka.ms/efcore-docs-dbcontext>) for more information and examples.

OnModelCreating(ModelBuilder)

Override this method to further configure the model that was discovered by convention from the entity types exposed in DbSet<TEntity> (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbset-1>) properties on your derived context. The resulting model may be cached and re-used for subsequent instances of your derived context.

Declaration

```
protected override void OnModelCreating(ModelBuilder modelBuilder)
```

Parameters

Type	Name	Description
ModelBuilder (https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.modelbuilder)	<i>modelBuilder</i>	The builder being used to construct the model for this context. Databases (and other extensions) typically define extension methods on this object that allow you to configure aspects of the model that are specific to a given database.

Overrides

```
DbContext.OnModelCreating(ModelBuilder)  
(https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontext.onmodelcreating)
```

Remarks

If a model is explicitly set on the options for this context (via UseModel(IModel) (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.dbcontextoptionsbuilder.usemodel>)) then this method will not be run. However, it will still run when creating a compiled model.

See Modeling entity types and relationships (<https://aka.ms/efcore-docs-modeling>) for more information and examples.

Implements

IIInfrastructure<T> (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.infrastructure.iinfrastructure-1>)
IDbContextDependencies (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.internal.idbcontextdependencies>)
IDbSetCache (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.internal.idbsetcache>)
IDbContextPoolable (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.internal.idbcontextpoolable>)
IResettableService (<https://learn.microsoft.com/dotnet/api/microsoft.entityframeworkcore.infrastructure.iresettableservice>)
IDisposable (<https://learn.microsoft.com/dotnet/api/system.idisposable>)
IAsyncDisposable (<https://learn.microsoft.com/dotnet/api/system.iasyncdisposable>)