

Class TokenValidationController

Controller for validating authentication tokens used by internal services.

Inheritance

↳ object (<https://learn.microsoft.com/dotnet/api/system.object>)
↳ ControllerBase (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase>)
↳ TokenValidationController

Inherited Members

ControllerBase.StatusCode(int) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.statuscode#microsoft-aspnetcore-mvc-controllerbase-statuscode\(system-int32\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.statuscode#microsoft-aspnetcore-mvc-controllerbase-statuscode(system-int32)))

ControllerBase.StatusCode(int, object) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.statuscode#microsoft-aspnetcore-mvc-controllerbase-statuscode\(system-int32-system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.statuscode#microsoft-aspnetcore-mvc-controllerbase-statuscode(system-int32-system-object)))

ControllerBase.Content(string) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.content#microsoft-aspnetcore-mvc-controllerbase-content\(system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.content#microsoft-aspnetcore-mvc-controllerbase-content(system-string)))

ControllerBase.Content(string, string) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.content#microsoft-aspnetcore-mvc-controllerbase-content\(system-string-system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.content#microsoft-aspnetcore-mvc-controllerbase-content(system-string-system-string)))

ControllerBase.Content(string, string, Encoding) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.content#microsoft-aspnetcore-mvc-controllerbase-content\(system-string-system-string-system-text-encoding\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.content#microsoft-aspnetcore-mvc-controllerbase-content(system-string-system-string-system-text-encoding)))

ControllerBase.Content(string, MediaTypeHeaderValue) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.content#microsoft-aspnetcore-mvc-controllerbase-content\(system-string-microsoft-net-http-headers-mediatypeheadervalue\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.content#microsoft-aspnetcore-mvc-controllerbase-content(system-string-microsoft-net-http-headers-mediatypeheadervalue)))

ControllerBase.NoContent() (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.nocontent>)

ControllerBase.Ok() (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.ok#microsoft-aspnetcore-mvc-controllerbase-ok>)

ControllerBase.Ok(object) ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.ok#microsoft-aspnetcore-mvc-controllerbase-ok\(system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.ok#microsoft-aspnetcore-mvc-controllerbase-ok(system-object)))

ControllerBase.Redirect(string) (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirect>)

ControllerBase.RedirectPermanent(string)

(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirectpermanent>)

ControllerBase.RedirectPreserveMethod(string)

(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirectpreservemethod>)

ControllerBase.RedirectPermanentPreserveMethod(string)

(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirectpermanentpreservemethod>)

ControllerBase.LocalRedirect(string) (<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.localredirect>)

ControllerBase.LocalRedirectPermanent(string)

(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.localredirectpermanent>)

ControllerBase.LocalRedirectPreserveMethod(string)

(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.localredirectpreservemethod>)

ControllerBase.LocalRedirectPermanentPreserveMethod(string)

(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.localredirectpermanentpreservemethod>)

ControllerBase.RedirectToAction()

(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirecttoaction#microsoft-aspnetcore-mvc-controllerbase-redirecttoaction>)

ControllerBase.RedirectToAction(string)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirecttoaction#microsoft-aspnetcore-mvc-controllerbase-redirecttoaction\(system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirecttoaction#microsoft-aspnetcore-mvc-controllerbase-redirecttoaction(system-string)))

ControllerBase.RedirectToAction(string, object)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirecttoaction#microsoft-aspnetcore-mvc-controllerbase-redirecttoaction\(system-string-system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirecttoaction#microsoft-aspnetcore-mvc-controllerbase-redirecttoaction(system-string-system-object)))

ControllerBase.RedirectToAction(string, string)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirecttoaction#microsoft-aspnetcore-mvc-controllerbase-redirecttoaction\(system-string-system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirecttoaction#microsoft-aspnetcore-mvc-controllerbase-redirecttoaction(system-string-system-string)))

ControllerBase.RedirectToAction(string, string, object)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirecttoaction#microsoft-aspnetcore-mvc-controllerbase-redirecttoaction\(system-string-system-string-system-object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirecttoaction#microsoft-aspnetcore-mvc-controllerbase-redirecttoaction(system-string-system-string-system-object)))

ControllerBase.RedirectToAction(string, string, string)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirecttoaction#microsoft-aspnetcore-mvc-controllerbase-redirecttoaction\(system-string-system-string-system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirecttoaction#microsoft-aspnetcore-mvc-controllerbase-redirecttoaction(system-string-system-string-system-string)))

ControllerBase.RedirectToAction(string, string, object, string)

([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirecttoaction#microsoft-aspnetcore-mvc-controllerbase-redirecttoaction\(system-string-system-string-system-object-system-string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirecttoaction#microsoft-aspnetcore-mvc-controllerbase-redirecttoaction(system-string-system-string-system-object-system-string)))

ControllerBase.RedirectToActionPreserveMethod(string, string, object, string)

(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.redirecttoactionpreservemethod>)

[illegible]

[illegible]

[illegible]

`ControllerBase.UnprocessableEntity()`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.unprocessibleentity#microsoft-aspnetcore-mvc-controllerbase-unprocessibleentity](#))
`ControllerBase.UnprocessableEntity(object)`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.unprocessibleentity#microsoft-aspnetcore-mvc-controllerbase-unprocessibleentity\(system-object\)](#))
`ControllerBase.UnprocessableEntity(ModelStateDictionary)`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.unprocessibleentity#microsoft-aspnetcore-mvc-controllerbase-unprocessibleentity\(microsoft-aspnetcore-mvc-modelbinding-modelstatedictionary\)](#))
`ControllerBase.Conflict()` ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.conflict#microsoft-aspnetcore-mvc-controllerbase-conflict](#))
`ControllerBase.Conflict(object)` ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.conflict#microsoft-aspnetcore-mvc-controllerbase-conflict\(system-object\)](#))
`ControllerBase.Conflict(ModelStateDictionary)`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.conflict#microsoft-aspnetcore-mvc-controllerbase-conflict\(microsoft-aspnetcore-mvc-modelbinding-modelstatedictionary\)](#))
`ControllerBase.Problem(string, string, int?, string, string)`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.problem](#))
`ControllerBase.ValidationProblem(ValidationProblemDetails)`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.validationproblem#microsoft-aspnetcore-mvc-controllerbase-validationproblem\(microsoft-aspnetcore-mvc-validationproblemdetails\)](#))
`ControllerBase.ValidationProblem(ModelStateDictionary)`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.validationproblem#microsoft-aspnetcore-mvc-controllerbase-validationproblem\(microsoft-aspnetcore-mvc-modelbinding-modelstatedictionary\)](#))
`ControllerBase.ValidationProblem()`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.validationproblem#microsoft-aspnetcore-mvc-controllerbase-validationproblem](#))
`ControllerBase.ValidationProblem(string, string, int?, string, string, ModelStateDictionary)`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.validationproblem#microsoft-aspnetcore-mvc-controllerbase-validationproblem\(system-string-system-string-system-nullable\(\(system-int32\)\)-system-string-system-string-microsoft-aspnetcore-mvc-modelbinding-modelstatedictionary\)](#))
`ControllerBase.Created()` ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.created#microsoft-aspnetcore-mvc-controllerbase-created](#))
`ControllerBase.Created(string, object)`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.created#microsoft-aspnetcore-mvc-controllerbase-created\(system-string-system-object\)](#))
`ControllerBase.Created(Uri, object)`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.created#microsoft-aspnetcore-mvc-controllerbase-created\(system-uri-system-object\)](#))
`ControllerBase.CreatedAtAction(string, object)`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.createdataction#microsoft-aspnetcore-mvc-controllerbase-createataction\(system-string-system-object\)](#))
`ControllerBase.CreatedAtAction(string, object, object)`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.createataction#microsoft-aspnetcore-mvc-controllerbase-createataction\(system-string-system-object-system-object\)](#))
`ControllerBase.CreatedAtAction(string, string, object, object)`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.createataction#microsoft-aspnetcore-mvc-controllerbase-createataction\(system-string-system-string-system-object-system-object\)](#))
`ControllerBase.CreatedAtRoute(string, object)`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.createtroute#microsoft-aspnetcore-mvc-controllerbase-createtroute\(system-string-system-object\)](#))
`ControllerBase.CreatedAtRoute(object, object)`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.createtroute#microsoft-aspnetcore-mvc-controllerbase-createtroute\(system-object-system-object\)](#))
`ControllerBase.CreatedAtRoute(string, object, object)`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.createtroute#microsoft-aspnetcore-mvc-controllerbase-createtroute\(system-string-system-object-system-object\)](#))
`ControllerBase.Accepted()` ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.accepted#microsoft-aspnetcore-mvc-controllerbase-accepted](#))
`ControllerBase.Accepted(object)` ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.accepted#microsoft-aspnetcore-mvc-controllerbase-accepted\(system-object\)](#))
`ControllerBase.Accepted(Uri)` ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.accepted#microsoft-aspnetcore-mvc-controllerbase-accepted\(system-uri\)](#))
`ControllerBase.Accepted(string)` ([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.accepted#microsoft-aspnetcore-mvc-controllerbase-accepted\(system-string\)](#))
`ControllerBase.Accepted(string, object)`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.accepted#microsoft-aspnetcore-mvc-controllerbase-accepted\(system-string-system-object\)](#))
`ControllerBase.Accepted(Uri, object)`
([https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.accepted#microsoft-aspnetcore-mvc-controllerbase-accepted\(system-uri-system-object\)](#))

[illegible]

[signout\(microsoft.aspnetcore.authentication.authenticationproperties\)\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signout#microsoft-aspnetcore-mvc-controllerbase-signout(system-string()))
[ControllerBase.SignOut\(params string\[\]\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signout#microsoft-aspnetcore-mvc-controllerbase-signout(system-string()))
[ControllerBase.SignOut\(AuthenticationProperties, params string\[\]\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signout#microsoft-aspnetcore-mvc-controllerbase-signout(system-string()))
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.signout#microsoft-aspnetcore-mvc-controllerbase-signout(microsoft-aspnetcore-authentication-authenticationproperties-system-string()))
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1(-0))
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1(-0-system-string))
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, params Expression<Func<TModel, object>>\[\]\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1(-0-system-string-microsoft-aspnetcore-mvc-modelbinding-ivalueprovider))
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, Func<ModelMetadata, bool>\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1(-0-system-string-system-linq-expressions-expression((system-func((-0-system-object))))()))
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, params Expression<Func<TModel, object>>\[\]\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1(-0-system-string-system-func((microsoft-aspnetcore-mvc-modelbinding-modelmetadata-system-boolean))))
[ControllerBase.TryUpdateModelAsync<TModel>\(TModel, string, IValueProvider, Func<ModelMetadata, bool>\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1(-0-system-string-microsoft-aspnetcore-mvc-modelbinding-ivalueprovider-system-linq-expressions-expression((system-func((-0-system-object))))()))
[ControllerBase.TryUpdateModelAsync\(object, Type, string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync-1(-0-system-string-microsoft-aspnetcore-mvc-modelbinding-ivalueprovider-system-func((microsoft-aspnetcore-mvc-modelbinding-modelmetadata-system-boolean))))
[ControllerBase.TryUpdateModelAsync\(object, Type, string, IValueProvider, Func<ModelMetadata, bool>\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync(system-object-system-type-system-string))
[ControllerBase.TryValidateModel\(object\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryupdatemodelasync#microsoft-aspnetcore-mvc-controllerbase-tryupdatemodelasync(system-object-system-type-system-string-microsoft-aspnetcore-mvc-modelbinding-ivalueprovider-system-func((microsoft-aspnetcore-mvc-modelbinding-modelmetadata-system-boolean))))
[ControllerBase.TryValidateModel\(object, string\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryvalidatemodel#microsoft-aspnetcore-mvc-controllerbase-tryvalidatemodel(system-object))
[ControllerBase.HttpContext \(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.httpcontext>\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.tryvalidatemodel#microsoft-aspnetcore-mvc-controllerbase-tryvalidatemodel(system-object-system-string))
[ControllerBase.Request \(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.request>\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.request)
[ControllerBase.Response \(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.response>\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.response)
[ControllerBase.RouteData \(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.routedata>\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.routedata)
[ControllerBase.ModelState \(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.modelstate>\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.modelstate)
[ControllerBase.ControllerContext \(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.controllercontext>\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.controllercontext)
[ControllerBase.MetadataProvider \(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.metadataprovider>\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.metadataprovider)
[ControllerBase.ModelBinderFactory \(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.modelbinderfactory>\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.modelbinderfactory)
[ControllerBase.Url \(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.url>\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.url)
[ControllerBase.ObjectValidator \(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.objectvalidator>\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.objectvalidator)
[ControllerBase.ProblemDetailsFactory \(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.problemdetailsfactory>\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.problemdetailsfactory)
[ControllerBase.User \(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.user>\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.user)
[ControllerBase.Empty \(<https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.empty>\)](https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.controllerbase.empty)
[object.Equals\(object\) \(\[https://learn.microsoft.com/dotnet/api/system.object.equals#system-object-equals\\(system-object\\)\]\(https://learn.microsoft.com/dotnet/api/system.object.equals#system-object-equals\(system-object\)\)\)](https://learn.microsoft.com/dotnet/api/system.object.equals#system-object-equals(system-object))
[object.Equals\(object, object\) \(\[https://learn.microsoft.com/dotnet/api/system.object.equals#system-object-equals\\(system-object-system-object\\)\]\(https://learn.microsoft.com/dotnet/api/system.object.equals#system-object-equals\(system-object-system-object\)\)\)](https://learn.microsoft.com/dotnet/api/system.object.equals#system-object-equals(system-object-system-object))
[object.GetHashCode\(\) \(<https://learn.microsoft.com/dotnet/api/system.object.gethashcode>\)](https://learn.microsoft.com/dotnet/api/system.object.gethashcode)
[object.GetType\(\) \(<https://learn.microsoft.com/dotnet/api/system.object.gettype>\)](https://learn.microsoft.com/dotnet/api/system.object.gettype)
[object.MemberwiseClone\(\) \(<https://learn.microsoft.com/dotnet/api/system.object.memberwiseclone>\)](https://learn.microsoft.com/dotnet/api/system.object.memberwiseclone)
[object.ReferenceEquals\(object, object\) \(<https://learn.microsoft.com/dotnet/api/system.object.referenceequals>\)](https://learn.microsoft.com/dotnet/api/system.object.referenceequals)
[object.ToString\(\) \(<https://learn.microsoft.com/dotnet/api/system.object.tostring>\)](https://learn.microsoft.com/dotnet/api/system.object.tostring)

Namespace: YourService (YourService.html).Controllers (YourService.Controllers.html)

Assembly: RefereePart.dll

Syntax

```
[Route("internal")]
[ApiController]
public class TokenValidationController : ControllerBase
```

Constructors

TokenValidationController(IConfiguration, ILogger<TokenValidationController>)

Declaration

```
public TokenValidationController(IConfiguration configuration, ILogger<TokenValidationController> logger)
```

Parameters

Type	Name	Description
IConfiguration (https://learn.microsoft.com/dotnet/api/microsoft.extensions.configuration.iconfiguration)	<i>configuration</i>	
ILogger (https://learn.microsoft.com/dotnet/api/microsoft.extensions.logging.ilogger-1)<TokenValidationController (YourService.Controllers.TokenValidationController.html)>	<i>logger</i>	

Methods

ValidateToken()

Validates the provided authentication token.

Declaration

```
[HttpGet("validate-token")]
public IActionResult ValidateToken()
```

Returns

Type	Description
IActionResult (https://learn.microsoft.com/dotnet/api/microsoft.aspnetcore.mvc.iactionresult)	200 OK if the token is valid, 401 Unauthorized if invalid, or 500 Internal Server Error if an exception occurs.

Remarks

This endpoint expects the authentication token to be provided via a cookie named "auth_token". The token is validated using a secret key from AzureKeyVault, issuer, and audience values from Docker secrets.